

Li-Fei Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4846347/publications.pdf>

Version: 2024-02-01

154
papers

8,189
citations

41344

49
h-index

51608

86
g-index

158
all docs

158
docs citations

158
times ranked

2598
citing authors

#	ARTICLE	IF	CITATIONS
1	Metamorphic PT path, U-Pb zircon dating and tectonic implications of High-pressure Pelitic Granulites from the Kharta region, Southern Tibet, China. <i>Gondwana Research</i> , 2022, 104, 23-38.	6.0	4
2	The protoliths of central Himalayan eclogites. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 1949-1966.	3.3	10
3	Tectonothermal transition from continental collision to post-collision: Insights from eclogites overprinted in the ultrahigh-temperature granulite facies (Yadong region, central Himalaya). <i>Journal of Metamorphic Geology</i> , 2022, 40, 955-981.	3.4	8
4	Diverse Anatexis in the Main Central Thrust Zone, Eastern Nepal: Implications for Melt Evolution and Exhumation Process of the Himalaya. <i>Journal of Petrology</i> , 2022, 63, .	2.8	7
5	Melting of subducted slab dictates trace element recycling in global arcs. <i>Science Advances</i> , 2022, 8, eabh2166.	10.3	18
6	A thermodynamic model for sulfur content at sulfide saturation (SCSS) in hydrous silicate melts: With implications for arc magma genesis and sulfur recycling. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 325, 187-204.	3.9	5
7	Boron isotopes of tourmalines from the central Himalaya: Implications for fluid activity and anatexis in the Himalayan orogen. <i>Chemical Geology</i> , 2022, 596, 120800.	3.3	11
8	Melting of carbonated pelite at 5.5–15.5 GPa: implications for the origin of alkali-rich carbonatites and the deep water and carbon cycles. <i>Contributions To Mineralogy and Petrology</i> , 2022, 177, 1.	3.1	5
9	The Calcite-Dolomite Solvus Temperature and T-X(CO ₂) Evolution in High-Grade Impure Marble from Thongmān Area, Central Himalaya: Implications for Carbon Cycling in Orogenic Belts. <i>Minerals (Basel)</i> , 2022, 12, 10784314.		
10	The metamorphic PT history of Precambrian Belomorian eclogites (Shirokaya Salma), Russia. <i>Journal of Metamorphic Geology</i> , 2021, 39, 363-389.	3.4	4
11	Ultrahigh Pressure Metamorphism. , 2021, , 553-560.		1
12	>1.8 Ga cold subduction of lithospheric mantle: Evidences from the Fengzhen olivine-bearing garnet pyroxenite xenoliths in Trans-North China Orogen. <i>Precambrian Research</i> , 2021, 359, 106183.	2.7	2
13	High sulfur solubility in subducted sediment melt under both reduced and oxidized conditions: With implications for S recycling in subduction zone settings. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 304, 305-326.	3.9	8
14	Retrograde carbon sequestration in orogenic complexes: A case study from the Chinese southwestern Tianshan. <i>Lithos</i> , 2021, 392-393, 106151.	1.4	4
15	Abiotic methane generation through reduction of serpentinite-hosted dolomite: Implications for carbon mobility in subduction zones. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 311, 119-140.	3.9	18
16	Tracing serpentinite dehydration in a subduction channel: Chromium element and isotope evidence from subducted oceanic crust. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 313, 1-20.	3.9	7
17	Redox evolution of western Tianshan subduction zone and its effect on deep carbon cycle. <i>Geoscience Frontiers</i> , 2020, 11, 915-924.	8.4	17
18	The formation of graphite-rich eclogite vein in S.W. Tianshan (China) and its implication for deep carbon cycling in subduction zone. <i>Chemical Geology</i> , 2020, 533, 119430.	3.3	13

#	ARTICLE	IF	CITATIONS
19	Multistage CO ₂ sequestration in the subduction zone: Insights from exhumed carbonated serpentinites, SW Tianshan UHP belt, China. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 270, 218-243.	3.9	22
20	Ultrahigh Pressure Metamorphism and Tectonic Evolution of Southwestern Tianshan Orogenic Belt, China: A Comprehensive Review. <i>Acta Geologica Sinica</i> , 2020, 94, 86-86.	1.4	1
21	An experimental study of trace element mobility during dehydration of lawsonite blueschist along different P-T paths: Implications for geochemical heterogeneity of Earth's mantle. <i>Journal of Asian Earth Sciences</i> , 2020, 197, 104389.	2.3	0
22	P-T evolution and tectonic significance of lawsonite-bearing schists from the eastern segment of the southwestern Tianshan, China. <i>Journal of Metamorphic Geology</i> , 2020, 38, 935-962.	3.4	7
23	High- ϵ P granulites of the Songshugou area (Qinling Orogen, east-central China): Petrography, phase relations, and U/Pb zircon geochronology. <i>Journal of Metamorphic Geology</i> , 2020, 38, 421-450.	3.4	6
24	The exhumation of high- and ultrahigh-pressure metamorphic terranes in subduction zone: Questions and discussions. <i>Science China Earth Sciences</i> , 2020, 63, 1884-1903.	5.2	11
25	Changes in the cell parameters of antigorite close to its dehydration reaction at subduction zone conditions. <i>American Mineralogist</i> , 2020, 105, 569-582.	1.9	12
26	HP-UHP metamorphism and tectonic evolution of orogenic belts: introduction. <i>Geological Society Special Publication</i> , 2019, 474, 1-4.	1.3	9
27	Is the Songshugou Complex, Qinling Belt, China, an Eclogite Facies Neoproterozoic Ophiolite?. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 460-475.	3.2	9
28	The Exhumation of Subducted Oceanic-Derived Eclogites: Insights From Phase Equilibrium and Thermomechanical Modeling. <i>Tectonics</i> , 2019, 38, 1764-1797.	2.8	24
29	Ultrahigh-pressure and high- ϵ P lawsonite eclogites in Muzhaerte, Chinese western Tianshan. <i>Journal of Metamorphic Geology</i> , 2019, 37, 717-743.	3.4	15
30	Episodic Fluid Action in Chinese Southwestern Tianshan HP/UHP Metamorphic Belt: Evidence from U-Pb Dating of Zircon in Vein and Host Eclogite. <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 727.	2.0	1
31	Metamorphism and Zircon Geochronological Studies of Metagabbro Vein in the Yushugou Granulite-Peridotite Complex from South Tianshan, China. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 1215-1229.	3.2	8
32	Garnet Lu Hf geochronology and P-T path of the Gridino-type eclogite in the Belomorian Province, Russia. <i>Lithos</i> , 2019, 326-327, 313-326.	1.4	24
33	Coesite in metasediments from the Muzhaerte valley, southwestern Tianshan. <i>Science Bulletin</i> , 2019, 64, 78-80.	9.0	4
34	Petrology and zircon U-Pb dating of well-preserved eclogites from the Thongmān area in central Himalaya and their tectonic implications. <i>Journal of Metamorphic Geology</i> , 2019, 37, 203-226.	3.4	39
35	Ultrahigh pressure metamorphism and tectonic evolution of southwestern Tianshan orogenic belt, China: a comprehensive review. <i>Geological Society Special Publication</i> , 2019, 474, 133-152.	1.3	23
36	Two epochs of eclogite metamorphism link "cold" oceanic subduction and "hot" continental subduction, the North Qaidam UHP belt, NW China. <i>Geological Society Special Publication</i> , 2019, 474, 275-289.	1.3	21

#	ARTICLE	IF	CITATIONS
37	The metamorphic evolution of Salma-type eclogite in Russia: Constraints from zircon/titanite dating and phase equilibria modeling. <i>Precambrian Research</i> , 2019, 326, 363-384.	2.7	20
38	Petrology and age of Precambrian Aksu blueschist, NW China. <i>Precambrian Research</i> , 2019, 326, 295-311.	2.7	31
39	Experimental investigation of Fe ³⁺ -rich majoritic garnet and its effect on majorite geobarometer. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 225, 1-16.	3.9	17
40	Application of microprobe-based flank method analysis of Fe ³⁺ in garnet of North Qilian eclogite and its geological implication. <i>Science Bulletin</i> , 2018, 63, 300-305.	9.0	6
41	Significant contrast in the Mg-C-O isotopes of carbonate between carbonated eclogite and marble from the S.W. Tianshan UHP subduction zone: Evidence for two sources of recycled carbon. <i>Chemical Geology</i> , 2018, 483, 65-77.	3.3	26
42	Petrological Investigations and Zircon U-Pb Dating of High Pressure Felsic Granulites from the Yushugou Complex, South Tianshan, China. <i>Acta Geologica Sinica</i> , 2018, 92, 144-161.	1.4	2
43	The early exhumation history of the Western Tianshan UHP metamorphic belt, China: New constraints from titanite U-Pb geochronology and thermobarometry. <i>Journal of Metamorphic Geology</i> , 2018, 36, 631-651.	3.4	22
44	Metamorphic P-T path and zircon U-Pb dating of HP mafic granulites in the Yushugou granulite-peridotite complex, Chinese South Tianshan, NW China. <i>Journal of Asian Earth Sciences</i> , 2018, 153, 346-364.	2.3	16
45	Quartz and orthopyroxene exsolution lamellae in clinopyroxene and the metamorphic <i>P-T</i> path of Belomorian eclogites. <i>Journal of Metamorphic Geology</i> , 2018, 36, 1-22.	3.4	53
46	Elemental and isotopic (C, O, Sr, Nd) compositions of Late Paleozoic carbonated eclogite and marble from the SW Tianshan UHP belt, NW China: Implications for deep carbon cycle. <i>Journal of Asian Earth Sciences</i> , 2018, 153, 307-324.	2.3	17
47	Cold deep subduction recorded by remnants of a Paleoproterozoic carbonated slab. <i>Nature Communications</i> , 2018, 9, 2790.	12.8	75
48	Formation of abiogenic hydrocarbon from reduction of carbonate in subduction zones: Constraints from petrological observation and experimental simulation. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 239, 390-408.	3.9	70
49	The multi-stage tectonic evolution of the Xitieshan terrane, North Qaidam orogen, western China: From Grenville-age orogeny to early-Paleozoic ultrahigh-pressure metamorphism. <i>Gondwana Research</i> , 2017, 41, 290-300.	6.0	38
50	The youngest eclogite in central Himalaya: <i>P-T</i> path, U-Pb zircon age and its tectonic implication. <i>Gondwana Research</i> , 2017, 41, 188-206.	6.0	58
51	1.9 Ga eclogite from the Archean-Paleoproterozoic Belomorian Province, Russia. <i>Science Bulletin</i> , 2017, 62, 239-241.	9.0	12
52	Recovery of an oxidized majorite inclusion from Earth's deep asthenosphere. <i>Science Advances</i> , 2017, 3, e1601589.	10.3	33
53	Phase equilibria modelling using major and trace element compositions of zoned garnet and clinopyroxene from southwestern Tianshan eclogites, China. <i>Journal of Asian Earth Sciences</i> , 2017, 145, 408-423.	2.3	9
54	Neoproterozoic-Paleoproterozoic granulite-facies metamorphism in Uzkaya Salma eclogite-bearing mafic gabbro, Belomorian Province (Russia). <i>Precambrian Research</i> , 2017, 294, 257-283.	2.7	22

#	ARTICLE	IF	CITATIONS
55	The metamorphic evolution of Paleoproterozoic eclogites in Kuru-Vaara, northern Belomorian Province, Russia: Constraints from P-T pseudosections and zircon dating. <i>Precambrian Research</i> , 2017, 289, 31-47.	2.7	36
56	Zircon U-Pb dating and phase equilibria modelling of gneisses from Dinggye area, Ama Drime Massif, central Himalaya. <i>Geological Journal</i> , 2017, 52, 476-494.	1.3	10
57	High-pressure experimental verification of rutile-ilmenite oxybarometer: Implications for the redox state of the subduction zone. <i>Science China Earth Sciences</i> , 2017, 60, 1817-1825.	5.2	10
58	Phase relations and formation of K-bearing Al ₂ SiO ₅ phase in the MORB+H ₂ O system: Implications for H ₂ O- and K-cycles in subduction zones. <i>American Mineralogist</i> , 2017, 102, 1922-1933.	1.9	5
59	Tracing subduction zone fluid-rock interactions using trace element and Mg-Sr-Nd isotopes. <i>Lithos</i> , 2017, 290-291, 94-103.	1.4	23
60	In-situ U-Pb dating and Nd isotopic analysis of perovskite from a rodingite blackwall associated with UHP serpentinite from southwestern Tianshan, China. <i>Chemical Geology</i> , 2016, 431, 67-82.	3.3	22
61	Zircon geochemistry of two contrasting types of eclogite: Implications for the tectonic evolution of the North Qaidam UHPM belt, northern Tibet. <i>Gondwana Research</i> , 2016, 35, 27-39.	6.0	49
62	Petrogenesis and tectonic implications of Permian post-collisional granitoids in the Chinese southwestern Tianshan, NW China. <i>Journal of Asian Earth Sciences</i> , 2016, 130, 60-74.	2.3	9
63	Carbon Isotope Fraction during Subduction Zone Metamorphism. <i>Acta Geologica Sinica</i> , 2016, 90, 254-254.	1.4	0
64	Nb-Ta mobility and fractionation during exhumation of UHP eclogite from southwestern Tianshan, China. <i>Journal of Asian Earth Sciences</i> , 2016, 122, 136-157.	2.3	17
65	Geochronology and petrogenesis of granitoids and associated mafic enclaves from Xiata in Chinese Southwest Tianshan: Implications for early Paleozoic tectonic evolution. <i>Journal of Asian Earth Sciences</i> , 2016, 115, 40-61.	2.3	20
66	Late Palaeozoic ⁴⁰ Ar/ ³⁹ Ar ages of the HP-LT metamorphic rocks from the Kekesu Valley, Chinese southwestern Tianshan: new constraints on exhumation tectonics. <i>International Geology Review</i> , 2016, 58, 389-404.	2.1	12
67	Northward subduction-related orogenesis of the southern Altaids: Constraints from structural and metamorphic analysis of the HP/UHP accretionary complex in Chinese southwestern Tianshan, NW China. <i>Geoscience Frontiers</i> , 2015, 6, 191-209.	8.4	33
68	Trace element behavior and P-T evolution during partial melting of exhumed eclogite in the North Qaidam UHPM belt (NW China): Implications for adakite genesis. <i>Lithos</i> , 2015, 226, 65-80.	1.4	42
69	Metamorphic PT path and zircon U-Pb dating of Archean eclogite association in Gridino complex, Belomorian province, Russia. <i>Precambrian Research</i> , 2015, 268, 74-96.	2.7	40
70	Geochemistry and geochronology of S-type granites and their coeval MP/HT meta-sedimentary rocks in Chinese Southwest Tianshan and their tectonic implications. <i>Journal of Asian Earth Sciences</i> , 2015, 107, 151-171.	2.3	15
71	Ultra-deep subduction of Yematan eclogite in the North Qaidam UHP belt, NW China: Evidence from phengite exsolution in omphacite. <i>American Mineralogist</i> , 2015, 100, 1848-1855.	1.9	10
72	UHP Metamorphism Documented in Ti-chondrodite- and Ti-clinohumite-bearing Serpentinized Ultramafic Rocks from Chinese Southwestern Tianshan. <i>Journal of Petrology</i> , 2015, 56, 1425-1458.	2.8	87

#	ARTICLE	IF	CITATIONS
73	1.23 Ga mafic dykes in the North China Craton and their implications for the reconstruction of the Columbia supercontinent. <i>Gondwana Research</i> , 2015, 27, 1407-1418.	6.0	55
74	Jadeite- and dolomite-bearing coesite eclogite from western Tianshan, NW China. <i>European Journal of Mineralogy</i> , 2014, 26, 245-256.	1.3	21
75	Petrology and phase equilibrium of newly found eclogites from Kekesu Valley in eastern part of southwest Tianshan HP-UHP metamorphic belt, China, and its tectonic significance. <i>Science China Earth Sciences</i> , 2014, 57, 117-131.	5.2	9
76	The effect of water activity on calculated phase equilibria and garnet isopleth thermobarometry of granulites, with particular reference to Tongbai (east-central China). <i>European Journal of Mineralogy</i> , 2014, 26, 5-23.	1.3	5
77	Adakitic (tonalitic-trondhjemitic) magmas resulting from eclogite decompression and dehydration melting during exhumation in response to continental collision. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 130, 42-62.	3.9	112
78	Continental orogenesis from ocean subduction, continent collision/subduction, to orogen collapse, and orogen recycling: The example of the North Qaidam UHPM belt, NW China. <i>Earth-Science Reviews</i> , 2014, 129, 59-84.	9.1	345
79	Precipitation of rutile needles in garnet from sillimanite-bearing pelitic granulite from the Khondalite Belt, North China Craton. <i>Science Bulletin</i> , 2014, 59, 4359-4366.	1.7	13
80	Metamorphic evolution of relict lawsonite-bearing eclogites from the (U) HP metamorphic belt in the Chinese southwestern Tianshan. <i>Journal of Metamorphic Geology</i> , 2014, 32, 575-598.	3.4	54
81	Differential exhumation and cooling history of North Qaidam UHP metamorphic rocks, NW China: Constraints from zircon and rutile thermometry and U-Pb geochronology. <i>Lithos</i> , 2014, 205, 15-27.	1.4	34
82	Zircon U-Pb-Hf isotopes and geochemistry of Neoproterozoic dioritic-trondhjemitic gneisses, Eastern Hebei, North China Craton: Constraints on petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2014, 251, 1-20.	2.7	92
83	FTIR spectroscopy of Ti-chondrodite, Ti-clinohumite, and olivine in deeply subducted serpentinites and implications for the deep water cycle. <i>Contributions To Mineralogy and Petrology</i> , 2014, 167, 1.	3.1	25
84	The effect of Fe on the stability of dolomite at high pressure: Experimental study and petrological observation in eclogite from southwestern Tianshan, China. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 143, 253-267.	3.9	32
85	Zircon U-Pb ages and Hf isotopic analyses of migmatite from the paired metamorphic belt in Chinese SW Tianshan: Constraints on partial melting associated with orogeny. <i>Lithos</i> , 2014, 192-195, 158-179.	1.4	38
86	Metamorphic evolution of ultrahigh-pressure rocks from Chinese southwestern Tianshan and a possible indicator of UHP metamorphism using garnet composition in low-T eclogites. <i>Journal of Asian Earth Sciences</i> , 2014, 91, 69-88.	2.3	9
87	A new P-T-t path of eclogites from Chinese southwestern Tianshan: constraints from P-T pseudosections and Sm-Nd isochron dating. <i>Lithos</i> , 2014, 200-201, 258-272.	1.4	33
88	The tectonic evolution of the Tianshan Orogenic Belt: Evidence from U-Pb dating of detrital zircons from the Chinese southwestern Tianshan accretionary mélange. <i>Gondwana Research</i> , 2014, 25, 1627-1643.	6.0	53
89	Experimental determination of siderite stability at high pressure. <i>American Mineralogist</i> , 2013, 98, 1565-1572.	1.9	43
90	Zr-in-rutile thermometry in eclogite and vein from southwestern Tianshan, China. <i>Journal of Asian Earth Sciences</i> , 2013, 63, 70-80.	2.3	12

#	ARTICLE	IF	CITATIONS
91	Geochemistry and trace element behaviors of eclogite during its exhumation in the Xitieshan terrane, North Qaidam UHP belt, NW China. <i>Journal of Asian Earth Sciences</i> , 2013, 63, 81-97.	2.3	33
92	Omphacite-bearing calcite marble and associated coesite-bearing pelitic schist from the meta-ophiolitic belt of Chinese western Tianshan. <i>Journal of Asian Earth Sciences</i> , 2013, 76, 37-47.	2.3	35
93	Petrology and U-Pb zircon dating of coesite-bearing metapelite from the Kebuerte Valley, western Tianshan, China. <i>Journal of Asian Earth Sciences</i> , 2013, 70-71, 295-307.	2.3	85
94	From oceanic subduction to continental collision: An overview of HP-UHP metamorphic rocks in the North Qaidam UHP belt, NW China. <i>Journal of Asian Earth Sciences</i> , 2013, 63, 98-111.	2.3	64
95	A huge oceanic-type UHP metamorphic belt in southwestern Tianshan, China: Peak metamorphic age and P-T path. <i>Science Bulletin</i> , 2013, 58, 4378-4383.	1.7	70
96	Grenville-age orogenesis in the Qaidam-Qilian block: The link between South China and Tarim. <i>Precambrian Research</i> , 2012, 220-221, 9-22.	2.7	190
97	The Habutengsu metapelites and metagreywackes in western Tianshan, China: metamorphic evolution and tectonic implications. <i>Journal of Metamorphic Geology</i> , 2012, 30, 907-926.	3.4	56
98	Thermal elastic behavior of CaSiO ₃ -walsstromite: A powder X-ray diffraction study up to 900 ÅC. <i>American Mineralogist</i> , 2012, 97, 262-267.	1.9	9
99	Geochemistry and U-Pb zircon ages of metamorphic volcanic rocks of the Paleoproterozoic Liliang Complex and constraints on the evolution of the Trans-North China Orogen, North China Craton. <i>Precambrian Research</i> , 2012, 222-223, 173-190.	2.7	201
100	A large volume cubic press with a pressure-generating capability up to about 10 ÅGPa. <i>High Pressure Research</i> , 2012, , 1-16.	1.2	17
101	Coesite in the eclogite and schist of the Atantayi Valley, southwestern Tianshan, China. <i>Science Bulletin</i> , 2012, 57, 1467-1472.	1.7	50
102	A polyphase metamorphic evolution for the Xitieshan paragneiss of the north Qaidam UHP metamorphic belt, western China: In-situ EMP monazite- and U-Pb zircon SHRIMP dating. <i>Lithos</i> , 2012, 136-139, 27-45.	1.4	60
103	A geochemical study of syn-subduction and post-collisional granitoids at Muzhaerte River in the Southwest Tianshan UHP belt, NW China. <i>Lithos</i> , 2012, 136-139, 201-224.	1.4	58
104	Petrology of HP metamorphic veins in coesite-bearing eclogite from western Tianshan, China: Fluid processes and elemental mobility during exhumation in a cold subduction zone. <i>Lithos</i> , 2012, 136-139, 168-186.	1.4	66
105	Orogenic Garnet Peridotites. , 2011, , 501-540.		1
106	Petrology and SHRIMP U-Pb dating of Xitieshan eclogite, North Qaidam UHP metamorphic belt, NW China. <i>Journal of Asian Earth Sciences</i> , 2011, 42, 752-767.	2.3	77
107	Lawsonite-bearing chloritoid-glaucophane schist from SW Tianshan, China: Phase equilibria and P-T path. <i>Journal of Asian Earth Sciences</i> , 2011, 42, 684-693.	2.3	40
108	Geochemistry and zircon U-Pb-Hf isotopic systematics of the Neoproterozoic Fuxin greenstone belt, northern margin of the North China Craton: Implications for petrogenesis and tectonic setting. <i>Gondwana Research</i> , 2011, 20, 64-81.	6.0	142

#	ARTICLE	IF	CITATIONS
109	Equation of state of CAS phase to pressure of the uppermost lower mantle at ambient temperature. <i>Science China Earth Sciences</i> , 2011, 54, 1394-1399.	5.2	2
110	Equation of state of carbonated hydroxylapatite at ambient temperature up to 10 GPa: Significance of carbonate. <i>American Mineralogist</i> , 2011, 96, 74-80.	1.9	28
111	Zr-in-rutile thermometry in HP/UHP eclogites from Western China. <i>Contributions To Mineralogy and Petrology</i> , 2010, 160, 427-439.	3.1	35
112	Changes in the hydrogen-bonded structure of lawsonite: An experimental study to 2.5 GPa and 400 Å°C. <i>Journal of Earth Science (Wuhan, China)</i> , 2010, 21, 811-816.	3.2	2
113	⁴⁰ Ar/ ³⁹ Ar isochron ages of lawsonite blueschists from Jiuquan in the northern Qilian Mountain, NW China, and their tectonic implications. <i>Science Bulletin</i> , 2010, 55, 2021-2027.	1.7	39
114	Zircons from rodingite in the Western Tianshan serpentinite complex: Mineral chemistry and U-Pb ages define nature and timing of rodingitization. <i>Lithos</i> , 2010, 118, 17-34.	1.4	61
115	UHP metamorphic evolution of coesite-bearing eclogite from the Yuka terrane, North Qaidam UHPM belt, NW China. <i>European Journal of Mineralogy</i> , 2010, 21, 1287-1300.	1.3	82
116	Tracing the 850-Ma continental flood basalts from a piece of subducted continental crust in the North Qaidam UHPM belt, NW China. <i>Precambrian Research</i> , 2010, 183, 805-816.	2.7	193
117	Petrology, Sr-Nd-Hf isotopic geochemistry and zircon chronology of the Late Palaeozoic volcanic rocks in the southwestern Tianshan Mountains, Xinjiang, NW China. <i>Journal of the Geological Society</i> , 2009, 166, 1085-1099.	2.1	183
118	Developing the plate tectonics from oceanic subduction to continental collision. <i>Science Bulletin</i> , 2009, 54, 2549-2555.	9.0	43
119	Petrology of coesite-bearing eclogite from Habutengsu Valley, western Tianshan, NW China and its tectonometamorphic implication. <i>Journal of Metamorphic Geology</i> , 2009, 27, 773-787.	3.4	122
120	Geochemical, Sr-Nd and zircon U-Pb-Hf isotopic studies of Late Carboniferous magmatism in the West Junggar, Xinjiang: Implications for ridge subduction?. <i>Chemical Geology</i> , 2009, 266, 364-389.	3.3	351
121	CH ₄ inclusions in orogenic harzburgite: Evidence for reduced slab fluids and implication for redox melting in mantle wedge. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 1737-1754.	3.9	125
122	Tectonic evolution of early Paleozoic HP metamorphic rocks in the North Qilian Mountains, NW China: New perspectives. <i>Journal of Asian Earth Sciences</i> , 2009, 35, 334-353.	2.3	130
123	Lawsonite blueschist in Northern Qilian, NW China: P-T pseudosections and petrologic implications. <i>Journal of Asian Earth Sciences</i> , 2009, 35, 354-366.	2.3	47
124	Two types of peridotite in North Qaidam UHPM belt and their tectonic implications for oceanic and continental subduction: A review. <i>Journal of Asian Earth Sciences</i> , 2009, 35, 285-297.	2.3	46
125	UHP metamorphic evolution and SHRIMP geochronology of a coesite-bearing meta-ophiolitic gabbro in the North Qaidam, NW China. <i>Journal of Asian Earth Sciences</i> , 2009, 35, 310-322.	2.3	98
126	A hot spring in granite of the Western Tianshan, China. <i>Applied Geochemistry</i> , 2009, 24, 402-410.	3.0	23

#	ARTICLE	IF	CITATIONS
127	The geological characteristics of oceanic-type UHP metamorphic belts and their tectonic implications: Case studies from Southwest Tianshan and North Qaidam in NW China. <i>Science Bulletin</i> , 2008, 53, 3120-3130.	9.0	39
128	The subducted oceanic crust within continental-type UHP metamorphic belt in the North Qaidam, NW China: Evidence from petrology, geochemistry and geochronology. <i>Lithos</i> , 2008, 104, 99-118.	1.4	177
129	Coesite inclusions in garnet from eclogitic rocks in western Tianshan, northwest China: Convincing proof of UHP metamorphism. <i>American Mineralogist</i> , 2008, 93, 1845-1850.	1.9	128
130	A Brief Review of UHP Meta-ophiolitic Rocks, Southwestern Tianshan, Western China. <i>International Geology Review</i> , 2007, 49, 811-823.	2.1	50
131	Petrology of rodingite derived from eclogite in western Tianshan, China. <i>Journal of Metamorphic Geology</i> , 2007, 25, 363-382.	3.4	81
132	Triassic collision of western Tianshan orogenic belt, China: Evidence from SHRIMP U-Pb dating of zircon from HP/UHP eclogitic rocks. <i>Lithos</i> , 2007, 96, 266-280.	1.4	248
133	Petrological and geochemical constraints on the origin of garnet peridotite in the North Qaidam ultrahigh-pressure metamorphic belt, northwestern China. <i>Lithos</i> , 2007, 96, 243-265.	1.4	71
134	High-pressure granulite from Western Kunlun, northwestern China: Its metamorphic evolution, zircon SHRIMP U-Pb ages and tectonic implication. <i>Science in China Series D: Earth Sciences</i> , 2007, 50, 961-971.	0.9	25
135	Early Paleozoic granite in Nujiang River of northwest Yunnan in southwestern China and its tectonic implications. <i>Science Bulletin</i> , 2007, 52, 2402-2406.	1.7	60
136	Evolution from Oceanic Subduction to Continental Collision: a Case Study from the Northern Tibetan Plateau Based on Geochemical and Geochronological Data. <i>Journal of Petrology</i> , 2006, 47, 435-455.	2.8	379
137	The zircon SHRIMP chronology and trace element geochemistry of the Carboniferous volcanic rocks in western Tianshan Mountains. <i>Science Bulletin</i> , 2005, 50, 2201-2212.	1.7	152
138	Sodic amphibole exsolutions in garnet from garnet-peridotite, North Qaidam UHPM belt, NW China: Implications for ultradeep-origin and hydroxyl defects in mantle garnets. <i>American Mineralogist</i> , 2005, 90, 814-820.	1.9	88
139	Geochronology of diamond-bearing zircons from garnet peridotite in the North Qaidam UHPM belt, Northern Tibetan Plateau: A record of complex histories from oceanic lithosphere subduction to continental collision. <i>Earth and Planetary Science Letters</i> , 2005, 234, 99-118.	4.4	261
140	U-Pb zircon geochronology and geochemistry of Neoproterozoic volcanic rocks in the Tarim Block of northwest China: implications for the breakup of Rodinia supercontinent and Neoproterozoic glaciations. <i>Precambrian Research</i> , 2005, 136, 107-123.	2.7	266
141	Relict coesite exsolution in omphacite from Western Tianshan eclogites, China. <i>American Mineralogist</i> , 2005, 90, 181-186.	1.9	103
142	Zircon U-Pb SHRIMP ages of eclogites from the North Qilian Mountains in NW China and their tectonic implication. <i>Science Bulletin</i> , 2004, 49, 848-852.	1.7	98
143	Ultra-deep origin of garnet peridotite from the North Qaidam ultrahigh-pressure belt, Northern Tibetan Plateau, NW China. <i>American Mineralogist</i> , 2004, 89, 1330-1336.	1.9	186
144	'Forbidden zone' subduction of sediments to 150 km depth- the reaction of dolomite to magnesite + aragonite in the UHPM metapelites from western Tianshan, China. <i>Journal of Metamorphic Geology</i> , 2003, 21, 523-529.	3.4	103

#	ARTICLE	IF	CITATIONS
145	Discovery and geological implication of rodingites derived from eclogites of ophiolites at Changawuzi, western Tianshan, China*. Progress in Natural Science: Materials International, 2003, 13, 901-907.	4.4	5
146	Ultrahigh-pressure metamorphism in western Tianshan, China: Part I. Evidence from inclusions of coesite pseudomorphs in garnet and from quartz exsolution lamellae in omphacite in eclogites. American Mineralogist, 2002, 87, 853-860.	1.9	149
147	Ultra-high pressure metamorphism in western Tianshan, China: Part II. Evidence from magnesite in eclogite. American Mineralogist, 2002, 87, 861-866.	1.9	94
148	Mesozoic high-K granitic rocks from the eastern Dabie Mountains, Central China and their geological implications. Science in China Series D: Earth Sciences, 2001, 44, 525-534.	0.9	11
149	Low temperature eclogite facies metamorphism in Western Tianshan, Xinjiang. Science in China Series D: Earth Sciences, 2001, 44, 85-96.	0.9	39
150	The ⁴⁰ Ar/ ³⁹ Ar age record of formation and uplift of the blueschists and eclogites in the western Tianshan Mountains. Science Bulletin, 2000, 45, 1047-1052.	1.7	38
151	Discovery of deerite from the Aksu Precambrian blueschist terrane and its geological significance. Science in China Series D: Earth Sciences, 1999, 42, 233-239.	0.9	18
152	Determination and geological significance of the eclogites from the northern Dabie Mountains, central China. Science Bulletin, 1998, 43, 253-256.	1.7	18
153	The ⁴⁰ Ar/ ³⁹ Ar metamorphic ages of Tangbale blueschists and their geological significance in West Junggar of Xinjiang. Science Bulletin, 1997, 42, 1902-1904.	1.7	36
154	The Formation and Evolution of Uvarovite in UHP Serpentinite and Rodingite and its Constrains on the Chromium Mobility in the Oceanic Subduction Zone. Acta Geologica Sinica, 0, , .	1.4	3