

æ;ä°‘ å’”

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4846443/publications.pdf>

Version: 2024-02-01

19  
papers

1,380  
citations

567281

15  
h-index

794594

19  
g-index

19  
all docs

19  
docs citations

19  
times ranked

893  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced magnetic properties and thermal stability of spark plasma sintered multi-main-phase Nd-Ce-Fe-B magnet via co-adding DyF <sub>3</sub> and Cu. <i>Journal of Alloys and Compounds</i> , 2022, 902, 163786.	5.5	13
2	Magnetic properties, thermal stability, and microstructure of spark plasma sintered multi-main-phase Nd-Ce-Fe-B magnet with PrCu addition. <i>Journal of Alloys and Compounds</i> , 2020, 822, 153612.	5.5	16
3	Effects of service temperature on tensile properties and microstructural evolution of CP titanium subjected to laser shock peening. <i>Journal of Alloys and Compounds</i> , 2019, 770, 732-741.	5.5	28
4	Microstructure evolution and mechanical properties of aging 6061 Al alloy via laser shock processing. <i>Journal of Alloys and Compounds</i> , 2019, 803, 1112-1118.	5.5	36
5	Effects of coverage layer on the electrochemical corrosion behaviour of Mg-Al-Mn alloy subjected to massive laser shock peening treatment. <i>Journal of Alloys and Compounds</i> , 2019, 782, 1058-1075.	5.5	49
6	Effects of Marangoni convection on the embedding dynamic behavior of SiC nano-particles into the Al molten pool during laser micro-melting. <i>Materials and Design</i> , 2018, 143, 256-267.	7.0	23
7	Effects of laser shock peening on the micro-hardness, tensile properties, and fracture morphologies of CP-Ti alloy at different temperatures. <i>Applied Surface Science</i> , 2018, 431, 122-134.	6.1	51
8	Modeling, calculation, and experimental verification on the implantation depth of laser shock wave-driven WC nanoparticle into 5A06 aluminum alloy. <i>Journal of Alloys and Compounds</i> , 2018, 762, 334-339.	5.5	6
9	Microstructural response and grain refinement mechanism of commercially pure titanium subjected to multiple laser shock peening impacts. <i>Acta Materialia</i> , 2017, 127, 252-266.	7.9	276
10	Magnetic properties and microstructure of sintered Nd Fe B magnets with intergranular addition of Ni powders. <i>Journal of Alloys and Compounds</i> , 2017, 726, 846-851.	5.5	18
11	Electrochemical and pitting corrosion resistance of AISI 4145 steel subjected to massive laser shock peening treatment with different coverage layers. <i>Optics and Laser Technology</i> , 2017, 88, 250-262.	4.6	36
12	Novel morphologies and growth mechanism of Cr <sub>2</sub> O <sub>3</sub> oxide formed on stainless steel surface via Nd:YAG pulsed laser oxidation. <i>Journal of Alloys and Compounds</i> , 2015, 635, 101-106.	5.5	21
13	Surface oxidation phenomenon and mechanism of AISI 304 stainless steel induced by Nd:YAG pulsed laser. <i>Applied Surface Science</i> , 2014, 305, 817-824.	6.1	49
14	Effect of Dy <sub>2</sub> O <sub>3</sub> intergranular addition on thermal stability and corrosion resistance of Nd-Fe-B magnets. <i>Intermetallics</i> , 2014, 55, 118-122.	3.9	43
15	Investigation of different surface morphologies formed on AISI 304 stainless steel via millisecond Nd:YAG pulsed laser oxidation. <i>Optics and Laser Technology</i> , 2012, 44, 815-820.	4.6	11
16	Microstructure and corrosion behavior of the AISI 304 stainless steel after Nd:YAG pulsed laser surface melting. <i>Surface and Coatings Technology</i> , 2011, 206, 1146-1154.	4.8	23
17	Microstructure and tensile properties of the sub-micro and nano-structured Al produced by laser surface melting. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 7400-7406.	5.6	12
18	Grain refinement of LY2 aluminum alloy induced by ultra-high plastic strain during multiple laser shock processing impacts. <i>Acta Materialia</i> , 2010, 58, 3984-3994.	7.9	325

#	ARTICLE	IF	CITATIONS
19	Grain refinement mechanism of multiple laser shock processing impacts on ANSI 304 stainless steel. Acta Materialia, 2010, 58, 5354-5362.	7.9	344