

Ben Goldacre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4850461/publications.pdf>

Version: 2024-02-01

140
papers

10,245
citations

101496

36
h-index

46771

89
g-index

193
all docs

193
docs citations

193
times ranked

19750
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors associated with COVID-19-related death using OpenSAFELY. <i>Nature</i> , 2020, 584, 430-436.	13.7	4,674
2	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet HIV</i> , 2021, 8, e24-e32.	2.1	340
3	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. <i>Lancet, The</i> , 2021, 397, 1711-1724.	6.3	332
4	Why clinical trial outcomes fail to translate into benefits for patients. <i>Trials</i> , 2017, 18, 122.	0.7	235
5	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. <i>Lancet Respiratory Medicine</i> , 2020, 8, 1106-1120.	5.2	211
6	Impact of statin related media coverage on use of statins: interrupted time series analysis with UK primary care data. <i>BMJ, The</i> , 2016, 353, i3283.	3.0	167
7	Compliance with legal requirement to report clinical trial results on ClinicalTrials.gov: a cohort study. <i>Lancet, The</i> , 2020, 395, 361-369.	6.3	160
8	Opioid prescribing trends and geographical variation in England, 1998-2018: a retrospective database study. <i>Lancet Psychiatry</i> , 2019, 6, 140-150.	3.7	151
9	Compliance with requirement to report results on the EU Clinical Trials Register: cohort study and web resource. <i>BMJ: British Medical Journal</i> , 2018, 362, k3218.	2.4	123
10	COMPare: a prospective cohort study correcting and monitoring 58 misreported trials in real time. <i>Trials</i> , 2019, 20, 118.	0.7	122
11	Atypical antipsychotic augmentation in SSRI treatment refractory obsessive-compulsive disorder: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2014, 14, 317.	1.1	121
12	Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet Regional Health - Europe, The</i> , 2021, 6, 100109.	3.0	121
13	The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. <i>Health Technology Assessment</i> , 2014, 18, 1-146.	1.3	114
14	Catalogue of bias: publication bias. <i>BMJ Evidence-Based Medicine</i> , 2019, 24, 53-54.	1.7	102
15	Statin treatment and muscle symptoms: series of randomised, placebo controlled n-of-1 trials. <i>BMJ, The</i> , 2021, 372, n135.	3.0	102
16	Temporal trends in use of tests in UK primary care, 2000-15: retrospective analysis of 250 million tests. <i>BMJ: British Medical Journal</i> , 2018, 363, k4666.	2.4	91
17	Evidence based medicine manifesto for better healthcare. <i>BMJ: British Medical Journal</i> , 2017, 357, j2973.	2.4	75
18	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY. <i>British Journal of General Practice</i> , 2022, 72, e51-e62.	0.7	75

#	ARTICLE	IF	CITATIONS
19	Big health data: the need to earn public trust. <i>BMJ, The</i> , 2016, 354, i3636.	3.0	74
20	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2021, 71, e806-e814.	0.7	74
21	Severity of Severe Acute Respiratory System Coronavirus 2 (SARS-CoV-2) Alpha Variant (B.1.1.7) in England. <i>Clinical Infectious Diseases</i> , 2022, 75, e1120-e1127.	2.9	71
22	Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. <i>BMJ, The</i> , 2021, 374, n1592.	3.0	70
23	Prediction of Cardiovascular Risk Using Framingham, ASSIGN and QRISK2: How Well Do They Predict Individual Rather than Population Risk?. <i>PLoS ONE</i> , 2014, 9, e106455.	1.1	66
24	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 943-951.	0.5	66
25	Trials of transvaginal mesh devices for pelvic organ prolapse: a systematic database review of the US FDA approval process. <i>BMJ Open</i> , 2017, 7, e017125.	0.8	64
26	Time trends and geographical variation in prescribing of drugs for diabetes in England from 1998 to 2017. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2159-2168.	2.2	63
27	Benefits and harms of pregabalin in the management of neuropathic pain: a rapid review and meta-analysis of randomised clinical trials. <i>BMJ Open</i> , 2019, 9, e023600.	0.8	63
28	Risk of severe COVID-19 outcomes associated with immune-mediated inflammatory diseases and immune-modifying therapies: a nationwide cohort study in the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , 2022, 4, e490-e506.	2.2	61
29	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. <i>BMJ, The</i> , 2021, 372, n628.	3.0	56
30	How to Get All Trials Reported: Audit, Better Data, and Individual Accountability. <i>PLoS Medicine</i> , 2015, 12, e1001821.	3.9	55
31	OpenTrials: towards a collaborative open database of all available information on all clinical trials. <i>Trials</i> , 2016, 17, 164.	0.7	53
32	The TrialsTracker: Automated ongoing monitoring of failure to share clinical trial results by all major companies and research institutions. <i>F1000Research</i> , 2016, 5, 2629.	0.8	52
33	Pharmaceutical companies' policies on access to trial data, results, and methods: audit study. <i>BMJ: British Medical Journal</i> , 2017, 358, j3334.	2.4	51
34	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , 2021, 3, e19-e27.	2.2	49
35	OpenPrescribing: normalised data and software tool to research trends in English NHS primary care prescribing 1998-2016. <i>BMJ Open</i> , 2018, 8, e019921.	0.8	48
36	Make journals report clinical trials properly. <i>Nature</i> , 2016, 530, 7-7.	13.7	46

#	ARTICLE	IF	CITATIONS
37	Transvaginal mesh failure: lessons for regulation of implantable devices. <i>BMJ: British Medical Journal</i> , 2017, 359, j5515.	2.4	45
38	Are clinical trial data shared sufficiently today? No. <i>BMJ, The</i> , 2013, 347, f1880-f1880.	3.0	44
39	Prevalence of clinical trial status discrepancies: A cross-sectional study of 10,492 trials registered on both ClinicalTrials.gov and the European Union Clinical Trials Register. <i>PLoS ONE</i> , 2018, 13, e0193088.	1.1	44
40	Prevalence of primary outcome changes in clinical trials registered on ClinicalTrials.gov: a cross-sectional study. <i>F1000Research</i> , 2014, 3, 77.	0.8	40
41	OpenSAFELY: Representativeness of electronic health record platform OpenSAFELY-TPP data compared to the population of England. <i>Wellcome Open Research</i> , 0, 7, 191.	0.9	40
42	Time trends and geographical variation in prescribing of antibiotics in England 1998–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 242-250.	1.3	39
43	Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform. <i>PLoS Medicine</i> , 2022, 19, e1003871.	3.9	39
44	Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65. <i>Lancet Regional Health - Europe, The</i> , 2022, 14, 100295.	3.0	38
45	Why researchers should share their analytic code. <i>BMJ, The</i> , 2019, 367, l6365.	3.0	35
46	Text messaging reminders for influenza vaccine in primary care: a cluster randomised controlled trial (TXT4FLUJAB). <i>BMJ Open</i> , 2016, 6, e010069.	0.8	34
47	Evidence based medicine manifesto for better healthcare. <i>Evidence-Based Medicine</i> , 2017, 22, 120-122.	0.6	30
48	Noncommercial Funders' Policies on Trial Registration, Access to Summary Results, and Individual Patient Data Availability. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1721.	3.8	30
49	Impact of first UK COVID-19 lockdown on hospital admissions: Interrupted time series study of 32 million people. <i>EClinicalMedicine</i> , 2022, 49, 101462.	3.2	30
50	Why did some practices not implement new antibiotic prescribing guidelines on urinary tract infection? A cohort study and survey in NHS England primary care. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1125-1132.	1.3	28
51	Cancer Drugs Fund requires further reform. <i>BMJ, The</i> , 2016, 354, i5090.	3.0	26
52	Variation in responsiveness to warranted behaviour change among NHS clinicians: novel implementation of change detection methods in longitudinal prescribing data. <i>BMJ: British Medical Journal</i> , 2019, 367, l5205.	2.4	25
53	Factors associated with the prescribing of high-dose opioids in primary care: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2020, 18, 68.	2.3	25
54	Trends and variation in antidepressant prescribing in English primary care: a retrospective longitudinal study. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0020.	0.9	24

#	ARTICLE	IF	CITATIONS
55	Mass treatment with statins. <i>BMJ, The</i> , 2014, 349, g4745-g4745.	3.0	23
56	Trends and variation in prescribing of low-priority treatments identified by NHS England: a cross-sectional study and interactive data tool in English primary care. <i>Journal of the Royal Society of Medicine</i> , 2018, 111, 203-213.	1.1	23
57	The NHS deserves better use of hospital medicines data. <i>BMJ, The</i> , 2020, 370, m2607.	3.0	23
58	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. <i>British Journal of General Practice</i> , 2022, 72, e63-e74.	0.7	22
59	Preventing bad reporting on health research. <i>BMJ, The</i> , 2014, 349, g7465-g7465.	3.0	21
60	Practice variation in the use of tests in UK primary care: a retrospective analysis of 16 million tests performed over 3.3 million patient years in 2015/16. <i>BMC Medicine</i> , 2018, 16, 229.	2.3	21
61	Describing the population experiencing COVID-19 vaccine breakthrough following second vaccination in England: a cohort study from OpenSAFELY. <i>BMC Medicine</i> , 2022, 20, .	2.3	20
62	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. <i>Wellcome Open Research</i> , 2021, 6, 90.	0.9	18
63	The WHO joint statement from funders on trials transparency. <i>BMJ: British Medical Journal</i> , 2017, 357, j2816.	2.4	17
64	Impact of NICE guidance on tamoxifen prescribing in England 2011â€“2017: an interrupted time series analysis. <i>British Journal of Cancer</i> , 2018, 118, 1268-1275.	2.9	17
65	Trends, geographical variation and factors associated with prescribing of gluten-free foods in English primary care: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e021312.	0.8	17
66	Funding source and primary outcome changes in clinical trials registered on ClinicalTrials.gov are associated with the reporting of a statistically significant primary outcome: a cross-sectional study. <i>F1000Research</i> , 2015, 4, 80.	0.8	17
67	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. <i>Open Heart</i> , 2021, 8, e001784.	0.9	17
68	Improving, and auditing, access to clinical trial results. <i>BMJ, The</i> , 2014, 348, g213-g213.	3.0	16
69	Why Cochrane should prioritise sharing data. <i>BMJ: British Medical Journal</i> , 2018, 362, k3229.	2.4	16
70	How medicine is broken, and how we can fix it. <i>BMJ, The</i> , 2015, 350, h3397-h3397.	3.0	15
71	Focus on sharing individual patient data distracts from other ways of improving trial transparency. <i>BMJ, The</i> , 2017, 357, j2782.	3.0	15
72	Evaluation of Compliance With Legal Requirements Under the FDA Amendments Act of 2007 for Timely Registration of Clinical Trials, Data Verification, Delayed Reporting, and Trial Document Submission. <i>JAMA Internal Medicine</i> , 2021, 181, 1128.	2.6	15

#	ARTICLE	IF	CITATIONS
73	Study protocol for statin web-based investigation of side effects (StatinWISE): a series of randomised controlled N-of-1 trials comparing atorvastatin and placebo in UK primary care. <i>BMJ Open</i> , 2017, 7, e016604.	0.8	14
74	New mechanism to identify cost savings in English NHS prescribing: minimising "price per unit"™, a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e019643.	0.8	14
75	Do doctors in dispensing practices with a financial conflict of interest prescribe more expensive drugs? A cross-sectional analysis of English primary care prescribing data. <i>BMJ Open</i> , 2019, 9, e026886.	0.8	14
76	Trends in antidepressant prescribing in England. <i>Lancet Psychiatry</i> , 2021, 8, 278-279.	3.7	14
77	Measuring the Impact of an Open Web-Based Prescribing Data Analysis Service on Clinical Practice: Cohort Study on NHS England Data. <i>Journal of Medical Internet Research</i> , 2019, 21, e10929.	2.1	14
78	Sales of Over-the-Counter Products Containing Codeine in 31 Countries, 2013–2019: A Retrospective Observational Study. <i>Drug Safety</i> , 2022, 45, 237-247.	1.4	14
79	Rethinking the appraisal and approval of drugs for type 2 diabetes. <i>BMJ</i> , 2015, 351, h5260.	3.0	13
80	COMPare: Qualitative analysis of researchers'™ responses to critical correspondence on a cohort of 58 misreported trials. <i>Trials</i> , 2019, 20, 124.	0.7	13
81	Six months on: NHS England needs to focus on dissemination, implementation and audit of its low-priority initiative. <i>Journal of the Royal Society of Medicine</i> , 2019, 112, 4-5.	1.1	13
82	Impact of Electronic Health Record Interface Design on Unsafe Prescribing of Ciclosporin, Tacrolimus, and Diltiazem: Cohort Study in English National Health Service Primary Care. <i>Journal of Medical Internet Research</i> , 2020, 22, e17003.	2.1	13
83	Variation in diagnostic test requests and outcomes: a preliminary metric for OpenPathology.net. <i>Scientific Reports</i> , 2018, 8, 4752.	1.6	12
84	Prescription of suboptimal statin treatment regimens: a retrospective cohort study of trends and variation in English primary care. <i>British Journal of General Practice</i> , 2020, 70, e525-e533.	0.7	12
85	Ethnic disparities in COVID-19: increased risk of infection or severe disease? " Authors' reply. <i>Lancet</i> , 2021, 398, 390.	6.3	12
86	Trends and variation in data quality and availability on the European Union Clinical Trials Register: A cross-sectional study. <i>Clinical Trials</i> , 2022, 19, 172-183.	0.7	12
87	Impact of Chief Medical Officer activity on prescribing of antibiotics in England: an interrupted time series analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1133-1136.	1.3	11
88	A cross-sectional study of all clinicians'™ conflict of interest disclosures to NHS hospital employers in England 2015-2016. <i>BMJ Open</i> , 2018, 8, e019952.	0.8	10
89	Prescribing biosimilars. <i>BMJ: British Medical Journal</i> , 2018, 362, k3141.	2.4	10
90	Suboptimal prescribing behaviour associated with clinical software design features: a retrospective cohort study in English NHS primary care. <i>British Journal of General Practice</i> , 2020, 70, e636-e643.	0.7	10

#	ARTICLE	IF	CITATIONS
91	European non-commercial sponsors showed substantial variation in results reporting to the EU trial registry. <i>Journal of Clinical Epidemiology</i> , 2022, 142, 161-170.	2.4	10
92	Barriers to Working With National Health Service England's Open Data. <i>Journal of Medical Internet Research</i> , 2020, 22, e15603.	2.1	9
93	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2022, 72, 10-10.	0.7	9
94	Meta-analysis of side effects of statins shows need for trial transparency. <i>BMJ</i> , The, 2014, 348, g2940-g2940.	3.0	8
95	The poor performance of apps assessing skin cancer risk. <i>BMJ</i> , The, 2020, 368, m428.	3.0	8
96	Trends and variation in unsafe prescribing of methotrexate: a cohort study in English NHS primary care. <i>British Journal of General Practice</i> , 2020, 70, e481-e488.	0.7	8
97	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. <i>Journal of Hematology and Oncology</i> , 2021, 14, 172.	6.9	8
98	A comprehensive high cost drugs dataset from the NHS in England - An OpenSAFELY-TPP Short Data Report. <i>Wellcome Open Research</i> , 0, 6, 360.	0.9	8
99	Problems with ethical approval and how to fix them: lessons from three trials in rheumatoid arthritis. <i>BMJ</i> , The, 2016, 354, i4626.	3.0	7
100	Is use of homeopathy associated with poor prescribing in English primary care? A cross-sectional study. <i>Journal of the Royal Society of Medicine</i> , 2018, 111, 167-174.	1.1	7
101	Detecting change in comparison to peers in NHS prescribing data: a novel application of cumulative sum methodology. <i>BMC Medical Informatics and Decision Making</i> , 2018, 18, 62.	1.5	7
102	Evaluating the impact of a very low-cost intervention to increase practices' engagement with data and change prescribing behaviour: a randomized trial in English primary care. <i>Family Practice</i> , 2021, 38, 373-380.	0.8	7
103	The effect of statins on muscle symptoms in primary care: the StatinWISE series of 200 N-of-1 RCTs. <i>Health Technology Assessment</i> , 2021, 25, 1-62.	1.3	6
104	Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. <i>Thrombosis Research</i> , 2022, 211, 150-153.	0.8	6
105	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. <i>Wellcome Open Research</i> , 0, 7, 142.	0.9	6
106	Commentary on Berlin <i>et al</i> .. <i>Clinical Trials</i> , 2014, 11, 15-18.	0.7	5
107	The clinician impact and financial cost to the NHS of litigation over pregabalin: a cohort study in English primary care. <i>BMJ Open</i> , 2018, 8, e022416.	0.8	5
108	Commentary: Randomized trials of controversial social interventions: slow progress in 50 years. <i>International Journal of Epidemiology</i> , 2015, 44, 19-22.	0.9	4

#	ARTICLE	IF	CITATIONS
109	All BMJ research papers should share their analytic code. <i>BMJ, The</i> , 2016, 352, i886.	3.0	4
110	Fixing flaws in science must be professionalized. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 267-269.	2.4	4
111	You can now search FDA approval documents easily at fda.opentrials.net . <i>BMJ: British Medical Journal</i> , 2017, 356, j677.	2.4	4
112	Problems with ABPI proposals to release data on payments to doctors. <i>BMJ, The</i> , 2014, 348, g1301-g1301.	3.0	3
113	Outcomes in the trial registry should match those in the protocol. <i>Lancet, The</i> , 2016, 388, 340-341.	6.3	3
114	The CONFIDeNT trial. <i>Lancet, The</i> , 2016, 387, 643.	6.3	3
115	Study protocol: Comparison of different risk prediction modelling approaches for COVID-19 related death using the OpenSAFELY platform. <i>Wellcome Open Research</i> , 0, 5, 243.	0.9	3
116	Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. <i>British Journal of General Practice</i> , 2022, 72, e456-e463.	0.7	3
117	Evidence on industry influence should be in the core medical curriculum. <i>BMJ, The</i> , 2014, 348, g1390-g1390.	3.0	2
118	135â€¦Trends and variation in the sales of over-the-counter analgesics: a protocol for a retrospective database study and policy review. , 2018, , .		2
119	Projected spending for brand-name drugs in English primary care given US prices: a cross-sectional study. <i>Journal of the Royal Society of Medicine</i> , 2020, 113, 350-359.	1.1	2
120	E-cigarette manufacturersâ€™ compliance with clinical trial reporting expectations: a case series of registered trials by Juul Labs. <i>Tobacco Control</i> , 2023, 32, 60-66.	1.8	2
121	New EU trial reporting regulations must be enforced. <i>BMJ, The</i> , 2022, 376, o410.	3.0	2
122	Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform. <i>Diagnostic and Prognostic Research</i> , 2022, 6, 6.	0.8	2
123	<i>Open Heart</i>â€“ The new BMJ cardiovascular journal, advocating open access, open peer-review and open data. <i>Open Heart</i> , 2013, 1, e000007.	0.9	1
124	Antivirals, pandemic planning, and failure to heed calls for trial data. <i>BMJ, The</i> , 2015, 351, h5635.	3.0	1
125	Outcomes in the EXAMINATION trial. <i>Lancet, The</i> , 2016, 387, 1997-1998.	6.3	1
126	Pregabalin: what the patent litigation means for doctors and drug companies. <i>BMJ: British Medical Journal</i> , 2018, 361, k2318.	2.4	1

#	ARTICLE	IF	CITATIONS
127	Transparency of the UK medicines regulator: auditing freedom of information requests and reasons for refusal. <i>BMJ Evidence-Based Medicine</i> , 2019, 24, 20-25.	1.7	1
128	Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? â€œ Authors' reply. <i>Lancet Rheumatology</i> , The, 2021, 3, e172-e173.	2.2	1
129	The Authors Respond. <i>Epidemiology</i> , 2021, 32, e2-e3.	1.2	1
130	The PRINTO juvenile dermatomyositis trial. <i>Lancet</i> , The, 2016, 387, 2600-2601.	6.3	0
131	Effectiveness of an internet-delivered handwashing intervention. <i>Lancet</i> , The, 2016, 387, 337.	6.3	0
132	Nanoliposomal irinotecan in metastatic pancreatic cancer. <i>Lancet</i> , The, 2016, 387, 1997.	6.3	0
133	PATHWAY-2: spironolactone for resistant hypertension. <i>Lancet</i> , The, 2016, 387, 1372-1373.	6.3	0
134	Expectant management in pregnancies with ruptured membranes. <i>Lancet</i> , The, 2016, 387, 1996.	6.3	0
135	Prescription data for open toe sandals syndrome. <i>BMJ: British Medical Journal</i> , 2017, 356, j194.	2.4	0
136	Authorsâ€™ reply to Aiyenigba and Weeks, Bahadur and colleagues, and Griffin and colleagues. <i>BMJ: British Medical Journal</i> , 2017, 356, j761.	2.4	0
137	Authorsâ€™ reply to Beales. <i>BMJ: British Medical Journal</i> , 2017, 356, j1196.	2.4	0
138	Reply to Comment on â€œImpact of NICE guidance on tamoxifen prescribing in England 2011â€œ2017: an interrupted time series analysisâ€œ. <i>British Journal of Cancer</i> , 2018, 119, 658-658.	2.9	0
139	Clinical trial reporting â€œ Authors' reply. <i>Lancet</i> , The, 2020, 396, 1489-1490.	6.3	0
140	Harnessing medicines data at low cost to deliver better and safer care. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1621-1623.	0.9	0