

# Ben Goldacre

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4850461/publications.pdf>

Version: 2024-02-01

140  
papers

10,245  
citations

101496

36  
h-index

46771

89  
g-index

193  
all docs

193  
docs citations

193  
times ranked

19750  
citing authors

#	ARTICLE	IF	CITATIONS
1	E-cigarette manufacturers' compliance with clinical trial reporting expectations: a case series of registered trials by Juul Labs. <i>Tobacco Control</i> , 2023, 32, 60-66.	1.8	2
2	Severity of Severe Acute Respiratory System Coronavirus 2 (SARS-CoV-2) Alpha Variant (B.1.1.7) in England. <i>Clinical Infectious Diseases</i> , 2022, 75, e1120-e1127.	2.9	71
3	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. <i>British Journal of General Practice</i> , 2022, 72, e63-e74.	0.7	22
4	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2022, 72, e51-e62.	0.7	75
5	European non-commercial sponsors showed substantial variation in results reporting to the EU trial registry. <i>Journal of Clinical Epidemiology</i> , 2022, 142, 161-170.	2.4	10
6	Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65. <i>Lancet Regional Health - Europe, The</i> , 2022, 14, 100295.	3.0	38
7	Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform. <i>PLoS Medicine</i> , 2022, 19, e1003871.	3.9	39
8	Sales of Over-the-Counter Products Containing Codeine in 31 Countries, 2013-2019: A Retrospective Observational Study. <i>Drug Safety</i> , 2022, 45, 237-247.	1.4	14
9	Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY. <i>Thrombosis Research</i> , 2022, 211, 150-153.	0.8	6
10	Trends and variation in data quality and availability on the European Union Clinical Trials Register: A cross-sectional study. <i>Clinical Trials</i> , 2022, 19, 172-183.	0.7	12
11	New EU trial reporting regulations must be enforced. <i>BMJ, The</i> , 2022, 376, o410.	3.0	2
12	Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. <i>British Journal of General Practice</i> , 2022, 72, e456-e463.	0.7	3
13	Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform. <i>Diagnostic and Prognostic Research</i> , 2022, 6, 6.	0.8	2
14	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2022, 72, 10-10.	0.7	9
15	Impact of first UK COVID-19 lockdown on hospital admissions: Interrupted time series study of 32 million people. <i>EClinicalMedicine</i> , 2022, 49, 101462.	3.2	30
16	Risk of severe COVID-19 outcomes associated with immune-mediated inflammatory diseases and immune-modifying therapies: a nationwide cohort study in the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , 2022, 4, e490-e506.	2.2	61
17	Describing the population experiencing COVID-19 vaccine breakthrough following second vaccination in England: a cohort study from OpenSAFELY. <i>BMC Medicine</i> , 2022, 20, .	2.3	20
18	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , 2021, 3, e19-e27.	2.2	49

#	ARTICLE	IF	CITATIONS
19	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 943-951.	0.5	66
20	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet HIV</i> , 2021, 8, e24-e32.	2.1	340
21	Statin treatment and muscle symptoms: series of randomised, placebo controlled n-of-1 trials. <i>BMJ</i> , 2021, 372, n135.	3.0	102
22	The effect of statins on muscle symptoms in primary care: the StatinWISE series of 200 N-of-1 RCTs. <i>Health Technology Assessment</i> , 2021, 25, 1-62.	1.3	6
23	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. <i>BMJ</i> , 2021, 372, n628.	3.0	56
24	Evaluating the impact of a very low-cost intervention to increase practices' engagement with data and change prescribing behaviour: a randomized trial in English primary care. <i>Family Practice</i> , 2021, 38, 373-380.	0.8	7
25	Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? "Authors' reply. <i>Lancet Rheumatology</i> , 2021, 3, e172-e173.	2.2	1
26	Trends in antidepressant prescribing in England. <i>Lancet Psychiatry</i> , 2021, 8, 278-279.	3.7	14
27	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. Wellcome Open Research, 2021, 6, 90.	0.9	18
28	Trends and variation in antidepressant prescribing in English primary care: a retrospective longitudinal study. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0020.	0.9	24
29	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. <i>Lancet</i> , 2021, 397, 1711-1724.	6.3	332
30	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2021, 71, e806-e814.	0.7	74
31	Ethnic disparities in COVID-19: increased risk of infection or severe disease? "Authors' reply. <i>Lancet</i> , 2021, 398, 390.	6.3	12
32	Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. <i>BMJ</i> , 2021, 374, n1592.	3.0	70
33	Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet Regional Health - Europe</i> , 2021, 6, 100109.	3.0	121
34	Evaluation of Compliance With Legal Requirements Under the FDA Amendments Act of 2007 for Timely Registration of Clinical Trials, Data Verification, Delayed Reporting, and Trial Document Submission. <i>JAMA Internal Medicine</i> , 2021, 181, 1128.	2.6	15
35	Harnessing medicines data at low cost to deliver better and safer care. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1621-1623.	0.9	0
36	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. <i>Journal of Hematology and Oncology</i> , 2021, 14, 172.	6.9	8

#	ARTICLE	IF	CITATIONS
37	The Authors Respond. <i>Epidemiology</i> , 2021, 32, e2-e3.	1.2	1
38	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. <i>Open Heart</i> , 2021, 8, e001784.	0.9	17
39	Projected spending for brand-name drugs in English primary care given US prices: a cross-sectional study. <i>Journal of the Royal Society of Medicine</i> , 2020, 113, 350-359.	1.1	2
40	Factors associated with COVID-19-related death using OpenSAFELY. <i>Nature</i> , 2020, 584, 430-436.	13.7	4,674
41	The NHS deserves better use of hospital medicines data. <i>BMJ</i> , The, 2020, 370, m2607.	3.0	23
42	Prescription of suboptimal statin treatment regimens: a retrospective cohort study of trends and variation in English primary care. <i>British Journal of General Practice</i> , 2020, 70, e525-e533.	0.7	12
43	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. <i>Lancet Respiratory Medicine</i> , the, 2020, 8, 1106-1120.	5.2	211
44	Suboptimal prescribing behaviour associated with clinical software design features: a retrospective cohort study in English NHS primary care. <i>British Journal of General Practice</i> , 2020, 70, e636-e643.	0.7	10
45	Clinical trial reporting – Authors' reply. <i>Lancet</i> , The, 2020, 396, 1489-1490.	6.3	0
46	The poor performance of apps assessing skin cancer risk. <i>BMJ</i> , The, 2020, 368, m428.	3.0	8
47	Compliance with legal requirement to report clinical trial results on ClinicalTrials.gov: a cohort study. <i>Lancet</i> , The, 2020, 395, 361-369.	6.3	160
48	Factors associated with the prescribing of high-dose opioids in primary care: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2020, 18, 68.	2.3	25
49	Barriers to Working With National Health Service England's Open Data. <i>Journal of Medical Internet Research</i> , 2020, 22, e15603.	2.1	9
50	Impact of Electronic Health Record Interface Design on Unsafe Prescribing of Ciclosporin, Tacrolimus, and Diltiazem: Cohort Study in English National Health Service Primary Care. <i>Journal of Medical Internet Research</i> , 2020, 22, e17003.	2.1	13
51	Trends and variation in unsafe prescribing of methotrexate: a cohort study in English NHS primary care. <i>British Journal of General Practice</i> , 2020, 70, e481-e488.	0.7	8
52	Time trends and geographical variation in prescribing of antibiotics in England 1998–2017. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 242-250.	1.3	39
53	Impact of Chief Medical Officer activity on prescribing of antibiotics in England: an interrupted time series analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1133-1136.	1.3	11
54	Benefits and harms of pregabalin in the management of neuropathic pain: a rapid review and meta-analysis of randomised clinical trials. <i>BMJ Open</i> , 2019, 9, e023600.	0.8	63

#	ARTICLE	IF	CITATIONS
55	Do doctors in dispensing practices with a financial conflict of interest prescribe more expensive drugs? A cross-sectional analysis of English primary care prescribing data. <i>BMJ Open</i> , 2019, 9, e026886.	0.8	14
56	Transparency of the UK medicines regulator: auditing freedom of information requests and reasons for refusal. <i>BMJ Evidence-Based Medicine</i> , 2019, 24, 20-25.	1.7	1
57	COMPare: Qualitative analysis of researchers'™ responses to critical correspondence on a cohort of 58 misreported trials. <i>Trials</i> , 2019, 20, 124.	0.7	13
58	COMPare: a prospective cohort study correcting and monitoring 58 misreported trials in real time. <i>Trials</i> , 2019, 20, 118.	0.7	122
59	Variation in responsiveness to warranted behaviour change among NHS clinicians: novel implementation of change detection methods in longitudinal prescribing data. <i>BMJ: British Medical Journal</i> , 2019, 367, l5205.	2.4	25
60	Why researchers should share their analytic code. <i>BMJ, The</i> , 2019, 367, l6365.	3.0	35
61	Six months on: NHS England needs to focus on dissemination, implementation and audit of its low-priority initiative. <i>Journal of the Royal Society of Medicine</i> , 2019, 112, 4-5.	1.1	13
62	Why did some practices not implement new antibiotic prescribing guidelines on urinary tract infection? A cohort study and survey in NHS England primary care. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1125-1132.	1.3	28
63	Opioid prescribing trends and geographical variation in England, 1998â€™2018: a retrospective database study. <i>Lancet Psychiatry,the</i> , 2019, 6, 140-150.	3.7	151
64	Catalogue of bias: publication bias. <i>BMJ Evidence-Based Medicine</i> , 2019, 24, 53-54.	1.7	102
65	Measuring the Impact of an Open Web-Based Prescribing Data Analysis Service on Clinical Practice: Cohort Study on NHS England Data. <i>Journal of Medical Internet Research</i> , 2019, 21, e10929.	2.1	14
66	OpenPrescribing: normalised data and software tool to research trends in English NHS primary care prescribing 1998â€™2016. <i>BMJ Open</i> , 2018, 8, e019921.	0.8	48
67	Is use of homeopathy associated with poor prescribing in English primary care? A cross-sectional study. <i>Journal of the Royal Society of Medicine</i> , 2018, 111, 167-174.	1.1	7
68	Impact of NICE guidance on tamoxifen prescribing in England 2011â€™2017: an interrupted time series analysis. <i>British Journal of Cancer</i> , 2018, 118, 1268-1275.	2.9	17
69	Noncommercial Funders'™ Policies on Trial Registration, Access to Summary Results, and Individual Patient Data Availability. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1721.	3.8	30
70	Trends, geographical variation and factors associated with prescribing of gluten-free foods in English primary care: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e021312.	0.8	17
71	Variation in diagnostic test requests and outcomes: a preliminary metric for OpenPathology.net. <i>Scientific Reports</i> , 2018, 8, 4752.	1.6	12
72	New mechanism to identify cost savings in English NHS prescribing: minimising 'price per unit'™, a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e019643.	0.8	14

#	ARTICLE	IF	CITATIONS
73	A cross-sectional study of all clinicians' conflict of interest disclosures to NHS hospital employers in England 2015-2016. <i>BMJ Open</i> , 2018, 8, e019952.	0.8	10
74	Practice variation in the use of tests in UK primary care: a retrospective analysis of 16 million tests performed over 3.3 million patient years in 2015/16. <i>BMC Medicine</i> , 2018, 16, 229.	2.3	21
75	The clinician impact and financial cost to the NHS of litigation over pregabalin: a cohort study in English primary care. <i>BMJ Open</i> , 2018, 8, e022416.	0.8	5
76	135 Trends and variation in the sales of over-the-counter analgesics: a protocol for a retrospective database study and policy review. , 2018, , .		2
77	Temporal trends in use of tests in UK primary care, 2000-15: retrospective analysis of 250 million tests. <i>BMJ: British Medical Journal</i> , 2018, 363, k4666.	2.4	91
78	Compliance with requirement to report results on the EU Clinical Trials Register: cohort study and web resource. <i>BMJ: British Medical Journal</i> , 2018, 362, k3218.	2.4	123
79	Why Cochrane should prioritise sharing data. <i>BMJ: British Medical Journal</i> , 2018, 362, k3229.	2.4	16
80	Detecting change in comparison to peers in NHS prescribing data: a novel application of cumulative sum methodology. <i>BMC Medical Informatics and Decision Making</i> , 2018, 18, 62.	1.5	7
81	Prescribing biosimilars. <i>BMJ: British Medical Journal</i> , 2018, 362, k3141.	2.4	10
82	Time trends and geographical variation in prescribing of drugs for diabetes in England from 1998 to 2017. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2159-2168.	2.2	63
83	Reply to Comment on "Impact of NICE guidance on tamoxifen prescribing in England 2011-2017: an interrupted time series analysis". <i>British Journal of Cancer</i> , 2018, 119, 658-658.	2.9	0
84	Pregabalin: what the patent litigation means for doctors and drug companies. <i>BMJ: British Medical Journal</i> , 2018, 361, k2318.	2.4	1
85	Trends and variation in prescribing of low-priority treatments identified by NHS England: a cross-sectional study and interactive data tool in English primary care. <i>Journal of the Royal Society of Medicine</i> , 2018, 111, 203-213.	1.1	23
86	Prevalence of clinical trial status discrepancies: A cross-sectional study of 10,492 trials registered on both ClinicalTrials.gov and the European Union Clinical Trials Register. <i>PLoS ONE</i> , 2018, 13, e0193088.	1.1	44
87	Prescription data for open toe sandals syndrome. <i>BMJ: British Medical Journal</i> , 2017, 356, j194.	2.4	0
88	You can now search FDA approval documents easily at <a href="http://fda.opentrials.net">fda.opentrials.net</a> . <i>BMJ: British Medical Journal</i> , 2017, 356, j677.	2.4	4
89	Focus on sharing individual patient data distracts from other ways of improving trial transparency. <i>BMJ, The</i> , 2017, 357, j2782.	3.0	15
90	Why clinical trial outcomes fail to translate into benefits for patients. <i>Trials</i> , 2017, 18, 122.	0.7	235

#	ARTICLE	IF	CITATIONS
91	Evidence based medicine manifesto for better healthcare. Evidence-Based Medicine, 2017, 22, 120-122.	0.6	30
92	Trials of transvaginal mesh devices for pelvic organ prolapse: a systematic database review of the US FDA approval process. BMJ Open, 2017, 7, e017125.	0.8	64
93	The WHO joint statement from funders on trials transparency. BMJ: British Medical Journal, 2017, 357, j2816.	2.4	17
94	Evidence based medicine manifesto for better healthcare. BMJ: British Medical Journal, 2017, 357, j2973.	2.4	75
95	Pharmaceutical companies' policies on access to trial data, results, and methods: audit study. BMJ: British Medical Journal, 2017, 358, j3334.	2.4	51
96	Transvaginal mesh failure: lessons for regulation of implantable devices. BMJ: British Medical Journal, 2017, 359, j5515.	2.4	45
97	Authors' reply to Aiyenigba and Weeks, Bahadur and colleagues, and Griffin and colleagues. BMJ: British Medical Journal, 2017, 356, j761.	2.4	0
98	Authors' reply to Beales. BMJ: British Medical Journal, 2017, 356, j1196.	2.4	0
99	Study protocol for statin web-based investigation of side effects (StatinWISE): a series of randomised controlled N-of-1 trials comparing atorvastatin and placebo in UK primary care. BMJ Open, 2017, 7, e016604.	0.8	14
100	Cancer Drugs Fund requires further reform. BMJ, The, 2016, 354, i5090.	3.0	26
101	Make journals report clinical trials properly. Nature, 2016, 530, 7-7.	13.7	46
102	The PRINTO juvenile dermatomyositis trial. Lancet, The, 2016, 387, 2600-2601.	6.3	0
103	Text messaging reminders for influenza vaccine in primary care: a cluster randomised controlled trial (TXT4FLUJAB). BMJ Open, 2016, 6, e010069.	0.8	34
104	Effectiveness of an internet-delivered handwashing intervention. Lancet, The, 2016, 387, 337.	6.3	0
105	Nanoliposomal irinotecan in metastatic pancreatic cancer. Lancet, The, 2016, 387, 1997.	6.3	0
106	PATHWAY-2: spironolactone for resistant hypertension. Lancet, The, 2016, 387, 1372-1373.	6.3	0
107	Expectant management in pregnancies with ruptured membranes. Lancet, The, 2016, 387, 1996.	6.3	0
108	Outcomes in the EXAMINATION trial. Lancet, The, 2016, 387, 1997-1998.	6.3	1

#	ARTICLE	IF	CITATIONS
109	Outcomes in the trial registry should match those in the protocol. <i>Lancet</i> , The, 2016, 388, 340-341.	6.3	3
110	Problems with ethical approval and how to fix them: lessons from three trials in rheumatoid arthritis. <i>BMJ</i> , The, 2016, 354, i4626.	3.0	7
111	All <i>BMJ</i> research papers should share their analytic code. <i>BMJ</i> , The, 2016, 352, i886.	3.0	4
112	Big health data: the need to earn public trust. <i>BMJ</i> , The, 2016, 354, i3636.	3.0	74
113	Impact of statin related media coverage on use of statins: interrupted time series analysis with UK primary care data. <i>BMJ</i> , The, 2016, 353, i3283.	3.0	167
114	OpenTrials: towards a collaborative open database of all available information on all clinical trials. <i>Trials</i> , 2016, 17, 164.	0.7	53
115	The CONFIDeNT trial. <i>Lancet</i> , The, 2016, 387, 643.	6.3	3
116	Fixing flaws in science must be professionalized. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 267-269.	2.4	4
117	The TrialsTracker: Automated ongoing monitoring of failure to share clinical trial results by all major companies and research institutions. <i>F1000Research</i> , 2016, 5, 2629.	0.8	52
118	Commentary: Randomized trials of controversial social interventions: slow progress in 50 years. <i>International Journal of Epidemiology</i> , 2015, 44, 19-22.	0.9	4
119	Antivirals, pandemic planning, and failure to heed calls for trial data. <i>BMJ</i> , The, 2015, 351, h5635.	3.0	1
120	How medicine is broken, and how we can fix it. <i>BMJ</i> , The, 2015, 350, h3397-h3397.	3.0	15
121	How to Get All Trials Reported: Audit, Better Data, and Individual Accountability. <i>PLoS Medicine</i> , 2015, 12, e1001821.	3.9	55
122	Rethinking the appraisal and approval of drugs for type 2 diabetes. <i>BMJ</i> , The, 2015, 351, h5260.	3.0	13
123	Funding source and primary outcome changes in clinical trials registered on ClinicalTrials.gov are associated with the reporting of a statistically significant primary outcome: a cross-sectional study. <i>F1000Research</i> , 2015, 4, 80.	0.8	17
124	Prediction of Cardiovascular Risk Using Framingham, ASSIGN and QRISK2: How Well Do They Predict Individual Rather than Population Risk?. <i>PLoS ONE</i> , 2014, 9, e106455.	1.1	66
125	Problems with ABPI proposals to release data on payments to doctors. <i>BMJ</i> , The, 2014, 348, g1301-g1301.	3.0	3
126	Atypical antipsychotic augmentation in SSRI treatment refractory obsessive-compulsive disorder: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2014, 14, 317.	1.1	121



#	ARTICLE	IF	CITATIONS
127	Mass treatment with statins. BMJ, The, 2014, 349, g4745-g4745.	3.0	23
128	Preventing bad reporting on health research. BMJ, The, 2014, 349, g7465-g7465.	3.0	21
129	Meta-analysis of side effects of statins shows need for trial transparency. BMJ, The, 2014, 348, g2940-g2940.	3.0	8
130	Improving, and auditing, access to clinical trial results. BMJ, The, 2014, 348, g213-g213.	3.0	16
131	Commentary on Berlin <i>et al</i> .. Clinical Trials, 2014, 11, 15-18.	0.7	5
132	Evidence on industry influence should be in the core medical curriculum. BMJ, The, 2014, 348, g1390-g1390.	3.0	2
133	Prevalence of primary outcome changes in clinical trials registered on ClinicalTrials.gov: a cross-sectional study. F1000Research, 2014, 3, 77.	0.8	40
134	The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. Health Technology Assessment, 2014, 18, 1-146.	1.3	114
135	Are clinical trial data shared sufficiently today? No. BMJ, The, 2013, 347, f1880-f1880.	3.0	44
136	<i>Open Heart</i> "The new BMJ cardiovascular journal, advocating open access, open peer-review and open data. Open Heart, 2013, 1, e000007.	0.9	1
137	Study protocol: Comparison of different risk prediction modelling approaches for COVID-19 related death using the OpenSAFELY platform. Wellcome Open Research, 0, 5, 243.	0.9	3
138	A comprehensive high cost drugs dataset from the NHS in England - An OpenSAFELY-TPP Short Data Report. Wellcome Open Research, 0, 6, 360.	0.9	8
139	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. Wellcome Open Research, 0, 7, 142.	0.9	6
140	OpenSAFELY: Representativeness of electronic health record platform OpenSAFELY-TPP data compared to the population of England. Wellcome Open Research, 0, 7, 191.	0.9	40