

Marjolein Visser

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4854657/publications.pdf>

Version: 2024-02-01

150
papers

27,701
citations

34105

52
h-index

8630

146
g-index

153
all docs

153
docs citations

153
times ranked

25951
citing authors

#	ARTICLE	IF	CITATIONS
1	Sarcopenia: revised European consensus on definition and diagnosis. <i>Age and Ageing</i> , 2019, 48, 16-31.	1.6	6,824
2	Gait Speed and Survival in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 50.	7.4	3,254
3	The Loss of Skeletal Muscle Strength, Mass, and Quality in Older Adults: The Health, Aging and Body Composition Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 1059-1064.	3.6	2,216
4	Strength, But Not Muscle Mass, Is Associated With Mortality in the Health, Aging and Body Composition Study Cohort. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 72-77.	3.6	1,299
5	Muscle Mass, Muscle Strength, and Muscle Fat Infiltration as Predictors of Incident Mobility Limitations in Well-Functioning Older Persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 324-333.	3.6	1,090
6	Relationship of Interleukin-6 and Tumor Necrosis Factor- α With Muscle Mass and Muscle Strength in Elderly Men and Women: The Health ABC Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M326-M332.	3.6	1,002
7	Dietary protein intake is associated with lean mass change in older, community-dwelling adults: the Health, Aging, and Body Composition (Health ABC) Study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 150-155.	4.7	978
8	Low Vitamin D and High Parathyroid Hormone Levels as Determinants of Loss of Muscle Strength and Muscle Mass (Sarcopenia): The Longitudinal Aging Study Amsterdam. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5766-5772.	3.6	961
9	Sarcopenia: Alternative Definitions and Associations with Lower Extremity Function. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1602-1609.	2.6	811
10	Leg Muscle Mass and Composition in Relation to Lower Extremity Performance in Men and Women Aged 70 to 79: The Health, Aging and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 897-904.	2.6	715
11	Pitfalls in the measurement of muscle mass: a need for a reference standard. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 269-278.	7.3	482
12	Sarcopenia in daily practice: assessment and management. <i>BMC Geriatrics</i> , 2016, 16, 170.	2.7	468
13	Comparison of the LASA Physical Activity Questionnaire with a 7-day diary and pedometer. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 252-258.	5.0	430
14	Weight change and the conservation of lean mass in old age: the Health, Aging and Body Composition Study. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 872-878.	4.7	355
15	Skeletal Muscle Mass and Muscle Strength in Relation to Lower Extremity Performance in Older Men and Women. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 381-386.	2.6	270
16	Consequences of Sarcopenia. <i>Clinics in Geriatric Medicine</i> , 2011, 27, 387-399.	2.6	248
17	Association between Physical and Cognitive Function in Healthy Elderly: The Health, Aging and Body Composition Study. <i>Neuroepidemiology</i> , 2005, 24, 8-14.	2.3	225
18	Low serum concentrations of 25-hydroxyvitamin D in older persons and the risk of nursing home admission. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 616-622.	4.7	198

#	ARTICLE	IF	CITATIONS
19	Tools in the Assessment of Sarcopenia. <i>Calcified Tissue International</i> , 2013, 93, 201-210.	3.1	197
20	Prevalence of protein-energy malnutrition risk in European older adults in community, residential and hospital settings, according to 22 malnutrition screening tools validated for use in adults ≥65 years. <i>Maturitas</i> , 2019, 126, 80-89.	2.4	193
21	The Longitudinal Aging Study Amsterdam: cohort update 2016 and major findings. <i>European Journal of Epidemiology</i> , 2016, 31, 927-945.	5.7	170
22	Abdominal diameters as indicators of visceral fat: comparison between magnetic resonance imaging and anthropometry. <i>British Journal of Nutrition</i> , 1993, 70, 47-58.	2.3	149
23	Physical Activity as a Determinant of Change in Mobility Performance: The Longitudinal Aging Study Amsterdam. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 1774-1781.	2.6	137
24	Determinants of protein-energy malnutrition in community-dwelling older adults: A systematic review of observational studies. <i>Ageing Research Reviews</i> , 2014, 18, 112-131.	10.9	136
25	A review of the validity of malnutrition screening tools used in older adults in community and healthcare settings – A MaNuEL study. <i>Clinical Nutrition ESPEN</i> , 2018, 24, 1-13.	1.2	136
26	Potentially modifiable determinants of malnutrition in older adults: A systematic review. <i>Clinical Nutrition</i> , 2019, 38, 2477-2498.	5.0	127
27	Change in Muscle Mass and Muscle Strength After a Hip Fracture: Relationship to Mobility Recovery. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2000, 55, M434-M440.	3.6	125
28	Waist Circumference and Sagittal Diameter Reflect Total Body Fat Better Than Visceral Fat in Older Men and Women: The Health, Aging and Body Composition Study. <i>Annals of the New York Academy of Sciences</i> , 2000, 904, 462-473.	3.8	125
29	Poor Appetite and Dietary Intake in Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2190-2197.	2.6	118
30	Early determinants for the development of undernutrition in an older general population: Longitudinal Aging Study Amsterdam. <i>British Journal of Nutrition</i> , 2011, 106, 708-717.	2.3	114
31	Parathyroid hormone and cardiovascular disease events: A systematic review and meta-analysis of prospective studies. <i>American Heart Journal</i> , 2013, 165, 655-664.e5.	2.7	110
32	Association between Sleep Duration and Mortality Is Mediated by Markers of Inflammation and Health in Older Adults: The Health, Aging and Body Composition Study. <i>Sleep</i> , 2015, 38, 189-195.	1.1	108
33	Management of Malnutrition in Older Patients – Current Approaches, Evidence and Open Questions. <i>Journal of Clinical Medicine</i> , 2019, 8, 974.	2.4	105
34	Development and validation of criteria for determining undernutrition in community-dwelling older men and women: The Short Nutritional Assessment Questionnaire 65+. <i>Clinical Nutrition</i> , 2012, 31, 351-358.	5.0	100
35	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019, 40, 621-631.	2.2	97
36	Resting metabolic rate and diet-induced thermogenesis in young and elderly subjects: relationship with body composition, fat distribution, and physical activity level. <i>American Journal of Clinical Nutrition</i> , 1995, 61, 772-778.	4.7	96

#	ARTICLE	IF	CITATIONS
37	Diet quality in persons with and without depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2018, 106, 1-7.	3.1	92
38	Recommendations for the conduct of clinical trials for drugs to treat or prevent sarcopenia. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 47-58.	2.9	91
39	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 858.	7.4	88
40	Type and Intensity of Activity and Risk of Mobility Limitation: The Mediating Role of Muscle Parameters. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 762-770.	2.6	85
41	High prevalence of undernutrition in Dutch community-dwelling older individuals. <i>Nutrition</i> , 2012, 28, 1151-1156.	2.4	83
42	Protein Intake and Mobility Limitation in Community-Dwelling Older Adults: the Health ABC Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1705-1711.	2.6	80
43	Transition to Sarcopenia and Determinants of Transitions in Older Adults: A Population-Based Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 751-758.	3.6	76
44	Association of 25-Hydroxyvitamin D and Parathyroid Hormone With Incident Hypertension. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1214-1222.	2.8	73
45	Effect of a high protein diet and/or resistance exercise on the preservation of fat free mass during weight loss in overweight and obese older adults: a randomized controlled trial. <i>Nutrition Journal</i> , 2017, 16, 10.	3.4	73
46	Prediction equations for the estimation of body composition in the elderly using anthropometric data. <i>British Journal of Nutrition</i> , 1994, 71, 823-833.	2.3	72
47	Are Estimates of Meaningful Decline in Mobility Performance Consistent Among Clinically Important Subgroups? (Health ABC Study). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 1260-1268.	3.6	69
48	Development of a Model on Determinants of Malnutrition in Aged Persons: A MaNuEL Project. <i>Gerontology and Geriatric Medicine</i> , 2019, 5, 233372141985843.	1.5	69
49	Determinants of Incident Malnutrition in Community-Dwelling Older Adults: A MaNuEL Multicohort Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2335-2343.	2.6	63
50	Prevalence of malnutrition using harmonized definitions in older adults from different settings – A MaNuEL study. <i>Clinical Nutrition</i> , 2019, 38, 2389-2398.	5.0	56
51	Prevalence of protein intake below recommended in community-dwelling older adults: a meta-analysis across cohorts from the PROMISS consortium. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 1212-1222.	7.3	56
52	Serum Parathyroid Hormone in Relation to All-Cause and Cardiovascular Mortality: The Hoorn Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E638-E645.	3.6	53
53	Relation of Vitamin D and Parathyroid Hormone to Cardiac Biomarkers and to Left Ventricular Mass (from the Cardiovascular Health Study). <i>American Journal of Cardiology</i> , 2013, 111, 418-424.	1.6	53
54	Hip Fractures Risk in Older Men and Women Associated With DXA-Derived Measures of Thigh Subcutaneous Fat Thickness, Cross-Sectional Muscle Area, and Muscle Density. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 1414-1421.	2.8	52

#	ARTICLE	IF	CITATIONS
55	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MoodFOOD prevention trial. <i>BMC Psychiatry</i> , 2016, 16, 192.	2.6	52
56	The Mindful Eating Behavior Scale: Development and Psychometric Properties in a Sample of Dutch Adults Aged 55 Years and Older. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 1277-1290.e4.	0.8	51
57	Association of <i>a priori</i> dietary patterns with depressive symptoms: a harmonised meta-analysis of observational studies. <i>Psychological Medicine</i> , 2020, 50, 1872-1883.	4.5	51
58	The mediation effect of emotional eating between depression and body mass index in the two European countries Denmark and Spain. <i>Appetite</i> , 2016, 105, 500-508.	3.7	49
59	Depression and eating styles are independently associated with dietary intake. <i>Appetite</i> , 2019, 134, 103-110.	3.7	49
60	The SNAQRC, an easy traffic light system as a first step in the recognition of undernutrition in residential care. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 83-89.	3.3	48
61	Prospective associations of poor diet quality with long-term incidence of protein-energy malnutrition in community-dwelling older adults: the Health, Aging, and Body Composition (Health) Tj ETQq1 1 0.784314 rgBIS/Overlo	3.3	48
62	Self-perception of body weight status in older Dutch adults. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 612-618.	3.3	47
63	Plasma Phospholipid PUFAs Are Associated with Greater Muscle and Knee Extension Strength but Not with Changes in Muscle Parameters in Older Adults. <i>Journal of Nutrition</i> , 2015, 145, 105-112.	2.9	47
64	The association between dietary patterns derived by reduced rank regression and depressive symptoms over time: the Invecchiare in Chianti (InCHIANTI) study. <i>British Journal of Nutrition</i> , 2016, 115, 2145-2153.	2.3	47
65	Density of fat-free body mass: relationship with race, age, and level of body fatness. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997, 272, E781-E787.	3.5	46
66	Tackling the increasing problem of malnutrition in older persons: The Malnutrition in the Elderly (MaNu<sc>EL</sc>) Knowledge Hub. <i>Nutrition Bulletin</i> , 2017, 42, 178-186.	1.8	46
67	The association between depression and eating styles in four European countries: The MoodFOOD prevention study. <i>Journal of Psychosomatic Research</i> , 2018, 108, 85-92.	2.6	46
68	Eating styles in major depressive disorder: Results from a large-scale study. <i>Journal of Psychiatric Research</i> , 2018, 97, 38-46.	3.1	46
69	Update on the ESCEO recommendation for the conduct of clinical trials for drugs aiming at the treatment of sarcopenia in older adults. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3-17.	2.9	46
70	Effectiveness of nutritional interventions in older adults at risk of malnutrition across different health care settings: Pooled analyses of individual participant data from nine randomized controlled trials. <i>Clinical Nutrition</i> , 2019, 38, 1797-1806.	5.0	44
71	Self-Reported Adherence to the Physical Activity Recommendation and Determinants of Misperception in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2014, 22, 226-234.	1.0	41
72	Development and validation of a short food questionnaire to screen for low protein intake in community-dwelling older adults: The Protein Screener 55+ (Pro55+). <i>PLoS ONE</i> , 2018, 13, e0196406.	2.5	40

#	ARTICLE	IF	CITATIONS
73	Appetite and Protein Intake Strata of Older Adults in the European Union: Socio-Demographic and Health Characteristics, Diet-Related and Physical Activity Behaviours. <i>Nutrients</i> , 2019, 11, 777.	4.1	40
74	Multi-frequency bioelectrical impedance for assessing total body water and extracellular water in elderly subjects. <i>European Journal of Clinical Nutrition</i> , 1995, 49, 256-66.	2.9	39
75	Total and Sports Activity in Older Men and Women: Relation with Body Fat Distribution. <i>American Journal of Epidemiology</i> , 1997, 145, 752-761.	3.4	36
76	Validity of nutritional screening with MUST and SNAQ in hospital outpatients. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 738-742.	2.9	36
77	Oral health determinants of incident malnutrition in community-dwelling older adults. <i>Journal of Dentistry</i> , 2019, 85, 73-80.	4.1	36
78	Specific food preferences of older adults with a poor appetite. A forced-choice test conducted in various care settings. <i>Appetite</i> , 2015, 90, 168-175.	3.7	35
79	A critical appraisal of nutritional intervention studies in malnourished, community dwelling older persons. <i>Clinical Nutrition</i> , 2016, 35, 1008-1014.	5.0	35
80	Adherence to dietary guidelines for fruit, vegetables and fish among older Dutch adults; the role of education, income and job prestige. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 115-121.	3.3	33
81	Plasma 1,25-Dihydroxyvitamin D and the Risk of Developing Hypertension. <i>Hypertension</i> , 2015, 66, 563-570.	2.7	31
82	Development and application of a scoring system to rate malnutrition screening tools used in older adults in community and healthcare settings – A MaNuEL study. <i>Clinical Nutrition</i> , 2019, 38, 1807-1819.	5.0	31
83	Effects of a dietetic treatment in older, undernourished, community-dwelling individuals in primary care: a randomized controlled trial. <i>European Journal of Nutrition</i> , 2013, 52, 1939-1948.	3.9	30
84	Motivations to eat healthily in older Dutch adults - a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 141.	4.6	30
85	Joint Association of Low Vitamin D and Vitamin K Status With Blood Pressure and Hypertension. <i>Hypertension</i> , 2017, 69, 1165-1172.	2.7	30
86	The intestinal microbiota, energy balance, and malnutrition: emphasis on the role of short-chain fatty acids. <i>Expert Review of Endocrinology and Metabolism</i> , 2017, 12, 215-226.	2.4	30
87	Bidirectional associations between food groups and depressive symptoms: longitudinal findings from the Invecchiare in Chianti (InCHIANTI) study. <i>British Journal of Nutrition</i> , 2019, 121, 439-450.	2.3	30
88	Body Mass Index Trajectories in Relation to Change in Lean Mass and Physical Function: The Health, Aging and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1615-1621.	2.6	29
89	Vitamin D, PTH and the risk of overall and disease-specific mortality: Results of the Longitudinal Aging Study Amsterdam. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 164, 386-394.	2.5	29
90	Poor Taste and Smell Are Associated with Poor Appetite, Macronutrient Intake, and Dietary Quality but Not with Undernutrition in Older Adults. <i>Journal of Nutrition</i> , 2021, 151, 605-614.	2.9	28

#	ARTICLE	IF	CITATIONS
91	Validation of dietary history method in a group of elderly women using measurements of total energy expenditure. <i>British Journal of Nutrition</i> , 1995, 74, 775-85.	2.3	28
92	Associations of AD Biomarkers and Cognitive Performance with Nutritional Status: The NUDAD Project. <i>Nutrients</i> , 2019, 11, 1161.	4.1	25
93	Low protein intake, physical activity, and physical function in European and North American community-dwelling older adults: a pooled analysis of four longitudinal aging cohorts. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 29-41.	4.7	25
94	Trends across 20 years in multiple indicators of functioning among older adults in the Netherlands. <i>European Journal of Public Health</i> , 2019, 29, 1096-1102.	0.3	24
95	Comparison of protein intake per eating occasion, food sources of protein and general characteristics between community-dwelling older adults with a low and high protein intake. <i>Clinical Nutrition ESPEN</i> , 2019, 29, 165-174.	1.2	24
96	Past and Current Smoking in Relation to Body Fat Distribution in Older Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1999, 54, M293-M298.	3.6	23
97	Vitamin B12, homocysteine and depressive symptoms: a longitudinal study among older adults. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 468-475.	2.9	23
98	Perspectives on the causes of undernutrition of community-dwelling older adults: A qualitative study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 1200-1209.	3.3	23
99	Associations of depressive symptoms and history with three a priori diet quality indices in middle-aged and older adults. <i>Journal of Affective Disorders</i> , 2019, 249, 394-403.	4.1	23
100	Efficacy of non-pharmacological interventions to treat malnutrition in older persons: A systematic review and meta-analysis. The SENATOR project ONTOP series and MaNuEL knowledge hub project. <i>Ageing Research Reviews</i> , 2019, 49, 27-48.	10.9	23
101	Sex-and race-specific associations of protein intake with change in muscle mass and physical function in older adults: the Health, Aging, and Body Composition (Health ABC) Study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 84-95.	4.7	23
102	Olfactory and gustatory functioning and food preferences of patients with Alzheimer's disease and mild cognitive impairment compared to controls: the NUDAD project. <i>Journal of Neurology</i> , 2020, 267, 144-152.	3.6	21
103	A Suboptimal Diet Is Associated with Poorer Cognition: The NUDAD Project. <i>Nutrients</i> , 2020, 12, 703.	4.1	21
104	Higher Plasma Phospholipid n-3 PUFAs, but Lower n-6 PUFAs, Are Associated with Lower Pulse Wave Velocity among Older Adults. <i>Journal of Nutrition</i> , 2015, 145, 2317-2324.	2.9	20
105	Targeting the underlying causes of undernutrition. Cost-effectiveness of a multifactorial personalized intervention in community-dwelling older adults: A randomized controlled trial. <i>Clinical Nutrition</i> , 2017, 36, 1498-1508.	5.0	20
106	Joint action malnutrition in the elderly (MaNuEL) knowledge hub: summary of project findings. <i>European Geriatric Medicine</i> , 2020, 11, 169-177.	2.8	20
107	Protein for a Healthy Future: How to Increase Protein Intake in an Environmentally Sustainable Way in Older Adults in the Netherlands. <i>Journal of Nutrition</i> , 2021, 151, 109-119.	2.9	20
108	Is the topic of malnutrition in older adults addressed in the European nursing curricula? A MaNuEL study. <i>Nurse Education Today</i> , 2018, 68, 13-18.	3.3	19

#	ARTICLE	IF	CITATIONS
109	Undernutrition in nursing home rehabilitation patients. <i>Clinical Nutrition</i> , 2017, 36, 755-759.	5.0	18
110	Energy intake and expenditure in patients with Alzheimer's disease and mild cognitive impairment: the NUDAD project. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 116.	6.2	18
111	Generation shifts in smoking over 20 years in two Dutch population-based cohorts aged 20-100 years. <i>BMC Public Health</i> , 2015, 15, 142.	2.9	17
112	Change in serum 25-hydroxyvitamin D and parallel change in depressive symptoms in Dutch older adults. <i>European Journal of Endocrinology</i> , 2018, 179, 239-249.	3.7	17
113	Energy and Protein Intake of Alzheimer's Disease Patients Compared to Cognitively Normal Controls: Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 14-21.	2.5	17
114	Sex differences in mental health among older adults: investigating time trends and possible risk groups with regard to age, educational level and ethnicity. <i>Aging and Mental Health</i> , 2021, 25, 2355-2364.	2.8	17
115	Trends in lifestyle among three cohorts of adults aged 55-64 years in 1992/1993, 2002/2003 and 2012/2013. <i>European Journal of Public Health</i> , 2018, 28, 564-570.	0.3	15
116	Predictors of Incident Malnutrition in Older Irish Adults from the Irish Longitudinal Study on Ageing Cohort - A MaNuEL study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 75, 249-256.	3.6	15
117	The Association of Olfactory Function with BMI, Appetite, and Prospective Weight Change in Dutch Community-Dwelling Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 746-752.	3.3	15
118	Mindful eating and change in depressive symptoms: Mediation by psychological eating styles. <i>Appetite</i> , 2019, 133, 204-211.	3.7	15
119	Relevant outcomes for nutrition interventions to treat and prevent malnutrition in older people: a collaborative senator-ontop and manuel delphi study. <i>European Geriatric Medicine</i> , 2018, 9, 243-248.	2.8	14
120	Relative Validity of the HELIUS Food Frequency Questionnaire for Measuring Dietary Intake in Older Adult Participants of the Longitudinal Aging Study Amsterdam. <i>Nutrients</i> , 2020, 12, 1998.	4.1	14
121	Associations of the oral microbiota and Candida with taste, smell, appetite and undernutrition in older adults. <i>Scientific Reports</i> , 2021, 11, 23254.	3.3	14
122	Is Dietetic Treatment for Undernutrition in Older Individuals in Primary Care Cost-Effective?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 226.e7-226.e13.	2.5	13
123	Predictors of incident malnutrition - a nutritionDay analysis in 11,923 nursing home residents. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 382-388.	2.9	13
124	Effect of Early Individualized Dietary Counseling on Weight Loss, Complications, and Length of Hospital Stay in Patients With Head and Neck Cancer: A Comparative Study. <i>Nutrition and Cancer</i> , 2015, 67, 1093-1103.	2.0	12
125	Nutrition education on malnutrition in older adults in European medical schools: need for improvement?. <i>European Geriatric Medicine</i> , 2019, 10, 313-318.	2.8	12
126	A poor appetite or ability to eat and its association with physical function amongst community-dwelling older adults: age, gene/environment susceptibility-Reykjavik study. <i>European Journal of Ageing</i> , 2021, 18, 405-415.	2.8	12

#	ARTICLE	IF	CITATIONS
127	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. <i>Frontiers in Psychiatry</i> , 2019, 10, 858.	2.6	11
128	The MooDFOOD project: Prevention of depression through nutritional strategies. <i>Nutrition Bulletin</i> , 2017, 42, 94-103.	1.8	10
129	Nutritional Status Is Associated With Clinical Progression in Alzheimer's Disease: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2023, 24, 638-644.e1.	2.5	10
130	The authors reply: Letter on: "Pitfalls in the measurement of muscle mass: a need for a reference standard" by Clark et al.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 1272-1274.	7.3	9
131	Nutritional status and structural brain changes in Alzheimer's disease: The NUDAD project. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12063.	2.4	9
132	A higher protein intake at breakfast and lunch is associated with a higher total daily protein intake in older adults: a post hoc cross-sectional analysis of four randomised controlled trials. <i>Journal of Human Nutrition and Dietetics</i> , 2021, 34, 384-394.	2.5	9
133	Protein Knowledge of Older Adults and Identification of Subgroups with Poor Knowledge. <i>Nutrients</i> , 2021, 13, 1006.	4.1	9
134	Nutrition and depression: Summary of findings from the EU-funded MooDFOOD depression prevention randomised controlled trial and a critical review of the literature. <i>Nutrition Bulletin</i> , 2020, 45, 403-414.	1.8	8
135	Gut microbial characteristics in poor appetite and undernutrition: a cohort of older adults and microbiota transfer in germ-free mice. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 2188-2201.	7.3	8
136	No Specific Effect of Fluoxetine Treatment on Fasting Glucose, Insulin, Lipid Levels, and Blood Pressure in Healthy Men with Abdominal Obesity. <i>Obesity</i> , 1994, 2, 152-159.	4.0	7
137	Prospective associations of protein intake parameters with muscle strength and physical performance in community-dwelling older men and women from the Quebec NuAge cohort. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 972-983.	4.7	7
138	LDL cholesterol and uridine levels in blood are potential nutritional biomarkers for clinical progression in Alzheimer's disease: The NUDAD project. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12120.	2.4	7
139	Towards developing a Core Outcome Set for malnutrition intervention studies in older adults: a scoping review to identify frequently used research outcomes. <i>European Geriatric Medicine</i> , 2022, 13, 867-879.	2.8	6
140	Effects of dietary interventions on depressive symptom profiles: results from the MooDFOOD depression prevention study. <i>Psychological Medicine</i> , 2021, , 1-10.	4.5	5
141	Innovative plant Protein fibre and Physical activity solutions to address poor appetite and prevent undernutrition in older adults " APPETITE. <i>Nutrition Bulletin</i> , 2021, 46, 486-496.	1.8	5
142	Habitual Behavior as a Mediator Between Food-Related Behavioral Activation and Change in Symptoms of Depression in the MooDFOOD Trial. <i>Clinical Psychological Science</i> , 2021, 9, 649-665.	4.0	4
143	The effect of fluoxetine on body weight, body composition and visceral fat accumulation. , 1993, 17, 247-53.		4
144	The Authors reply: "Dual energy X-ray absorptiometry: gold standard for muscle mass" by Scafoglieri et al.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 788-790.	7.3	3

#	ARTICLE	IF	CITATIONS
145	Effect of personalized dietary advice to increase protein intake on food consumption and the environmental impact of the diet in community-dwelling older adults: results from the PROMISS trial. <i>European Journal of Nutrition</i> , 2022, 61, 4015-4026.	3.9	2
146	Associations Between Nutrient Intake and Corresponding Nutritional Biomarker Levels in Blood in a Memory Clinic Cohort: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1436-1438.	2.5	1
147	Changes in the role of explanatory factors for socioeconomic inequalities in physical performance: a comparative study of three birth cohorts. <i>International Journal for Equity in Health</i> , 2021, 20, 252.	3.5	1
148	THU0755-HPR–Dietary protein intake and upper leg muscle strength in patients with knee osteoarthritis: data from the osteoarthritis initiative. , 2017, , .		0
149	Multinutrient Supplementation for Prevention of Major Depressive Disorder in Overweight Adults–Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 366.	7.4	0
150	Comparative study of two birth cohorts: did the explanatory role of behavioural, social and psychological factors in educational inequalities in mortality change over time?. <i>BMJ Open</i> , 2022, 12, e052204.	1.9	0