

Marjolein Visser

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4854657/publications.pdf>

Version: 2024-02-01

150
papers

27,701
citations

34105

52
h-index

8630

146
g-index

153
all docs

153
docs citations

153
times ranked

25951
citing authors

#	ARTICLE	IF	CITATIONS
1	Nutritional Status Is Associated With Clinical Progression in Alzheimer's Disease: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2023, 24, 638-644.e1.	2.5	10
2	Predictors of incident malnutrition—a nutritionDay analysis in 11,923 nursing home residents. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 382-388.	2.9	13
3	Comparative study of two birth cohorts: did the explanatory role of behavioural, social and psychological factors in educational inequalities in mortality change over time?. <i>BMJ Open</i> , 2022, 12, e052204.	1.9	0
4	Towards developing a Core Outcome Set for malnutrition intervention studies in older adults: a scoping review to identify frequently used research outcomes. <i>European Geriatric Medicine</i> , 2022, 13, 867-879.	2.8	6
5	Gut microbial characteristics in poor appetite and undernutrition: a cohort of older adults and microbiota transfer in germ-free mice. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 2188-2201.	7.3	8
6	Effect of personalized dietary advice to increase protein intake on food consumption and the environmental impact of the diet in community-dwelling older adults: results from the PROMISS trial. <i>European Journal of Nutrition</i> , 2022, 61, 4015-4026.	3.9	2
7	Sex differences in mental health among older adults: investigating time trends and possible risk groups with regard to age, educational level and ethnicity. <i>Aging and Mental Health</i> , 2021, 25, 2355-2364.	2.8	17
8	Update on the ESCEO recommendation for the conduct of clinical trials for drugs aiming at the treatment of sarcopenia in older adults. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3-17.	2.9	46
9	A higher protein intake at breakfast and lunch is associated with a higher total daily protein intake in older adults: a post-hoc cross-sectional analysis of four randomised controlled trials. <i>Journal of Human Nutrition and Dietetics</i> , 2021, 34, 384-394.	2.5	9
10	A poor appetite or ability to eat and its association with physical function amongst community-dwelling older adults: age, gene/environment susceptibility-Reykjavik study. <i>European Journal of Ageing</i> , 2021, 18, 405-415.	2.8	12
11	Poor Taste and Smell Are Associated with Poor Appetite, Macronutrient Intake, and Dietary Quality but Not with Undernutrition in Older Adults. <i>Journal of Nutrition</i> , 2021, 151, 605-614.	2.9	28
12	Protein Knowledge of Older Adults and Identification of Subgroups with Poor Knowledge. <i>Nutrients</i> , 2021, 13, 1006.	4.1	9
13	Habitual Behavior as a Mediator Between Food-Related Behavioral Activation and Change in Symptoms of Depression in the MoodFOOD Trial. <i>Clinical Psychological Science</i> , 2021, 9, 649-665.	4.0	4
14	Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , 2021, , 1-10.	4.5	5
15	Low protein intake, physical activity, and physical function in European and North American community-dwelling older adults: a pooled analysis of four longitudinal aging cohorts. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 29-41.	4.7	25
16	Prospective associations of protein intake parameters with muscle strength and physical performance in community-dwelling older men and women from the Quebec NuAge cohort. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 972-983.	4.7	7
17	Protein for a Healthy Future: How to Increase Protein Intake in an Environmentally Sustainable Way in Older Adults in the Netherlands. <i>Journal of Nutrition</i> , 2021, 151, 109-119.	2.9	20
18	Innovative plant Protein fibre and Physical activity solutions to address poor appetite and prevent undernutrition in older adults – APPETITE. <i>Nutrition Bulletin</i> , 2021, 46, 486-496.	1.8	5

#	ARTICLE	IF	CITATIONS
19	Associations of the oral microbiota and <i>Candida</i> with taste, smell, appetite and undernutrition in older adults. <i>Scientific Reports</i> , 2021, 11, 23254.	3.3	14
20	Changes in the role of explanatory factors for socioeconomic inequalities in physical performance: a comparative study of three birth cohorts. <i>International Journal for Equity in Health</i> , 2021, 20, 252.	3.5	1
21	Olfactory and gustatory functioning and food preferences of patients with Alzheimer's disease and mild cognitive impairment compared to controls: the NUDAD project. <i>Journal of Neurology</i> , 2020, 267, 144-152.	3.6	21
22	Association of <i>a priori</i> dietary patterns with depressive symptoms: a harmonised meta-analysis of observational studies. <i>Psychological Medicine</i> , 2020, 50, 1872-1883.	4.5	51
23	Joint action malnutrition in the elderly (MaNuEL) knowledge hub: summary of project findings. <i>European Geriatric Medicine</i> , 2020, 11, 169-177.	2.8	20
24	Energy intake and expenditure in patients with Alzheimer's disease and mild cognitive impairment: the NUDAD project. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 116.	6.2	18
25	Relative Validity of the HELIUS Food Frequency Questionnaire for Measuring Dietary Intake in Older Adult Participants of the Longitudinal Aging Study Amsterdam. <i>Nutrients</i> , 2020, 12, 1998.	4.1	14
26	Nutrition and depression: Summary of findings from the EU-funded MoodFOOD depression prevention randomised controlled trial and a critical review of the literature. <i>Nutrition Bulletin</i> , 2020, 45, 403-414.	1.8	8
27	Nutritional status and structural brain changes in Alzheimer's disease: The NUDAD project. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12063.	2.4	9
28	Prevalence of protein intake below recommended in community-dwelling older adults: a meta-analysis across cohorts from the PROMISS consortium. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 1212-1222.	7.3	56
29	A Suboptimal Diet Is Associated with Poorer Cognition: The NUDAD Project. <i>Nutrients</i> , 2020, 12, 703.	4.1	21
30	Associations Between Nutrient Intake and Corresponding Nutritional Biomarker Levels in Blood in a Memory Clinic Cohort: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1436-1438.	2.5	1
31	Sex and race-specific associations of protein intake with change in muscle mass and physical function in older adults: the Health, Aging, and Body Composition (Health ABC) Study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 84-95.	4.7	23
32	LDL cholesterol and uridine levels in blood are potential nutritional biomarkers for clinical progression in Alzheimer's disease: The NUDAD project. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12120.	2.4	7
33	Effectiveness of nutritional interventions in older adults at risk of malnutrition across different health care settings: Pooled analyses of individual participant data from nine randomized controlled trials. <i>Clinical Nutrition</i> , 2019, 38, 1797-1806.	5.0	44
34	Development and application of a scoring system to rate malnutrition screening tools used in older adults in community and healthcare settings – A MaNuEL study. <i>Clinical Nutrition</i> , 2019, 38, 1807-1819.	5.0	31
35	Energy and Protein Intake of Alzheimer's Disease Patients Compared to Cognitively Normal Controls: Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 14-21.	2.5	17
36	Development of a Model on Determinants of Malnutrition in Aged Persons: A MaNuEL Project. <i>Gerontology and Geriatric Medicine</i> , 2019, 5, 233372141985843.	1.5	69

#	ARTICLE	IF	CITATIONS
37	Management of Malnutrition in Older Patientsâ€”Current Approaches, Evidence and Open Questions. <i>Journal of Clinical Medicine</i> , 2019, 8, 974.	2.4	105
38	Multinutrient Supplementation for Prevention of Major Depressive Disorder in Overweight Adultsâ€”Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 366.	7.4	0
39	The Association of Olfactory Function with BMI, Appetite, and Prospective Weight Change in Dutch Community-Dwelling Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 746-752.	3.3	15
40	Nutrition education on malnutrition in older adults in European medical schools: need for improvement?. <i>European Geriatric Medicine</i> , 2019, 10, 313-318.	2.8	12
41	Associations of AD Biomarkers and Cognitive Performance with Nutritional Status: The NUDAD Project. <i>Nutrients</i> , 2019, 11, 1161.	4.1	25
42	Appetite and Protein Intake Strata of Older Adults in the European Union: Socio-Demographic and Health Characteristics, Diet-Related and Physical Activity Behaviours. <i>Nutrients</i> , 2019, 11, 777.	4.1	40
43	Oral health determinants of incident malnutrition in community-dwelling older adults. <i>Journal of Dentistry</i> , 2019, 85, 73-80.	4.1	36
44	Prevalence of protein-energy malnutrition risk in European older adults in community, residential and hospital settings, according to 22 malnutrition screening tools validated for use in adults â‰¥65 years. <i>Maturitas</i> , 2019, 126, 80-89.	2.4	193
45	Trends across 20 years in multiple indicators of functioning among older adults in the Netherlands. <i>European Journal of Public Health</i> , 2019, 29, 1096-1102.	0.3	24
46	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 858.	7.4	88
47	Associations of depressive symptoms and history with three a priori diet quality indices in middle-aged and older adults. <i>Journal of Affective Disorders</i> , 2019, 249, 394-403.	4.1	23
48	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. <i>Frontiers in Psychiatry</i> , 2019, 10, 858.	2.6	11
49	Depression and eating styles are independently associated with dietary intake. <i>Appetite</i> , 2019, 134, 103-110.	3.7	49
50	Bidirectional associations between food groups and depressive symptoms: longitudinal findings from the Invecchiare in Chianti (InCHIANTI) study. <i>British Journal of Nutrition</i> , 2019, 121, 439-450.	2.3	30
51	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019, 40, 621-631.	2.2	97
52	Efficacy of non-pharmacological interventions to treat malnutrition in older persons: A systematic review and meta-analysis. The SENATOR project ONTOP series and MaNuEL knowledge hub project. <i>Ageing Research Reviews</i> , 2019, 49, 27-48.	10.9	23
53	Mindful eating and change in depressive symptoms: Mediation by psychological eating styles. <i>Appetite</i> , 2019, 133, 204-211.	3.7	15
54	Prevalence of malnutrition using harmonized definitions in older adults from different settings â€” A MaNuEL study. <i>Clinical Nutrition</i> , 2019, 38, 2389-2398.	5.0	56

#	ARTICLE	IF	CITATIONS
55	Comparison of protein intake per eating occasion, food sources of protein and general characteristics between community-dwelling older adults with a low and high protein intake. <i>Clinical Nutrition ESPEN</i> , 2019, 29, 165-174.	1.2	24
56	Potentially modifiable determinants of malnutrition in older adults: A systematic review. <i>Clinical Nutrition</i> , 2019, 38, 2477-2498.	5.0	127
57	Sarcopenia: revised European consensus on definition and diagnosis. <i>Age and Ageing</i> , 2019, 48, 16-31.	1.6	6,824
58	Prospective associations of poor diet quality with long-term incidence of protein-energy malnutrition in community-dwelling older adults: the Health, Aging, and Body Composition (Health) Tj ETQq0 0 0 rgrBT /Overlook 10 Tf 5	0.7	10
59	The Mindful Eating Behavior Scale: Development and Psychometric Properties in a Sample of Dutch Adults Aged 55 Years and Older. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 1277-1290.e4.	0.8	51
60	Pitfalls in the measurement of muscle mass: a need for a reference standard. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 269-278.	7.3	482
61	Relevant outcomes for nutrition interventions to treat and prevent malnutrition in older people: a collaborative senator-ontop and manuel delphi study. <i>European Geriatric Medicine</i> , 2018, 9, 243-248.	2.8	14
62	The association between depression and eating styles in four European countries: The MoodFOOD prevention study. <i>Journal of Psychosomatic Research</i> , 2018, 108, 85-92.	2.6	46
63	A review of the validity of malnutrition screening tools used in older adults in community and healthcare settings – A MaNuEL study. <i>Clinical Nutrition ESPEN</i> , 2018, 24, 1-13.	1.2	136
64	Trends in lifestyle among three cohorts of adults aged 55–64 years in 1992/1993, 2002/2003 and 2012/2013. <i>European Journal of Public Health</i> , 2018, 28, 564-570.	0.3	15
65	Eating styles in major depressive disorder: Results from a large-scale study. <i>Journal of Psychiatric Research</i> , 2018, 97, 38-46.	3.1	46
66	The authors reply: Letter on: –Pitfalls in the measurement of muscle mass: a need for a reference standard – by Clark et al.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 1272-1274.	7.3	9
67	Predictors of Incident Malnutrition in Older Irish Adults from the Irish Longitudinal Study on Ageing Cohort – A MaNuEL study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 75, 249-256.	3.6	15
68	Diet quality in persons with and without depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2018, 106, 1-7.	3.1	92
69	Development and validation of a short food questionnaire to screen for low protein intake in community-dwelling older adults: The Protein Screener 55+ (Pro55+). <i>PLoS ONE</i> , 2018, 13, e0196406.	2.5	40
70	Is the topic of malnutrition in older adults addressed in the European nursing curricula? A MaNuEL study. <i>Nurse Education Today</i> , 2018, 68, 13-18.	3.3	19
71	Change in serum 25-hydroxyvitamin D and parallel change in depressive symptoms in Dutch older adults. <i>European Journal of Endocrinology</i> , 2018, 179, 239-249.	3.7	17
72	Determinants of Incident Malnutrition in Community-Dwelling Older Adults: A MaNuEL Multicohort Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2335-2343.	2.6	63

#	ARTICLE	IF	CITATIONS
73	<i>The Authors reply</i>: â€œDual energy Xâ€ray absorptiometry: gold standard for muscle mass?â€•by Scafoglieri et al.. Journal of Cachexia, Sarcopenia and Muscle, 2018, 9, 788-790.	7.3	3
74	Undernutrition in nursing home rehabilitation patients. Clinical Nutrition, 2017, 36, 755-759.	5.0	18
75	Vitamin B12, homocysteine and depressive symptoms: a longitudinal study among older adults. European Journal of Clinical Nutrition, 2017, 71, 468-475.	2.9	23
76	The Moo<scp>DFOOD</scp> project: Prevention of depression through nutritional strategies. Nutrition Bulletin, 2017, 42, 94-103.	1.8	10
77	Effect of a high protein diet and/or resistance exercise on the preservation of fat free mass during weight loss in overweight and obese older adults: a randomized controlled trial. Nutrition Journal, 2017, 16, 10.	3.4	73
78	Perspectives on the causes of undernutrition of community-dwelling older adults: A qualitative study. Journal of Nutrition, Health and Aging, 2017, 21, 1200-1209.	3.3	23
79	Joint Association of Low Vitamin D and Vitamin K Status With Blood Pressure and Hypertension. Hypertension, 2017, 69, 1165-1172.	2.7	30
80	The intestinal microbiota, energy balance, and malnutrition: emphasis on the role of short-chain fatty acids. Expert Review of Endocrinology and Metabolism, 2017, 12, 215-226.	2.4	30
81	Tackling the increasing problem of malnutrition in older persons: The Malnutrition in the Elderly (MaNu<scp>EL</scp>) Knowledge Hub. Nutrition Bulletin, 2017, 42, 178-186.	1.8	46
82	Protein Intake and Mobility Limitation in Communityâ€Dwelling Older Adults: the Health <scp>ABC</scp> Study. Journal of the American Geriatrics Society, 2017, 65, 1705-1711.	2.6	80
83	Targeting the underlying causes of undernutrition. Cost-effectiveness of a multifactorial personalized intervention in community-dwelling older adults: A randomized controlled trial. Clinical Nutrition, 2017, 36, 1498-1508.	5.0	20
84	Poor Appetite and Dietary Intake in Communityâ€Dwelling Older Adults. Journal of the American Geriatrics Society, 2017, 65, 2190-2197.	2.6	118
85	THU0755-HPRâ€...Dietary protein intake and upper leg muscle strength in patients with knee osteoarthritis: data from the osteoarthritis initiative. , 2017, , .		0
86	The association between dietary patterns derived by reduced rank regression and depressive symptoms over time: the Invecchiare in Chianti (InCHIANTI) study. British Journal of Nutrition, 2016, 115, 2145-2153.	2.3	47
87	The Longitudinal Aging Study Amsterdam: cohort update 2016 and major findings. European Journal of Epidemiology, 2016, 31, 927-945.	5.7	170
88	Sarcopenia in daily practice: assessment and management. BMC Geriatrics, 2016, 16, 170.	2.7	468
89	The mediation effect of emotional eating between depression and body mass index in the two European countries Denmark and Spain. Appetite, 2016, 105, 500-508.	3.7	49
90	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MoodFOOD prevention trial. BMC Psychiatry, 2016, 16, 192.	2.6	52

#	ARTICLE	IF	CITATIONS
91	A critical appraisal of nutritional intervention studies in malnourished, community dwelling older persons. <i>Clinical Nutrition</i> , 2016, 35, 1008-1014.	5.0	35
92	Vitamin D, PTH and the risk of overall and disease-specific mortality: Results of the Longitudinal Aging Study Amsterdam. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 164, 386-394.	2.5	29
93	Recommendations for the conduct of clinical trials for drugs to treat or prevent sarcopenia. <i>Ageing Clinical and Experimental Research</i> , 2016, 28, 47-58.	2.9	91
94	Association between Sleep Duration and Mortality Is Mediated by Markers of Inflammation and Health in Older Adults: The Health, Aging and Body Composition Study. <i>Sleep</i> , 2015, 38, 189-195.	1.1	108
95	Hip Fractures Risk in Older Men and Women Associated With DXA-Derived Measures of Thigh Subcutaneous Fat Thickness, Cross-Sectional Muscle Area, and Muscle Density. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 1414-1421.	2.8	52
96	Body Mass Index Trajectories in Relation to Change in Lean Mass and Physical Function: The Health, Aging and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1615-1621.	2.6	29
97	Plasma 1,25-Dihydroxyvitamin D and the Risk of Developing Hypertension. <i>Hypertension</i> , 2015, 66, 563-570.	2.7	31
98	Generation shifts in smoking over 20 years in two Dutch population-based cohorts aged 20-100 years. <i>BMC Public Health</i> , 2015, 15, 142.	2.9	17
99	Self-perception of body weight status in older Dutch adults. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 612-618.	3.3	47
100	Specific food preferences of older adults with a poor appetite. A forced-choice test conducted in various care settings. <i>Appetite</i> , 2015, 90, 168-175.	3.7	35
101	Effect of Early Individualized Dietary Counseling on Weight Loss, Complications, and Length of Hospital Stay in Patients With Head and Neck Cancer: A Comparative Study. <i>Nutrition and Cancer</i> , 2015, 67, 1093-1103.	2.0	12
102	Higher Plasma Phospholipid n-3 PUFAs, but Lower n-6 PUFAs, Are Associated with Lower Pulse Wave Velocity among Older Adults. <i>Journal of Nutrition</i> , 2015, 145, 2317-2324.	2.9	20
103	Plasma Phospholipid PUFAs Are Associated with Greater Muscle and Knee Extension Strength but Not with Changes in Muscle Parameters in Older Adults. <i>Journal of Nutrition</i> , 2015, 145, 105-112.	2.9	47
104	Are Estimates of Meaningful Decline in Mobility Performance Consistent Among Clinically Important Subgroups? (Health ABC Study). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 1260-1268.	3.6	69
105	Motivations to eat healthily in older Dutch adults - a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 141.	4.6	30
106	Self-Reported Adherence to the Physical Activity Recommendation and Determinants of Misperception in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2014, 22, 226-234.	1.0	41
107	Transition to Sarcopenia and Determinants of Transitions in Older Adults: A Population-Based Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 751-758.	3.6	76
108	Is Dietetic Treatment for Undernutrition in Older Individuals in Primary Care Cost-Effective?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 226.e7-226.e13.	2.5	13

#	ARTICLE	IF	CITATIONS
109	Association of 25-Hydroxyvitamin D and Parathyroid Hormone With Incident Hypertension. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1214-1222.	2.8	73
110	Determinants of protein-energy malnutrition in community-dwelling older adults: A systematic review of observational studies. <i>Ageing Research Reviews</i> , 2014, 18, 112-131.	10.9	136
111	Adherence to dietary guidelines for fruit, vegetables and fish among older Dutch adults; the role of education, income and job prestige. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 115-121.	3.3	33
112	Tools in the Assessment of Sarcopenia. <i>Calcified Tissue International</i> , 2013, 93, 201-210.	3.1	197
113	Serum Parathyroid Hormone in Relation to All-Cause and Cardiovascular Mortality: The Hoorn Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E638-E645.	3.6	53
114	Effects of a dietetic treatment in older, undernourished, community-dwelling individuals in primary care: a randomized controlled trial. <i>European Journal of Nutrition</i> , 2013, 52, 1939-1948.	3.9	30
115	Relation of Vitamin D and Parathyroid Hormone to Cardiac Biomarkers and to Left Ventricular Mass (from the Cardiovascular Health Study). <i>American Journal of Cardiology</i> , 2013, 111, 418-424.	1.6	53
116	Parathyroid hormone and cardiovascular disease events: A systematic review and meta-analysis of prospective studies. <i>American Heart Journal</i> , 2013, 165, 655-664.e5.	2.7	110
117	Validity of nutritional screening with MUST and SNAQ in hospital outpatients. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 738-742.	2.9	36
118	High prevalence of undernutrition in Dutch community-dwelling older individuals. <i>Nutrition</i> , 2012, 28, 1151-1156.	2.4	83
119	Development and validation of criteria for determining undernutrition in community-dwelling older men and women: The Short Nutritional Assessment Questionnaire 65+. <i>Clinical Nutrition</i> , 2012, 31, 351-358.	5.0	100
120	Consequences of Sarcopenia. <i>Clinics in Geriatric Medicine</i> , 2011, 27, 387-399.	2.6	248
121	Early determinants for the development of undernutrition in an older general population: Longitudinal Aging Study Amsterdam. <i>British Journal of Nutrition</i> , 2011, 106, 708-717.	2.3	114
122	Gait Speed and Survival in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 50.	7.4	3,254
123	The SNAQRC, an easy traffic light system as a first step in the recognition of undernutrition in residential care. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 83-89.	3.3	48
124	Dietary protein intake is associated with lean mass change in older, community-dwelling adults: the Health, Aging, and Body Composition (Health ABC) Study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 150-155.	4.7	978
125	Low serum concentrations of 25-hydroxyvitamin D in older persons and the risk of nursing home admission. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 616-622.	4.7	198
126	Strength, But Not Muscle Mass, Is Associated With Mortality in the Health, Aging and Body Composition Study Cohort. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 72-77.	3.6	1,299

#	ARTICLE	IF	CITATIONS
127	The Loss of Skeletal Muscle Strength, Mass, and Quality in Older Adults: The Health, Aging and Body Composition Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 1059-1064.	3.6	2,216
128	Type and Intensity of Activity and Risk of Mobility Limitation: The Mediating Role of Muscle Parameters. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 762-770.	2.6	85
129	Weight change and the conservation of lean mass in old age: the Health, Aging and Body Composition Study. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 872-878.	4.7	355
130	Association between Physical and Cognitive Function in Healthy Elderly: The Health, Aging and Body Composition Study. <i>Neuroepidemiology</i> , 2005, 24, 8-14.	2.3	225
131	Muscle Mass, Muscle Strength, and Muscle Fat Infiltration as Predictors of Incident Mobility Limitations in Well-Functioning Older Persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 324-333.	3.6	1,090
132	Comparison of the LASA Physical Activity Questionnaire with a 7-day diary and pedometer. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 252-258.	5.0	430
133	Sarcopenia: Alternative Definitions and Associations with Lower Extremity Function. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1602-1609.	2.6	811
134	Low Vitamin D and High Parathyroid Hormone Levels as Determinants of Loss of Muscle Strength and Muscle Mass (Sarcopenia): The Longitudinal Aging Study Amsterdam. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5766-5772.	3.6	961
135	Relationship of Interleukin-6 and Tumor Necrosis Factor- α With Muscle Mass and Muscle Strength in Elderly Men and Women: The Health ABC Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M326-M332.	3.6	1,002
136	Leg Muscle Mass and Composition in Relation to Lower Extremity Performance in Men and Women Aged 70 to 79: The Health, Aging and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 897-904.	2.6	715
137	Physical Activity as a Determinant of Change in Mobility Performance: The Longitudinal Aging Study Amsterdam. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 1774-1781.	2.6	137
138	Skeletal Muscle Mass and Muscle Strength in Relation to Lower Extremity Performance in Older Men and Women. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 381-386.	2.6	270
139	Change in Muscle Mass and Muscle Strength After a Hip Fracture: Relationship to Mobility Recovery. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2000, 55, M434-M440.	3.6	125
140	Waist Circumference and Sagittal Diameter Reflect Total Body Fat Better Than Visceral Fat in Older Men and Women: The Health, Aging and Body Composition Study. <i>Annals of the New York Academy of Sciences</i> , 2000, 904, 462-473.	3.8	125
141	Past and Current Smoking in Relation to Body Fat Distribution in Older Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1999, 54, M293-M298.	3.6	23
142	Total and Sports Activity in Older Men and Women: Relation with Body Fat Distribution. <i>American Journal of Epidemiology</i> , 1997, 145, 752-761.	3.4	36
143	Density of fat-free body mass: relationship with race, age, and level of body fatness. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997, 272, E781-E787.	3.5	46
144	Resting metabolic rate and diet-induced thermogenesis in young and elderly subjects: relationship with body composition, fat distribution, and physical activity level. <i>American Journal of Clinical Nutrition</i> , 1995, 61, 772-778.	4.7	96

#	ARTICLE	IF	CITATIONS
145	Multi-frequency bioelectrical impedance for assessing total body water and extracellular water in elderly subjects. <i>European Journal of Clinical Nutrition</i> , 1995, 49, 256-66.	2.9	39
146	Validation of dietary history method in a group of elderly women using measurements of total energy expenditure. <i>British Journal of Nutrition</i> , 1995, 74, 775-85.	2.3	28
147	No Specific Effect of Fluoxetine Treatment on Fasting Glucose, Insulin, Lipid Levels, and Blood Pressure in Healthy Men with Abdominal Obesity. <i>Obesity</i> , 1994, 2, 152-159.	4.0	7
148	Prediction equations for the estimation of body composition in the elderly using anthropometric data. <i>British Journal of Nutrition</i> , 1994, 71, 823-833.	2.3	72
149	Abdominal diameters as indicators of visceral fat: comparison between magnetic resonance imaging and anthropometry. <i>British Journal of Nutrition</i> , 1993, 70, 47-58.	2.3	149
150	The effect of fluoxetine on body weight, body composition and visceral fat accumulation. , 1993, 17, 247-53.		4