

# Fenja Klevenhusen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/485863/publications.pdf>

Version: 2024-02-01

44  
papers

923  
citations

430874

18  
h-index

477307

29  
g-index

45  
all docs

45  
docs citations

45  
times ranked

920  
citing authors

#	ARTICLE	IF	CITATIONS
1	Grain-rich diets differently alter ruminal and colonic abundance of microbial populations and lipopolysaccharide in goats. <i>Anaerobe</i> , 2013, 20, 65-73.	2.1	121
2	Feeding barley grain-rich diets altered electrophysiological properties and permeability of the ruminal wall in a goat model. <i>Journal of Dairy Science</i> , 2013, 96, 2293-2302.	3.4	59
3	Rumen microbial abundance and fermentation profile during severe subacute ruminal acidosis and its modulation by plant derived alkaloids in vitro. <i>Anaerobe</i> , 2016, 39, 4-13.	2.1	57
4	Pyrosequencing reveals shifts in the bacterial epimural community relative to dietary concentrate amount in goats. <i>Journal of Dairy Science</i> , 2015, 98, 5572-5587.	3.4	46
5	Changes in fibre-adherent and fluid-associated microbial communities and fermentation profiles in the rumen of cattle fed diets differing in hay quality and concentrate amount. <i>FEMS Microbiology Ecology</i> , 2017, 93, .	2.7	44
6	Thyme and cinnamon essential oils: Potential alternatives for monensin as a rumen modifier in beef production systems. <i>Animal Feed Science and Technology</i> , 2015, 200, 8-16.	2.2	42
7	Evidence of In Vivo Absorption of Lactate and Modulation of Short Chain Fatty Acid Absorption from the Reticulorumen of Non-Lactating Cattle Fed High Concentrate Diets. <i>PLoS ONE</i> , 2016, 11, e0164192.	2.5	42
8	Epimural Indicator Phylotypes of Transiently-Induced Subacute Ruminal Acidosis in Dairy Cattle. <i>Frontiers in Microbiology</i> , 2016, 7, 274.	3.5	34
9	Transfer of linoleic and linolenic acid from feed to milk in cows fed isoenergetic diets differing in proportion and origin of concentrates and roughages. <i>Journal of Dairy Research</i> , 2010, 77, 331-336.	1.4	32
10	A meta-analysis of feeding sugar beet pulp in dairy cows: Effects on feed intake, ruminal fermentation, performance, and net food production. <i>Animal Feed Science and Technology</i> , 2017, 224, 78-89.	2.2	32
11	A meta-analysis of effects of chemical composition of incubated diet and bioactive compounds on in vitro ruminal fermentation. <i>Animal Feed Science and Technology</i> , 2012, 176, 61-69.	2.2	31
12	Technical note: Evaluation of a real-time wireless pH measurement system relative to intraruminal differences of digesta in dairy cattle <sup>1,2</sup> . <i>Journal of Animal Science</i> , 2014, 92, 5635-5639.	0.5	31
13	Treatment of grain with organic acids at 2 different dietary phosphorus levels modulates ruminal microbial community structure and fermentation patterns in vitro. <i>Journal of Dairy Science</i> , 2015, 98, 8107-8120.	3.4	30
14	Experimental validation of the Intergovernmental Panel on Climate Change default values for ruminant-derived methane and its carbon-isotope signature. <i>Animal Production Science</i> , 2010, 50, 159.	1.3	26
15	Effects of the replacement of concentrate and fibre-rich hay by high-quality hay on chewing, rumination and nutrient digestibility in non-lactating Holstein cows. <i>Archives of Animal Nutrition</i> , 2017, 71, 21-36.	1.8	20
16	Graded replacement of corn grain with molassed sugar beet pulp modulates the fecal microbial community and hindgut fermentation profile in lactating dairy cows. <i>Journal of Dairy Science</i> , 2019, 102, 5019-5030.	3.4	20
17	Graded substitution of grains with bakery by-products modulates ruminal fermentation, nutrient degradation, and microbial community composition in vitro. <i>Journal of Dairy Science</i> , 2018, 101, 3085-3098.	3.4	19
18	Diallyl disulphide and lovastatin: effects on energy and protein utilisation in, as well as methane emission from, sheep. <i>Archives of Animal Nutrition</i> , 2011, 65, 255-266.	1.8	18

#	ARTICLE	IF	CITATIONS
19	Stable Carbon Isotope Composition of $c_{9,t11}$ -Conjugated Linoleic Acid in Cow's Milk as Related to Dietary Fatty Acids. <i>Lipids</i> , 2012, 47, 161-169.	1.7	18
20	Substitution of common concentrates with by-products modulated ruminal fermentation, nutrient degradation, and microbial community composition in vitro. <i>Journal of Dairy Science</i> , 2015, 98, 4762-4771.	3.4	18
21	<i>Scrophularia striata</i> Extract Supports Rumen Fermentation and Improves Microbial Diversity in vitro Compared to Monensin. <i>Frontiers in Microbiology</i> , 2018, 9, 2164.	3.5	18
22	Temporal dynamics of in-situ fiber-adherent bacterial community under ruminal acidotic conditions determined by 16S rRNA gene profiling. <i>PLoS ONE</i> , 2017, 12, e0182271.	2.5	16
23	Efficiency of monolaurin in mitigating ruminal methanogenesis and modifying C-isotope fractionation when incubating diets composed of either $C_{3}$ or $C_{4}$ plants in a rumen simulation technique (Rusitec) system. <i>British Journal of Nutrition</i> , 2009, 102, 1308-1317.	2.3	15
24	Effects of monolaurin on ruminal methanogens and selected bacterial species from cattle, as determined with the rumen simulation technique. <i>Anaerobe</i> , 2011, 17, 232-238.	2.1	14
25	Feeding of molassed sugar beet pulp instead of maize enhances net food production of high-producing Simmental cows without impairing metabolic health. <i>Animal Feed Science and Technology</i> , 2018, 241, 75-83.	2.2	13
26	Replacing concentrates with a high-quality hay in the starter feed of dairy calves: II. Effects on the development of chewing and gut fermentation, and selected systemic health variables. <i>Journal of Dairy Science</i> , 2022, , .	3.4	12
27	A review on the potentials of using feeds rich in water-soluble carbohydrates to enhance rumen health and sustainability of dairy cattle production. <i>Journal of the Science of Food and Agriculture</i> , 2021, 101, 5737-5746.	3.5	11
28	Replacing concentrates with a high-quality hay in the starter feed in dairy calves: I. Effects on nutrient intake, growth performance, and blood metabolic profile. <i>Journal of Dairy Science</i> , 2022, , .	3.4	11
29	Effects of feeding high-quality hay with graded amounts of concentrate on feed intake, performance and blood metabolites of cows in early lactation. <i>Archives of Animal Nutrition</i> , 2018, 72, 290-307.	1.8	9
30	The methanogenic potential and C-isotope fractionation of different diet types represented by either $C_{3}$ or $C_{4}$ plants as evaluated in vitro and in dairy cows. <i>Australian Journal of Experimental Agriculture</i> , 2008, 48, 119.	1.0	8
31	Graded replacement of maize grain with molassed sugar beet pulp modulated ruminal microbial community and fermentation profile <i>in vitro</i> . <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 991-997.	3.5	8
32	Effects of the supplementation of plant-based formulations on microbial fermentation and predicted metabolic function <i>in vitro</i> . <i>Anaerobe</i> , 2019, 57, 19-27.	2.1	8
33	Metabolic Profile and Inflammatory Responses in Dairy Cows with Left Displaced Abomasum Kept under Small-Scaled Farm Conditions. <i>Animals</i> , 2015, 5, 1021-1033.	2.3	7
34	Milk fatty acid composition reflects metabolic adaptation of early lactation cows fed hay rich in water-soluble carbohydrates with or without concentrates. <i>Animal Feed Science and Technology</i> , 2020, 264, 114470.	2.2	7
35	A nutritional and rumen ecological evaluation of the biorefinery by-product alfalfa silage cake supplemented with <i>Scrophularia striata</i> extract using the rumen simulation technique. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 4414-4422.	3.5	6
36	Stability of pyrrolizidine alkaloids from <i>Senecio vernalis</i> in grass silage under different ensilage conditions. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 6649-6654.	3.5	5

#	ARTICLE	IF	CITATIONS
37	Feeding hay rich in water-soluble carbohydrates improves ruminal pH without affecting rumination and systemic health in early lactation dairy cows. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2019, 103, 466-476.	2.2	5
38	Effects of ensiling conditions on pyrrolizidine alkaloid degradation in silages mixed with two different <i>Senecio</i> spp.. <i>Archives of Animal Nutrition</i> , 2022, 76, 93-111.	1.8	3
39	Lactic acid treatment of by-products and phosphorus level in the diet modulate bacterial microbiome and the predicted metagenome functions using the rumen simulation technique. <i>Journal of Dairy Science</i> , 2018, 101, 9800-9814.	3.4	2
40	Corrigendum to: Experimental validation of the Intergovernmental Panel on Climate Change default values for ruminant-derived methane and its carbon-isotope signature. <i>Animal Production Science</i> , 2011, 51, 974.	1.3	2
41	Characterisation of particle dynamics and turnover in the gastrointestinal tract of Holstein cows fed forage diets differing in fibre and protein contents. <i>Archives of Animal Nutrition</i> , 2012, 66, 372-384.	1.8	1
42	Predicting the transfer of contaminants in ruminants by models - potentials and challenges. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2021, 38, 398-418.	1.5	1
43	Methanogenic potential of, and C-Isotope fractionation by, diets based on C3 and C4 plants in dairy cattle and their slurry. <i>IOP Conference Series: Earth and Environmental Science</i> , 2009, 6, 242023.	0.3	0
44	Effects of the orange lemma (rob1) mutant line of barley cv. "Optic"™ compared with its wild-type on the ruminal microbiome and fermentation tested with the rumen simulation technique. <i>Crop and Pasture Science</i> , 2019, 70, 789.	1.5	0