

Heinz Heimgartner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4859026/publications.pdf>

Version: 2024-02-01

453
papers

8,426
citations

94433
37
h-index

175258
52
g-index

572
all docs

572
docs citations

572
times ranked

2381
citing authors

#	ARTICLE	IF	CITATIONS
1	3-Amino-2H-Azirines. Synthons for \pm,\pm -Disubstituted \pm -Amino Acids in Heterocycle and Peptide Synthesis [New Analytical Methods(43)]. <i>Angewandte Chemie International Edition in English</i> , 1991, 30, 238-264.	4.4	249
2	A New General Approach to Enantiomerically Pure Cyclic and Open-Chain (R)- and (S)- \pm,\pm -Disubstituted \pm -Amino Acids. <i>Helvetica Chimica Acta</i> , 1992, 75, 1666-1696.	1.6	82
3	3- α -Amino-2 <i>H</i> -azirine, Bausteine f \ddot{u} r \pm,\pm -disubstituierte \pm -Aminos \ddot{u} uren in Heterocyclen und Peptidsynthesen. <i>Angewandte Chemie</i> , 1991, 103, 271-297.	2.0	79
4	Kupplung von Peptiden mit C-terminalen β,β -disubstituierten β -Aminos \ddot{u} uren via Oxazol-5(4H)-one. <i>Helvetica Chimica Acta</i> , 1986, 69, 1153-1162.	1.6	77
5	A Review on the Photochemistry of 2H-Azirines. <i>Heterocycles</i> , 1977, 6, 143.	0.7	74
6	Selenium-Containing Heterocycles from Isoselenocyanates: Synthesis of 1,3-Selenazoles from N-Phenylimidoyl Isoselenocyanates. <i>Helvetica Chimica Acta</i> , 2000, 83, 1576-1598.	1.6	63
7	First Examples of Reactions of AzoleN-Oxides with Thioketones: A Novel Type of Sulfur-Transfer Reaction. <i>Helvetica Chimica Acta</i> , 1998, 81, 1585-1595.	1.6	62
8	Synthesis of Peptides Containing β,β -Disubstituted β -Amino Acids by the Azirine/Oxazolone Method: The (12-20)-Nonapeptide of the Ionophore Alamethicin. <i>Helvetica Chimica Acta</i> , 1990, 73, 13-24.	1.6	59
9	Selenophenyl-Substituted Thiocarbonyl Ylides " at the Borderline of Dipolar and Biradical Reactivity. <i>Helvetica Chimica Acta</i> , 2015, 98, 453-461.	1.6	55
10	Zum photochemischen Verhalten von Sydnonen und 1,3,4-Oxadiazolin-2-onen. 56. Mitteilung \ddot{u} ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1978, 61, 1477-1510.	1.6	53
11	Anwendung der Azirin/Oxazolon-Methode in der Peptid-Chemie: Synthese von Modell-Tripeptiden. <i>Helvetica Chimica Acta</i> , 1988, 71, 140-154.	1.6	51
12	2,4-Bis(4-methylpheylthio)-1,3,2?5,4?5-dithiadiphosphetan-2,4-dithion: Ein neues Reagens zur Schweielung von N,N-disubstituierten Amiden. <i>Helvetica Chimica Acta</i> , 1987, 70, 1001-1011.	1.6	50
13	Bildung von 1,2,4-Trithiolanen in Dreikomponenten-Gemischen aus Phenyl-azid, aromatischen Thioketonen und 2,2,4,4-Tetramethylcyclobutanthionen: Eine Schwefel-Transfer-Reaktion unter Bildung von β Thiocarbonylthiolaten? ((Alkylidensulfonio)thiolaten) als reaktive Zwischenstufen. <i>Helvetica Chimica Acta</i> , 1995, 78, 1298-1310.	1.6	50
14	Novel Heterospirocyclic 3-Amino-2H-azirines as Synthons for Heterocyclic \pm -Amino Acids. <i>Helvetica Chimica Acta</i> , 1997, 80, 1528-1554.	1.6	49
15	Synthese von 4,4-disubstituierten 1,3-Thiazol-5(4H)-thionen. <i>Helvetica Chimica Acta</i> , 1986, 69, 374-388.	1.6	48
16	Optisch aktive 3-Amino-2H-azirine als Bausteine f \ddot{u} r enantiomerenreine β,β -disubstituierte β -Aminos \ddot{u} uren: Synthese von Isovalin-Synthonen und Einbau in ein Trichotoxin-A-50-Segment. <i>Helvetica Chimica Acta</i> , 1996, 79, 1903-1915.	1.6	48
17	Selektive Amidspaltung bei Peptiden mit β,β -disubstituierten β -Aminos \ddot{u} uren. <i>Helvetica Chimica Acta</i> , 1987, 70, 354-368.	1.6	47
18	Selenium-Containing Heterocycles From Isoselenocyanates: Synthesis of 1,3-Selenazolidine and Perhydro-1,3-selenazine Derivatives. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 3128-3137.	2.4	47

#	ARTICLE	IF	CITATIONS
19	Thermische Reaktionen mit 3-Phenyl-2H-azirinen; 1, 3-dipolare Cycloadditionen und En-Reaktionen. Helvetica Chimica Acta, 1973, 56, 1351-1370.	1.6	46
20	Title is missing!. Helvetica Chimica Acta, 2000, 83, 539-553.	1.6	46
21	Intramolekulare 1,3-dipolare Cycloadditionen von Diarylnitriliminen aus 2,5-Diaryltetrazolen. Helvetica Chimica Acta, 1985, 68, 1283-1300.	1.6	45
22	Site-selective incorporation of thioamide-linkages into a growing peptide. Tetrahedron, 1999, 55, 5359-5376.	1.9	45
23	Photochemische Cycloadditionen von 3-phenyl-2h-azirinen mit Aldehyden. 31. Mitteilung Ä¹ber Photoreaktionen. Helvetica Chimica Acta, 1973, 56, 2611-2627.	1.6	44
24	3-(Dimethylamino)-2,2-dimethyl-2H-azirin als Aib-Ä„quivalent: Synthese von Aib-Oligopeptiden. Helvetica Chimica Acta, 1987, 70, 102-115.	1.6	44
25	Photochemische Synthese von 4-Phenyl-3-oxazolin-5-onen und deren thermische Dimerisierung. 45. Mitteilung Ä¹ber Photoreaktionen. Helvetica Chimica Acta, 1976, 59, 2149-2167.	1.6	43
26	Konformationsanalysen von Modell-Tripeptiden: Der Einfluss von ?,?-disubstituierten ?-Aminosäuren auf die Sekundärstruktur. Teil I. NMR- und CD-Untersuchungen. Helvetica Chimica Acta, 1988, 71, 258-267.	1.6	43
27	Optisch aktive 3-Amino-2H-azirine als Bausteine für enantiomerenreine ?,?-disubstituierte ?-Aminosäuren: Synthese des ?-Methylphenylalanin-Synthons and Einbau in Modell-Peptide. Helvetica Chimica Acta, 1995, 78, 935-946.	1.6	43
28	Synthese und Reaktionen 8-gliedriger Heterocyclen aus 3-Dimethylamino-2,2-dimethyl-2H-azirin und Saccharin bzw. Phthalimid. Helvetica Chimica Acta, 1977, 60, 2476-2495.	1.6	42
29	Isoselenocyanates as Building Blocks for Selenium-Containing Heterocycles. Phosphorus, Sulfur and Silicon and the Related Elements, 2008, 183, 840-855.	1.6	42
30	Photochemische Cycloadditionen von 3-Phenyl-2H-azirinen mit Ketonen, Acylcyaniden und Ketoestern. 33. Mitteilung Ä¹ber Photoreaktionen. Helvetica Chimica Acta, 1974, 57, 2173-2192.	1.6	41
31	Thermische und photochemisch induzierte intramolekulare, 1,3-dipolare Cycloadditionen von 4-Phenyl-3-(2-allylphenyl)-sydnon. Vorläufige Mitteilung. 53. Mitteilung Ä¹ber Photoreaktionen. Helvetica Chimica Acta, 1977, 60, 1087-1090.	1.6	41
32	Ein neues 3-Amino-2H-azirin als Aib-Pro-Baustein: Synthese des C-terminalen Nonapeptids von Trichovirin I 1B. Helvetica Chimica Acta, 1996, 79, 527-540.	1.6	41
33	Synthesis of Bis(2,4-diarylmidazol-5-yl) Diselenides from N-Benzylbenzimidoyl Isoselenocyanates. Helvetica Chimica Acta, 2002, 85, 1102.	1.6	41
34	Selenium-containing heterocycles from isoselenocyanates: synthesis of 2-methylidene-1,3-selenazolidine derivatives. Tetrahedron, 2006, 62, 3344-3354.	1.9	41
35	Photochemische Erzeugung und Reaktionen des Benzonitril-benzylids. 42. Mitteilung Ä¹ber Photoreaktionen. Helvetica Chimica Acta, 1975, 58, 2662-2677.	1.6	39
36	Herstellung und Reaktionen der valenzpolarmeren Verbindung (4,4-Dimethyl-2-thiazolin-5-dimethyliminium)-2-thiolat ä‡Œ (1-Dimethylthiocarbamoyl-1-methyl-Äthyl)-isothiocyanat aus 3-Dimethyl-amino-2,2-dimethyl-2H-azirin und Schwefelkohlenstoff. Helvetica Chimica Acta, 1976, 59, 2566-2591.	1.6	39

#	ARTICLE	IF	CITATIONS
37	1,3-Oxathiole and Thirane Derivatives from the Reactions of Azibenzil and I^{\pm} -diazoo amides with thiocarbonyl compounds. <i>Helvetica Chimica Acta</i> , 1998, 81, 285-302.	1.6	38
38	Studies on Reactions of Thioketones with Trimethyl(trifluoromethyl)silane Catalyzed by Fluoride Ions. <i>Helvetica Chimica Acta</i> , 2002, 85, 1644-1658.	1.6	38
39	Reactions of 3- α -Amino-2-H-azirines with NH-“Acidic Compounds. <i>Israel Journal of Chemistry</i> , 1981, 21, 151-156.	2.3	37
40	Umsetzung von 1,3-Thiazol-5(4H)-thionen mit Diazomethan. <i>Helvetica Chimica Acta</i> , 1993, 76, 1715-1728.	1.6	37
41	Synthesis of the endothiopeptide BOC-Trp-Ile-Ala-Aib-Ile-Val-[CSNH]Aib-Leu-Aib-Pro-OMe by a variation of the a^{c} -azirine/oxazolone method TM . <i>Tetrahedron</i> , 1998, 54, 8721-8736.	1.9	37
42	Hetaryl Thioketones: Synthesis and Selected Reactions. <i>Heteroatom Chemistry</i> , 2014, 25, 548-555.	0.7	37
43	Synthese eines cyclischen Depsipeptides mittels Amidcyclisierung. <i>Helvetica Chimica Acta</i> , 1984, 67, 526-533.	1.6	36
44	Thiocarbonyl-imide aus der Umsetzung von 2,2,4,4-Tetramethyl-3-thioxocyclobutanon mit Aryl-aziden. <i>Helvetica Chimica Acta</i> , 1993, 76, 2147-2154.	1.6	36
45	Synthesis of conformationally restricted cyclic pentadepsipeptides via direct amide cyclization. <i>Tetrahedron</i> , 2001, 57, 2311-2326.	1.9	36
46	Photoinduzierte 1, 3-dipolare Cycloaddition von 3-Phenyl-2H-azirinen an Azodicarbonsäure-diÄthylester. 32. Mitteilung Ä¼ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1974, 57, 1382-1392.	1.6	35
47	Photochemie von in 4-Stellung substituierten 5-Methyl-3-phenyl-isoxazolen. 44. Mitteilung Ä¼ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1976, 59, 2074-2099.	1.6	35
48	Reaktionen der valenzpolaromeren Ketenform mesoionischer Heterocyclen mit 3-Dimethylamino-2H-azirinen. <i>Helvetica Chimica Acta</i> , 1979, 62, 1236-1251.	1.6	35
49	Selektive Umfunktionalisierung der terminalen Amidgruppe offenkettiger Polyamidevia2-Oxazolin-5-one als Zwischenstufen. Vorläufige Mitteilung. <i>Helvetica Chimica Acta</i> , 1981, 64, 482-487.	1.6	35
50	Regioselektive 1,3-dipolare Cycloadditionen von Thiocarbonyl-yliden mit 1,3-Thiazol-5(4H)-thionen. <i>Helvetica Chimica Acta</i> , 1991, 74, 1386-1398.	1.6	35
51	1,5-Dipolare Elektrocyclisierung von Acyl-substituierten a^{c} -Thiocarbonyl-yliden TM zu 1,3-Oxathiolen. <i>Helvetica Chimica Acta</i> , 1996, 79, 855-874.	1.6	35
52	Reactions of 2-Unsubstituted 1H-Imidazole 3-Oxides with 2,2-Bis(trifluoromethyl)ethene-1,1-dicarbonitrile: A Stepwise 1,3-Dipolar Cycloaddition. <i>Helvetica Chimica Acta</i> , 2006, 89, 1304-1316.	1.6	35
53	Carbenoid Reactions of Dimethyl Diazomalonate with Aromatic Thioketones and 1,3-Thiazole-5(4H)-thiones. <i>Helvetica Chimica Acta</i> , 1996, 79, 1785-1792.	1.6	34
54	Selenium-containing Heterocycles from Isoselenocyanates: Synthesis of 2-Arylaminoselenazolo[5,4-b]pyridines. <i>Heterocycles</i> , 2003, 61, 569.	0.7	34

#	ARTICLE	IF	CITATIONS
55	Synthesis of New Bis-Imidazole Derivatives. <i>Helvetica Chimica Acta</i> , 2007, 90, 1765-1780.	1.6	34
56	Synthesis and Selected Transformations of 1 <i><sub>i</sub>H</i></i> -imidazole 3-Oxides Derived from Amino Acid Esters. <i>Helvetica Chimica Acta</i> , 2008, 91, 1916-1933.	1.6	34
57	Studies on the Reactions of Thiocarbonyl <i>S</i>-Methanides with Hetaryl Thioketones. <i>Helvetica Chimica Acta</i> , 2015, 98, 462-473.	1.6	34
58	Intramolekulare 1,3-dipolare Cycloadditionen mit alkenyl-substituierten 3,4-Diarylsydonen. <i>Helvetica Chimica Acta</i> , 1986, 69, 927-940.	1.6	33
59	1,3-Dipolare Cycloadditionen eines Carbonyl-ylids mit 1,3-Thiazol-5(4H)-thionen und Thioketonen. <i>Helvetica Chimica Acta</i> , 1997, 80, 1190-1204.	1.6	33
60	A new approach to enantiomerically pure bis-imidazoles derived from trans-1,2-diaminocyclohexane. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 1600-1607.	1.8	33
61	Additionen von 2,2-Dimethyl-3-dimethylamino-2H-azirin an 2-Formyl-cycloalkanone und Sulfinsäuren. <i>Helvetica Chimica Acta</i> , 1975, 58, 1191-1200.	1.6	32
62	3-(Dimethylamino)-2,2-dimethyl-2H-azirin als β -Aminoisobuttersäure(Aib)-äquivalent: Cyclische Depsipeptide durch direkte Amid-Cyclisierung. <i>Helvetica Chimica Acta</i> , 1987, 70, 329-338.	1.6	32
63	Zur Oxidation von 1,2-Thiazolen: Ein einfacher Zugang zu 1,2-Thiazol-3(2H)-on-1,1-dioxiden. <i>Helvetica Chimica Acta</i> , 1991, 74, 1059-1070.	1.6	32
64	Synthesis of 4-(Phenylamino)quinazoline-2(1H)-selones and Diselenides from Isoselenocyanates: Dimroth Rearrangement of an Intermediate. <i>Helvetica Chimica Acta</i> , 2004, 87, 1873-1887.	1.6	32
65	The First Total Synthesis of the Peptaibol Hypomurocin A1 and Its Conformation Analysis: an Application of the Azirine/Oxazolone Method™. <i>Chemistry and Biodiversity</i> , 2005, 2, 1127-1152.	2.1	32
66	Diradical reaction mechanisms in [3 + 2]-cycloadditions of hetaryl thioketones with alkyl- or trimethylsilyl-substituted diazomethanes. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 716-724.	2.2	32
67	Reaction of Diphenyl Phosphorochloride with Amide Enolates: A new and convenient synthesis of 2-monosubstituted 3-(n-methyl-n-phenylamino)-2H-azirines. <i>Helvetica Chimica Acta</i> , 1992, 75, 1866-1871.	1.6	31
68	Umsetzung von Di(tert-butyl)- und Diphenyldiazomethan mit 1,3-Thiazol-5(4H)-thionen: Isolierung und Kristallstruktur des primären Cycloadduktes. <i>Helvetica Chimica Acta</i> , 1994, 77, 435-444.	1.6	31
69	Reactions of Thioketones with Dichlorocarbene. <i>Helvetica Chimica Acta</i> , 1999, 82, 946-956.	1.6	31
70	Synthesis of 16-Membered Cyclic Depsipeptides via Direct Amide Cyclization. <i>Helvetica Chimica Acta</i> , 2000, 83, 233-257.	1.6	31
71	Synthesis of a Derivative of the Peptaibol-Antibiotic Trichovirin I 1B by Means of the Azirine/Oxazolone Method™. <i>Helvetica Chimica Acta</i> , 2003, 86, 4093-4111.	1.6	31
72	Synthesis of Five-Membered Sulfur-Heterocycles via 1,5-Dipolar Electrocyclization of Thiocarbonyl Ylides and Related Processes. <i>Current Organic Chemistry</i> , 2011, 15, 675-693.	1.6	31

#	ARTICLE	IF	CITATIONS
73	Aryl, hetaryl, and ferrocenyl thioketones as versatile building blocks for exploration in the organic chemistry of sulfur. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2017, 192, 204-211.	1.6	31
74	N-(1,3-Thiazol-5(4H)-yilden)amine aus 1,3-dipolaren Cycloadditionen von Aziden mit 1,3-Thiazol-5(4H)-thionen. <i>Helvetica Chimica Acta</i> , 1988, 71, 1673-1680.	1.6	30
75	Synthesis of a novel heterospirocyclic 3-(N-methyl-N-phenylamino)-2H-azirine and its use as an amino acid equivalent in the preparation of a model tripeptide. <i>Tetrahedron</i> , 1993, 49, 7215-7222.	1.9	30
76	Synthesis of $\hat{\text{I}}^2$ -amino- $\hat{\text{I}}\pm$ -trifluoromethyl alcohols and their applications in organic synthesis. <i>Journal of Fluorine Chemistry</i> , 2010, 131, 829-843.	1.7	30
77	Photoinduzierte Cycloadditionen von 2,2-Dimethyl-3-phenyl-2H-azirin an Nitrile und $\text{A}^{\text{push-pull}}\text{O}$ -Olefine. 43. Mitteilung $\text{A}^{\frac{1}{4}}$ ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1976, 59, 1018-1027.	1.6	29
78	Konformationsanalysen von Modell-Tripeptiden: Der Einfluss von $\text{?},\text{?}-$ disubstituierten $\text{?-Aminos}\ddot{\text{C}}_1\text{uren}$ auf die Sekundärstruktur. Teil II. $\text{R}\ddot{\text{C}}_1\text{ogenstrukturanalyse}$ und Konformationsenergie-Berechnungen. <i>Helvetica Chimica Acta</i> , 1988, 71, 268-273.	1.6	29
79	A Novel Synthesis of 2,2-Disubstituted 3-Amino-2H-azirines Based on the Reaction between Amide Enolates and Diphenyl Phosphorochloridate. <i>Helvetica Chimica Acta</i> , 1993, 76, 2830-2837.	1.6	29
80	Synthesis and conformational analysis of 18-membered Aib-containing cyclohexapeptides. <i>Tetrahedron</i> , 2005, 61, 1871-1883.	1.9	29
81	Concertedvs.Non-Concerted 1,3-Dipolar Cycloadditions of Azomethine Ylides to Electron-Deficient Dialkyl 2,3-Dicyanobut-2-enedioates. <i>Helvetica Chimica Acta</i> , 2014, 97, 453-470.	1.6	29
82	Synthesis of Ferrocenyl Thioketones and their Reactions with Diphenyldiazomethane. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 2125-2133.	1.6	29
83	Aromatische [1,5s]-sigmatropische H-Verschiebungen in Aryllallen. <i>Helvetica Chimica Acta</i> , 1973, 56, 2924-2945.	1.6	28
84	Photoinduzierte Cycloadditionen von aliphatischen 2H-Azirinen. 37. Mitteilung $\text{A}^{\frac{1}{4}}$ ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1974, 57, 2626-2633.	1.6	28
85	Photoinduzierte Reaktionen von 3-Phenyl-2H-azirinen mit Carbonsäureestern 40. Mitteilung $\text{A}^{\frac{1}{4}}$ ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1975, 58, 1739-1768.	1.6	28
86	Zur Photochemie von Allylaryläthern. 55. Mitteilung $\text{A}^{\frac{1}{4}}$ ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1978, 61, 401-429.	1.6	28
87	1,3-Dipolare Cycloadditionen von Nitrilium-Betainen mit 4,4-Dimethyl-2-phenyl-2-thiazolin-5-thion. <i>Helvetica Chimica Acta</i> , 1984, 67, 534-549.	1.6	28
88	Synthesis of Imidazole Derivatives Using 2-Unsubstituted 1H-Imidazole 3-Oxides. <i>Helvetica Chimica Acta</i> , 2000, 83, 728-738.	1.6	28
89	Chiral Heterospirocyclic 2H-Azirin-3-amines as Synthons for 3-Amino-2,3,4,5-tetrahydrofuran-3-carboxylic Acid and Their Use in Peptide Synthesis. <i>Helvetica Chimica Acta</i> , 2003, 86, 1371-1396.	1.6	28
90	Selenium-Containing Heterocycles from Isoselenocyanates: Cycloaddition of Carbodiimides to Selenazetidines. <i>Helvetica Chimica Acta</i> , 2005, 88, 766-773.	1.6	28

#	ARTICLE	IF	CITATIONS
91	Exploration of 4,5-dimethyl-1H-imidazole N-oxide derivatives in the synthesis of new achiral and chiral ionic liquids. <i>Tetrahedron: Asymmetry</i> , 2009, 20, 1073-1080.	1.8	28
92	Additionsreaktionen von 3-Dimethylamino-2,2-dimethyl-2H-azirin an Isothiocyanate. <i>Helvetica Chimica Acta</i> , 1976, 59, 2768-2785.	1.6	27
93	Zur Regioselektivitt von Cycloadditionen photochemisch erzeugter Benzonitril-isopropylide. 51. Mitteilung uber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1977, 60, 687-696.	1.6	27
94	The Application of 3-aminooxy-2H-Azirines as Amino Acid Equivalents. <i>Israel Journal of Chemistry</i> , 1986, 27, 3-15.	2.3	27
95	Reaktion von 2-Diazopropan mit 1,3-Thiazol-5(4H)-thionen. <i>Helvetica Chimica Acta</i> , 1992, 75, 1825-1833.	1.6	27
96	Synthese von Trifluoromethyl-substituierten Schwefel-Heterocyclen unter Verwendung von 3,3,3-Trifluorobenztraubensure-Derivaten. <i>Helvetica Chimica Acta</i> , 1996, 79, 1537-1548.	1.6	27
97	Synthesis and Reactivity of 2-(6,7-Diethoxy-3,4-dihydroisoquinolin-1-yl)acetonitrile towards Hydrazonoyl Halides. <i>Helvetica Chimica Acta</i> , 2001, 84, 1172-1180.	1.6	27
98	Solution-Phase Synthesis of Aib-Containing Cyclic Hexapeptides. <i>Chemistry and Biodiversity</i> , 2004, 1, 1730-1761.	2.1	27
99	Derivatives from Isoselenocyanates: Synthesis of 2-Phenyl-6H-[5,1,3]benzoselenadiazocene. <i>Helvetica Chimica Acta</i> , 2004, 87, 1452-1466.	1.6	27
100	The Azirine/Oxazolone Method™ in Peptaibol Synthesis: Preparation of a Derivative of Trichotoxin A-50 (G). <i>Chemistry and Biodiversity</i> , 2007, 4, 1144-1169.	2.1	27
101	Straightforward Access to (Imidazol-2-yl)acetates by Reaction of 2-Unsubstituted Imidazole 3-Oxides with Dimethyl Acetylenedicarboxylate. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 2542-2547.	2.4	27
102	Recent Progress in the Chemistry of 2-Unsubstituted 1H-Imidazole 3-Oxides. <i>Current Organic Chemistry</i> , 2016, 20, 1359-1369.	1.6	27
103	Die Struktur einer stabilen dipolaren Verbindung aus 2,2-Dimethyl-3-dimethylamino-2H-azirin und Benzoylisothiocyanat. Vorlufige Mitteilung. <i>Helvetica Chimica Acta</i> , 1975, 58, 2222-2227.	1.6	26
104	Synthese cyclischer Depsipeptide durch direkte Amid-Cyclisierung: 12gliedrige Depsipeptide mit alternierender Sequenz von ?-Hydroxy- und ?-Aminosuren. <i>Helvetica Chimica Acta</i> , 1990, 73, 221-228.	1.6	26
105	Diazo-Transfer Reaction with Diphenyl Phosphorazidate. <i>Helvetica Chimica Acta</i> , 1995, 78, 1983-1998.	1.6	26
106	Reactions of 2-Unsubstituted 1 H -Imidazole 3-Oxides with Heterocumulenes and Dimethyl Acetylenedicarboxylate. <i>Tetrahedron</i> , 2000, 56, 5405-5412.	1.9	26
107	Selenium-Containing Heterocycles from Isoselenocyanates: Synthesis of 1H-5-Selena-1,3,6-triazaanthrylene Derivatives. <i>Helvetica Chimica Acta</i> , 2003, 86, 3235-3243.	1.6	26
108	First synthesis of a selenazepane. <i>Tetrahedron Letters</i> , 2005, 46, 6723-6725.	1.4	26

#	ARTICLE	IF	CITATIONS
109	Reactions of α -Diazocycloalkanones with Thiocarbonyl Compounds. <i>Heterocycles</i> , 2000, 52, 475.	0.7	26
110	Photochemische Cycloadditionen von 3-Phenyl-2H-azirinen mit Triphenyl-vinylphosphoniumbromid. 36. Mitteilung $\frac{1}{4}$ ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1974, 57, 1403-1407.	1.6	25
111	Synthese von 2H-Isoindol-4,7-dionen durch photochemische Cycloaddition von 2,3-Diphenyl-2H-azirin an 1,4-Chinone. 38. Mitteilung $\frac{1}{4}$ ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1974, 57, 2634-2643.	1.6	25
112	Molybdenum hexacarbonyl - induced reactions of 3-aryl-2h-azirines and acetylenes. <i>Tetrahedron Letters</i> , 1979, 20, 2983-2986.	1.4	25
113	(Benzylthio)- und (Arylthio)-substituierte Nitril-ylide: Thermische Erzeugung und Reaktionen. <i>Helvetica Chimica Acta</i> , 1988, 71, 1177-1190.	1.6	25
114	3-Amino-2H-azirines in the synthesis of peptides:. <i>Tetrahedron</i> , 1989, 45, 2999-3010.	1.9	25
115	Ringerweiterung von 1,2-Thiazol-3(2H)-on-1,1-dioxiden und 3-Amino-2H-azirinen zu 4H-1,2,5-Thiadiazocin-6-on-1,1-dioxiden. <i>Helvetica Chimica Acta</i> , 1991, 74, 1002-1010.	1.6	25
116	Lewis Acid Catalyzed Reactions of Thioketones with 1,2-Epoxyhexane and 1,2-Epoxyoctane. <i>Helvetica Chimica Acta</i> , 1999, 82, 2316-2335.	1.6	25
117	Synthesis of the protected 6-16 segment of zervamicin II-2, an application of the azirine/oxazolone method. <i>Journal of Peptide Science</i> , 2003, 9, 827-837.	1.4	25
118	The "Azirine/Oxazolone Method" under Solid-Phase Conditions. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 3820-3827.	2.4	25
119	Synthesis of 2-Selenoxo-1,3-thiazolidin-4-ones and 2-Selenoxo-1,3-thiazinan-4-ones from Isoselenocyanates. <i>Heterocycles</i> , 2005, 65, 1903.	0.7	25
120	Thia-Diels-Alder reactions of hetaryl thioketones with nonactivated 1,3-dienes leading to 3,6-dihydro-2H-pyrans: evidence for a diradical mechanism. <i>Chemistry of Heterocyclic Compounds</i> , 2017, 53, 518-525.	1.2	25
121	Reaktion von Phenylmethan-diazomethan mit 1,3-Thiazol-5(4H)-thionen: Basenkatalysierte Ring-Öffnung des Primäradduktes. <i>Helvetica Chimica Acta</i> , 1994, 77, 1076-1086.	1.6	24
122	Umsetzung von Diazoessigsäure-ethylester mit 1,3-Thiazol-5(4H)-thionen. <i>Helvetica Chimica Acta</i> , 1994, 77, 1299-1312.	1.6	24
123	Erstes Beispiel einer H-Verschiebung in ?Thiocarbonyl-aminiden? (N-(Alkylidensulfonio)aminiden). <i>Helvetica Chimica Acta</i> , 1995, 78, 1067-1078.	1.6	24
124	A Remarkable Influence of a Trifluoromethyl Group on the Reactions of Mercaptoalcohols with Fluorinated Bromoenones. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 3716-3723.	2.4	24
125	Additionsreaktionen von 2-Amino-1-azetinen mit Cyclopropenonen; Bildung von Azepinderivaten durch Ringerweiterung. Vorläufige Mitteilung. <i>Helvetica Chimica Acta</i> , 1983, 66, 1366-1375.	1.6	23
126	Hetero-Diels-Alder-Reaktion mit 1,3-Thiazol-5(4H)-thionen. <i>Helvetica Chimica Acta</i> , 1988, 71, 2071-2084.	1.6	23

#	ARTICLE	IF	CITATIONS
127	Thiocarbonyl Ylides. Chemistry of Heterocyclic Compounds (New York, 1951): A Series of Monographs, 2003, , 315-360.	0.0	23
128	Synthesis of Cyclohexapeptides Containing Pro and Aib Residues. <i>Helvetica Chimica Acta</i> , 2004, 87, 3056-3079.	1.6	23
129	Synthesis of 3-Acetyl-N-aryl-4-diethylaminoselenet-2(2H)-imines from 4-Diethylamino-3-butyn-2-one and Aryl Isoselenocyanates. <i>Heterocycles</i> , 2004, 62, 521.	0.7	23
130	Synthesis of ferrocenyl-substituted 1,3-dithiolanes via [3 + 2]-cycloadditions of ferrocenyl hetaryl thioketones with thiocarbonyl <i>S</i>-methanides. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 1421-1427.	2.2	23
131	Photochemische Cycloadditionen von 3-Phenyl-2H-azirinen an Carbonylchloride. 35. Mitteilung Ã¼ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1974, 57, 1393-1403.	1.6	22
132	Additionsreaktionen von 3-Dimethylamino-2,2-dimethyl-2H-azirin an Phenylisocyanat und Diphenylketen. <i>Helvetica Chimica Acta</i> , 1979, 62, 1429-1441.	1.6	22
133	Synthesis and Structure of a 1,2,5,7-Benzothatriazonine. <i>Heterocycles</i> , 1984, 22, 1667.	0.7	22
134	Reactions of 2-Monosubstituted 3-Amino-2H-azirines with NH-Acidic Heterocycles. <i>Helvetica Chimica Acta</i> , 1992, 75, 2270-2282.	1.6	22
135	Synthesis of Cyclic Depsipeptides and Peptides via Direct Amide Cyclization. <i>Helvetica Chimica Acta</i> , 1997, 80, 748-766.	1.6	22
136	A Novel Acid-Catalyzed Isomerization of Aib-Containing Thiodipeptides. <i>Helvetica Chimica Acta</i> , 1999, 82, 888-908.	1.6	22
137	1,3-Thiazolidine-dicarboxylates from Thioketones and Thermally Generated Azomethine Ylides. <i>Helvetica Chimica Acta</i> , 2002, 85, 2056.	1.6	22
138	The Azirine/Oxazolone Method™ on Solid Phase: Introduction of Various \pm -Disubstituted \pm -Amino Acids. <i>Helvetica Chimica Acta</i> , 2006, 89, 1-15.	1.6	22
139	Dialkyl Dicyanofumarates as Oxidizing Reagents for the Conversion of Thiols into Disulfides and Selenols into Diselenides. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 6831-6839.	2.4	22
140	Umsetzungen von 1,3-Thiazol-5(4H)-thionen mit Grignard- und Organolithium-Verbindungen: Carbophile und Thiophile Additionen. <i>Helvetica Chimica Acta</i> , 1986, 69, 773-785.	1.6	21
141	15N-Markiertes 3-(Dimethylamino)-2,2-dimethyl-2H-azirin zur mechanistischen Untersuchung von Reaktionen mit NH-aciden Heterocyclen. <i>Helvetica Chimica Acta</i> , 1988, 71, 521-530.	1.6	21
142	Dipolare (1:1)-Addukte aus der Reaktion von 3-Amino-2H-azirinen mit 1,3,4-Oxadiazol- und 1,3,4-Thiadiazol-2(3H)-onen. <i>Helvetica Chimica Acta</i> , 1990, 73, 492-507.	1.6	21
143	Reaction of 1,3-Thiazole-5(4H)-thiones with 1,2-Epoxy cycloalkanes: Formation of Spirocyclic 1,3-Oxathiolanes. <i>Helvetica Chimica Acta</i> , 1999, 82, 1458-1469.	1.6	20
144	Synthesis of Endothiopeptides and Their Cyclization to 1,3-Thiazol-5(4H)-imines. <i>Helvetica Chimica Acta</i> , 1999, 82, 1899-1915.	1.6	20

#	ARTICLE	IF	CITATIONS
145	Synthesis of Conformationally Restricted Cyclic Hexadepsipeptides via Direct Amide Cyclization. <i>Helvetica Chimica Acta</i> , 2000, 83, 1881-1900.	1.6	20
146	New Optically Active 2H-Azirin-3-amines as Synthons for Enantiomerically Pure 2,2-Disubstituted Glycines. <i>Helvetica Chimica Acta</i> , 2001, 84, 1756-1777.	1.6	20
147	Regioselectivity of the 1,3-Oxathiolane Formation in the Lewis Acid-Catalyzed Reaction of Thioketones with Asymmetrically Substituted Oxiranes. <i>Helvetica Chimica Acta</i> , 2001, 84, 3319-3334.	1.6	20
148	Synthesis of Poly- ϵ -Aib Oligopeptides and Aib-Containing Peptides $\langle i \rangle$ via $\langle /i \rangle$ the $\tilde{\text{Azirine/Oxazolone}}$ Method $\tilde{\text{TM}}$, and Their Crystal Structures. <i>Helvetica Chimica Acta</i> , 2011, 94, 993-1011.	1.6	20
149	Photochemie von 1,1-Dimethyl-4-phenyl- und 1-Methyl-1-phenyl-1,2-dihydronaphthalin; Nachweis einer photochemischen, sigmatropischen [1,7]H-Verschiebung. 41. Mitteilung $\tilde{\text{A}}$ ber Photoreaktionen. <i>Helvetica Chimica Acta</i> , 1975, 58, 2210-2222.	1.6	19
150	Carbophile Additionen von Organocupraten mit 1,3-Thiazol-5(4H)-thionen. <i>Helvetica Chimica Acta</i> , 1986, 69, 1837-1843.	1.6	19
151	Regioselektive 1,3-Dipolare Cycloadditionen eines ?Thiocarbonyl-methanids? ((Alkylidensulfonio)methanids) mit aromatischen Sulfinen. <i>Helvetica Chimica Acta</i> , 1996, 79, 31-40.	1.6	19
152	Desulfurization of 4-Nitro-N,2-diphenyl-3-(phenylamino)isothiazol- 5(2H)-imine: Formation of a 3-Imino-2-nitroprop-2-enamidine. <i>Helvetica Chimica Acta</i> , 1998, 81, 2388-2406.	1.6	19
153	Heterospirocyclic N-(2H-Azirin-3-yl)-L-prolinates: New Dipeptide Synthons. <i>Helvetica Chimica Acta</i> , 2000, 83, 2961-2974.	1.6	19
154	Synthesis of 5-Selenoxo-1,2,4-triazole-1-carboxylates from Isoselenocyanates and Azodicarboxylates. <i>Heterocycles</i> , 2006, 67, 749.	0.7	19
155	Efficient synthesis of fluoroalkylated 1,4,2-oxathiazoles via regioselective [3 + 2]-cycloaddition of fluorinated nitrile oxides with thioketones. <i>Journal of Fluorine Chemistry</i> , 2017, 199, 92-96.	1.7	19
156	A DFT Study on the Barton-Kellogg Reaction $\tilde{\text{The Molecular Mechanism of the Formation of Thiiranes in the Reaction between Diphenyldiazomethane and Diaryl Thioketones}}$. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 176-182.	2.4	19
157	Photoinduzierte Cycloadditionen von 3-Benzyl-2H-azirin. <i>Helvetica Chimica Acta</i> , 1973, 56, 2007-2011.	1.6	18
158	Spirocyclische 3-Oxazoline durch 1,3-dipolare Cycloaddition von Benzonitrilio-2-propanid mit 1,4-Chinonen. <i>Helvetica Chimica Acta</i> , 1983, 66, 2252-2268.	1.6	18
159	Reaction of 3-Amino-2H-azirines with 2-Amino-4,6-dinitrophenol (Picramic Acid): Synthesis of Quinazoline- and 1,3-Benzoxazole Derivatives. <i>Helvetica Chimica Acta</i> , 1990, 73, 959-974.	1.6	18
160	Addition Reactions With 1,3-Thiazole-5(4 <i>i</i> H <i>/i</i>)-Thiones; Synthesis of Spirocyclic AND FUSED BICYCLIC SULFUR HETEROCYCLES. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1991, 58, 281-293.	1.6	18
161	Scope and Limitation of the Acid-Catalyzed Isomerization of Aib-Containing Thiopeptides. <i>Helvetica Chimica Acta</i> , 2001, 84, 786-796.	1.6	18
162	New Optically Active 2H-Azirin-3-amines as Synthons for Enantiomerically Pure 2,2-Disubstituted Glycines: Synthesis of Synthons for Tyr(2Me) and Dopa(2Me), and Their Incorporation into Dipeptides. <i>Helvetica Chimica Acta</i> , 2002, 85, 3422-3443.	1.6	18

#	ARTICLE	IF	CITATIONS
163	Thio- and Dithioesters as Dipolarophiles in Reactions with Thiocarbonyl Ylides. European Journal of Organic Chemistry, 2005, 2005, 1604-1612.	2.4	18
164	Introduction of the Aib-Pro unit into peptides by means of the $\tilde{\text{azirine}}$ /oxazolone method TM on solid phase. Tetrahedron, 2006, 62, 9671-9680.	1.9	18
165	Selenium-Containing Heterocycles from Isoselenocyanates: Use of Hydrazine for the Synthesis of 1,3,4-Selenadiazine Derivatives. Helvetica Chimica Acta, 2006, 89, 1322-1329.	1.6	18
166	Selenium-Containing Heterocycles from Isoselenocyanates: Synthesis of 5-Amino-2,4-dihydro-3H-1,2,4-triazole-3-selones. Helvetica Chimica Acta, 2007, 90, 641-651.	1.6	18
167	Synthesis and Conformational Analysis of Pentapeptides Containing Enantiomerically Pure 2,2-disubstituted Glycines. Helvetica Chimica Acta, 2008, 91, 526-558.	1.6	18
168	Synthesis of 2,3-dihydroimidazo[2,1- <i>b</i>]thiazole derivatives via cyclization of <i>N</i> -callylimidazoline-2-thiones. Journal of Heterocyclic Chemistry, 2010, 47, 1287-1293.	2.6	18
169	Synthesis of Bis-Heterocyclic 1H-Imidazole 3-Oxides from 3-Oxido-1H-imidazole-4-carbohydrazides. Helvetica Chimica Acta, 2012, 95, 404-414.	1.6	18
170	First application of fluorinated nitrones for the synthesis of fluoroalkylated β -lactams via the Kinugasa reaction. Tetrahedron, 2016, 72, 5305-5313.	1.9	18
171	Photochemische Cycloadditionen von 3-Phenyl-2H-azirinen mit Benzoyl-, $\tilde{\text{A}}$,thoxycarbonyl- und Vinylphosphonaten 34. Mitteilung $\tilde{\text{A}}$ ber Photoreaktionen. Helvetica Chimica Acta, 1975, 58, 748-760.	1.6	17
172	Reaktionen von 3-Dimethylamino-2,2-dimethyl-2H-azirin mit NH-aciden Heterocyclen; Synthese von 4H-imidazolen. Helvetica Chimica Acta, 1979, 62, 768-778.	1.6	17
173	Struktur des Hydrazinolyseproduktes von N-(3-Oxo-1-isoindolinyliden)-alanin- $\tilde{\text{A}}$ thylester. Helvetica Chimica Acta, 1980, 63, 1797-1804.	1.6	17
174	Reaktion von 3-Dimethylamino-2,2-dimethyl-2H-azirin mit Barbiturs $\tilde{\text{A}}$ ure. Helvetica Chimica Acta, 1981, 64, 49-63.	1.6	17
175	Eine neue lactonsynthese via 2-oxazolin-5-one als zwischenprodukte. Tetrahedron Letters, 1984, 25, 1717-1720.	1.4	17
176	Additionsreaktion von 1,3-Thiazol-5(4H)-thionen und inaminen; Bildung von Thioamiden und Thioketonen. Helvetica Chimica Acta, 1986, 69, 174-183.	1.6	17
177	5,6,7,8-Tetrahydro-4H-1,2,5-oxadiazocin-6-one durch Ringerweiterung nach Addition eines 3-Isoazolidinons mit 3-Amino-2H-azirinen. Helvetica Chimica Acta, 1986, 69, 298-304.	1.6	17
178	Three-Component Reactions with Sterically Crowded 2,2,4,4-Tetramethyl-3-thioxocyclobutanone, Phenyl Azide, and Electron-Deficient C,C-Dipolarophiles. Helvetica Chimica Acta, 1996, 79, 1305-1314.	1.6	17
179	Stereochemical Course of the Reaction between Thiocarbonyl Compounds and Oxiranes: Reaction with <i>cis</i> - and <i>trans</i> -2,3-Dimethyloxirane. Helvetica Chimica Acta, 2000, 83, 3163-3178.	1.6	17
180	A Novel 2H-Azirin-3-amine as a Dipeptide (Aib-Hyp) Synthon. Helvetica Chimica Acta, 2001, 84, 972-979.	1.6	17

#	ARTICLE	IF	CITATIONS
181	Formation of 1,3-Thiazol-5(4H)-imines and 1,3-Oxazol-5(4H)-imines in Aib-Containing Thiopeptides. <i>Helvetica Chimica Acta</i> , 2002, 85, 990.	1.6	17
182	A Novel Synthetic Approach to ($\text{A}\pm$)-Desoxynoreseroline. <i>Helvetica Chimica Acta</i> , 2003, 86, 2805-2813.	1.6	17
183	14-Membered cyclodepsipeptides with alternating \texttilde^2 -hydroxy and \texttilde^{\pm} -amino acids by cyclodimerization. <i>Tetrahedron</i> , 2006, 62, 1079-1094.	1.9	17
184	Synthesis of Aib-containing cyclopeptides via the \texttilde -azirine/oxazolone method TM . <i>Collection of Czechoslovak Chemical Communications</i> , 2009, 74, 901-925.	1.0	17
185	Synthesis of 1,3- \texttilde Selenazol-2(3 <i>i</i>)H- \texttilde imines. <i>Helvetica Chimica Acta</i> , 2010, 93, 395-404.	1.6	17
186	Hetero-Diels \texttilde Alder reactions of hetaryl thiochalcones with acetylenic dienophiles. <i>Journal of Sulfur Chemistry</i> , 2017, 38, 1-10.	2.0	17
187	Reaktion von 3-(Dimethylamino)-2H-azirinen mit 1,3-Thiazolidin-2-thion. <i>Helvetica Chimica Acta</i> , 1986, 69, 2013-2025.	1.6	16
188	Ringerweiterungen und Ringverengungen bei der Umsetzung von 1, 3-Oxazolidin-2, 4-dionen und 1, 3-Thiazolidin-2, 4-dion mit 3-Amino-2H-azirinen. <i>Helvetica Chimica Acta</i> , 1990, 73, 1314-1328.	1.6	16
189	1,3-Oxathiolan-Synthese: Spirocyclische 1,3-Oxathiolane aus der Lewis-S \texttilde Aure-katalysierten Umsetzung von cyclischen Trithiocarbonaten und Oxiranen. <i>Helvetica Chimica Acta</i> , 1991, 74, 1500-1510.	1.6	16
190	Ring-Transformation von Imidazolidin-2,4-dionen (= Hydantoinen) zu 4H-Imidazolen bei der Umsetzung mit 3-(Dimethylamino)-2,2-dimethyl-2H-azirin. <i>Helvetica Chimica Acta</i> , 1992, 75, 1251-1261.	1.6	16
191	1,3- \texttilde Oxazol-5(4 <i>i</i>)H- \texttilde ones as intermediates in the formation of macrolides, cyclodepsipeptides and cyclopeptides. <i>Journal of Heterocyclic Chemistry</i> , 1999, 36, 1539-1547.	2.6	16
192	New Routes to Fused Isoquinolines. <i>Helvetica Chimica Acta</i> , 2002, 85, 320-332.	1.6	16
193	Azirine/Oxindole Ring Enlargement via Amidinium Intermediates. <i>Helvetica Chimica Acta</i> , 2004, 87, 2385-2404.	1.6	16
194	RhII-Catalyzed Reactions of Diazocarbonyl Compounds with Dicarboximides. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 4737-4746.	2.4	16
195	The First Ring-Enlargement of a 1-Azabicyclo[1.1.0]butane to a 1-Azabicyclo[2.1.1]hexane. <i>Helvetica Chimica Acta</i> , 2006, 89, 442-449.	1.6	16
196	The \texttilde -Azirine/Oxazolone Approach TM to the Synthesis of Aib \texttilde Pro Endothiopeptides. <i>Helvetica Chimica Acta</i> , 2008, 91, 1471-1488.	1.6	16
197	Chemosselectivity of the Reactions of Diazomethanes with 5 \texttilde Benzylidene-3 \texttilde phenylrhodanine. <i>Helvetica Chimica Acta</i> , 2009, 92, 1800-1816.	1.6	16
198	New \texttilde^2 -amino- \texttilde^{\pm} -trifluoromethyl alcohols and their exploration in the synthesis of trifluoromethylated imidazole derivatives. <i>Journal of Fluorine Chemistry</i> , 2011, 132, 951-955.	1.7	16

#	ARTICLE	IF	CITATIONS
199	The [4+2]-Cycloaddition of Nitrosoalkenes with Thiochalcones as a Prototype of Periselective Hetero-Diels-Alder Reactions: Experimental and Computational Studies. <i>Chemistry - A European Journal</i> , 2020, 26, 237-248.	3.3	16
200	1,3-Dipolar Cycloaddition of Nitrones and Nitrile Oxides to 5,5-Dimethyl-3-methylenepyrrolidine-2-thione. <i>Heterocycles</i> , 1995, 40, 271.	0.7	16
201	Die Struktur des Adduktes aus 3-Dimethylamino-2,2-dimethyl-2H-azirin und 3-Methyl-2,4-diphenyl-1,3-oxazolium-5-olat. VorlÄufige Mitteilung. <i>Helvetica Chimica Acta</i> , 1977, 60, 1657-1664.	1.6	15
202	The Reaction of 3-(Dimethylamino)-2H-azirines with 2,3-Pyridinedicarboximide. <i>Helvetica Chimica Acta</i> , 1988, 71, 1319-1327.	1.6	15
203	A Ring-Enlargement Reaction Yielding 1,2,5-Benzothiadiazonin-6-one 1,1-Dioxides. <i>Helvetica Chimica Acta</i> , 1992, 75, 2515-2519.	1.6	15
204	[2+3] Cycloadditions of Azomethine Ylides with 1,3-Thiazole-5(4H)-thiones. <i>Helvetica Chimica Acta</i> , 1998, 81, 558-569.	1.6	15
205	Synthesis and Use of 2H-Azirin-3-amines as Dipeptide Synthons. <i>Helvetica Chimica Acta</i> , 2002, 85, 885.	1.6	15
206	[2 + 3]-Cycloadditions of PhosphonodithioformateS-Methanides with Cl _{3/4} S, Ni _{3/4} N, and Cl _{3/4} C Dipolarophiles. <i>Helvetica Chimica Acta</i> , 2005, 88, 2582-2592.	1.6	15
207	Synthesis and Reactions of a New Cyclobutanethione Derivative. <i>Helvetica Chimica Acta</i> , 2005, 88, 2624-2636.	1.6	15
208	Phosphonylated thiocarbonyl ylides from the reaction of aromatic thioketones with diethyl diazomethylphosphonates. <i>Tetrahedron</i> , 2006, 62, 7776-7782.	1.9	15
209	Selenium-Containing Heterocycles from Isoselenocyanates: Synthesis of 1,3-Selenazinane and 1,3-Selenazinanone Derivatives. <i>Helvetica Chimica Acta</i> , 2007, 90, 472-487.	1.6	15
210	1,3-Dipolar cycloadditions of fluorinated nitrones with thioketones. <i>Journal of Fluorine Chemistry</i> , 2014, 165, 27-32.	1.7	15
211	Exploration of Fluoral Hydrazones Derived from Carbohydrazides for the Synthesis of Trifluoromethylated Heterocycles. <i>Heterocycles</i> , 2014, 88, 387.	0.7	15
212	Heterocyclole als Zwischenprodukte einer neuen, Äberraschenden Umlagerung bei der Reaktion von 3-(Dimethylamino)-2,2-dimethyl-2H-azirin mit monosubstituierten ParabansÄuren. VorlÄufige Mitteilung. <i>Helvetica Chimica Acta</i> , 1983, 66, 1456-1465.	1.6	14
213	1,4-Dithiafulvene aus der Umsetzung von 4,4-disubstituierten 1,3-Thiazol-5(4H)-thionen mit Acetylenderivaten. <i>Helvetica Chimica Acta</i> , 1986, 69, 419-429.	1.6	14
214	Octacarbonyldicobalt-Induced (1,3) H Shifts in 1-Methylallenecarboxylates and Allenic Lactones. <i>Helvetica Chimica Acta</i> , 1987, 70, 1070-1075.	1.6	14
215	Radikalische Cyclisierungen von Alkenyl-substituierten 4,5-Dihydro-1,3-thiazol-5-thiolen. <i>Helvetica Chimica Acta</i> , 1989, 72, 838-846.	1.6	14
216	Eine neue 1,3-Oxathiolan-Synthese: Spirocyclische 1,3-Oxathiolane aus der Lewis-SÄure katalysierten Umsetzung von 1,3-Thiazol-5(4H)-thionen mit Oxiranen. <i>Helvetica Chimica Acta</i> , 1990, 73, 2287-2294.	1.6	14

#	ARTICLE	IF	CITATIONS
217	Carbonyliron Complexation and Carbonyl Insertion of Allenic Ketones. <i>Helvetica Chimica Acta</i> , 1992, 75, 1872-1879.	1.6	14
218	Bortrifluorid-katalysierte Umsetzung von 3-Amino-2H-azirinen mit Amiden: Bildung von 4,4-disubstituierten 4H-Imidazolen. <i>Helvetica Chimica Acta</i> , 1995, 78, 899-909.	1.6	14
219	Synthesis of 1,2,5-Thiadiazepine Derivatives by Ring Enlargement of 1,2-Thiazetidin-3-one 1,1-Dioxides with 3-Amino-2H-azirines. <i>Helvetica Chimica Acta</i> , 1996, 79, 2067-2074.	1.6	14
220	[2+3] Cycloadditions of ?Thiocarbonyl Ylides? (= (Alkylidenesulfonio)methanides) and diazoalkanes withN,N?-thiocarbonyldiimidazole (= 1,1?-(carbonothioyl)bis[1H-imidazole]). <i>Helvetica Chimica Acta</i> , 1998, 81, 66-77.	1.6	14
221	Ring-Enlargement and Ring-Opening Reactions of 1,2-Thiazetidin-3-one 1,1-Dioxides with Ammonia and Primary Amines as Nucleophiles. <i>Helvetica Chimica Acta</i> , 1999, 82, 354-371.	1.6	14
222	An Unexpected Formation of a 14-Membered Cyclodepsipeptide. <i>Helvetica Chimica Acta</i> , 2003, 86, 3215-3234.	1.6	14
223	New Studies on[2+3] Cycloadditions of Thermally GeneratedN-Isopropyl-andN-(4-Methoxyphenyl)-Substituted Azomethine Ylides. <i>Helvetica Chimica Acta</i> , 2004, 87, 496-510.	1.6	14
224	Application of the â€˜Direct Amide Cyclizationâ€™ to Peptides Containing an Anthranilic Acid Residue. <i>Helvetica Chimica Acta</i> , 2005, 88, 1711-1733.	1.6	14
225	Dual reactivity of imidic carbonyl ylides in Rh(II)-catalyzed reactions of $\hat{\imath}\pm$ -diazocarbonyl compounds with succinimide. <i>Tetrahedron Letters</i> , 2006, 47, 2643-2647.	1.4	14
226	1,5-Dipolar Electrocyclizations in Reactions of $\hat{\imath}\pm$ -Thioxo Ketones and $\hat{\imath}\pm$ -Thioxo Thioamides with Diazo Compounds. <i>Helvetica Chimica Acta</i> , 2006, 89, 1910-1926.	1.6	14
227	Synthesis of Optically Active 1- α (1- α Phenylethyl) β -H- γ midazoles Derived from 1- α Phenylethylamine. <i>Helvetica Chimica Acta</i> , 2008, 91, 232-238.	1.6	14
228	Trifluoromethylation of camphorquinone and its monoimine derivatives. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 1676-1683.	1.8	14
229	Two- and Three-Component Reactions Leading to New Enamines Derived from 2,3- α Dicyanobut-2-enoates. <i>Helvetica Chimica Acta</i> , 2009, 92, 1520-1537.	1.6	14
230	Synthesis and Selected Reactions of Hydrazides Containing an Imidazole Moiety. <i>Helvetica Chimica Acta</i> , 2011, 94, 1764-1777.	1.6	14
231	Total Synthesis of the Peptaibols <i>< i>Hypomurocin A3</i></i> and <i>< i>Hypomurocin A5</i></i> , and Their Conformation Analysis. <i>Chemistry and Biodiversity</i> , 2012, 9, 2528-2558.	2.1	14
232	Strong influence of the trifluoromethyl group on the chemoselectivity of [3+2]-cycloadditions of thiocarbonyl S -methanides with $\hat{\imath}\pm,\hat{\imath}^2$ -unsaturated ketones. <i>Journal of Fluorine Chemistry</i> , 2016, 190, 56-60.	1.7	14
233	Stereoselective 1,3-Dipolar Cycloaddition of an Azomethine Ylide with a Chiral 1,3-Thiazole-5(4H)-thione. <i>Heterocycles</i> , 2002, 56, 393.	0.7	14
234	Photochemically Induced 1,3-Dipolar Cycloadditions of 3-Amino-2H-azirines. <i>Heterocycles</i> , 1980, 14, 929.	0.7	14

#	ARTICLE	IF	CITATIONS
235	An Unexpected Reaction of a 3-Amino-2H-azirine with 1,3-Benzoxazin-2,4-dione. <i>Heterocycles</i> , 1982, 19, 2079.	0.7	14
236	Synthese von 3,3-Dimethylperhydro-1,4-diazepin-2,5,7-trionen aus 3-Dimethylamino-2,2-dimethyl-2H-azirin und Malonsäuremonoamiden. <i>Helvetica Chimica Acta</i> , 1985, 68, 465-474.	1.6	13
237	Synthesis of 4-Alkoxy-1,3-oxazol-5(2H)-ones, Precursors of 1-alkoxy substituted nitrile ylides. <i>Helvetica Chimica Acta</i> , 1989, 72, 825-837.	1.6	13
238	4-Amino-1,5-dihydro-2H-pyrrol-2-one aus Bortrifluorid-katalysierten Umsetzungen von 3-Amino-2H-azirinen mit Carbonsäure-Derivaten. <i>Helvetica Chimica Acta</i> , 1995, 78, 1490-1498.	1.6	13
239	1,3-Dipole mit zentralem S-Atom aus der Umsetzung von Aziden mit Thiocarbonyl-Verbindungen: Eine unerwartete MeS-Wanderung im Abfangprodukt eines ?Thiocarbonyl-aminids? mit Dithiobenzoesäure-methylester. <i>Helvetica Chimica Acta</i> , 1995, 78, 1499-1510.	1.6	13
240	A Novel Amination Reaction with Diphenyl Phosphorazidate: Synthesis of ?-amino-acid derivatives. <i>Helvetica Chimica Acta</i> , 1996, 79, 213-219.	1.6	13
241	Synthesis of an Enantiomerically Pure 1,3-Thiazole-5(4H)-thione and Its Stereoselective 1,3-Dipolar Cycloaddition with an Azomethine Ylide. <i>Helvetica Chimica Acta</i> , 2002, 85, 2073.	1.6	13
242	Title is missing!. <i>Helvetica Chimica Acta</i> , 2002, 85, 2644-2656.	1.6	13
243	Synthesis of Enniatin-like Cyclic Depsipeptides via â€œDirect Amide Cyclizationâ€™. <i>Helvetica Chimica Acta</i> , 2006, 89, 731-746.	1.6	13
244	Novel N-(2,2-Dimethyl-2H-azirin-3-yl)-L-prolinates as Aib-Pro Synthons. <i>Helvetica Chimica Acta</i> , 2006, 89, 1841-1855.	1.6	13
245	Thermal [2+3]-Cycloadditions of <i>< i>trans</i> -Methyl-2,3-diphenylaziridine with Cr ^{3/4} S and Cr ^{3/4} C Dipolarophiles: An Unexpected Course with Dimethyl Dicyanofumarate. <i>Helvetica Chimica Acta</i> , 2009, 92, 2631-2642.	1.6	13
246	A superoxide anion-scavenger, 1,3-selenazolidin-4-one suppresses serum deprivation-induced apoptosis in PC12 cells by activating MAP kinase. <i>Toxicology and Applied Pharmacology</i> , 2011, 257, 388-395.	2.8	13
247	Synthese von (Methylthio)penam-Derivaten durch Keten-Addition an 4,5-Dihydro-5-(methylthio)-1,3-thiazole. <i>Helvetica Chimica Acta</i> , 1986, 69, 1424-1434.	1.6	12
248	Eine neue Aminoazirin-Reaktion. Bildung von 3,6-Dihydropyrazin-2(1H)-onen. <i>Helvetica Chimica Acta</i> , 1989, 72, 172-179.	1.6	12
249	Synthesis and reactions of 2-(alkylthio)-4,4-dimethyl-1,3-thiazole-5(4H)-thiones. <i>Helvetica Chimica Acta</i> , 1994, 77, 1903-1920.	1.6	12
250	?Three-Component Reaction? with aromatic thioketones, phenyl azide, and dimethyl fumarate. <i>Helvetica Chimica Acta</i> , 1997, 80, 1992-2001.	1.6	12
251	Synthesis of 1,2,4-Triazolo[4,3-a]pyrimidine Derivatives by Cyclocondensation of a 2-Thioxopyrimidin-4(3H)-one with Hydrazonoyl Halides. <i>Helvetica Chimica Acta</i> , 2003, 86, 739-749.	1.6	12
252	Ring Enlargement and Sulfur-Transfer Processes in SiO ₂ -Catalyzed Reactions of Thiocarbonyl Compounds with Optically Active Oxiranes. <i>Helvetica Chimica Acta</i> , 2005, 88, 3253-3262.	1.6	12

#	ARTICLE	IF	CITATIONS
253	Selenium-Containing Heterocycles From Isoselenocyanates: Synthesis of Ethyl 4-oxo-2-amino-4,5-dihydroselenophene-3-carboxylates. Letters in Organic Chemistry, 2007, 4, 7-12.	0.5	12
254	Selenium-containing Heterocycles from Isoselenocyanates: 4-Methylselenazole Derivatives from the Reaction with Malononitrile and Propargyl Chloride. Helvetica Chimica Acta, 2008, 91, 209-219.	1.6	12
255	Synthesis of Three-, Five-, and Six-Membered Heterocycles Derived from New β^2 -Amino- β^2 -(trifluoromethyl) Alcohols. Helvetica Chimica Acta, 2010, 93, 1725-1736.	1.6	12
256	Studies on the synthesis and some reactions of (S)-proline hydrazides. Tetrahedron: Asymmetry, 2012, 23, 795-801.	1.8	12
257	Hetero-Diels-Alder reactions of hetaryl and aryl thioketones with acetylenic dienophiles. Beilstein Journal of Organic Chemistry, 2015, 11, 576-582.	2.2	12
258	Generation and reactions of thiocarbonyl S-(2,2,2-trifluoroethanides). Synthesis of trifluoromethylated 1,3-dithiolanes, thiiranes and alkenes. Journal of Fluorine Chemistry, 2017, 200, 102-108.	1.7	12
259	Dimerization reactions of aryl selenophen-2-yl-substituted thiocarbonyl <i>S</i> -methanides as diradical processes: a computational study. Beilstein Journal of Organic Chemistry, 2017, 13, 410-416.	2.2	12
260	Microwave-assisted reactions of β -diazoketones with hetaryl and ferrocenyl thioketones. Journal of Sulfur Chemistry, 2018, 39, 47-63.	2.0	12
261	Experimental and Computational Studies on Stepwise [3+2] Cycloadditions of Diaryldiazomethanes with Electron-deficient Dimethyl (<i>E</i>) and (<i>Z</i>) 2,3-Dicyanobutenedioates. European Journal of Organic Chemistry, 2019, 2019, 422-431.	2.4	12
262	A novel access to 4-trifluoromethyl-1,3-thiazole derivatives via an intermediate thiocarbonyl ylide. Journal of Fluorine Chemistry, 2019, 220, 35-40.	1.7	12
263	1,3-Dipolar Cycloadditions with 1-Alkoxy-substituted Nitrile Ylides. Heterocycles, 1998, 47, 781.	0.7	12
264	CIDNP Evidence for Divergent Behavior of Singlet and Triplet Radical Pair Encounters in the Photo-Claisen Rearrangement. Angewandte Chemie International Edition in English, 1973, 12, 662-663.	4.4	11
265	Der massenspektrometrische Zerfall von Tetralin-Derivaten Beitrag zur massenspektrometrischen Retro-Diels-Alder Reaktion. Helvetica Chimica Acta, 1974, 57, 1510-1519.	1.6	11
266	Synthese optisch aktiver 3-phenyl-2H-azirine. Tetrahedron Letters, 1978, 19, 3091-3092.	1.4	11
267	Kristallstruktur eines überbrückten 1,2,3-Oxadiazolidin-5-ons. Helvetica Chimica Acta, 1978, 61, 1091-1096.	1.6	11
268	Bildung von 5,6-Dihydro-1,3(4H)-thiazin-4-carbonsäure-estern aus 4-Allyl-1,3-thiazol-5(4H)-onen. Helvetica Chimica Acta, 1989, 72, 1639-1646.	1.6	11
269	Ring-Transformationen bei der Umsetzung von 3-(Dimethylamino)-2,2-dimethyl-2H-azirin mit 1-substituierten Imidazolidin-2,4,5-trionen. Helvetica Chimica Acta, 1993, 76, 2321-2328.	1.6	11
270	Eine überraschende Ringerweiterung von 3-(Dimethylamino)-2,2-dimethyl-2H-azirin zu 4,5-Dihdropyridin-2(3H)-on-Derivaten. Helvetica Chimica Acta, 1995, 78, 1863-1878.	1.6	11

#	ARTICLE	IF	CITATIONS
271	An Unexpected Isomerization of N-Aryl-3-amino-4-nitroisothiazol-5(2H)-imines to 2-(Benzothiazol-2-yl)-2-nitroethene-l, l-diamines. <i>Helvetica Chimica Acta</i> , 1997, 80, 273-292.	1.6	11
272	Reactions of Sulfanyl Chlorides with Thiocamphor and Thiofenchone: Wagner- Σ -Meerwein Rearrangement of an Intermediate Thiocarbonylum Ion. <i>Helvetica Chimica Acta</i> , 2004, 87, 790-799.	1.6	11
273	Selenium-containing Heterocycles from Isoselenocyanates: Base-Catalyzed Reaction of Malononitrile with Phenyl Isoselenocyanate and Bromoacetonitrile or Li^+ -Halogenated Ketones. <i>Helvetica Chimica Acta</i> , 2007, 90, 1849-1855.	1.6	11
274	New 21- and 24-atom Aib-containing cyclopeptides. <i>Journal of Peptide Science</i> , 2008, 14, 1051-1061.	1.4	11
275	Reactions of polycyclic thioketones with a phosphorylated carbanion. <i>Heteroatom Chemistry</i> , 2008, 19, 182-187.	0.7	11
276	A new approach to 2,2-disubstituted 1-(methylsulfanyl)vinyl phosphonates via an intermediate thiocarbonyl ylide. <i>Tetrahedron</i> , 2009, 65, 8191-8198.	1.9	11
277	Efficient synthesis of tri- and difluoroacetyl hydrazides as useful building blocks for non-symmetrically substituted, fluoroalkylated 1,3,4-oxadiazoles. <i>Chemistry of Heterocyclic Compounds</i> , 2016, 52, 133-139.	1.2	11
278	Silica Gel-catalyzed Regio- and Stereoselective Reactions of Thiocarbonyl Compounds with Optically Active Monosubstituted Oxiranes. <i>Heterocycles</i> , 2002, 58, 333.	0.7	11
279	Strained 1-Azabicyclo[1.1.0]butanes in the Synthesis of Azetidinethiocarboxylate Derivatives. <i>Heterocycles</i> , 2006, 69, 351.	0.7	11
280	A Novel Heterospirocyclic 2H-Azirin-3-amine as Synthon for 3-Aminothiolane-3-carboxlic Acid. <i>Heterocycles</i> , 2007, 74, 397.	0.7	11
281	Novel Trifluoromethylated Spiro-1,3,4-thiadiazoles via [3+2]-Cycloadditions of 2,3-Diphenylcyclopropenethione with Selected in situ-Generated Nitrile Imines Derived from Trifluoroacetonitrile. <i>Heterocycles</i> , 2020, 101, 251.	0.7	11
282	Reaktion von 3-Dimethylamino-2,2-dimethyl-2H-azirin mit 6-Methyluracil; Kristallstruktur der Reaktionsprodukte. <i>Helvetica Chimica Acta</i> , 1982, 65, 2302-2312.	1.6	10
283	1,6-dithia-spiro[4.4]nonadiene aus 2-thiazolin-5-thionen. <i>Tetrahedron Letters</i> , 1982, 23, 3059-3060.	1.4	10
284	Umsetzung von 3-Amino-2H-azirinen mit Salicylohydrazid. <i>Helvetica Chimica Acta</i> , 1993, 76, 1980-2003.	1.6	10
285	The dimer, trimer and 1,2,4-trithiolane of adamantanethione. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o231-o234.	0.4	10
286	1,3-Oxathiolanes from the Reaction of Aromatic and Enolized Thioketones with Monosubstituted Oxiranes. <i>Helvetica Chimica Acta</i> , 2003, 86, 2833-2847.	1.6	10
287	Regio- and stereoselective reactions of a rhodanine derivative with optically active 2-methyl- and 2-phenyloxirane. <i>Tetrahedron</i> , 2004, 60, 5407-5412.	1.9	10
288	Trifluoromethyl derivatives of pentacyclo[5.4.0.02,6.03,10.05,9]undecane. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2005, 61, o221-o226.	0.4	10

#	ARTICLE	IF	CITATIONS
289	Coexistence of Hydrogen-Bonded Loop and Extended Tetrapeptide Conformations. <i>Chemistry - A European Journal</i> , 2007, 13, 9004-9011.	3.3	10
290	Addition Reactions of Sulfenyl and Sulfinyl Chlorides with 3-Phenyl-1-azabicyclo[1.1.0]butane. <i>Helvetica Chimica Acta</i> , 2008, 91, 1419-1429.	1.6	10
291	Reactions of Amines and Hydrazides derived from L-Proline with Dialkyl Dicyanofumarates. <i>Heterocycles</i> , 2012, 86, 343.	0.7	10
292	Novel Synthesis of 2-Alkylquinolizinium-1-olates and Their 1,3-Dipolar Cycloaddition Reactions with Acetylenes. <i>Helvetica Chimica Acta</i> , 2012, 95, 737-760.	1.6	10
293	New Selenosemicarbazides Derived from Imidazole-Based Carbohydrazides. <i>Helvetica Chimica Acta</i> , 2013, 96, 397-407.	1.6	10
294	Intra- and intermolecular Se...-X- (<i>X</i> = Se, O) interactions in selenium-containing heterocycles: 3-benzoylimino-5-(morpholin-4-yl)-1,2,4-diselenazole. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2014, 70, 482-487.	0.5	10
295	Thermal [2+2]-Cycloadditions of Diphenylketene with Aryl- and Hetaryl-Substituted Thioketones. <i>Heterocycles</i> , 2015, 90, 529.	0.7	10
296	Efficient synthesis of ferrocifens and other ferrocenyl-substituted ethylenes via a sulfur approach. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 4350-4356.	2.8	10
297	Synthesis and selected transformations of 2-unsubstituted 1-(adamantyloxy)imidazole 3-oxides: straightforward access to non-symmetric 1,3-dialkoxyimidazolium salts. <i>Beilstein Journal of Organic Chemistry</i> , 2019, 15, 497-505.	2.2	10
298	Eine thermische, intramolekulare [2 + 2]-Cycloaddition eines Allenyl-benzols; Synthese von Allenylbenzolen durch sÄurekatalysierte Dienol-Benzol-Umlagerung. <i>Helvetica Chimica Acta</i> , 1984, 67, 1298-1309.	1.6	9
299	Bildung tricyclischer Thietan-Derivate durch intramolekulare(2+2)-Cycloaddition. <i>Helvetica Chimica Acta</i> , 1987, 70, 992-994.	1.6	9
300	Synthese von 4-Benzylthio- und 4-(Arylthio)-1,3-oxazol-5(2H)-onen. <i>Helvetica Chimica Acta</i> , 1987, 70, 1380-1388.	1.6	9
301	Carbonyliron Complexes of Allenic Acids, Esters, Amides, and Imides. <i>Helvetica Chimica Acta</i> , 1990, 73, 1734-1741.	1.6	9
302	Organische Photochemie im Spiegel von <i>Helvetica Chimica Acta</i> . <i>Helvetica Chimica Acta</i> , 1993, 76, 1027-1114.	1.6	9
303	New Addition Reactions of Organometal Compounds with 4,4-Dimethyl-1,3-thiazole-5(4H)-thiones. <i>Helvetica Chimica Acta</i> , 1996, 79, 371-384.	1.6	9
304	A Ring Enlargement from Seven- to Ten-Membered-Ring sulfonamide derivatives. <i>Helvetica Chimica Acta</i> , 1996, 79, 1121-1128.	1.6	9
305	A Novel Ring Enlargement of 2H-Azirine-3-methyl(phenyl)amines via Amidinium-Intermediates: A New Synthetic Approach to 2,3-Dihydro-1,3,3-trimethylindol-2-one. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2002, 57, 444-452.	0.7	9
306	Reaction of Thiocarbonyls-Methylides with Acetylenic Dipolarophiles and an Unexpected Rearrangement of the Cycloadducts. <i>Helvetica Chimica Acta</i> , 2002, 85, 451-463.	1.6	9

#	ARTICLE	IF	CITATIONS
307	Regio- and Stereoselectivity of the SiO ₂ -Catalyzed Reaction of Thiocamphor (=1,7,7-Trimethylbicyclo[2.2.1]heptane-2-thione) with Optically Active Monosubstituted Oxiranes. <i>Helvetica Chimica Acta</i> , 2003, 86, 2258-2271.	1.6	9
308	A New 2H-Azirin-3-amine as a Synthon for -Methyl Glutamate. <i>Helvetica Chimica Acta</i> , 2004, 87, 2539-2548.	1.6	9
309	1,5-Dipolar Electrocyclizations of Thiocarbonyl Ylides Bearing Cif ^{3/4} N Groups: Reactions of N-[(Dimethylamino)methylene]thiobenzamide and 2-(Dimethylhydrazono)-1-phenylethane-1-thione with Diazo Compounds. <i>Helvetica Chimica Acta</i> , 2007, 90, 86-100.	1.6	9
310	Reactions of Polycyclic Ketones with Dimethoxycarbene; a Convenient Route for a "One-Pot" Preparation of Some <i>Î±</i>-Hydroxycarboxylic Acid Esters. <i>Helvetica Chimica Acta</i> , 2007, 90, 1279-1288.	1.6	9
311	Synthesis of New Imidazole 3-Oxides; Unexpected Deoxygenation of Some Derivatives in the Reaction with 2,2,4,4-Tetramethylcyclobutane-1,3-dithione. <i>Heterocycles</i> , 2011, 83, 765.	0.7	9
312	Optically active imidazoles derived from enantiomerically pure trans-1,2-diaminocyclohexane. <i>Tetrahedron: Asymmetry</i> , 2011, 22, 669-674.	1.8	9
313	Synthesis of Aib- <i>Pro</i> Oligopeptides by Repeated Azirine Coupling with the Aib- <i>Pro</i> Synthon. <i>Helvetica Chimica Acta</i> , 2012, 95, 1325-1351.	1.6	9
314	Attempts toward the Synthesis of the Peptaibol Antiamoebin by Using the "Azirine/Oxazolone Method". <i>Chemistry and Biodiversity</i> , 2013, 10, 920-941.	2.1	9
315	Studies on the Reaction of Aryl Glyoxals with <scp>l</scp>-Prolinol: Unexpected Formation of Morpholin-2-one Derivatives and Stereoselective Trifluoromethylation of the Bicyclic System. <i>Asian Journal of Organic Chemistry</i> , 2015, 4, 770-777.	2.7	9
316	New Applications of Hetaryl Thioketones for the Synthesis of Hetaryl-Substituted Ethenes via "Two-Fold Extrusion Reaction". <i>Heterocycles</i> , 2016, 93, 127.	0.7	9
317	A novel application of 2-silylated 1,3-dithiolanes for the synthesis of aryl/hetaryl-substituted ethenes and dibenzofulvenes. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 1900-1906.	2.2	9
318	2-Unsubstituted Imidazole N-Oxides as Novel Precursors of Chiral 3-Alkoxyimidazol-2-ylidenes Derived from trans-1,2-Diaminocyclohexane and Other Chiral Amino Compounds. <i>Molecules</i> , 2019, 24, 4398.	3.8	9
319	Reactions of thiocarbonyl compounds with electrophilic and nucleophilic carbenes as well as with their metal complexes. <i>Journal of Sulfur Chemistry</i> , 2020, 41, 672-700.	2.0	9
320	Hetero-Diels-Alder Reactions of In Situ-Generated Azoalkenes with Thioketones; Experimental and Theoretical Studies. <i>Molecules</i> , 2021, 26, 2544.	3.8	9
321	Reaktion von 3-Amino-2H-azirinen mit Diphenylcyclopropenthion. Vorläufige Mitteilung. <i>Helvetica Chimica Acta</i> , 1979, 62, 86-89.	1.6	8
322	Umsetzung von 3-(Dimethylamino)-2H-azirinen mit 1,3-Oxazolidin-2-thion zu 3-(2-Hydroxyethyl)-2-thiohydantoinen. <i>Helvetica Chimica Acta</i> , 1990, 73, 594-598.	1.6	8
323	Bortrifluorid-katalysierte Umsetzungen von 3-Amino-2H-azirinen mit Aminosäure-estern und Aminen. <i>Helvetica Chimica Acta</i> , 1995, 78, 1823-1836.	1.6	8
324	Synthesis of Perhydropyrrolo[1,2-a]pyrazine-1,4-diones and Their Sulfur-Analogues by Ring-Enlargement of N-(2H-Azirin-3-yl)-L-prolinates. <i>Heterocycles</i> , 2004, 64, 417.	0.7	8

#	ARTICLE	IF	CITATIONS
325	Reaction of Thioketones with (R)-2-Vinyloxirane: Regio- and Stereoselective Formation of (S)-4-Vinyl-1,3-oxathiolanes. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 1613-1619.	2.4	8
326	Regio- and Stereoselective Formation of 1,3-Oxathiolanes by Reactions of Thiocarbonyl Compounds with Oxiranes. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2005, 180, 1309-1313.	1.6	8
327	Regio- and Stereoselectivity in the Lewis Acid- and NaH-Induced Reactions of Thiocamphor with (R)-2-Vinyloxirane. <i>Helvetica Chimica Acta</i> , 2006, 89, 456-467.	1.6	8
328	The First Reaction of Dimethoxycarbene with an Imine Moiety. <i>Helvetica Chimica Acta</i> , 2007, 90, 1758-1764.	1.6	8
329	Tri- and Tetrasubstituted <i>N</i> -Phthalimidoaziridines in 1,3-Dipolar Cycloaddition Reactions. <i>Helvetica Chimica Acta</i> , 2010, 93, 847-862.	1.6	8
330	Optically active imidazole N-oxides derived from L-prolinamine1. <i>Tetrahedron: Asymmetry</i> , 2013, 24, 958-965.	1.8	8
331	A new approach to \pm -(trifluoromethyl)benzyl substituted oxaziridines. <i>Journal of Fluorine Chemistry</i> , 2013, 151, 7-11.	1.7	8
332	1,3-Dipolar Cycloadditions of \pm -Diazo Ketones Derived from <i>N</i> -Protected (<i>i</i> -S <i>i</i>)Proline with Aromatic and Cycloaliphatic Thioketones. <i>Helvetica Chimica Acta</i> , 2015, 98, 190-200.	1.6	8
333	First synthesis of ferrocenyl-substituted thiochalcones and their [4+2]-cycloadditions with acetylenic dienophiles. <i>Journal of Sulfur Chemistry</i> , 2018, 39, 322-331.	2.0	8
334	Spirocyclic and Fused Derivatives of Maleimide Based on Intra- and Intermolecular Reactions of Carbonyl Ylides from Diazocarbonyl Compounds. <i>Heterocycles</i> , 2007, 73, 433.	0.7	8
335	Reaktionen von 3-(Dimethylamino)-2H-azirinen mit 1,3-Benzoxazol-2(3H)-thion. <i>Helvetica Chimica Acta</i> , 1990, 73, 599-607.	1.6	7
336	Umsetzungen von 3-(Dimethylamino)-2,2-dimethyl-2H-azirin mit BarbitursÄure-Derivaten. <i>Helvetica Chimica Acta</i> , 1990, 73, 2275-2286.	1.6	7
337	Ringerweiterung von sechs- zu neungliedrigen Heterocyclen: Umsetzung von 3-(Dimethylamino)-2,2-dimethyl-2H-azirin mit 3,4-Dihydro-2H-1,2,4-benzothiadiazin-3-on-1,1-dioxiden. <i>Helvetica Chimica Acta</i> , 1993, 76, 2398-2406.	1.6	7
338	Synthesis and Addition Reactions of 1,3-Thiazole-5(4H)-thione Oxides. <i>Helvetica Chimica Acta</i> , 1994, 77, 2133-2141.	1.6	7
339	RingÅffnungen von sterisch gehinderten spirocyclischen 2, 5-Dihydro-1, 3, 4-thiadiazolen mit cycloaliphatischen, sekundÄren Aminen. <i>Helvetica Chimica Acta</i> , 1997, 80, 230-240.	1.6	7
340	Reactions of Thioketones Possessing a Conjugated C=C Bond with Diazo Compounds. <i>Helvetica Chimica Acta</i> , 2006, 89, 3041-3055.	1.6	7
341	Synthesis and Structures of Two Isomeric 4-Diazo-2,3,4,5-tetrahydrofuran-3-ones. <i>Helvetica Chimica Acta</i> , 2008, 91, 1662-1669.	1.6	7
342	Synthesis and structure of nitrones derived from 2-trifluoromethyl bornane 3-imines. <i>Journal of Fluorine Chemistry</i> , 2010, 131, 578-583.	1.7	7

#	ARTICLE	IF	CITATIONS
343	Three-Component Reactions with 3-Phenyl-1-azabicyclo[1.1.0]butane, Dimethyl Dicyanofumarate, and Primary Aromatic Amines. <i>Heterocycles</i> , 2010, 80, 1091.	0.7	7
344	Reactions of Acid Chlorides/Ketenes with 2-Substituted 4,5-Dihydro-4,4-dimethyl-1,3-thiazoles: Formation of Penam Derivatives. <i>Helvetica Chimica Acta</i> , 2013, 96, 1462-1481.	1.6	7
345	Reduction of Thiocarbonyl Compounds with Lithium Diisopropylamide. <i>Helvetica Chimica Acta</i> , 2014, 97, 931-938.	1.6	7
346	Synthesis of optically active polycyclic N-heterocycles derived from L-prolinamine1. <i>Tetrahedron: Asymmetry</i> , 2015, 26, 505-509.	1.8	7
347	Silylated thiocarbonyl S-methanides as key intermediates in one-pot olefination reactions leading to ferrocenyl-substituted ethenes and dibenzofulvenes. <i>Journal of Sulfur Chemistry</i> , 2018, 39, 267-278.	2.0	7
348	Hetero-Diels-Alder Reactions of \pm -Nitrosoalkenes with Ferrocenyl, Hetaryl and Cycloaliphatic Thioketones. <i>ChemistrySelect</i> , 2018, 3, 11724-11728.	1.5	7
349	First thia-Diels-Alder reactions of thiochalcones with 1,4-quinones. <i>Beilstein Journal of Organic Chemistry</i> , 2018, 14, 1834-1839.	2.2	7
350	Reaction of 1-Azabicyclo[1.1.0]butanes with 2,3-Dicyanofumarates; Interception of the Intermediate Zwitterions with Methanol. <i>Heterocycles</i> , 2009, 77, 389.	0.7	7
351	Umlagerungsreaktionen von (2-Propinyl)cyclohexadienolen und -semibenzolen. <i>Helvetica Chimica Acta</i> , 1985, 68, 355-370.	1.6	6
352	A novel photochemical rearrangement of allenic esters. <i>Journal of the Chemical Society Chemical Communications</i> , 1986, , 708.	2.0	6
353	Struktur und Mechanismus in der organischen Chemie im Spiegel von <i>Helvetica Chimica Acta</i> . <i>Helvetica Chimica Acta</i> , 1992, 75, 359-437.	1.6	6
354	3-(Acylamino)-3-amino-2-nitroacrylonitriles from N-Acyl-S-methyl-3,3-diamino-2-nitroacrylthioimidates. <i>Helvetica Chimica Acta</i> , 1993, 76, 2817-2829.	1.6	6
355	Reactions of Stable -Chlorosulfanyl Chlorides with C ₁ –S-Functionalized Compounds. <i>Helvetica Chimica Acta</i> , 2003, 86, 2272-2283.	1.6	6
356	Regio- and Stereoselective 1,3-Oxathiolane Formation in the Reaction of Thiolactones with Optically Active Oxiranes. <i>Helvetica Chimica Acta</i> , 2004, 87, 2296-2309.	1.6	6
357	Reactions of Chlorosulfanyl Derivatives of Cyclobutanones with Different Nucleophiles. <i>Helvetica Chimica Acta</i> , 2006, 89, 1042-1061.	1.6	6
358	Reactions of \pm -Unsaturated Thioamides with Diazo Compounds. <i>Helvetica Chimica Acta</i> , 2006, 89, 2815-2824.	1.6	6
359	Thia- and selenaheterocycles by a four-component reaction using elemental sulfur and selenium. <i>Journal of Sulfur Chemistry</i> , 2006, 27, 181-191.	2.0	6
360	5-Morpholino-1,2,3,4-thatriazole as a Sulfur-Transfer Reagent in the Reactions with Thioketones. <i>Helvetica Chimica Acta</i> , 2007, 90, 594-600.	1.6	6

#	ARTICLE	IF	CITATIONS
361	Synthesis and Crystal Structure of 3,3,6,6-tetramethylmorpholine-2,5-dione, and Its 5-monothioxo and 2,5-dithioxo Derivatives. <i>Helvetica Chimica Acta</i> , 2010, 93, 2326-2346.	1.6	6
362	Reaction of Optically Active Oxiranes with Thiofenchone and 1-methylpyrrolidine-2-thione: Formation of 1,3-Oxathiolanes and Thiiranes. <i>Helvetica Chimica Acta</i> , 2011, 94, 773-784.	1.6	6
363	New 2H-Azirin-3-Amines as Synthons for Sulfur-Heterocyclic \pm -Amino Acids. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2013, 188, 441-445.	1.6	6
364	Unexpected Reaction Course of 3-amino-5-arylyl-1 <i>H</i> -pyrazoles with Dialkyl Dicyanofumarates. <i>Helvetica Chimica Acta</i> , 2013, 96, 633-643.	1.6	6
365	Synthesis of Z-Protected Aib and Phe(2Me)-Containing Pentapeptides and Their Crystal Structures. <i>Helvetica Chimica Acta</i> , 2014, 97, 619-645.	1.6	6
366	Synthesis of ferrocenyl- and hetaryl-substituted 2,2,2-trifluoroethanols and their conversion into 2,2,2-trifluoroethanethiols using Lawesson's reagent. <i>Journal of Fluorine Chemistry</i> , 2016, 188, 147-152.	1.7	6
367	Synthesis of hetaryl-substituted 1,2,4-trithiolanes via a three-component reaction with dihetaryl thioketones, benzyl azide, and 2,2,4,4-tetramethyl-3-thioxocyclobutanone. <i>Journal of Sulfur Chemistry</i> , 2016, 37, 14-22.	2.0	6
368	[3+2]-Cycloadditions of nitrilimines with heteroaryl thioketones. <i>Journal of Sulfur Chemistry</i> , 2017, 38, 604-613.	2.0	6
369	Organic and Coordination Chemistry of 1,2,4-trithiolanes. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 1867-1875.	2.4	6
370	A straightforward conversion of 1,4-quinones into polycyclic pyrazoles via [3 + 2]-cycloaddition with fluorinated nitrile imines. <i>Beilstein Journal of Organic Chemistry</i> , 2021, 17, 1509-1517.	2.2	6
371	3-Amino-2H-azirines, equivalents of \pm -disubstituted \pm -amino acids in the synthesis of heterocycles and peptides. , 1990, , 29-38.		6
372	4,4-Disubstituierte Imidazol-Derivate aus der Umsetzung von 3-Amino-2H-azirinen mit Salicylamid. <i>Helvetica Chimica Acta</i> , 1994, 77, 453-462.	1.6	5
373	Sulfur Transfer in A Three-Component System Including Phenyl Azide, Aromatic Thione and Sterically Crowded Tetramethylcyclobutanethione. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1994, 95, 355-357.	1.6	5
374	An unexpected transformation of benzyl carbamates into \pm -azidobenzeneacetamides. <i>Helvetica Chimica Acta</i> , 1997, 80, 2058-2065.	1.6	5
375	Exceptional Products of the Desulfurization of N,2-Diaryl-5-(arylimino)-2,5-dihydro-4-nitroisothiazol-3-amines. <i>Helvetica Chimica Acta</i> , 1999, 82, 238-260.	1.6	5
376	Trapping of a Thiocarbonyl Ylide with Imidazolethiones, Pyrimidinethione, and Thioamides. <i>Helvetica Chimica Acta</i> , 1999, 82, 290-296.	1.6	5
377	Unexpected Products from the Reaction of 2,2,4,4-Tetramethylcyclobutane-1,3-dione with the Maekosza Reagent. <i>Helvetica Chimica Acta</i> , 1999, 82, 1302-1310.	1.6	5
378	(\pm)-6-Benzyl-3,3-dimethylmorpholine-2,5-dione and its 5-monothio and 2,5-dithio derivatives. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 634-637.	0.4	5

#	ARTICLE	IF	CITATIONS
379	Conformational Analysis of the Cyclic Pentadepsipeptide Cyclo(Tro-Aib-Aib-Aib-Aib) in the Solid State and in Solution. <i>Helvetica Chimica Acta</i> , 2001, 84, 502-512.	1.6	5
380	Reactions of Dimethoxycarbene with <i>i>N</i>-Tosylated Imines. <i>Helvetica Chimica Acta</i>, 2007, 90, 2024-2036.</i>	1.6	5
381	Chemosselective insertion of dimethoxycarbene into the N --- H bond of thiolactams with diverse ring size. <i>Journal of Sulfur Chemistry</i> , 2009, 30, 278-286.	2.0	5
382	Synthesis of a Regular 24-membered Cyclodepsipeptide by Direct Amide Cyclization. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2009, 64, 689-698.	0.7	5
383	Reactions of Imidoyl Isoselenocyanates with Aromatic 2-Amino N-Heterocycles and 1-Methyl-1 <i>H</i> -imidazole. <i>Helvetica Chimica Acta</i> , 2011, 94, 1575-1585.	1.6	5
384	Chiral Imidazoles and Imidazole N-Oxides as Ligands for Stereoselective Cyclopropanation Reactions. <i>Letters in Organic Chemistry</i> , 2012, 9, 89-91.	0.5	5
385	Synthesis of optically active polyheterocycles containing pyrrolidine, imidazole, and 1,2,3-triazole rings. <i>Tetrahedron: Asymmetry</i> , 2015, 26, 1448-1452.	1.8	5
386	The unusual influence of hetaryl groups on the direct conversion of some secondary alcohols into thiols with Lawesson's reagent: elucidation of the reaction mechanism. <i>Journal of Sulfur Chemistry</i> , 2017, 38, 475-487.	2.0	5
387	Dialkyl dicyanofumarates and dicyanomaleates as versatile building blocks for synthetic organic chemistry and mechanistic studies. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 2235-2251.	2.2	5
388	The Fluoride Anion-Catalyzed Sulfurization of Thioketones with Elemental Sulfur Leading to Sulfur-Rich Heterocycles: First Sulfurization of Thiochalcones. <i>Molecules</i> , 2021, 26, 822.	3.8	5
389	Generation and [2+3] Cycloadditions of a Sulfonylated Thiocarbonyl S-Methanide. <i>Heterocycles</i> , 2005, 65, 1373.	0.7	5
390	A new approach to morpholin-2-one derivatives via the reaction of β^2 -amino alcohols with dicyanofumarates. <i>Arkivoc</i> , 2012, 2012, 181-192.	0.5	5
391	Reaction of N,N'-dimethyl-2-nitroethene-1, 1-diamine with Fe^{2+} -unsaturated acyl isothiocyanates: Preparation of 1,3-thiazin-4-one and 4-nitro-1,2-thiazol-5(2 <i>H</i>)-imine derivatives. <i>Helvetica Chimica Acta</i> , 1998, 81, 718-728.	1.6	4
392	Four bis(1-chloro-2,2,4,4-tetramethyl-3-oxocyclobutan-1-yl)oligosulfanes. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o480-o484.	0.4	4
393	A New 2 <i>H</i> -Azirin-3-amine as a Synthon for 2-Methylaspartate. <i>Helvetica Chimica Acta</i> , 2005, 88, 2951-2959.	1.6	4
394	Sulfur addition to aldimines: thioamides, not thiaziridines, as products; revision of an old report. <i>Journal of Sulfur Chemistry</i> , 2005, 26, 111-117.	2.0	4
395	Reaction of β^3 -Hydroxy-N-[1-(dimethylcarbamoyl)ethyl]butanamides under the "Direct Amide Cyclization" Conditions. <i>Helvetica Chimica Acta</i> , 2006, 89, 153-175.	1.6	4
396	Synthesis of 1,3,5-Triazineselones from Imidoyl Isoselenocyanates and Amidines. <i>Heterocycles</i> , 2012, 84, 493.	0.7	4

#	ARTICLE	IF	CITATIONS
397	New Optically Active Bis-Heterocycles Derived from (S)-Proline. <i>Helvetica Chimica Acta</i> , 2012, 95, 1521-1530.	1.6	4
398	Unexpected Course of the Reaction of 2-Unsubstituted 1 <i>H</i> -imidazole 3-Oxides with Ethyl Acrylate. <i>Helvetica Chimica Acta</i> , 2012, 95, 577-585.	1.6	4
399	Highly Constrained Linear Oligopeptides Containing Heterocyclic <i>H</i> -Amino Carboxylic Acids. <i>Helvetica Chimica Acta</i> , 2013, 96, 1714-1732.	1.6	4
400	Synthesis of optically active trifluoromethyl-substituted 2,3-dihydroimidazo[2,1- <i>b</i>]oxazoles. <i>Journal of Fluorine Chemistry</i> , 2016, 189, 1-6.	1.7	4
401	Unexpected course of the attempted conversions of ferrocenyl(hetaryl)methanols into thiols using Lawesson's reagent. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2017, 192, 732-736.	1.6	4
402	A convenient access to 1,2-diferrocenyl-substituted ethylenes via [3+2]-cycloelimination of 2-silylated 4,4,5,5-tetrasubstituted 1,3-dithiolanes. <i>Journal of Sulfur Chemistry</i> , 2018, 39, 516-524.	2.0	4
403	[3+2] Cycloadditions of N-Protected (S)-Diazoproline™ with Selected Acetylenes. <i>Heterocycles</i> , 2017, 95, 223.	0.7	4
404	Synthesis and Selected Transformations of 2-Unsubstituted Imidazole N-Oxides Using a Ball-Milling Mechanochemical Approach. <i>Catalysts</i> , 2022, 12, 589.	3.5	4
405	New Polycyclic Compounds from Photochemical Rearrangements of Some Substituted 2-Azatricyclo[5.2.2.01,5]undeca-4,8,10-trien-3-ones. <i>Helvetica Chimica Acta</i> , 1991, 74, 1011-1026.	1.6	3
406	1,3-Thiazolidine derivatives from regioselective [2+3]-cycloadditions of azomethine ylides with thioketones. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o250-o253.	0.4	3
407	Synthesis of Macroyclic Lactams from 2-(<i>N</i> -Aminoalkyl)-2-benzoylamino-3-phenyl-N,N-dimethylpropanamides via Direct Amide Cyclization. <i>Heterocycles</i> , 2009, 79, 985.	0.7	3
408	Synthesis of Cyclopentapeptides with Three to Five Aib Units. <i>Helvetica Chimica Acta</i> , 2015, 98, 232-244.	1.6	3
409	Lithium Diisopropylamide (LDA) as an Efficient Reducing Agent for Thioketones—Mechanistic Consideration. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 1281-1284.	1.6	3
410	Synthesis of Macroyclic Lactones <i>via</i> Ring Transformation of 4- <i>Hydroxyalkyl</i> -1,3-oxazolines. <i>Helvetica Chimica Acta</i> , 2016, 99, 523-538.	1.6	3
411	An unexpected reaction of diethyl phosphite with electron-deficient dialkyl dicyanofumarates. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2016, 191, 207-210.	1.6	3
412	Synthesis and Solid State Conformation of Tetrapeptide Amides Containing two Aib and two (<i>H</i> -Me)Phe Residues “Use of Enantiomerically Pure 2-Benzyl-2-methyl-2 <i>H</i> -azirin-3-amides as (<i>H</i> -Me)Phe Synthons. <i>Chemistry and Biodiversity</i> , 2020, 17, e2000246.	3	3
413	Chemo- and Stereoselectivity in 1,3-Dipolar Cycloadditions of Thiocarbonyl Ylides with a 1,4-Methanonaphthalene-5,8-dione Derivative. <i>Heterocycles</i> , 2003, 59, 767.	0.7	3
414	Reactions of a-Diazocamphor with Aromatic Thioketones. <i>Heterocycles</i> , 2006, 68, 33.	0.7	3

#	ARTICLE	IF	CITATIONS
415	Generation and Reactivity of a Silylated Thiocarbonyl S-Methylide. <i>Heterocycles</i> , 2007, 73, 419.	0.7	3
416	Bis(1-chloro-2,2,4,4-tetramethyl-3-oxocyclobutan-1-yl)pentasulfane: an occupancy modulated structure. <i>Acta Crystallographica Section B: Structural Science</i> , 2004, 60, 416-423.	1.8	2
417	Thermolysis of Imidates: A New Method for the Generation of Carbonyl Ylides. <i>Helvetica Chimica Acta</i> , 2007, 90, 2330-2341.	1.6	2
418	Reactions of 4-(Diethylamino)selenet-2(2H)-imine with Nucleophiles – Synthesis of 2-Methylen-3-oxobutane Selenoamides. <i>Letters in Organic Chemistry</i> , 2010, 7, 291-297.	0.5	2
419	N-Methyl-N-phenyl-5-oxa-1-azaspiro[2.5]oct-1-en-2-amine – Synthesis and Reactions of a Synthon for an Unknown $\text{L}\pm\text{Amino Acid}$. <i>Heterocycles</i> , 2010, 82, 1267.	0.7	2
420	Unexpected Insertion Reaction of Dimethoxycarbene with Imidazole-2(3 <i><sub>i</sub></i> H <i><sub>j</sub></i>)-thiones. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2010, 185, 1235-1242.	1.6	2
421	3-(2,6-Dimethylphenyl)-2-Selenoxo-1,3-Thiazolidin-4-One Suppresses Hydrogen Peroxide-Induced Cytotoxicity on PC12 Cells Via Activation of MAPK. <i>International Journal of Toxicology</i> , 2011, 30, 690-699.	1.2	2
422	Nucleophilic trifluoromethylation of aziridinyl ketones: A convenient access to fluorinated aziridinyl alcohols. <i>Journal of Fluorine Chemistry</i> , 2013, 156, 192-197.	1.7	2
423	A novel 2H-azirin-3-amine as a synthon for a sulfur-containing dipeptide segment. <i>Journal of Sulfur Chemistry</i> , 2014, 35, 14-23.	2.0	2
424	Chemosselective trifluoromethylation of the C N group of $\text{L}\pm\text{iminoketones}$ derived from arylglyoxals. <i>Journal of Fluorine Chemistry</i> , 2014, 168, 151-157.	1.7	2
425	Synthesis of Aib- and Phe(2Me)-Containing Cyclopentapeptides. <i>Helvetica Chimica Acta</i> , 2015, 98, 155-178.	1.6	2
426	Reactions of Diazomethanes with 5-Benzylidene-3-phenylrhodanine – A Computational Study. <i>Helvetica Chimica Acta</i> , 2016, 99, 110-115.	1.6	2
427	Application of diethyl ethynephosphonate for the synthesis of 3-phosphonylated L^2 -lactams via Kinugasa reaction. <i>Arkivoc</i> , 2017, 2017, 59-67.	0.5	2
428	cis-(6RS,13RS)-3,3,10,10-Tetramethyl-6,13-diphenyl-1,8-dioxa-4,11-diazacyclotetradecane-2,5,9,12-tetraone and two of its precursors. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2006, 62, o339-o343.	0.4	1
429	Transformation of 5-Hydroxy- to (5-Chloropentanoyl)amino Derivatives under $\text{C}\sim\text{Direct Amide Cyclization}$ Conditions. <i>Helvetica Chimica Acta</i> , 2006, 89, 352-359.	1.6	1
430	Crystal structure of (E)-1,2-diferrocenyl-1,2-bis(furan-2-yl)ethene. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 625-629.	0.5	1
431	Organische Photochemie im Spiegel von <i>Helvetica Chimica Acta</i> . , 0, , 829-916.	1	
432	Struktur und Mechanismus in der organischen Chemie im Spiegel von <i>Helvetica Chimica Acta</i> . , 0, , 63-141.	1	

#	ARTICLE	IF	CITATIONS
433	New Reactions of Sulfur-Centered 1,3-Dipoles Generated from Thioketones in Three-Component Reactions with Phenyl Azide and an Electron-Deficient Dipolarophile. Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 120, 463-464.	1.6	0
434	Dispiro[fluorene-9,5- α -[1,2,3,4]tetrathiane-6- β ,9- β -fluorene]. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 764-766.	0.4	0
435	2-(4-Chlorophenyl)-1,3-dicyano-6,7-dihydro-4-imino-9,10-dimethoxybenzo[a]quinolizine- α -water (2/5). Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, o122-o124.	0.4	0
436	1,3-Oxathiolanes from the Reaction of Aromatic and Enolized Thioketones with Monosubstituted Oxiranes.. ChemInform, 2003, 34, no.	0.0	0
437	Selenium-Containing Heterocycles from Isoselenocyanates: Synthesis of 1H-5-Selena-1,3,6-triazaanthrylene Derivatives.. ChemInform, 2004, 35, no.	0.0	0
438	Azirine/Oxindole Ring Enlargement via Amidinium Intermediates.. ChemInform, 2005, 36, no.	0.0	0
439	Regio- and Stereoselective Formation of 1,3-Oxathiolanes by Reactions of Thiocarbonyl Compounds with Oxiranes. ChemInform, 2005, 36, no.	0.0	0
440	Selenium-Containing Heterocycles from Isoselenocyanates: Cycloaddition of Carbodiimides to Selenazetidines.. ChemInform, 2005, 36, no.	0.0	0
441	Selenium-Containing Heterocycles From Isoselenocyanates: Synthesis of 1,3-Selenazolidine and Perhydro-1,3-selenazine Derivatives.. ChemInform, 2005, 36, no.	0.0	0
442	Synthesis of 2-Selenoxo-1,3-thiazolidin-4-ones and 2-Selenoxo-1,3-thiazinan-4-ones from Isoselenocyanates.. ChemInform, 2005, 36, no.	0.0	0
443	Di- and tripeptide segments of zervamicin II-2: Z-Thr(OBn)-Aib-N(Me)Ph and Z-Val-Aib-Hyp(OBn)-OMe. Acta Crystallographica Section C: Crystal Structure Communications, 2006, 62, o249-o252.	0.4	0
444	First Synthesis of a Selenazepane.. ChemInform, 2006, 37, no.	0.0	0
445	Institute of Organic Chemistry: 1983- α 2008. Chimia, 2008, 62, 114-121.	0.6	0
446	Reactions of (1,3,3-Trichloro-2,2,4,4-tetramethylcyclobutyl)sulfenyl Chloride with Some $\langle i \rangle S \langle /i \rangle$ - and $\langle i \rangle O \langle /i \rangle$ -Nucleophiles. Phosphorus, Sulfur and Silicon and the Related Elements, 2009, 184, 1314-1322.	1.6	0
447	Reactions with 4- α -Hydroxy- α -methylbutanilides: Unexpected Formation of a Cyclopropanecarboxamide. Helvetica Chimica Acta, 2011, 94, 28-37.	1.6	0
448	Towards New Imidazole-2-Thione-Based Organocatalysts; Sulfur Transfer Vs. Deoxygenation in the Reaction of Imidazole N-Oxides and Cycloaliphatic Thioketones. Phosphorus, Sulfur and Silicon and the Related Elements, 2013, 188, 469-472.	1.6	0
449	(S)-N-[(4-{(S)-1-[2-(4-Methoxybenzamido)-2-methylpropanoyl]pyrrolidine-2-carboxamido}-3,4,5,6-tetrahydro-2H-pyran-4-yl)carbonyl]prodimethyl sulfoxide monosolvate (4-MeBz-Aib-Pro-Thp-Pro-OH). Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o419-o420.	0.2	0
450	Front Cover: Dialkyl Dicyanofumarates as Oxidizing Reagents for the Conversion of Thiols into Disulfides and Selenols into Diselenides (Eur. J. Org. Chem. 46/2017). European Journal of Organic Chemistry, 2017, 2017, 6815-6815.	2.4	0

#	ARTICLE	IF	CITATIONS
451	Chemo- and regioselective [3 $\bar{\Delta}$ + $\bar{\Delta}$ 2]-cycloadditions of thiocarbonyl ylides: crystal structures of <math>\text{<i>trans</i>}</math>-8-benzoyl-1,1,3,3-tetramethyl-7-trifluoromethyl-5-thiaspiro[3.4]octan-2-one and <math>\text{<i>trans</i>}</math>-3-benzoyl-2,2-diphenyl-4-(trifluoromethyl)tetrahydrothiophene. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1705-1709.	0.5	0
452	Three-Membered Rings With Two Oxygen and/or Sulfur Atoms. , 2022, , 628-646.		0
453	Solid-state conformations of linear depsipeptide amides with an alternating sequence of $\text{L}\pm,\text{D}\pm$ -disubstituted $\text{L}\pm$ -amino acid and $\text{L}\pm$ -hydroxy acid. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2020, 76, 1-9.	0.5	0