

Jorge Silvio Gutkind

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4861394/publications.pdf>

Version: 2024-02-01

549
papers

56,089
citations

797

122
h-index

1919

214
g-index

574
all docs

574
docs citations

574
times ranked

61030
citing authors

#	ARTICLE	IF	CITATIONS
1	Microneedle-mediated Intratumoral Delivery of Anti-CTLA-4 Promotes cDC1-dependent Eradication of Oral Squamous Cell Carcinoma with Limited irAEs. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 616-624.	1.9	20
2	Angiopoietin-2-induced lymphatic endothelial cell migration drives lymphangiogenesis via the \hat{I}^21 integrin-RhoA-formin axis. <i>Angiogenesis</i> , 2022, 25, 373-396.	3.7	14
3	Transcriptional repression of estrogen receptor alpha by YAP reveals the Hippo pathway as therapeutic target for ER+ breast cancer. <i>Nature Communications</i> , 2022, 13, 1061.	5.8	55
4	Genomic Hippo Pathway Alterations and Persistent YAP/TAZ Activation: New Hallmarks in Head and Neck Cancer. <i>Cells</i> , 2022, 11, 1370.	1.8	15
5	Focal Adhesion Kinase (FAK)-Hippo/YAP transduction signaling mediates the stimulatory effects exerted by S100A8/A9-RAGE system in triple-negative breast cancer (TNBC). <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, .	3.5	20
6	Structural/functional studies of Trio provide insights into its configuration and show that conserved linker elements enhance its activity for Rac1. <i>Journal of Biological Chemistry</i> , 2022, 298, 102209.	1.6	1
7	Monomethyl auristatin antibody and peptide drug conjugates for trimodal cancer chemo-radio-immunotherapy. <i>Nature Communications</i> , 2022, 13, .	5.8	14
8	Detecting cancer metastasis and accompanying protein biomarkers at single cell levels using a 3D-printed microfluidic immunoarray. <i>Biosensors and Bioelectronics</i> , 2021, 171, 112681.	5.3	43
9	Focal Adhesion Kinase Fine Tunes Multifaced Signals toward Breast Cancer Progression. <i>Cancers</i> , 2021, 13, 645.	1.7	29
10	Cancer-associated fibroblast secretion of PDGFC promotes gastrointestinal stromal tumor growth and metastasis. <i>Oncogene</i> , 2021, 40, 1957-1973.	2.6	22
11	Synthetic Lethal Screens Reveal Cotargeting FAK and MEK as a Multimodal Precision Therapy for $\langle i \rangle$ GNAQ $\langle /i \rangle$ -Driven Uveal Melanoma. <i>Clinical Cancer Research</i> , 2021, 27, 3190-3200.	3.2	35
12	Insights into epithelial cell senescence from transcriptome and secretome analysis of human oral keratinocytes. <i>Aging</i> , 2021, 13, 4747-4777.	1.4	13
13	The anti-tumour activity of DNA methylation inhibitor 5-aza-2 $\hat{e}2$ -deoxycytidine is enhanced by the common analgesic paracetamol through induction of oxidative stress. <i>Cancer Letters</i> , 2021, 501, 172-186.	3.2	10
14	Disruption of the HER3-PI3K-mTOR oncogenic signaling axis and PD-1 blockade as a multimodal precision immunotherapy in head and neck cancer. <i>Nature Communications</i> , 2021, 12, 2383.	5.8	39
15	\hat{G}^{\pm} $\langle sub \rangle s \langle /sub \rangle$ Directly Drives PDZ \hat{e} RhoGEF Signaling to Cdc42. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
16	Clinical trial in progress: Phase II trial of defactinib (VS-6063) combined with VS-6766 (CH5126766) in patients with metastatic uveal melanoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, TPS9588-TPS9588.	0.8	2
17	Calcium signaling induces a partial EMT. <i>EMBO Reports</i> , 2021, 22, e51872.	2.0	33
18	Inhibition of mTOR signaling and clinical activity of metformin in oral premalignant lesions. <i>JCI Insight</i> , 2021, 6, .	2.3	29

#	ARTICLE	IF	CITATIONS
19	A protein network map of head and neck cancer reveals PIK3CA mutant drug sensitivity. <i>Science</i> , 2021, 374, eabf2911.	6.0	37
20	Interpretation of cancer mutations using a multiscale map of protein systems. <i>Science</i> , 2021, 374, eabf3067.	6.0	29
21	Protein Kinase A (PKA) Pathway Signalopathies: The Emerging Genetic Landscape and Therapeutic Potential of Human Diseases Driven by Aberrant Gs-PKA Signaling. <i>Pharmacological Reviews</i> , 2021, 73, 1326-1368.	7.1	27
22	EGFR Regulates the Hippo pathway by promoting the tyrosine phosphorylation of MOB1. <i>Communications Biology</i> , 2021, 4, 1237.	2.0	20
23	Establishment of a novel cancer cell line derived from vulvar carcinoma associated with lichen sclerosus exhibiting a fibroblast-dependent tumorigenic potential. <i>Experimental Cell Research</i> , 2020, 386, 111684.	1.2	6
24	Phase 1 dose-finding study of metformin in combination with concurrent cisplatin and radiotherapy in patients with locally advanced head and neck squamous cell cancer. <i>Cancer</i> , 2020, 126, 354-362.	2.0	30
25	Activation of G-Protein Coupled Receptor-G12 Signaling Increases Keratinocyte Proliferation and Reduces Differentiation, Leading to Epidermal Hyperplasia. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1195-1203.e3.	0.3	4
26	G12 directly drives PDZ-RhoGEF signaling to Cdc42. <i>Journal of Biological Chemistry</i> , 2020, 295, 16920-16928.	1.6	15
27	G Protein-Coupled receptors and heterotrimeric G proteins as cancer drivers. <i>FEBS Letters</i> , 2020, 594, 4201-4232.	1.3	82
28	Unleashing Immunotherapy by Targeting Cancer Stem Cells. <i>Cell Stem Cell</i> , 2020, 27, 187-189.	5.2	13
29	Tipifarnib as a Precision Therapy for HRAS-Mutant Head and Neck Squamous Cell Carcinomas. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 1784-1796.	1.9	72
30	Splicing, Mutation, and Methylation Alterations Drive Gene Expression in HPV-OPC more than Copy Number Variation: A Network Propagation Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 1185.	0.4	0
31	HPV E2, E4, E5 drive alternative carcinogenic pathways in HPV positive cancers. <i>Oncogene</i> , 2020, 39, 6327-6339.	2.6	48
32	CD40 Agonist Combined with Radiation and PD-1 Blockade Enhances Development Of Systemic Tumor-Specific B-Cells And B-Cell Memory. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 108, e560.	0.4	1
33	Pathway-Specific Genome Editing of PI3K/mTOR Tumor Suppressor Genes Reveals that PTEN Loss Contributes to Cetuximab Resistance in Head and Neck Cancer. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 1562-1571.	1.9	17
34	Anti-angiogenic effects of VEGF stimulation on endothelium deficient in phosphoinositide recycling. <i>Nature Communications</i> , 2020, 11, 1204.	5.8	16
35	Muscarinic receptors promote castration-resistant growth of prostate cancer through a FAK-YAP signaling axis. <i>Oncogene</i> , 2020, 39, 4014-4027.	2.6	23
36	B Cells Improve Overall Survival in HPV-Associated Squamous Cell Carcinomas and Are Activated by Radiation and PD-1 Blockade. <i>Clinical Cancer Research</i> , 2020, 26, 3345-3359.	3.2	117

#	ARTICLE	IF	CITATIONS
37	GPCRs in head and neck squamous cell carcinoma. , 2020, , 317-334.		1
38	Nonmuscle myosin 2 regulates cortical stability during sprouting angiogenesis. Molecular Biology of the Cell, 2020, 31, 1974-1987.	0.9	10
39	Cannabinoids Promote Progression of HPV-Positive Head and Neck Squamous Cell Carcinoma via p38 MAPK Activation. Clinical Cancer Research, 2020, 26, 2693-2703.	3.2	52
40	Redirecting extracellular proteases to molecularly guide radiosensitizing drugs to tumors. Biomaterials, 2020, 248, 120032.	5.7	14
41	IGF-1/IGF-1R/FAK/YAP Transduction Signaling Prompts Growth Effects in Triple-Negative Breast Cancer (TNBC) Cells. Cells, 2020, 9, 1010.	1.8	58
42	mTOR inhibitor use in head and neck squamous cell carcinoma: A meta-analysis on survival, tumor response, and toxicity. Laryngoscope Investigative Otolaryngology, 2020, 5, 243-255.	0.6	14
43	HPV16 E5 Mediates Resistance to PD-L1 Blockade and Can Be Targeted with Rimantadine in Head and Neck Cancer. Cancer Research, 2020, 80, 732-746.	0.4	36
44	Development and optimization of orthotopic liver metastasis xenograft mouse models in uveal melanoma. Journal of Translational Medicine, 2020, 18, 208.	1.8	18
45	Aberrant expression of CPSF1 promotes head and neck squamous cell carcinoma via regulating alternative splicing. PLoS ONE, 2020, 15, e0233380.	1.1	13
46	G protein-regulated endocytic trafficking of adenylyl cyclase type 9. ELife, 2020, 9, .	2.8	35
47	Abstract IA08: Regulation of YAP by tyrosine phosphorylation of core Hippo pathway components: Lessons learned from the GNAQ oncogene and FAK. , 2020, , .		0
48	Abstract 6406: FAK and MEK co-targeting: A new multimodal precision therapy for GNAQ-driven uveal melanoma. , 2020, , .		0
49	Abstract LB-386: Novel multimodal precision immunotherapy by co-targeting the HER3 oncogenic signaling circuitry and PD-1 for head and neck squamous cell carcinoma. , 2020, , .		0
50	G1s (GNAS) suppression of the p53 genomic stability checkpoint unleashes RAS driven oncogenesis. FASEB Journal, 2020, 34, 1-1.	0.2	0
51	Sema3F Suppresses Tumor Initiation Through Alteration of the Immunological Tumor Microenvironment. FASEB Journal, 2020, 34, 1-1.	0.2	0
52	436 Rational sequencing of immune-oncology therapies achieves durable response and immunologic memory. , 2020, , .		0
53	Endothelial RhoA GTPase is essential for in vitro endothelial functions but dispensable for physiological in vivo angiogenesis. Scientific Reports, 2019, 9, 11666.	1.6	38
54	Metformin Inhibits Progression of Head and Neck Squamous Cell Carcinoma by Acting Directly on Carcinoma-Initiating Cells. Cancer Research, 2019, 79, 4360-4370.	0.4	29

#	ARTICLE	IF	CITATIONS
55	Beyond Synthetic Lethality: Charting the Landscape of Pairwise Gene Expression States Associated with Survival in Cancer. <i>Cell Reports</i> , 2019, 28, 938-948.e6.	2.9	29
56	Rare, functional, somatic variants in gene families linked to cancer genes: GPCR signaling as a paradigm. <i>Oncogene</i> , 2019, 38, 6491-6506.	2.6	20
57	Effects of palbociclib on oral squamous cell carcinoma and the role of PIK3CA in conferring resistance. <i>Cancer Biology and Medicine</i> , 2019, 16, 264.	1.4	24
58	Cryo-electron microscopy structure and analysis of the P-Rex1-G12 β signaling scaffold. <i>Science Advances</i> , 2019, 5, eaax8855.	4.7	28
59	Oral Cancer: Integration of Studies for Diagnostic and Therapeutic Precision. <i>Advances in Dental Research</i> , 2019, 30, 45-49.	3.6	13
60	cAMP-dependent activation of the Rac guanine exchange factor P-REX1 by type I protein kinase A (PKA) regulatory subunits. <i>Journal of Biological Chemistry</i> , 2019, 294, 2232-2246.	1.6	17
61	Illuminating the Onco-GPCRome: Novel G protein-coupled receptor-driven oncocrine networks and targets for cancer immunotherapy. <i>Journal of Biological Chemistry</i> , 2019, 294, 11062-11086.	1.6	129
62	Illuminating G-Protein-Coupling Selectivity of GPCRs. <i>Cell</i> , 2019, 177, 1933-1947.e25.	13.5	387
63	PRECOC: PREDicting COupling probabilities of G-protein coupled receptors. <i>Nucleic Acids Research</i> , 2019, 47, W395-W401.	6.5	20
64	SOX2 Epidermal Overexpression Promotes Cutaneous Wound Healing via Activation of EGFR/MEK/ERK Signaling Mediated by EGFR Ligands. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1809-1820.e8.	0.3	33
65	4E-BP1 Is a Tumor Suppressor Protein Reactivated by mTOR Inhibition in Head and Neck Cancer. <i>Cancer Research</i> , 2019, 79, 1438-1450.	0.4	54
66	Direct targeting of G12 _q and G11 oncoproteins in cancer cells. <i>Science Signaling</i> , 2019, 12, .	1.6	84
67	Genome-wide prediction of synthetic rescue mediators of resistance to targeted and immunotherapy. <i>Molecular Systems Biology</i> , 2019, 15, e8323.	3.2	25
68	Immune Modulation of Head and Neck Squamous Cell Carcinoma and the Tumor Microenvironment by Conventional Therapeutics. <i>Clinical Cancer Research</i> , 2019, 25, 4211-4223.	3.2	85
69	Structure of the C-terminal guanine nucleotide exchange factor module of Trio in an autoinhibited conformation reveals its oncogenic potential. <i>Science Signaling</i> , 2019, 12, .	1.6	21
70	A Platform of Synthetic Lethal Gene Interaction Networks Reveals that the GNAQ Uveal Melanoma Oncogene Controls the Hippo Pathway through FAK. <i>Cancer Cell</i> , 2019, 35, 457-472.e5.	7.7	169
71	Targeting mTOR in Head and Neck Cancer Response. <i>Clinical Cancer Research</i> , 2019, 25, 6555-6555.	3.2	1
72	Syngeneic animal models of tobacco-associated oral cancer reveal the activity of in situ anti-CTLA-4. <i>Nature Communications</i> , 2019, 10, 5546.	5.8	98

#	ARTICLE	IF	CITATIONS
73	Metformin Is Associated With Reduced Odds for Colorectal Cancer Among Persons With Diabetes. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00092.	1.3	15
74	G12/3 signaling to the chemotactic effector P-REX1 and mammalian cell migration is directly regulated by G1q and G13 proteins. <i>Journal of Biological Chemistry</i> , 2019, 294, 531-546.	1.6	27
75	Inhibition of mTOR Signaling and Clinical Activity of Rapamycin in Head and Neck Cancer in a Window of Opportunity Trial. <i>Clinical Cancer Research</i> , 2019, 25, 1156-1164.	3.2	66
76	Development of a yeast-based system to identify new hBRAFV600E functional interactors. <i>Oncogene</i> , 2019, 38, 1355-1366.	2.6	8
77	Crystal Structure of the C-terminal Guanine Exchange Factor Module of Trio Reveals its Oncogenic Potential. <i>FASEB Journal</i> , 2019, 33, 668.1.	0.2	0
78	Abstract LB-149: Genome-wide prediction of synthetic rescue mediators of resistance to targeted and immunotherapy. , 2019, , .		0
79	GENIPAC: A Genomic Information Portal for Head and Neck Cancer Cell Systems. <i>Journal of Dental Research</i> , 2018, 97, 909-916.	2.5	6
80	Expression of an active G1 mutant in skeletal stem cells is sufficient and necessary for fibrous dysplasia initiation and maintenance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E428-E437.	3.3	43
81	The NOTCH4-HEY1 Pathway Induces Epithelial-Mesenchymal Transition in Head and Neck Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 619-633.	3.2	63
82	Analysis of Anti-Tumor Immune Responses with Radiation Combined with Anti-PD-L1 Immunotherapy in an HPV Specific Head & Neck Cancer Model.. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, S153.	0.4	0
83	GNASR201C Induces Pancreatic Cystic Neoplasms in Mice That Express Activated KRAS by Inhibiting YAP1 Signaling. <i>Gastroenterology</i> , 2018, 155, 1593-1607.e12.	0.6	61
84	Head and Neck Cancer in the New Era of Precision Medicine. <i>Journal of Dental Research</i> , 2018, 97, 601-602.	2.5	35
85	Transcriptional signature primes human oral mucosa for rapid wound healing. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	167
86	Assembly and activation of the Hippo signalome by FAT1 tumor suppressor. <i>Nature Communications</i> , 2018, 9, 2372.	5.8	119
87	Arrestins as rheostats of GPCR signalling. <i>Nature Reviews Molecular Cell Biology</i> , 2018, 19, 615-616.	16.1	44
88	The homozygous CX3CR1-M280 mutation impairs human monocyte survival. <i>JCI Insight</i> , 2018, 3, .	2.3	25
89	GNAS -PKA Oncosignaling Network in Colorectal Cancer. <i>FASEB Journal</i> , 2018, 32, 695.9.	0.2	2
90	A phase I dose-finding study of metformin in combination with concurrent cisplatin and radiation in patients with locally advanced head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 6074-6074.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Abstract 3320: Discovery and development of DNA methylation biomarkers in human papillomavirus related oropharyngeal squamous cell carcinoma. , 2018, , .		0
92	Abstract 968: Targeting FAK inhibits YAP-dependent tumor growth in uveal melanoma. , 2018, , .		0
93	Abstract 4985: M4OC-Prevent: Clinical evaluation of metformin for oral cancer precision prevention. Cancer Research, 2018, 78, 4985-4985.	0.4	1
94	Interaction Landscape of Inherited Polymorphisms with Somatic Events in Cancer. Cancer Discovery, 2017, 7, 410-423.	7.7	121
95	E1a is an exogenous in vivo tumour suppressor. Cancer Letters, 2017, 399, 74-81.	3.2	9
96	Emerging Cancer Biomarkers for HNSCC Detection and Therapeutic Intervention. , 2017, , 281-308.		1
97	Genetic variants affecting equivalent protein family positions reflect human diversity. Scientific Reports, 2017, 7, 12771.	1.6	8
98	mTOR co-targeting strategies for head and neck cancer therapy. Cancer and Metastasis Reviews, 2017, 36, 491-502.	2.7	46
99	A Novel Functional Splice Variant of <i>AKT3</i> Defined by Analysis of Alternative Splice Expression in HPV-Positive Oropharyngeal Cancers. Cancer Research, 2017, 77, 5248-5258.	0.4	41
100	The Next Frontier: Head and Neck Cancer Immunoprevention. Cancer Prevention Research, 2017, 10, 681-683.	0.7	9
101	Genetic evidence that β^2 -arrestins are dispensable for the initiation of β^2 -adrenergic receptor signaling to ERK. Science Signaling, 2017, 10, .	1.6	155
102	Onco-GPCR signaling and dysregulated expression of microRNAs in human cancer. Journal of Human Genetics, 2017, 62, 87-96.	1.1	18
103	Epidermal loss of β confers a migratory and differentiation defect in keratinocytes. PLoS ONE, 2017, 12, e0173692.	1.1	8
104	Using Heterologous COS-7 Cells to Identify Semaphorin-Signaling Components. Methods in Molecular Biology, 2017, 1493, 163-170.	0.4	4
105	Targeting the mTOR Signaling Circuitry in Head and Neck Cancer. , 2017, , 163-181.		1
106	Integrative computational analysis of transcriptional and epigenetic alterations implicates <i>DTX1</i> as a putative tumor suppressor gene in HNSCC. Oncotarget, 2017, 8, 15349-15363.	0.8	16
107	A synthetic-lethality RNAi screen reveals an ERK-mTOR co-targeting pro-apoptotic switch in <i>PIK3CA</i> + oral cancers. Oncotarget, 2016, 7, 10696-10709.	0.8	19
108	Phase II trial of everolimus in patients with previously treated recurrent or metastatic head and neck squamous cell carcinoma. Head and Neck, 2016, 38, 1759-1764.	0.9	50

#	ARTICLE	IF	CITATIONS
109	Signals and Receptors. Cold Spring Harbor Perspectives in Biology, 2016, 8, a005900.	2.3	98
110	WNT Stimulation Dissociates a Frizzled 4 Inactive-State Complex with G α 12/13. Molecular Pharmacology, 2016, 90, 447-459.	1.0	33
111	LAG-3 confers poor prognosis and its blockade reshapes antitumor response in head and neck squamous cell carcinoma. Oncoimmunology, 2016, 5, e1239005.	2.1	108
112	mTOR inhibition prevents rapid-onset of carcinogen-induced malignancies in a novel inducible HPV-16 E6/E7 mouse model. Carcinogenesis, 2016, 37, 1014-1025.	1.3	35
113	NOTCH1 inhibition enhances the efficacy of conventional chemotherapeutic agents by targeting head neck cancer stem cell. Scientific Reports, 2016, 6, 24704.	1.6	76
114	Liver kinase B1 regulates hepatocellular tight junction distribution and function in vivo. Hepatology, 2016, 64, 1317-1329.	3.6	45
115	Unraveling the oral cancer lncRNAome: Identification of novel lncRNAs associated with malignant progression and HPV infection. Oral Oncology, 2016, 59, 58-66.	0.8	77
116	PI3K pathway is involved in ERK signaling cascade activation by histamine H2R agonist in HEK293T cells. Biochimica Et Biophysica Acta - General Subjects, 2016, 1860, 1998-2007.	1.1	10
117	Temporal-specific roles of Rac1 during vascular development and retinal angiogenesis. Developmental Biology, 2016, 411, 183-194.	0.9	40
118	Combined image guided monitoring the pharmacokinetics of rapamycin loaded human serum albumin nanoparticles with a split luciferase reporter. Nanoscale, 2016, 8, 3991-4000.	2.8	16
119	Erlotinib and the Risk of Oral Cancer. JAMA Oncology, 2016, 2, 209.	3.4	111
120	Inactivating mutations in GNA13 and RHOA in Burkitt's lymphoma and diffuse large B-cell lymphoma: a tumor suppressor function for the G13/RhoA axis in B cells. Oncogene, 2016, 35, 3771-3780.	2.6	66
121	Circulating Fibroblast Growth Factor-2, HIV-Tat, and Vascular Endothelial Cell Growth Factor-A in HIV-Infected Children with Renal Disease Activate Rho-A and Src in Cultured Renal Endothelial Cells. PLoS ONE, 2016, 11, e0153837.	1.1	25
122	Activation of the orphan receptor GPR55 by lysophosphatidylinositol promotes metastasis in triple-negative breast cancer. Oncotarget, 2016, 7, 47565-47575.	0.8	40
123	Prevention of irradiation-induced salivary hypofunction by rapamycin in swine parotid glands. Oncotarget, 2016, 7, 20271-20281.	0.8	25
124	Genetically-defined novel oral squamous cell carcinoma cell lines for the development of molecular therapies. Oncotarget, 2016, 7, 27802-27818.	0.8	46
125	A phase I study of metformin in combination with cisplatin and radiation in locally advanced head and neck squamous cell carcinoma.. Journal of Clinical Oncology, 2016, 34, TPS6109-TPS6109.	0.8	0
126	Abstract 1936: Comprehensive long non-coding RNA expression profiling from the TCGA HNSCC RNA-sequencing data. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
127	Biology of advanced uveal melanoma and next steps for clinical therapeutics. <i>Pigment Cell and Melanoma Research</i> , 2015, 28, 135-147.	1.5	81
128	Voltage-gated Na ⁺ Channel Activity Increases Colon Cancer Transcriptional Activity and Invasion Via Persistent MAPK Signaling. <i>Scientific Reports</i> , 2015, 5, 11541.	1.6	75
129	PD-1 blockade attenuates immunosuppressive myeloid cells due to inhibition of CD47/SIRP α axis in HPV negative head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 42067-42080.	0.8	95
130	Polymeric Nanovehicle Regulated Spatiotemporal Real-Time Imaging of the Differentiation Dynamics of Transplanted Neural Stem Cells after Traumatic Brain Injury. <i>ACS Nano</i> , 2015, 9, 6683-6695.	7.3	31
131	Genetic Identification of <i>SEMA3F</i> as an Antilymphangiogenic Metastasis Suppressor Gene in Head and Neck Squamous Carcinoma. <i>Cancer Research</i> , 2015, 75, 2937-2948.	0.4	38
132	Dermatomyositis paraneoplastic syndrome before symptomatic tonsillar squamous cell carcinoma: A case report. <i>Head and Neck</i> , 2015, 37, E1-3.	0.9	7
133	Fluorescent, Bioactive Protein Nanoparticles (Prodots) for Rapid, Improved Cellular Uptake. <i>Bioconjugate Chemistry</i> , 2015, 26, 396-404.	1.8	17
134	Prevention of Tumor Growth Driven by <i>PIK3CA</i> and HPV Oncogenes by Targeting mTOR Signaling with Metformin in Oral Squamous Carcinomas Expressing OCT3. <i>Cancer Prevention Research</i> , 2015, 8, 197-207.	0.7	49
135	An interplay between the p38 MAPK pathway and AUBPs regulates <i>c-fos</i> mRNA stability during mitogenic stimulation. <i>Biochemical Journal</i> , 2015, 467, 77-90.	1.7	19
136	RhoA and ROCK mediate histamine-induced vascular leakage and anaphylactic shock. <i>Nature Communications</i> , 2015, 6, 6725.	5.8	141
137	Levels of sirolimus in saliva and blood following oral topical sustained-release varnish delivery system application. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 969-974.	1.1	8
138	Inactivation of a G β -PKA tumour suppressor pathway in skin stem cells initiates basal-cell carcinogenesis. <i>Nature Cell Biology</i> , 2015, 17, 793-803.	4.6	134
139	Non-hematopoietic PAR-2 is essential for matriptase-driven pre-malignant progression and potentiation of ras-mediated squamous cell carcinogenesis. <i>Oncogene</i> , 2015, 34, 346-356.	2.6	53
140	SDF α /CXCL12 induces directional cell migration and spontaneous metastasis via a CXCR4/G β /mTORC1 axis. <i>FASEB Journal</i> , 2015, 29, 1056-1068.	0.2	64
141	Engineered Mesenchymal Stem Cells with Enhanced Tropism and Paracrine Secretion of Cytokines and Growth Factors to Treat Traumatic Brain Injury. <i>Stem Cells</i> , 2015, 33, 456-467.	1.4	74
142	Cross talk between the bombesin neuropeptide receptor and Sonic hedgehog pathways in small cell lung carcinoma. <i>Oncogene</i> , 2015, 34, 1679-1687.	2.6	31
143	Kaposi sarcoma-associated herpesvirus promotes tumorigenesis by modulating the Hippo pathway. <i>Oncogene</i> , 2015, 34, 3536-3546.	2.6	64
144	A pilot, single arm, prospective trial using neoadjuvant rapamycin prior to definitive therapy in head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2015, 33, 6071-6071.	0.8	7

#	ARTICLE	IF	CITATIONS
145	MKP1 mediates chemosensitizer effects of E1a in response to cisplatin in non-small cell lung carcinoma cells. <i>Oncotarget</i> , 2015, 6, 44095-44107.	0.8	11
146	Targeting the PI3K-mTOR Signaling Circuitry in HPV-Associated Oral Malignancies: Novel Precision Molecular Therapies. , 2015, , 153-169.		0
147	Abstract 2059: Novel roles for GNA13 and RHOA as tumor suppressor genes. , 2015, , .		0
148	Abstract 3249: Recurrent 3p21 deletion in head and neck squamous cell carcinoma identifies SEMA3F as an anti-lymphangiogenic metastasis suppressor gene. , 2015, , .		0
149	Sonic Hedgehog in SCLC. <i>Aging</i> , 2015, 7, 605-606.	1.4	4
150	LKB1/AMPK and PKA Control ABCB11 Trafficking and Polarization in Hepatocytes. <i>PLoS ONE</i> , 2014, 9, e91921.	1.1	44
151	mTOR Co-Targeting in Cetuximab Resistance in Head and Neck Cancers Harboring PIK3CA and RAS Mutations. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	109
152	Impairing squamous differentiation by Klf4 deletion is sufficient to initiate tongue carcinoma development upon K- Ras activation in mice. <i>Carcinogenesis</i> , 2014, 35, 662-669.	1.3	28
153	A Systems Genetics Approach Identifies CXCL14, ITGAX, and LPCAT2 as Novel Aggressive Prostate Cancer Susceptibility Genes. <i>PLoS Genetics</i> , 2014, 10, e1004809.	1.5	68
154	The Basic Domain of HIV-Tat Transactivating Protein Is Essential for Its Targeting to Lipid Rafts and Regulating Fibroblast Growth Factor-2 Signaling in Podocytes Isolated from Children with HIV-1-associated Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1800-1813.	3.0	29
155	Somatic Mutation of GRIN2A in Malignant Melanoma Results in Loss of Tumor Suppressor Activity via Aberrant NMDAR Complex Formation. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2390-2398.	0.3	26
156	Structural and Biochemical Basis for Ubiquitin Ligase Recruitment by Arrestin-related Domain-containing Protein-3 (ARRDC3). <i>Journal of Biological Chemistry</i> , 2014, 289, 4743-4752.	1.6	65
157	Cholecystokinin Receptor Antagonist Halts Progression of Pancreatic Cancer Precursor Lesions and Fibrosis in Mice. <i>Pancreas</i> , 2014, 43, 1050-1059.	0.5	36
158	Levels of sirolimus in saliva and blood following mouthwash application. <i>Oral Diseases</i> , 2014, 20, 768-772.	1.5	10
159	Novel insights into G protein and G protein-coupled receptor signaling in cancer. <i>Current Opinion in Cell Biology</i> , 2014, 27, 126-135.	2.6	252
160	Brag2 differentially regulates β 1- and β 3-integrin-dependent adhesion in endothelial cells and is involved in developmental and pathological angiogenesis. <i>Basic Research in Cardiology</i> , 2014, 109, 404.	2.5	20
161	Stable SET knockdown in head and neck squamous cell carcinoma promotes cell invasion and the mesenchymal-like phenotype in vitro, as well as necrosis, cisplatin sensitivity and lymph node metastasis in xenograft tumor models. <i>Molecular Cancer</i> , 2014, 13, 32.	7.9	57
162	Targeted Therapeutic Nanotubes Influence the Viscoelasticity of Cancer Cells to Overcome Drug Resistance. <i>ACS Nano</i> , 2014, 8, 4177-4189.	7.3	68

#	ARTICLE	IF	CITATIONS
163	Insights into β -adrenergic receptor binding from structures of the N-terminal lobe of β 1-ARRDC3. <i>Protein Science</i> , 2014, 23, 1708-1716.	3.1	13
164	A role for p38 MAPK in head and neck cancer cell growth and tumor-induced angiogenesis and lymphangiogenesis. <i>Molecular Oncology</i> , 2014, 8, 105-118.	2.1	102
165	Melanoma cell lysate induces CCR7 expression and <i>in vivo</i> migration to draining lymph nodes of therapeutic human dendritic cells. <i>Immunology</i> , 2014, 142, 396-405.	2.0	20
166	Hippo-Independent Activation of YAP by the GNAQ Uveal Melanoma Oncogene through a Trio-Regulated Rho GTPase Signaling Circuitry. <i>Cancer Cell</i> , 2014, 25, 831-845.	7.7	471
167	Accumulation of dephosphorylated 4EBP after mTOR inhibition with rapamycin is sufficient to disrupt paracrine transformation by the KSHV vGPCR oncogene. <i>Oncogene</i> , 2014, 33, 2405-2412.	2.6	20
168	The Wnt/ β -catenin Signaling Circuitry in Head and Neck Cancer. , 2014, , 199-214.		1
169	The head and neck cancer cell oncogenome: a platform for the development of precision molecular therapies. <i>Oncotarget</i> , 2014, 5, 8906-8923.	0.8	176
170	Heterotrimeric G-protein alpha-12 (G_{i2}) subunit promotes oral cancer metastasis. <i>Oncotarget</i> , 2014, 5, 9626-9640.	0.8	26
171	Oncotargeting G proteins: The Hippo in the room. <i>Oncotarget</i> , 2014, 5, 10997-10999.	0.8	14
172	Abstract LB-243: Targeting the PI3K-mTOR signaling with metformin for the prevention of HPV-associated malignancies in HIV- and HIV+ individuals. , 2014, , .		0
173	Abstract 1260: CP-31398 prevents the progression of oral squamous cell carcinomas from carcinogen-induced premalignant lesions. , 2014, , .		0
174	Abstract 4050: A central role for mTORC1 in CXCR4-mediated directional migration and metastasis. , 2014, , .		0
175	Agonist-induced Ca^{2+} Sensitization in Smooth Muscle. <i>Journal of Biological Chemistry</i> , 2013, 288, 34030-34040.	1.6	21
176	Exploiting PI3K/mTOR signaling to accelerate epithelial wound healing. <i>Oral Diseases</i> , 2013, 19, 551-558.	1.5	78
177	A Genome-wide RNAi Screen Reveals a Trio-Regulated Rho GTPase Circuitry Transducing Mitogenic Signals Initiated by G Protein-Coupled Receptors. <i>Molecular Cell</i> , 2013, 49, 94-108.	4.5	131
178	DSG3 as a biomarker for the ultrasensitive detection of occult lymph node metastasis in oral cancer using nanostructured immunoarrays. <i>Oral Oncology</i> , 2013, 49, 93-101.	0.8	31
179	PTEN Deficiency Contributes to the Development and Progression of Head and Neck Cancer. <i>Neoplasia</i> , 2013, 15, 461-471.	2.3	111
180	Variable Cellular Conduct of Photonic Carbon Nano-Dots. <i>Biophysical Journal</i> , 2013, 104, 514a.	0.2	0

#	ARTICLE	IF	CITATIONS
181	Improved Clearance during Treatment of HPV-Positive Head and Neck Cancer through mTOR Inhibition. <i>Neoplasia</i> , 2013, 15, 620-628.	2.3	32
182	Control of the epithelial stem cell epigenome: the shaping of epithelial stem cell identity. <i>Current Opinion in Cell Biology</i> , 2013, 25, 162-169.	2.6	28
183	Epigenetics, noncoding RNAs, and cell signaling—crossroads in the regulation of cell fate decisions. <i>Current Opinion in Cell Biology</i> , 2013, 25, 149-151.	2.6	5
184	Heparin inhibits angiotensin II-induced vasoconstriction on isolated mouse mesenteric resistance arteries through Rho-A- and PKA-dependent pathways. <i>Vascular Pharmacology</i> , 2013, 58, 313-318.	1.0	15
185	Preventive and therapeutic effects of Smad7 on radiation-induced oral mucositis. <i>Nature Medicine</i> , 2013, 19, 421-428.	15.2	73
186	The emerging mutational landscape of G proteins and G-protein-coupled receptors in cancer. <i>Nature Reviews Cancer</i> , 2013, 13, 412-424.	12.8	462
187	Molecular Mechanisms Deployed by Virally Encoded G Protein-Coupled Receptors in Human Diseases. <i>Annual Review of Pharmacology and Toxicology</i> , 2013, 53, 331-354.	4.2	55
188	Role of GRB2-associated binder 1 in epidermal growth factor receptor-induced signaling in head and neck squamous cell carcinoma. <i>International Journal of Cancer</i> , 2013, 132, 1042-1050.	2.3	19
189	Exploiting the Head and Neck Cancer Oncogenome: Widespread PI3K-mTOR Pathway Alterations and Novel Molecular Targets. <i>Cancer Discovery</i> , 2013, 3, 722-725.	7.7	104
190	IKK epsilon kinase is crucial for viral G protein-coupled receptor tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11139-11144.	3.3	32
191	Cross-Desensitization and Cointernalization of H1 and H2 Histamine Receptors Reveal New Insights into Histamine Signal Integration. <i>Molecular Pharmacology</i> , 2013, 83, 1087-1098.	1.0	27
192	Rab25 Regulates Invasion and Metastasis in Head and Neck Cancer. <i>Clinical Cancer Research</i> , 2013, 19, 1375-1388.	3.2	64
193	Rapid Microfluidic Immunoassays of Cancer Biomarker Proteins Using Disposable Inkjet-Printed Gold Nanoparticle Arrays. <i>ChemistryOpen</i> , 2013, 2, 141-145.	0.9	43
194	PDZ-RhoGEF and LARG Are Essential for Embryonic Development and Provide a Link between Thrombin and LPA Receptors and Rho Activation. <i>Journal of Biological Chemistry</i> , 2013, 288, 12232-12243.	1.6	52
195	Germline Genetic Variation Modulates Tumor Progression and Metastasis in a Mouse Model of Neuroendocrine Prostate Carcinoma. <i>PLoS ONE</i> , 2013, 8, e61848.	1.1	23
196	Massively Parallel Sequencing Reveals an Accumulation of De Novo Mutations and an Activating Mutation of LPAR1 in a Patient with Metastatic Neuroblastoma. <i>PLoS ONE</i> , 2013, 8, e77731.	1.1	24
197	TRAIL induces apoptosis in oral squamous carcinoma cells: a crosstalk with oncogenic Ras regulated cell surface expression of death receptor 5. <i>Oncotarget</i> , 2013, 4, 206-217.	0.8	25
198	Reduced Prostatic (CAP1/PRSS8) Activity Eliminates HAI-1 and HAI-2 Deficiency-Associated Developmental Defects by Preventing Matriptase Activation. <i>PLoS Genetics</i> , 2012, 8, e1002937.	1.5	59

#	ARTICLE	IF	CITATIONS
199	Activation of the mTOR Pathway in Primary Medullary Thyroid Carcinoma and Lymph Node Metastases. <i>Clinical Cancer Research</i> , 2012, 18, 3532-3540.	3.2	58
200	Metformin Prevents the Development of Oral Squamous Cell Carcinomas from Carcinogen-Induced Premalignant Lesions. <i>Cancer Prevention Research</i> , 2012, 5, 562-573.	0.7	118
201	Chemopreventive and Chemotherapeutic Actions of mTOR Inhibitor in Genetically Defined Head and Neck Squamous Cell Carcinoma Mouse Model. <i>Clinical Cancer Research</i> , 2012, 18, 5304-5313.	3.2	106
202	CDP-diacylglycerol synthetase-controlled phosphoinositide availability limits VEGFA signaling and vascular morphogenesis. <i>Blood</i> , 2012, 120, 489-498.	0.6	38
203	Semaphorin signaling in angiogenesis, lymphangiogenesis and cancer. <i>Cell Research</i> , 2012, 22, 23-32.	5.7	134
204	Future directions and treatment strategies for head and neck squamous cell carcinomas. <i>Translational Research</i> , 2012, 160, 167-177.	2.2	27
205	Nuclear Mapping of Nanodrug Delivery Systems in Dynamic Cellular Environments. <i>ACS Nano</i> , 2012, 6, 4966-4972.	7.3	17
206	mTOR as a Molecular Target in HPV-Associated Oral and Cervical Squamous Carcinomas. <i>Clinical Cancer Research</i> , 2012, 18, 2558-2568.	3.2	159
207	p21-Activated Kinase 1 Is Required for Efficient Tumor Formation and Progression in a Ras-Mediated Skin Cancer Model. <i>Cancer Research</i> , 2012, 72, 5966-5975.	0.4	102
208	Over-expression of MAGED4B increases cell migration and growth in oral squamous cell carcinoma and is associated with poor disease outcome. <i>Cancer Letters</i> , 2012, 321, 18-26.	3.2	23
209	<scp>SET</scp> overexpression decreases cell detoxification efficiency: <scp>ALDH</scp>2 and <scp>GSTP</scp>1 are downregulated, <scp>DDR</scp> is impaired and <scp>DNA</scp> damage accumulates. <i>FEBS Journal</i> , 2012, 279, 4615-4628.	2.2	18
210	mTOR Inhibition Prevents Epithelial Stem Cell Senescence and Protects from Radiation-Induced Mucositis. <i>Cell Stem Cell</i> , 2012, 11, 401-414.	5.2	246
211	SET protein accumulates in HNSCC and contributes to cell survival: Antioxidant defense, Akt phosphorylation and AVOs acidification. <i>Oral Oncology</i> , 2012, 48, 1106-1113.	0.8	39
212	Expression of heme oxygenase-1 in non-small cell lung cancer (NSCLC) and its correlation with clinical data. <i>Lung Cancer</i> , 2012, 77, 168-175.	0.9	73
213	Oral and Pharyngeal Epithelial Keratinocyte Culture. <i>Methods in Molecular Biology</i> , 2012, 945, 67-79.	0.4	12
214	Loss of TGF- β 2 signaling and PTEN promotes head and neck squamous cell carcinoma through cellular senescence evasion and cancer-related inflammation. <i>Oncogene</i> , 2012, 31, 3322-3332.	2.6	148
215	Interleukin-21 Expression and Its Association With Proinflammatory Cytokines in Untreated Chronic Periodontitis Patients. <i>Journal of Periodontology</i> , 2012, 83, 948-954.	1.7	57
216	Receptor Tyrosine Kinases Activate Canonical WNT/ β -Catenin Signaling via MAP Kinase/LRP6 Pathway and Direct β -Catenin Phosphorylation. <i>PLoS ONE</i> , 2012, 7, e35826.	1.1	142

#	ARTICLE	IF	CITATIONS
217	Estrogen Receptor Alpha Mediates Progesterin-Induced Mammary Tumor Growth by Interacting with Progesterone Receptors at the Cyclin D1/MYC Promoters. <i>Cancer Research</i> , 2012, 72, 2416-2427.	0.4	76
218	Ultrasensitive Detection of Cancer Biomarkers in the Clinic by Use of a Nanostructured Microfluidic Array. <i>Analytical Chemistry</i> , 2012, 84, 6249-6255.	3.2	187
219	mTOR Inhibitors and its Role in the Treatment of Head and Neck Squamous Cell Carcinoma. <i>Current Treatment Options in Oncology</i> , 2012, 13, 71-81.	1.3	38
220	Nuclear localization of heme oxygenase-1 is associated with tumor progression of head and neck squamous cell carcinomas. <i>Experimental and Molecular Pathology</i> , 2012, 93, 237-245.	0.9	72
221	Accumulation of the SET protein in HEK293T cells and mild oxidative stress: cell survival or death signaling. <i>Molecular and Cellular Biochemistry</i> , 2012, 363, 65-74.	1.4	26
222	Longitudinal Imaging Studies of Tumor Microenvironment in Mice Treated with the mTOR Inhibitor Rapamycin. <i>PLoS ONE</i> , 2012, 7, e49456.	1.1	22
223	Exploiting the mTOR paradox for disease prevention. <i>Oncotarget</i> , 2012, 3, 1061-1063.	0.8	30
224	Levels of Interleukin-21 in Patients With Untreated Chronic Periodontitis. <i>Journal of Periodontology</i> , 2011, 82, 1483-1489.	1.7	19
225	Assembly and patterning of the vascular network of the vertebrate hindbrain. <i>Development (Cambridge)</i> , 2011, 138, 1705-1715.	1.2	113
226	Integrin $\alpha 1$, $\alpha 2$, $\alpha 6$ effectors p130Cas, Src and talin regulate carcinoma invasion and chemoresistance. <i>Biochemical and Biophysical Research Communications</i> , 2011, 406, 171-176.	1.0	43
227	Nano Delivers Big: Designing Molecular Missiles for Cancer Therapeutics. <i>Pharmaceutics</i> , 2011, 3, 34-52.	2.0	42
228	Combining Portable Raman Probes with Nanotubes for Theranostic Applications. <i>Theranostics</i> , 2011, 1, 310-321.	4.6	35
229	Control of the differentiation of regulatory T cells and TH17 cells by the DNA-binding inhibitor Id3. <i>Nature Immunology</i> , 2011, 12, 86-95.	7.0	143
230	Remodeling of VE-cadherin junctions by the human herpes virus 8 G-protein coupled receptor. <i>Oncogene</i> , 2011, 30, 190-200.	2.6	24
231	c-Met-induced epithelial carcinogenesis is initiated by the serine protease matriptase. <i>Oncogene</i> , 2011, 30, 2003-2016.	2.6	98
232	PD31. Emerging animal models for the functional genomics analysis of the oral cancer oncogenome. <i>Oral Oncology</i> , 2011, 47, S13-S14.	0.8	0
233	P126. Expression of GNA12 and its role in oral cancer. <i>Oral Oncology</i> , 2011, 47, S114-S115.	0.8	4
234	PI3K β Mediates Kaposi's Sarcoma-Associated Herpesvirus vGPCR-Induced Sarcomagenesis. <i>Cancer Cell</i> , 2011, 19, 805-813.	7.7	62

#	ARTICLE	IF	CITATIONS
235	Signaling circuitries controlling stem cell fate: to be or not to be. <i>Current Opinion in Cell Biology</i> , 2011, 23, 716-723.	2.6	64
236	Classical membrane progesterone receptors in murine mammary carcinomas: agonistic effects of progestins and RU-486 mediating rapid non-genomic effects. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 621-636.	1.1	17
237	MPA-induced gene expression and stromal and parenchymal gene expression profiles in luminal murine mammary carcinomas with different hormonal requirements. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 49-67.	1.1	14
238	Microfluidic electrochemical immunoarray for ultrasensitive detection of two cancer biomarker proteins in serum. <i>Biosensors and Bioelectronics</i> , 2011, 26, 4477-4483.	5.3	209
239	Nanostructured Immunosensor for Attomolar Detection of Cancer Biomarker Interleukin-8 Using Massively Labeled Superparamagnetic Particles. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 7915-7918.	7.2	153
240	Phosphatidylinositol-4-phosphate 5-Kinase and GEP100/Brag2 Protein Mediate Antiangiogenic Signaling by Semaphorin 3E-Plexin-D1 through Arf6 Protein. <i>Journal of Biological Chemistry</i> , 2011, 286, 34335-34345.	1.6	48
241	Modulation of canonical Wnt signaling by the extracellular matrix component biglycan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 17022-17027.	3.3	144
242	Interaction between FGFR-2, STAT5, and Progesterone Receptors in Breast Cancer. <i>Cancer Research</i> , 2011, 71, 3720-3731.	0.4	74
243	A Synthetic Biology Approach Reveals a CXCR4-G α 13 -Rho Signaling Axis Driving Transendothelial Migration of Metastatic Breast Cancer Cells. <i>Science Signaling</i> , 2011, 4, ra60.	1.6	126
244	Mitogen-Activated Protein Kinases Promote WNT/ β 2-Catenin Signaling via Phosphorylation of LRP6. <i>Molecular and Cellular Biology</i> , 2011, 31, 179-189.	1.1	99
245	Cellular Systems for Studying Human Oral Squamous Cell Carcinomas. <i>Advances in Experimental Medicine and Biology</i> , 2011, 720, 27-38.	0.8	8
246	Decreased Lymphangiogenesis and Lymph Node Metastasis by mTOR Inhibition in Head and Neck Cancer. <i>Cancer Research</i> , 2011, 71, 7103-7112.	0.4	138
247	Head and Neck Cancer and the PI3K/Akt/mTOR Signaling Network: Novel Molecular Targeted Therapies. , 2011, , 407-429.		1
248	Abstract LB-7: HPV-associated HNSCC: Widespread mTOR pathway activity and preclinical evaluation of mTOR inhibitors rapamycin and RAD-001. , 2011, , .		0
249	A role for COX2-derived PGE2 and PGE2-receptor subtypes in head and neck squamous carcinoma cell proliferation. <i>Oral Oncology</i> , 2010, 46, 880-887.	0.8	74
250	Epidermal growth factor receptor is a co-receptor for adeno-associated virus serotype 6. <i>Nature Medicine</i> , 2010, 16, 662-664.	15.2	105
251	G-Protein-Coupled Receptors, Signal Fidelity, and Cell Transformation. , 2010, , 1635-1648.		0
252	Semaphorin 3E Initiates Antiangiogenic Signaling through Plexin D1 by Regulating Arf6 and R-Ras. <i>Molecular and Cellular Biology</i> , 2010, 30, 3086-3098.	1.1	141

#	ARTICLE	IF	CITATIONS
253	The Expression of Sphingosine Kinase-1 in Head and Neck Carcinoma. <i>Cells Tissues Organs</i> , 2010, 192, 314-324.	1.3	61
254	PDGF-CC blockade inhibits pathological angiogenesis by acting on multiple cellular and molecular targets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 12216-12221.	3.3	69
255	Parasympathetic Innervation Maintains Epithelial Progenitor Cells During Salivary Organogenesis. <i>Science</i> , 2010, 329, 1645-1647.	6.0	289
256	EPS8 upregulates FOXM1 expression, enhancing cell growth and motility. <i>Carcinogenesis</i> , 2010, 31, 1132-1141.	1.3	47
257	1 α ,25-Dihydroxyvitamin D3 and Its TX527 Analog Inhibit the Growth of Endothelial Cells Transformed by Kaposi Sarcoma-Associated Herpes Virus G Protein-Coupled Receptor in Vitro and in Vivo. <i>Endocrinology</i> , 2010, 151, 23-31.	1.4	27
258	Ultrasensitive Electrochemical Immunosensor for Oral Cancer Biomarker IL-6 Using Carbon Nanotube Forest Electrodes and Multilabel Amplification. <i>Analytical Chemistry</i> , 2010, 82, 3118-3123.	3.2	336
259	Distribution and clearance of PEG-single-walled carbon nanotube cancer drug delivery vehicles in mice. <i>Nanomedicine</i> , 2010, 5, 1535-1546.	1.7	151
260	Identification of the Rac-GEF P-Rex1 as an Essential Mediator of ErbB Signaling in Breast Cancer. <i>Molecular Cell</i> , 2010, 40, 877-892.	4.5	194
261	Keeping the Epidermal Stem Cell Niche in Shape. <i>Cell Stem Cell</i> , 2010, 7, 143-145.	5.2	8
262	Measurement of biomarker proteins for point-of-care early detection and monitoring of cancer. <i>Analyst</i> , The, 2010, 135, 2496.	1.7	469
263	Activation of Ras and Rho GTPases and MAP Kinases by G-Protein-Coupled Receptors. <i>Methods in Molecular Biology</i> , 2010, 661, 137-150.	0.4	21
264	Rac1 Is Required for Epithelial Stem Cell Function during Dermal and Oral Mucosal Wound Healing but Not for Tissue Homeostasis in Mice. <i>PLoS ONE</i> , 2010, 5, e10503.	1.1	92
265	Accelerated Wound Healing by mTOR Activation in Genetically Defined Mouse Models. <i>PLoS ONE</i> , 2010, 5, e10643.	1.1	158
266	Ataxia telangiectasia mutated nuclear localization in head and neck cancer cells is PPP2R2B-dependent. <i>Asian Biomedicine</i> , 2010, 4, 373-383.	0.2	4
267	Progressive Tumor Formation in Mice with Conditional Deletion of TGF- β 2 Signaling in Head and Neck Epithelia Is Associated with Activation of the PI3K/Akt Pathway. <i>Cancer Research</i> , 2009, 69, 5918-5926.	0.4	92
268	Imaging the distribution of individual platinum-based anticancer drug molecules attached to single-wall carbon nanotubes. <i>Nanomedicine</i> , 2009, 4, 763-772.	1.7	24
269	Angiopietin-1 Induces Kr β 4ppel-like Factor 2 Expression through a Phosphoinositide 3-Kinase/AKT-dependent Activation of Myocyte Enhancer Factor 2. <i>Journal of Biological Chemistry</i> , 2009, 284, 5592-5601.	1.6	60
270	The β -Catenin Axis Integrates Multiple Signals Downstream from RET/Papillary Thyroid Carcinoma Leading to Cell Proliferation. <i>Cancer Research</i> , 2009, 69, 1867-1876.	0.4	82

#	ARTICLE	IF	CITATIONS
271	A Role for a CXCR2/Phosphatidylinositol 3-Kinase \hat{I}^3 Signaling Axis in Acute and Chronic Vascular Permeability. <i>Molecular and Cellular Biology</i> , 2009, 29, 2469-2480.	1.1	67
272	Chapter 6 Kaposi's Sarcoma Virally Encoded, G \hat{a} €Protein \hat{a} €Coupled Receptor. <i>Methods in Enzymology</i> , 2009, 460, 125-150.	0.4	11
273	Role for EPS8 in squamous carcinogenesis. <i>Carcinogenesis</i> , 2009, 30, 165-174.	1.3	111
274	Differential Inhibitor of G $\hat{I}^2\hat{I}^3$ Signaling to AKT and ERK Derived from Phosducin-like Protein. <i>Journal of Biological Chemistry</i> , 2009, 284, 18334-18346.	1.6	14
275	Rapamycin Prevents Early Onset of Tumorigenesis in an Oral-Specific K- <i>ras</i> and <i>p53</i> Two-Hit Carcinogenesis Model. <i>Cancer Research</i> , 2009, 69, 4159-4166.	0.4	79
276	Dysregulated molecular networks in head and neck carcinogenesis. <i>Oral Oncology</i> , 2009, 45, 324-334.	0.8	317
277	Gene expression in human oral squamous cell carcinoma is influenced by risk factor exposure. <i>Oral Oncology</i> , 2009, 45, 712-719.	0.8	59
278	Electrochemical immunosensors for interleukin-6. Comparison of carbon nanotube forest and gold nanoparticle platforms. <i>Electrochemistry Communications</i> , 2009, 11, 1009-1012.	2.3	106
279	Targeted Killing of Cancer Cells <i>in Vivo</i> and <i>in Vitro</i> with EGF-Directed Carbon Nanotube-Based Drug Delivery. <i>ACS Nano</i> , 2009, 3, 307-316.	7.3	796
280	Targeting Mammalian Target of Rapamycin by Rapamycin Prevents Tumor Progression in an Oral-Specific Chemical Carcinogenesis Model. <i>Cancer Prevention Research</i> , 2009, 2, 27-36.	0.7	120
281	Single-Wall Carbon Nanotube Forest Arrays for Immunochemical Measurement of Four Protein Biomarkers for Prostate Cancer. <i>Analytical Chemistry</i> , 2009, 81, 9129-9134.	3.2	145
282	Chemical Carcinogenesis Models for Evaluating Molecular-Targeted Prevention and Treatment of Oral Cancer. <i>Cancer Prevention Research</i> , 2009, 2, 419-422.	0.7	79
283	CXCL8/IL8 Stimulates Vascular Endothelial Growth Factor (VEGF) Expression and the Autocrine Activation of VEGFR2 in Endothelial Cells by Activating NF \hat{I}^B through the CBM (Carma3/Bcl10/Malt1) Complex. <i>Journal of Biological Chemistry</i> , 2009, 284, 6038-6042.	1.6	338
284	A New Gq-Initiated MAPK Signaling Pathway in the Heart. <i>Developmental Cell</i> , 2009, 16, 163-164.	3.1	20
285	mTOR Mediates Wnt-Induced Epidermal Stem Cell Exhaustion and Aging. <i>Cell Stem Cell</i> , 2009, 5, 279-289.	5.2	356
286	How Mitogen-Activated Protein Kinases Recognize and Phosphorylate Their Targets: A QM/MM Study. <i>Journal of the American Chemical Society</i> , 2009, 131, 6141-6148.	6.6	43
287	Ultrasensitive Immunosensor for Cancer Biomarker Proteins Using Gold Nanoparticle Film Electrodes and Multienzyme-Particle Amplification. <i>ACS Nano</i> , 2009, 3, 585-594.	7.3	490
288	ERG REGULATES C-MYC AND ABROGATES DIFFERENTIATION IN PROSTATE CANCER. <i>Journal of Urology</i> , 2009, 181, 510-511.	0.2	0

#	ARTICLE	IF	CITATIONS
289	câ€Abl activates p38 MAPK independently of its tyrosine kinase activity: Implications in cisplatinâ€based therapy. <i>International Journal of Cancer</i> , 2008, 122, 289-297.	2.3	32
290	An NF- κ B gene expression signature contributes to Kaposi's sarcoma virus vGPCR-induced direct and paracrine neoplasia. <i>Oncogene</i> , 2008, 27, 1844-1852.	2.6	66
291	Reciprocal negative regulation between S100A7/psoriasin and β -catenin signaling plays an important role in tumor progression of squamous cell carcinoma of oral cavity. <i>Oncogene</i> , 2008, 27, 3527-3538.	2.6	56
292	TMPRSS2-ERG fusion, a common genomic alteration in prostate cancer activates C-MYC and abrogates prostate epithelial differentiation. <i>Oncogene</i> , 2008, 27, 5348-5353.	2.6	218
293	Human tumor-associated viruses and new insights into the molecular mechanisms of cancer. <i>Oncogene</i> , 2008, 27, S31-S42.	2.6	158
294	VE-cadherin and claudin-5: it takes two to tango. <i>Nature Cell Biology</i> , 2008, 10, 883-885.	4.6	97
295	G12-G13â€LARGâ€ mediated signaling in vascular smooth muscle is required for salt-induced hypertension. <i>Nature Medicine</i> , 2008, 14, 64-68.	15.2	584
296	Multiple PPPS/TP motifs act in a combinatorial fashion to transduce Wnt signaling through LRP6. <i>FEBS Letters</i> , 2008, 582, 255-261.	1.3	32
297	Plexin B1 is downregulated in renal cell carcinomas and modulates cell growth. <i>Translational Research</i> , 2008, 151, 134-140.	2.2	30
298	Hypoxia-Induced Energy Stress Inhibits the mTOR Pathway by Activating an AMPK/REDD1 Signaling Axis in Head and Neck Squamous Cell Carcinoma. <i>Neoplasia</i> , 2008, 10, 1295-1302.	2.3	87
299	Angiopoietin-1 Prevents VEGF-Induced Endothelial Permeability by Sequestering Src through mDia. <i>Developmental Cell</i> , 2008, 14, 25-36.	3.1	353
300	Keratin down-regulation in vimentin-positive cancer cells is reversible by vimentin RNA interference, which inhibits growth and motility. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 2894-2903.	1.9	87
301	Protein Kinase C-related Kinase and ROCK Are Required for Thrombin-induced Endothelial Cell Permeability Downstream from G β 12/13 and G β 11/q. <i>Journal of Biological Chemistry</i> , 2008, 283, 29888-29896.	1.6	80
302	Proteomic Analysis of Laser-Captured Paraffin-Embedded Tissues: A Molecular Portrait of Head and Neck Cancer Progression. <i>Clinical Cancer Research</i> , 2008, 14, 1002-1014.	3.2	179
303	Snail Up-regulates Proinflammatory Mediators and Inhibits Differentiation in Oral Keratinocytes. <i>Cancer Research</i> , 2008, 68, 4525-4530.	0.4	91
304	Inhibition of Mammalian Target of Rapamycin by Rapamycin Causes the Regression of Carcinogen-Induced Skin Tumor Lesions. <i>Clinical Cancer Research</i> , 2008, 14, 8094-8101.	3.2	62
305	An essential role for Rac1 in endothelial cell function and vascular development. <i>FASEB Journal</i> , 2008, 22, 1829-1838.	0.2	193
306	Matrix Metalloproteinase-activated Anthrax Lethal Toxin Demonstrates High Potency in Targeting Tumor Vasculature. <i>Journal of Biological Chemistry</i> , 2008, 283, 529-540.	1.6	72

#	ARTICLE	IF	CITATIONS
307	Binding-Induced Folding of a Natively Unstructured Transcription Factor. <i>PLoS Computational Biology</i> , 2008, 4, e1000060.	1.5	189
308	Chemoprevention and Treatment of Experimental Cowden's Disease by mTOR Inhibition with Rapamycin. <i>Cancer Research</i> , 2008, 68, 7066-7072.	0.4	92
309	A Retroinhibition Approach Reveals a Tumor Cell's Autonomous Response to Rapamycin in Head and Neck Cancer. <i>Cancer Research</i> , 2008, 68, 1144-1153.	0.4	44
310	RCAS/SCL-TVA Animal Model Allows Targeted Delivery of Polyoma Middle T Oncogene to Vascular Endothelial Progenitors <i>in vivo</i> and Results in Hemangioma Development. <i>Clinical Cancer Research</i> , 2008, 14, 3948-3955.	3.2	9
311	Pharmacologic Stem Cell Based Intervention as a New Approach to Osteoporosis Treatment in Rodents. <i>PLoS ONE</i> , 2008, 3, e2615.	1.1	155
312	A Molecular Crosstalk between E-cadherin and EGFR Signaling Networks. , 2008, , 131-146.		7
313	MT1-MMP Controls Tumor-induced Angiogenesis through the Release of Semaphorin 4D. <i>Journal of Biological Chemistry</i> , 2007, 282, 6899-6905.	1.6	154
314	Dissecting the Akt/Mammalian Target of Rapamycin Signaling Network: Emerging Results from the Head and Neck Cancer Tissue Array Initiative. <i>Clinical Cancer Research</i> , 2007, 13, 4964-4973.	3.2	218
315	Inhibition of Pin1 Reduces Glutamate-induced Perikaryal Accumulation of Phosphorylated Neurofilament-H in Neurons. <i>Molecular Biology of the Cell</i> , 2007, 18, 3645-3655.	0.9	55
316	TGF β 2 Receptor I Conditional Knockout Mice Develop Spontaneous Squamous Cell Carcinoma. <i>Cell Cycle</i> , 2007, 6, 1360-1366.	1.3	30
317	Complementary Roles of Intracellular and Pericellular Collagen Degradation Pathways <i>In Vivo</i> . <i>Molecular and Cellular Biology</i> , 2007, 27, 6309-6322.	1.1	81
318	The G α 12/13 Family of Heterotrimeric G Proteins and the Small GTPase RhoA Link the Kaposi Sarcoma-associated Herpes Virus G Protein-coupled Receptor to Heme Oxygenase-1 Expression and Tumorigenesis. <i>Journal of Biological Chemistry</i> , 2007, 282, 34510-34524.	1.6	22
319	Augmented Wnt Signaling in a Mammalian Model of Accelerated Aging. <i>Science</i> , 2007, 317, 803-806.	6.0	683
320	Plexin-B1 Utilizes RhoA and Rho Kinase to Promote the Integrin-dependent Activation of Akt and ERK and Endothelial Cell Motility. <i>Journal of Biological Chemistry</i> , 2007, 282, 34888-34895.	1.6	104
321	Persistent activation of Rac1 in squamous carcinomas of the head and neck: evidence for an EGFR/Vav2 signaling axis involved in cell invasion. <i>Carcinogenesis</i> , 2007, 28, 1145-1152.	1.3	98
322	P-Rex1 Links Mammalian Target of Rapamycin Signaling to Rac Activation and Cell Migration. <i>Journal of Biological Chemistry</i> , 2007, 282, 23708-23715.	1.6	148
323	Association of estrogen receptor- α and progesterone receptor A expression with hormonal mammary carcinogenesis: role of the host microenvironment. <i>Breast Cancer Research</i> , 2007, 9, R22.	2.2	21
324	Requirement of Rac1 distinguishes follicular from interfollicular epithelial stem cells. <i>Oncogene</i> , 2007, 26, 5078-5085.	2.6	54

#	ARTICLE	IF	CITATIONS
325	MAP kinases and the control of nuclear events. <i>Oncogene</i> , 2007, 26, 3240-3253.	2.6	371
326	G-protein-coupled receptors and cancer. <i>Nature Reviews Cancer</i> , 2007, 7, 79-94.	12.8	1,153
327	Molecular analysis of anoikis resistance in oral cavity squamous cell carcinoma. <i>Oral Oncology</i> , 2007, 43, 440-454.	0.8	28
328	Rapid Development of Salivary Gland Carcinomas upon Conditional Expression of K-ras Driven by the Cytokeratin 5 Promoter. <i>American Journal of Pathology</i> , 2006, 168, 1654-1665.	1.9	32
329	Investigation of the Catalytic Mechanism of Farnesyl Pyrophosphate Synthase by Computer Simulation. <i>Journal of Physical Chemistry B</i> , 2006, 110, 18052-18057.	1.2	23
330	Carbon Nanotube Amplification Strategies for Highly Sensitive Immunodetection of Cancer Biomarkers. <i>Journal of the American Chemical Society</i> , 2006, 128, 11199-11205.	6.6	668
331	Molecular Cross-Talk between the NF κ B and STAT3 Signaling Pathways in Head and Neck Squamous Cell Carcinoma. <i>Neoplasia</i> , 2006, 8, 733-746.	2.3	150
332	Rac inhibits thrombin-induced Rho activation: evidence of a Pak-dependent GTPase crosstalk. <i>Journal of Molecular Signaling</i> , 2006, 1, 8.	0.5	57
333	Gene expression changes in a patient presenting nonleukaemic nasal granulocytic sarcoma to acute myelogenous leukaemia using 40k cDNA microarray. <i>International Journal of Laboratory Hematology</i> , 2006, 28, 262-266.	0.2	6
334	VEGF controls endothelial-cell permeability by promoting the β 2-arrestin-dependent endocytosis of VE-cadherin. <i>Nature Cell Biology</i> , 2006, 8, 1223-1234.	4.6	884
335	The TSC2/mTOR pathway drives endothelial cell transformation induced by the Kaposi's sarcoma-associated herpesvirus G protein-coupled receptor. <i>Cancer Cell</i> , 2006, 10, 133-143.	7.7	180
336	Growth factor-sensitive molecular targets identified in primary and metastatic head and neck squamous cell carcinoma using microarray analysis. <i>Oral Oncology</i> , 2006, 42, 240-256.	0.8	34
337	A nonsynonymous single-nucleotide polymorphism in the PDZ-Rho guanine nucleotide exchange factor (Ser1416Gly) modulates the risk of lung cancer in Mexican Americans. <i>Cancer</i> , 2006, 106, 2707-2715.	2.0	59
338	Neuronal Nuclear Organization Is Controlled by Cyclin-Dependent Kinase 5 Phosphorylation of Ras Guanine Nucleotide Releasing Factor-1. <i>NeuroSignals</i> , 2006, 15, 157-173.	0.5	21
339	The Kaposi's Sarcoma-associated Herpesvirus G Protein-coupled Receptor as a Therapeutic Target for the Treatment of Kaposi's Sarcoma. <i>Cancer Research</i> , 2006, 66, 168-174.	0.4	96
340	Inhibition of basic leucine zipper transcription is a major mediator of atrial dilatation. <i>Cardiovascular Research</i> , 2006, 70, 543-554.	1.8	33
341	Down-regulation of CXCL5 Inhibits Squamous Carcinogenesis. <i>Cancer Research</i> , 2006, 66, 4279-4284.	0.4	89
342	Cyclooxygenase-2 and Colorectal Cancer Chemoprevention: The β 2-Catenin Connection: Figure 1.. <i>Cancer Research</i> , 2006, 66, 11085-11088.	0.4	81

#	ARTICLE	IF	CITATIONS
343	Combination Chemotherapy and Radiation of Human Squamous Cell Carcinoma of the Head and Neck Augments CTL-Mediated Lysis. <i>Clinical Cancer Research</i> , 2006, 12, 1897-1905.	3.2	85
344	ID: 366 MT1-MMP Controls Tumor-Induced Angiogenesis through Release of Semaphorin 4D. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 59-59.	1.9	0
345	Semaphorin 4D provides a link between axon guidance processes and tumor-induced angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 9017-9022.	3.3	190
346	Robo4 Signaling in Endothelial Cells Implies Attraction Guidance Mechanisms. <i>Journal of Biological Chemistry</i> , 2006, 281, 11347-11356.	1.6	73
347	The G α 13-Rho Signaling Axis Is Required for SDF-1-induced Migration through CXCR4. <i>Journal of Biological Chemistry</i> , 2006, 281, 39542-39549.	1.6	126
348	The antitumor drug candidate 2-(4-amino-3-methylphenyl)-5-fluorobenzothiazole induces NF- κ B activity in drug-sensitive MCF-7 cells. <i>Anti-Cancer Drugs</i> , 2005, 16, 137-143.	0.7	31
349	Autocrine activation of an osteopontin-CD44-Rac pathway enhances invasion and transformation by H-RasV12. <i>Oncogene</i> , 2005, 24, 489-501.	2.6	82
350	Scaffold proteins dictate Rho GTPase-signaling specificity. <i>Trends in Biochemical Sciences</i> , 2005, 30, 423-426.	3.7	54
351	Proteome-wide analysis of head and neck squamous cell carcinomas using laser-capture microdissection and tandem mass spectrometry. <i>Oral Oncology</i> , 2005, 41, 183-199.	0.8	74
352	Profiling EGFR activity in head and neck squamous cell carcinoma by using a novel layered membrane Western blot technology. <i>Oral Oncology</i> , 2005, 41, 503-508.	0.8	13
353	Uncoupling of epidermal growth factor-dependent proliferation and invasion in a model of squamous carcinoma progression. <i>Oral Oncology</i> , 2005, 41, 698-708.	0.8	22
354	Mammalian Target of Rapamycin, a Molecular Target in Squamous Cell Carcinomas of the Head and Neck. <i>Cancer Research</i> , 2005, 65, 9953-9961.	0.4	212
355	Phosphorylation of c-Fos by Members of the p38 MAPK Family. <i>Journal of Biological Chemistry</i> , 2005, 280, 18842-18852.	1.6	174
356	Semaphorin 4D/Plexin-B1 Induces Endothelial Cell Migration through the Activation of PYK2, Src, and the Phosphatidylinositol 3-Kinase-Akt Pathway. <i>Molecular and Cellular Biology</i> , 2005, 25, 6889-6898.	1.1	134
357	Deregulated matriptase causes ras-independent multistage carcinogenesis and promotes ras-mediated malignant transformation. <i>Genes and Development</i> , 2005, 19, 1934-1950.	2.7	225
358	Regulation of the Transcriptional Activity of c-Fos by ERK. <i>Journal of Biological Chemistry</i> , 2005, 280, 35081-35084.	1.6	239
359	Prostaglandin E2 Promotes Colon Cancer Cell Growth Through a Gs-Axin- β -Catenin Signaling Axis. <i>Science</i> , 2005, 310, 1504-1510.	6.0	833
360	Modular Architecture and Novel Protein-Protein Interactions Regulating the RGS-Containing Rho Guanine Nucleotide Exchange Factors. <i>Methods in Enzymology</i> , 2004, 390, 259-285.	0.4	21

#	ARTICLE	IF	CITATIONS
361	Class IV Semaphorins Promote Angiogenesis by Stimulating Rho-Initiated Pathways through Plexin-B. <i>Cancer Research</i> , 2004, 64, 5212-5224.	0.4	214
362	Persistent Activation of the Akt Pathway in Head and Neck Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2004, 10, 4029-4037.	3.2	163
363	Akt plays a central role in sarcomagenesis induced by Kaposi's sarcoma herpesvirus-encoded G protein-coupled receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 4821-4826.	3.3	147
364	Does dysregulated expression of a deregulated viral GPCR trigger Kaposi's sarcomagenesis?. <i>FASEB Journal</i> , 2004, 18, 422-427.	0.2	65
365	Conditional Expression of K-ras in an Epithelial Compartment that Includes the Stem Cells Is Sufficient to Promote Squamous Cell Carcinogenesis. <i>Cancer Research</i> , 2004, 64, 8804-8807.	0.4	127
366	Global Gene Expression Profile of Nasopharyngeal Carcinoma by Laser Capture Microdissection and Complementary DNA Microarrays. <i>Clinical Cancer Research</i> , 2004, 10, 4944-4958.	3.2	87
367	Chimeric G α i2/G α i13 Proteins Reveal the Structural Requirements for the Binding and Activation of the RGS-like (RGL)-containing Rho Guanine Nucleotide Exchange Factors (GEFs) by G α i13. <i>Journal of Biological Chemistry</i> , 2004, 279, 54283-54290.	1.6	21
368	p35/Cyclin-Dependent Kinase 5 Phosphorylation of Ras Guanine Nucleotide Releasing Factor 2 (RasGRF2) Mediates Rac-Dependent Extracellular Signal-Regulated Kinase 1/2 Activity, Altering RasGRF2 and Microtubule-Associated Protein 1b Distribution in Neurons. <i>Journal of Neuroscience</i> , 2004, 24, 4421-4431.	1.7	59
369	Activation of MAPKs by G Protein-Coupled Receptors. , 2004, 250, 203-210.		6
370	The P34G Mutation Reduces the Transforming Activity of K-Ras and N-Ras in NIH 3T3 Cells but Not of H-Ras. <i>Journal of Biological Chemistry</i> , 2004, 279, 33480-33491.	1.6	26
371	Viral hijacking of G-protein-coupled-receptor signalling networks. <i>Nature Reviews Molecular Cell Biology</i> , 2004, 5, 998-1012.	16.1	159
372	Homo- and hetero-oligomerization of PDZ-RhoGEF, LARG and p115RhoGEF by their C-terminal region regulates their in vivo Rho GEF activity and transforming potential. <i>Oncogene</i> , 2004, 23, 233-240.	2.6	107
373	Detection of plasminogen activators in oral cancer by laser capture microdissection combined with zymography. <i>Oral Oncology</i> , 2004, 40, 1026-1032.	0.8	20
374	Global gene expression profiles of human head and neck squamous carcinoma cell lines. <i>International Journal of Cancer</i> , 2004, 112, 249-258.	2.3	77
375	P-REX2, a novel PI-3-kinase sensitive Rac exchange factor. <i>FEBS Letters</i> , 2004, 572, 167-171.	1.3	84
376	The Small GTP-Binding Protein RhoA Regulates c-Jun by a ROCK-JNK Signaling Axis. <i>Molecular Cell</i> , 2004, 14, 29-41.	4.5	182
377	Direct Interaction of p21-Activated Kinase 4 with PDZ-RhoGEF, a G Protein-linked Rho Guanine Exchange Factor. <i>Journal of Biological Chemistry</i> , 2004, 279, 6182-6189.	1.6	61
378	The small GTPase Rac1 links the Kaposi sarcoma-associated herpesvirus vGPCR to cytokine secretion and paracrine neoplasia. <i>Blood</i> , 2004, 104, 2903-2911.	0.6	95

#	ARTICLE	IF	CITATIONS
379	Endothelial infection with KSHV genes in vivo reveals that vGPCR initiates Kaposi's sarcomagenesis and can promote the tumorigenic potential of viral latent genes. <i>Cancer Cell</i> , 2003, 3, 23-36.	7.7	339
380	Gene discovery in oral squamous cell carcinoma through the Head and Neck Cancer Genome Anatomy Project: confirmation by microarray analysis. <i>Oral Oncology</i> , 2003, 39, 248-258.	0.8	52
381	Identification of H-Ras, RhoA, Rac1 and Cdc42 responsive genes. <i>Oncogene</i> , 2003, 22, 2689-2697.	2.6	55
382	Laser capture microdissection-based in vivo genomic profiling of wound keratinocytes identifies similarities and differences to squamous cell carcinoma. <i>Oncogene</i> , 2003, 22, 3964-3976.	2.6	70
383	Metabotropic glutamate receptors activate phospholipase D in astrocytes through a protein kinase C-dependent and Rho-independent pathway. <i>Neuropharmacology</i> , 2003, 44, 171-180.	2.0	20
384	The Platelet-derived Growth Factor Controls c-myc Expression through a JNK- and AP-1-dependent Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2003, 278, 50024-50030.	1.6	53
385	Identification and Characterization of a Novel Ste20/Germinal Center Kinase-related Kinase, Polyploidy-associated Protein Kinase. <i>Journal of Biological Chemistry</i> , 2003, 278, 13520-13530.	1.6	16
386	Phosphorylation of the Carboxyl-Terminal Transactivation Domain of c-Fos by Extracellular Signal-Regulated Kinase Mediates the Transcriptional Activation of AP-1 and Cellular Transformation Induced by Platelet-Derived Growth Factor. <i>Molecular and Cellular Biology</i> , 2003, 23, 7030-7043.	1.1	133
387	Rac1 Function Is Required for Src-induced Transformation. <i>Journal of Biological Chemistry</i> , 2003, 278, 34339-34346.	1.6	149
388	Thrombin Protease-activated Receptor-1 Signals through Gq- and G13-initiated MAPK Cascades Regulating c-Jun Expression to Induce Cell Transformation. <i>Journal of Biological Chemistry</i> , 2003, 278, 46814-46825.	1.6	83
389	Squamous Carcinomas of the Head and Neck. , 2003, , 509-VIII.		0
390	G-Protein-Coupled Receptors, Cell Transformation, and Signal Fidelity. , 2003, , 589-599.		0
391	Epidermal growth factor receptor-independent constitutive activation of STAT3 in head and neck squamous cell carcinoma is mediated by the autocrine/paracrine stimulation of the interleukin 6/gp130 cytokine system. <i>Cancer Research</i> , 2003, 63, 2948-56.	0.4	223
392	Plexin B Regulates Rho through the Guanine Nucleotide Exchange Factors Leukemia-associated Rho GEF (LARG) and PDZ-RhoGEF. <i>Journal of Biological Chemistry</i> , 2002, 277, 43115-43120.	1.6	196
393	Regulation of G Protein-linked Guanine Nucleotide Exchange Factors for Rho, PDZ-RhoGEF, and LARG by Tyrosine Phosphorylation. <i>Journal of Biological Chemistry</i> , 2002, 277, 12463-12473.	1.6	145
394	The semaphorin receptor plexin-B1 signals through a direct interaction with the Rho-specific nucleotide exchange factor, LARG. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 12085-12090.	3.3	152
395	mom identifies a receptor for the Drosophila JAK/STAT signal transduction pathway and encodes a protein distantly related to the mammalian cytokine receptor family. <i>Genes and Development</i> , 2002, 16, 388-398.	2.7	158
396	Potent Activation of RhoA by G12q and Gq-coupled Receptors. <i>Journal of Biological Chemistry</i> , 2002, 277, 27130-27134.	1.6	149

#	ARTICLE	IF	CITATIONS
397	CKA, a Novel Multidomain Protein, Regulates the JUN N-Terminal Kinase Signal Transduction Pathway in <i>Drosophila</i> . <i>Molecular and Cellular Biology</i> , 2002, 22, 1792-1803.	1.1	66
398	Gastrin Stimulates Cyclooxygenase-2 Expression in Intestinal Epithelial Cells through Multiple Signaling Pathways. <i>Journal of Biological Chemistry</i> , 2002, 277, 48755-48763.	1.6	86
399	Regulation of Mitogen-Activated Protein Kinases by G-Protein-Coupled Receptors. <i>Methods in Enzymology</i> , 2002, 345, 437-447.	0.4	3
400	Potent transforming activity of the small GTP-binding protein Rit in NIH 3T3 cells: evidence for a role of a p38 β -dependent signaling pathway. <i>FEBS Letters</i> , 2002, 511, 15-20.	1.3	31
401	Induction of ovarian cancer by defined multiple genetic changes in a mouse model system. <i>Cancer Cell</i> , 2002, 1, 53-62.	7.7	330
402	Direct transmembrane clustering and cytoplasmic dimerization of focal adhesion kinase initiates its tyrosine phosphorylation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2002, 1592, 141-152.	1.9	34
403	Laminin- γ 2 overexpression in head-and-neck squamous cell carcinoma. <i>International Journal of Cancer</i> , 2002, 99, 583-588.	2.3	42
404	Immunolocalization of c-Fos and c-Jun in human oral mucosa and in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2002, 31, 78-81.	1.4	33
405	Functional roles of Akt signaling in mouse skin tumorigenesis. <i>Oncogene</i> , 2002, 21, 53-64.	2.6	164
406	Rac1 and RhoG promote cell survival by the activation of PI3K and Akt, independently of their ability to stimulate JNK and NF- κ B. <i>Oncogene</i> , 2002, 21, 207-216.	2.6	145
407	Regulation of p73 by c-Abl through the p38 MAP kinase pathway. <i>Oncogene</i> , 2002, 21, 974-979.	2.6	105
408	PTEN, but not SHIP and SHIP2, suppresses the PI3K/Akt pathway and induces growth inhibition and apoptosis of myeloma cells. <i>Oncogene</i> , 2002, 21, 5289-5300.	2.6	93
409	E-cadherin and Hakai: signalling, remodeling or destruction?. <i>Nature Cell Biology</i> , 2002, 4, E72-E74.	4.6	62
410	The kaposi's sarcoma associated herpesvirus: a model for viral oncogenesis. , 2002, 4, 118-133.		0
411	Antitumor activity of UCN-01 in carcinomas of the head and neck is associated with altered expression of cyclin D3 and p27(KIP1). <i>Clinical Cancer Research</i> , 2002, 8, 3549-60.	3.2	42
412	MAPK and Akt Act Cooperatively but Independently on Hypoxia Inducible Factor-1 α in rasV12 Upregulation of VEGF. <i>Biochemical and Biophysical Research Communications</i> , 2001, 287, 292-300.	1.0	157
413	G-protein-coupled receptors and signaling networks: emerging paradigms. <i>Trends in Pharmacological Sciences</i> , 2001, 22, 368-376.	4.0	933
414	Proteomic profiling of the cancer microenvironment by antibody arrays. <i>Proteomics</i> , 2001, 1, 1271-1278.	1.3	323

#	ARTICLE	IF	CITATIONS
415	RGS-containing RhoGEFs: the missing link between transforming G proteins and Rho?. <i>Oncogene</i> , 2001, 20, 1661-1668.	2.6	212
416	Signaling by G protein coupled receptors and G proteins: a perspective. <i>Oncogene</i> , 2001, 20, 1530-1531.	2.6	8
417	Regulation of c-myc expression by PDGF through Rho GTPases. <i>Nature Cell Biology</i> , 2001, 3, 580-586.	4.6	128
418	Structure of the RGS-like Domain from PDZ-RhoGEF. <i>Structure</i> , 2001, 9, 559-569.	1.6	73
419	Granulocyte Colony-stimulating Factor Induces Erk5 Activation, Which Is Differentially Regulated by Protein-tyrosine Kinases and Protein Kinase C. <i>Journal of Biological Chemistry</i> , 2001, 276, 10811-10816.	1.6	49
420	The Mood Stabilizer Valproic Acid Activates Mitogen-activated Protein Kinases and Promotes Neurite Growth. <i>Journal of Biological Chemistry</i> , 2001, 276, 31674-31683.	1.6	300
421	Regulation of gene expression by the small GTPase Rho through the ERK6 (p38gamma) MAP kinase pathway. <i>Genes and Development</i> , 2001, 15, 535-553.	2.7	157
422	New Approaches To the Understanding of the Molecular Basis of Oral Cancer. <i>Critical Reviews in Oral Biology and Medicine</i> , 2001, 12, 55-63.	4.4	75
423	Proteomic profiling of the cancer microenvironment by antibody arrays. <i>Proteomics</i> , 2001, 1, 1271-1278.	1.3	10
424	Regulation of cyclin-dependent kinase (Cdk) 2 Thr-160 phosphorylation and activity by mitogen-activated protein kinase in late G1 phase. <i>Biochemical Journal</i> , 2000, 349, 869-876.	1.7	42
425	Induction of apoptosis in head-and-neck squamous carcinoma cells by γ -irradiation and bleomycin is p53-independent. <i>International Journal of Cancer</i> , 2000, 88, 737-743.	2.3	23
426	Distinct pattern of expression of differentiation and growth-related genes in squamous cell carcinomas of the head and neck revealed by the use of laser capture microdissection and cDNA arrays. <i>Oncogene</i> , 2000, 19, 3220-3224.	2.6	275
427	Role of the cAMP and MAPK pathways in the transformation of mouse 3T3 fibroblasts by a TSHR gene constitutively activated by point mutation. <i>Oncogene</i> , 2000, 19, 4896-4905.	2.6	15
428	Cbl-b regulates the CD28 dependence of T-cell activation. <i>Nature</i> , 2000, 403, 216-220.	13.7	576
429	A new twist for the tumour suppressor hamartin. <i>Nature Cell Biology</i> , 2000, 2, E76-E78.	4.6	8
430	Gene expression profiles in squamous cell carcinomas of the oral cavity: use of laser capture microdissection for the construction and analysis of stage-specific cDNA libraries. <i>Oral Oncology</i> , 2000, 36, 474-483.	0.8	67
431	Genome-wide analysis of oral cancer—early results from the Cancer Genome Anatomy Project. <i>Oral Oncology</i> , 2000, 36, 8-16.	0.8	25
432	Isoproterenol inhibits fibroblast growth factor-2-induced growth of renal epithelial cells. <i>Pediatric Nephrology</i> , 2000, 14, 726-734.	0.9	17

#	ARTICLE	IF	CITATIONS
433	Loss of PTEN expression leading to high Akt activation in human multiple myelomas. <i>Blood</i> , 2000, 96, 3560-3568.	0.6	119
434	Importance of the MKK6/p38 pathway for interleukin-12 α -induced STAT4 serine phosphorylation and transcriptional activity. <i>Blood</i> , 2000, 96, 1844-1852.	0.6	116
435	The Rho Family GTPase Cdc42 Regulates the Activation of Ras/MAP Kinase by the Exchange Factor Ras-GRF. <i>Journal of Biological Chemistry</i> , 2000, 275, 26441-26448.	1.6	40
436	Signaling from E-cadherins to the MAPK Pathway by the Recruitment and Activation of Epidermal Growth Factor Receptors upon Cell-Cell Contact Formation. <i>Journal of Biological Chemistry</i> , 2000, 275, 41227-41233.	1.6	308
437	Deletion of the COOH Terminus Converts the ST5 p70 Protein from an Inhibitor of RAS Signaling to an Activator with Transforming Activity in NIH-3T3 Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 6560-6565.	1.6	19
438	Regulation of Mitogen-Activated Protein Kinase Signaling Networks by G Protein-Coupled Receptors. <i>Science Signaling</i> , 2000, 2000, re1-re1.	1.6	185
439	SPECs, Small Binding Proteins for Cdc42. <i>Journal of Biological Chemistry</i> , 2000, 275, 22650-22656.	1.6	34
440	A Novel Role for Phosphatidylinositol 3-Kinase β in Signaling from G Protein-coupled Receptors to Akt. <i>Journal of Biological Chemistry</i> , 2000, 275, 12069-12073.	1.6	179
441	Multiple Mitogen-Activated Protein Kinase Signaling Pathways Connect the Cot Oncoprotein to the c-jun Promoter and to Cellular Transformation. <i>Molecular and Cellular Biology</i> , 2000, 20, 1747-1758.	1.1	188
442	Signaling from G Protein-coupled Receptors to ERK5/Big MAPK 1 Involves G α q and G α 12/13 Families of Heterotrimeric G Proteins. <i>Journal of Biological Chemistry</i> , 2000, 275, 21730-21736.	1.6	82
443	Tensin Can Induce JNK and p38 Activation. <i>Biochemical and Biophysical Research Communications</i> , 2000, 272, 717-720.	1.0	21
444	Leukemia-associated Rho guanine nucleotide exchange factor (LARG) links heterotrimeric G proteins of the G12family to Rho. <i>FEBS Letters</i> , 2000, 485, 183-188.	1.3	208
445	Loss of PTEN expression leading to high Akt activation in human multiple myelomas. <i>Blood</i> , 2000, 96, 3560-3568.	0.6	15
446	Importance of the MKK6/p38 pathway for interleukin-12 α -induced STAT4 serine phosphorylation and transcriptional activity. <i>Blood</i> , 2000, 96, 1844-1852.	0.6	9
447	Angiotensin II and Basic Fibroblast Growth Factor Mitogenic Pathways in Human Fetal Mesangial Cells. <i>Pediatric Research</i> , 2000, 47, 614-621.	1.1	18
448	A role for the p38 mitogen-activated protein kinase pathway in the transcriptional activation of p53 on genotoxic stress by chemotherapeutic agents. <i>Cancer Research</i> , 2000, 60, 2464-72.	0.4	210
449	The Kaposi's sarcoma-associated herpes virus G protein-coupled receptor up-regulates vascular endothelial growth factor expression and secretion through mitogen-activated protein kinase and p38 pathways acting on hypoxia-inducible factor 1 α . <i>Cancer Research</i> , 2000, 60, 4873-80.	0.4	368
450	Role of Mitogen-activated Protein Kinases and c-Jun/AP-1 trans-Activating Activity in the Regulation of Protease mRNAs and the Malignant Phenotype in NIH 3T3 Fibroblasts. <i>Journal of Biological Chemistry</i> , 1999, 274, 801-813.	1.6	54

#	ARTICLE	IF	CITATIONS
451	Divergent Signaling Pathways Link Focal Adhesion Kinase to Mitogen-activated Protein Kinase Cascades. <i>Journal of Biological Chemistry</i> , 1999, 274, 30738-30746.	1.6	77
452	A Novel PDZ Domain Containing Guanine Nucleotide Exchange Factor Links Heterotrimeric G Proteins to Rho. <i>Journal of Biological Chemistry</i> , 1999, 274, 5868-5879.	1.6	356
453	Human JIK, a Novel Member of the STE20 Kinase Family That Inhibits JNK and Is Negatively Regulated by Epidermal Growth Factor. <i>Journal of Biological Chemistry</i> , 1999, 274, 33287-33295.	1.6	72
454	Activation of the Protein Kinase Akt/PKB by the Formation of E-cadherin-mediated Cell-Cell Junctions. <i>Journal of Biological Chemistry</i> , 1999, 274, 19347-19351.	1.6	240
455	EPS8 and E3B1 transduce signals from Ras to Rac. <i>Nature</i> , 1999, 401, 290-293.	13.7	312
456	Characterization of AT2 receptor expression in NIH 3T3 fibroblasts. <i>Cellular and Molecular Neurobiology</i> , 1999, 19, 277-288.	1.7	8
457	Novel Molecular Mediators in the Pathway Connecting G-protein-coupled Receptors to MAP Kinase Cascades. <i>Trends in Endocrinology and Metabolism</i> , 1999, 10, 122-127.	3.1	38
458	Insulin-Like Growth Factor I Synergizes with Interleukin 4 for Hematopoietic Cell Proliferation Independent of Insulin Receptor Substrate Expression. <i>Molecular and Cellular Biology</i> , 1999, 19, 3816-3828.	1.1	49
459	A Network of Mitogen-Activated Protein Kinases Links G Protein-Coupled Receptors to the c-Jun NH ₂ -Terminal Kinase, p38s, and Extracellular Signal-Regulated Kinase 5. <i>Molecular and Cellular Biology</i> , 1999, 19, 4289-4301.	1.1	204
460	G-protein-coupled receptor of Kaposi's sarcoma-associated herpesvirus is a viral oncogene and angiogenesis activator. <i>Nature</i> , 1998, 392, 210-210.	13.7	5
461	G-protein-coupled receptor of Kaposi's sarcoma-associated herpesvirus is a viral oncogene and angiogenesis activator. <i>Nature</i> , 1998, 391, 86-89.	13.7	821
462	Signalling of the Ret receptor tyrosine kinase through the c-Jun NH ₂ -terminal protein kinases (JNKs): evidence for a divergence of the ERKs and JNKs pathways induced by Ret. <i>Oncogene</i> , 1998, 16, 2435-2445.	2.6	112
463	Characterization of Brx, a novel Dbl family member that modulates estrogen receptor action. <i>Oncogene</i> , 1998, 16, 2513-2526.	2.6	78
464	Effector domain mutants of Rho dissociate cytoskeletal changes from nuclear signaling and cellular transformation. <i>Oncogene</i> , 1998, 17, 991-998.	2.6	57
465	The ras-related GTPase rac1 regulates a proliferative pathway selectively utilized by G-protein coupled receptors. <i>Oncogene</i> , 1998, 17, 1617-1623.	2.6	28
466	Cell growth control by G protein-coupled receptors: from signal transduction to signal integration. <i>Oncogene</i> , 1998, 17, 1331-1342.	2.6	248
467	G β 12 Requires Acylation for Its Transforming Activity. <i>Biochemistry</i> , 1998, 37, 3196-3202.	1.2	39
468	Tyrosine Kinases of the Src Family Participate in Signaling to MAP Kinase from both Gq and Gi-Coupled Receptors. <i>Biochemical and Biophysical Research Communications</i> , 1998, 244, 5-10.	1.0	73

#	ARTICLE	IF	CITATIONS
469	Transforming G Protein-Coupled Receptors Block Insulin andras-Induced Adipocytic Differentiation in 3T3-L1 Cells: Evidence for a PKC and MAP Kinase Independent Pathway. <i>Biochemical and Biophysical Research Communications</i> , 1998, 245, 554-561.	1.0	6
470	Insulin-like Growth Factor-I Inhibits the Stress-activated Protein Kinase/c-Jun N-terminal Kinase. <i>Journal of Biological Chemistry</i> , 1998, 273, 25961-25966.	1.6	74
471	A Common Requirement for the Catalytic Activity and Both SH2 Domains of SHP-2 in Mitogen-activated Protein (MAP) Kinase Activation by the ErbB Family of Receptors. <i>Journal of Biological Chemistry</i> , 1998, 273, 16643-16646.	1.6	82
472	Phosphoinositide 3-Kinase \hat{I}^3 Is a Mediator of $G\hat{I}^3$ -dependent Jun Kinase Activation. <i>Journal of Biological Chemistry</i> , 1998, 273, 2505-2508.	1.6	84
473	Activation of Akt/Protein Kinase B by G Protein-coupled Receptors. <i>Journal of Biological Chemistry</i> , 1998, 273, 19080-19085.	1.6	303
474	SCIENTIFIC PROGRESS IN UNDERSTANDING ORAL AND PHARYNGEAL CANCERS. <i>Journal of the American Dental Association</i> , 1998, 129, 713-718.	0.7	13
475	The Pathways Connecting G Protein-coupled Receptors to the Nucleus through Divergent Mitogen-activated Protein Kinase Cascades. <i>Journal of Biological Chemistry</i> , 1998, 273, 1839-1842.	1.6	721
476	Flavopiridol, a novel cyclin-dependent kinase inhibitor, suppresses the growth of head and neck squamous cell carcinomas by inducing apoptosis.. <i>Journal of Clinical Investigation</i> , 1998, 102, 1674-1681.	3.9	200
477	$G\hat{I}^12$ - and $G\hat{I}^13$ -Subunits of Heterotrimeric G-Proteins A Novel Family of Oncogenes. , 1998, , 101-117.		10
478	Signaling from G Protein-coupled Receptors to the c-jun Promoter Involves the MEF2 Transcription Factor. <i>Journal of Biological Chemistry</i> , 1997, 272, 20691-20697.	1.6	50
479	Tyrosine Phosphorylation of the vav Proto-oncogene Product Links Fc \hat{I}^{μ} RI to the Rac1-JNK Pathway. <i>Journal of Biological Chemistry</i> , 1997, 272, 10751-10755.	1.6	106
480	The Constitutively Active Mutant $G\hat{I}^13$ Transforms Mouse Fibroblast Cells Deficient in Insulin-like Growth Factor-I Receptor. <i>Journal of Biological Chemistry</i> , 1997, 272, 29438-29441.	1.6	28
481	A Human Suppressor of c-Jun N-terminal Kinase 1 Activation by Tumor Necrosis Factor \hat{I}^{\pm} . <i>Journal of Biological Chemistry</i> , 1997, 272, 25816-25823.	1.6	108
482	Carboxyl-terminal Domain of p27Kip1 Activates CDC2. <i>Journal of Biological Chemistry</i> , 1997, 272, 21669-21672.	1.6	19
483	The small GTP-binding protein Rho links G protein-coupled receptors and $G\hat{I}^12$ to the serum response element and to cellular transformation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 10098-10103.	3.3	208
484	Linkage of G Protein-Coupled Receptors to the MAPK Signaling Pathway Through PI 3-Kinase \hat{A} . <i>Science</i> , 1997, 275, 394-397.	6.0	671
485	Requirement of Phosphatidylinositol-3 Kinase for Activation of JNK/SAPKs by PDGF. <i>Biochemical and Biophysical Research Communications</i> , 1997, 232, 273-277.	1.0	64
486	The pathway connecting m2 receptors to the nucleus involves small GTP-binding proteins acting on divergent map kinase cascades. <i>Life Sciences</i> , 1997, 60, 999-1006.	2.0	19

#	ARTICLE	IF	CITATIONS
487	The p53 tumor suppressor targets a novel regulator of G protein signaling. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 7868-7872.	3.3	84
488	PLC- β 3 activation is required for PDGF- β 2R-mediated mitogenesis and monocytic differentiation of myeloid progenitor cells. Oncogene, 1997, 15, 585-593.	2.6	33
489	Cbl-b, a member of the Sli-1/c-Cbl protein family, inhibits Vav-mediated c-Jun N-terminal kinase activation. Oncogene, 1997, 15, 2511-2520.	2.6	87
490	Phosphotyrosine-dependent activation of Rac-1 GDP/GTP exchange by the vav proto-oncogene product. Nature, 1997, 385, 169-172.	13.7	736
491	Effect of activating and inactivating mutations of G α S and G α i2 protein subunits on growth and differentiation of 3T3-L1 preadipocytes. , 1997, 64, 242-257.		14
492	Dual transduction signaling by a Xenopus muscarinic receptor: Adenylyl cyclase inhibition and MAP kinase activation. Journal of Cellular Biochemistry, 1997, 65, 75-82.	1.2	3
493	The pathway linking small GTP-binding proteins of the Rho family to cytoskeletal components and novel signaling kinase cascades. Seminars in Cell and Developmental Biology, 1996, 7, 683-690.	2.3	17
494	Protein kinase C-zeta reverts v-raf transformation of NIH-3T3 cells.. Genes and Development, 1996, 10, 1455-1466.	2.7	36
495	Signaling from G Protein-coupled Receptors to c-Jun Kinase Involves β 3 Subunits of Heterotrimeric G Proteins Acting on a Ras and Rac1-dependent Pathway. Journal of Biological Chemistry, 1996, 271, 3963-3966.	1.6	233
496	The PH domain of Ras-GAP is sufficient for in Vitro binding to β 3 subunits of heterotrimeric G proteins. Cellular and Molecular Neurobiology, 1996, 16, 51-59.	1.7	7
497	Probes for narcotic receptor mediated phenomena 22. (1) synthesis and characterization of optically pure [3H](+)-4-[(1R)-1-((2S, 5R)-4-propyl-2,5-dimethyl-1-piperazinyl)-3-methoxybenzyl]-N, N-diethylbenzamide, [3H]SNC 121, a novel high affinity and select. Journal of Labelled Compounds and Radiopharmaceuticals, 1996, 38, 847-850.	0.5	1
498	Suppression of ceramide-mediated programmed cell death by sphingosine-1-phosphate. Nature, 1996, 381, 800-803.	13.7	1,443
499	Integrins can collaborate with growth factors for phosphorylation of receptor tyrosine kinases and MAP kinase activation: roles of integrin aggregation and occupancy of receptors.. Journal of Cell Biology, 1996, 135, 1633-1642.	2.3	740
500	Signaling from the Small GTP-binding Proteins Rac1 and Cdc42 to the c-Jun N-terminal Kinase/Stress-activated Protein Kinase Pathway. Journal of Biological Chemistry, 1996, 271, 27225-27228.	1.6	299
501	A C-terminal Mutant of the G Protein β 2 Subunit Deficient in the Activation of Phospholipase C- β 2. Journal of Biological Chemistry, 1996, 271, 20208-20212.	1.6	29
502	Selective Activation of Effector Pathways by Brain-specific G Protein β 25. Journal of Biological Chemistry, 1996, 271, 33575-33579.	1.6	85
503	The Small GTP-binding Protein Rho Activates c-Jun N-terminal Kinases/Stress-activated Protein Kinases in Human Kidney 293T Cells. Journal of Biological Chemistry, 1996, 271, 25731-25734.	1.6	157
504	Regulation of reactive-oxygen-species generation in fibroblasts by Rac 1. Biochemical Journal, 1996, 318, 379-382.	1.7	483

#	ARTICLE	IF	CITATIONS
505	Dual Effect of β_2 -Adrenergic Receptors on Mitogen-activated Protein Kinase. <i>Journal of Biological Chemistry</i> , 1995, 270, 25259-25265.	1.6	214
506	Integrin function: molecular hierarchies of cytoskeletal and signaling molecules.. <i>Journal of Cell Biology</i> , 1995, 131, 791-805.	2.3	1,140
507	Transforming G Protein-coupled Receptors Potently Activate JNK (SAPK). <i>Journal of Biological Chemistry</i> , 1995, 270, 5620-5624.	1.6	202
508	Structural Studies on the PH Domains of Dbl, Sos1, IRS-1, and β -ARK1 and Their Differential Binding to G β γ Subunits. <i>Biochemistry</i> , 1995, 34, 9111-9117.	1.2	71
509	Overexpression of Mammalian Protein Kinase C- δ Does Not Affect the Growth Characteristics of NIH 3T3 Cells. <i>Biochemical and Biophysical Research Communications</i> , 1995, 213, 266-272.	1.0	23
510	The small GTP-binding proteins Rac1 and Cdc42 regulate the activity of the JNK/SAPK signaling pathway. <i>Cell</i> , 1995, 81, 1137-1146.	13.5	1,668
511	Biological function of PDGF-induced PI-3 kinase activity: its role in alpha PDGF receptor-mediated mitogenic signaling.. <i>Journal of Cell Biology</i> , 1994, 127, 479-487.	2.3	37
512	Ras-dependent activation of MAP kinase pathway mediated by G-protein $\beta\gamma$ subunits. <i>Nature</i> , 1994, 369, 418-420.	13.7	816
513	Potent Transforming Activity of the G13 β Subunit Defines a Novel Family of Oncogenes. <i>Biochemical and Biophysical Research Communications</i> , 1994, 201, 603-609.	1.0	98
514	Novel 1-Phenylcycloalkancarboxylic Acid Derivatives Are Potent and Selective σ_1 Ligands. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 2285-2291.	2.9	23
515	The non-catalytic domain of ras-GAP inhibits transformation induced by G protein coupled receptors. <i>Oncogene</i> , 1994, 9, 597-601.	2.6	17
516	Common elements in interleukin 4 and insulin signaling pathways in factor-dependent hematopoietic cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 4032-4036.	3.3	172
517	A mutant alpha subunit of G12 potentiates the eicosanoid pathway and is highly oncogenic in NIH 3T3 cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 6741-6745.	3.3	172
518	Transforming G protein-coupled receptors transduce potent mitogenic signals in NIH 3T3 cells independent on cAMP inhibition or conventional protein kinase C. <i>Oncogene</i> , 1993, 8, 19-26.	2.6	32
519	Activation of transforming G protein-coupled receptors induces rapid tyrosine phosphorylation of cellular proteins, including p125FAK and the p130 v-src Substrate. <i>Biochemical and Biophysical Research Communications</i> , 1992, 188, 155-161.	1.0	55
520	Fc epsilon RI-induced protein tyrosine phosphorylation of pp72 in rat basophilic leukemia cells (RBL-2H3). Evidence for a novel signal transduction pathway unrelated to G protein activation and phosphatidylinositol hydrolysis. <i>Journal of Biological Chemistry</i> , 1992, 267, 5434-41.	1.6	55
521	Activating and inactivating mutations of the alpha subunit of Gi2 protein have opposite effects on proliferation of NIH 3T3 cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 10455-10459.	3.3	118
522	Muscarinic acetylcholine receptor subtypes as agonist-dependent oncogenes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 4703-4707.	3.3	290

#	ARTICLE	IF	CITATIONS
523	Decreased Angiotensin II Receptors in Subfornical Organ of Spontaneously Hypertensive Rats After Chronic Antihypertensive Treatment With Enalapril. <i>American Journal of Hypertension</i> , 1990, 3, 59-61.	1.0	36
524	Tyrosine phosphorylation coupled to IgE receptor-mediated signal transduction and histamine release.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 5327-5330.	3.3	242
525	Autoradiographic localization of osteogenin binding sites in cartilage and bone during rat embryonic development. <i>Developmental Biology</i> , 1990, 140, 209-214.	0.9	50
526	Expression of the fgr protooncogene product as a function of myelomonocytic cell maturation.. <i>Journal of Cell Biology</i> , 1989, 109, 3129-3136.	2.3	41
527	Pressor Response Induced by Clenbuterol Treatment in Immobilized Normotensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 1989, 13, 793-798.	0.8	2
528	Calibration of ¹²⁵ I-polymer standards with ¹²⁵ I-brain paste standards for use in quantitative receptor autoradiography. <i>Journal of Neuroscience Methods</i> , 1989, 30, 247-253.	1.3	158
529	Further Evidence of Interaction Between Vasodilator α_2 - and Vasoconstrictor α_1 -Adrenoceptor-Mediated Responses in Maintaining Vascular Tone in Anesthetized Rats. <i>Journal of Cardiovascular Pharmacology</i> , 1989, 14, 874-880.	0.8	4
530	Translocation of the FGR protein-tyrosine kinase as a consequence of neutrophil activation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 8783-8787.	3.3	93
531	Regulation of Brain Atrial Natriuretic Peptide and Angiotensin Receptors: Quantitative Autoradiographic Studies. <i>International Review of Neurobiology</i> , 1989, 31, 257-296.	0.9	20
532	The actin domain of Gardner-Rasheed feline sarcoma virus inhibits kinase and transforming activities. <i>Journal of Virology</i> , 1989, 63, 1715-1720.	1.5	11
533	Pressor Response Induced by Clenbuterol Treatment in Immobilized Normotensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 1989, 13, 793-798.	0.8	0
534	Effect of chronic administration of the converting enzyme inhibitor enalapril (MK 421) on brain atrial natriuretic peptide receptors in Wistar-Kyoto and spontaneously hypertensive rats. <i>Brain Research</i> , 1988, 475, 134-140.	1.1	6
535	Decreased angiotensin II binding affinity and binding capacity in the anterior pituitary gland of adult spontaneously hypertensive rats. <i>Life Sciences</i> , 1988, 43, 445-451.	2.0	1
536	Characterization of α_2 -adrenergic receptors in sections from human blood lymphocyte pellets by quantitative autoradiography. <i>Biological Psychiatry</i> , 1988, 23, 749-754.	0.7	2
537	Increased concentration of angiotensin II binding sites in selected brain areas of spontaneously hypertensive rats. <i>Journal of Hypertension</i> , 1988, 6, 79.	0.3	118
538	Autoradiographic quantification of vasoactive intestinal peptide binding sites in sections from human blood mononuclear cell pellets. <i>Neuropsychopharmacology</i> , 1988, 1, 251-255.	2.8	3
539	Different Pharmacological Interaction of Clonidine and Guanabenz with Antidepressive Drugs. <i>Clinical and Experimental Hypertension</i> , 1987, 9, 1531-1547.	0.3	3
540	Specific angiotensin II binding sites in the rat stellate and superior cervical ganglia. <i>Brain Research</i> , 1987, 422, 347-351.	1.1	37

#	ARTICLE	IF	CITATIONS
541	Lower number of atrial natriuretic peptide receptors in thymocytes and spleen cells of spontaneously hypertensive rats. <i>Biochemical and Biophysical Research Communications</i> , 1987, 149, 1132-1140.	1.0	8
542	Atrial natriuretic peptide receptors in sympathetic ganglia: Biochemical response and alterations in genetically hypertensive rats. <i>Biochemical and Biophysical Research Communications</i> , 1987, 149, 65-72.	1.0	36
543	Regulation of angiotensin II binding sites in the subfornical organ and other rat brain nuclei after water deprivation. <i>Cellular and Molecular Neurobiology</i> , 1987, 7, 447-455.	1.7	27
544	Interaction between $\hat{1}22$ - and $\hat{1}\pm 2$ -adrenoceptor responses in the vascular system: effect of clenbuterol. <i>European Journal of Pharmacology</i> , 1986, 130, 119-124.	1.7	4
545	Cardiovascular effects of alpha-adrenergic drugs: Differences between clonidine and guanabenz. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1986, 332, 370-375.	1.4	13
546	Treatment with clorgyline and pargyline differentially decreases clonidine-induced hypotension and bradycardia. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1984, 327, 189-192.	1.4	3
547	Molecular Mechanisms of Cancer. , 0, , 71-142.		3
548	Single-Walled Carbon-Nanotube Forest Immunosensor for Amplified Detection of Cancer Biomarkers. , 0, , .		0
549	RGS-RhoGEFs and other RGS multidomain proteins as effector molecules in GPCR-dependent and GPCR-independent cell signaling. , 0, , 159-188.		1