

# Arthur Moraes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4864782/publications.pdf>

Version: 2024-02-01

456  
papers

21,884  
citations

11651  
70  
h-index

17592  
121  
g-index

459  
all docs

459  
docs citations

459  
times ranked

9522  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.  | 3.9 | 1,187     |
| 2  | Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.                                       | 3.9 | 499       |
| 3  | Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.              | 3.9 | 362       |
| 4  | Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2019, 79, 421.                             | 3.9 | 355       |
| 5  | Particle-flow reconstruction and global event description with the CMS detector. Journal of Instrumentation, 2017, 12, P10003-P10003.   | 1.2 | 348       |
| 6  | The CMS trigger system. Journal of Instrumentation, 2017, 12, P01020-P01020.  | 1.2 | 307       |
| 7  | Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17. | 3.9 | 268       |
| 8  | Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.  | 3.9 | 259       |
| 9  | Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.                            | 3.9 | 248       |
| 10 | Evidence for collectivity in pp collisions at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 193-220.                    | 4.1 | 243       |
| 11 | Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. Journal of Instrumentation, 2018, 13, P05011-P05011.                                     | 1.2 | 241       |
| 12 |   |     |           |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.   | 3.9  | 198       |
| 20 | Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2018, 13, P06015-P06015.   | 1.2  | 180       |
| 21 | Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.  | 3.9  | 179       |
| 22 | Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7  | 175       |
| 23 | Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV. Physical Review Letters, 2018, 120, 221801.  | 1.60 | 160       |
| 24 | Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2011, 71, 1.   | 3.9  | 146       |
| 25 | Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 792, 520-551.          | 4.7  | 145       |
| 26 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7  | 145       |
| 27 | Measurement of the $t\bar{t}$ production cross-section using $e\gamma$ events with $b$ -tagged jets in $p\bar{p}$ collisions at $\sqrt{s}=7$ s = 7 and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.                  | 3.9  | 143       |
| 28 | Evidence for transverse-momentum- and pseudorapidity-dependent event-plane fluctuations in PbPb and $p\bar{p}$ collisions. Physical Review C, 2015, 92,   | 2.9  | 140       |
| 29 | Search for supersymmetric particles in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review Letters, 2016, 116, 172302.   | 7.8  | 139       |
| 30 | Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7  | 137       |
| 31 | Measurement of the $Z\gamma^*$ boson transverse momentum distribution in pp collisions at $s = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7  | 131       |
| 32 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.                                     | 4.7  | 128       |
| 33 | Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.                               | 4.7  | 126       |
| 34 | Observation of the Higgs boson decay to a pair of $\tau$ , leptons with the CMS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 283-316.   | 4.1  | 125       |
| 35 | Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.  | 3.9  | 123       |
| 36 | Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.   | 3.9  | 121       |

# ARTICLE

IF CITATIONS

37

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | <a href="#">Search for dijet resonances in proton–proton collisions at <math>\sqrt{s} = 13\text{ TeV}</math> and constraints on dark matter and other models.</a> Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 769, 520-542.                                   | 4.1 | 90        |
| 56 | Jet mass and substructure of inclusive jets in $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 88        |
| 57 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 88        |
| 58 | <a href="#">Observation of Electroweak Production of Same-Sign Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at <math>\sqrt{s} = 13\text{ TeV}</math>.</a> Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 2018, 1. | 7.8 | 86        |
| 59 | Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 86        |
| 60 | Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ . Journal of Instrumentation, 2020, 15, P10017-P10017.   | 1.2 | 84        |
| 61 | Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ using the CMS detector. Journal of Instrumentation, 2019, 14, P07004-P07004.  | 1.2 | 83        |
| 62 | ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7\text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 81        |
| 63 | <a href="#">Measurement of angular parameters from the decay <math>B^0 \rightarrow K^{*0}/\pi^+/\pi^-</math> in proton–proton collisions at <math>\sqrt{s} = 7\text{ TeV}</math>.</a> Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 517-541.                    | 4.7 | 81        |
| 64 | <a href="#">Search for new physics in final states with an energetic jet or a hadronically decaying resonance.</a> Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 671, 517-541.  | 4.7 | 78        |
| 65 | Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at $\sqrt{s}=13\text{ TeV}$ . European Physical Journal C, 2020, 80, 75.  | 3.9 | 78        |
| 66 | Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.  | 3.9 | 77        |
| 67 | <a href="#">Search for Narrow Resonances in Dijet Final States at <math>\sqrt{s} = 7\text{ TeV}</math>.</a> Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 117, 031802.  | 7.8 | 74        |
| 68 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.  | 3.9 | 73        |
| 69 | Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 73        |
| 70 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8\text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 71        |
| 71 | <a href="#">Measurement of the prompt photon production function in <math>\sqrt{s}=7\text{ TeV}</math> Pb-Pb collisions.</a> Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 702, 45-51.  | 7.8 | 70        |
| 72 | <a href="#">Measurement of Prompt <math>\pi^{\pm}</math> and <math>K^{\pm}</math> production in <math>\sqrt{s_{NN}}=200\text{ GeV}</math> Pb-Pb collisions at the LHC.</a> Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 702, 45-51.                            | 7.8 | 70        |
|    | Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{NN}}=200\text{ GeV}$ . Physical Review Letters, 2018, 120, 202301.  | 7.8 | 70        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Searches for physics beyond the standard model with the $\$M_{\mathrm{[T2]}}\$$ variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\$sqrt{s}=13,\text{ext}\{TeV\} \$$ . European Physical Journal C, 2020, 80, 3.  | 3.9 | 70        |
| 74 | Performance of reconstruction and identification of $\tilde{l}_{\nu}$ , leptons decaying to hadrons and $\langle i>v</i>\langle sub>\tilde{l}_{\nu}</sub>$ in pp collisions at $\hat{s}=13 \text{ TeV}$ . Journal of Instrumentation, 2018, 13, P10005-P10005.   | 1.2 | 69        |
| 75 | Measurements of the Higgs boson width and anomalous $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mrow>\langle mml:mi>H</mml:mi>\langle mml:mi>V</mml:mi>\langle mml:mi>V</mml:mi>\langle mml:mi>V</mml:mi>\langle mml:mrow></mml:math>$ couplings from on-shell and off-shell production in the four-lepton final state. Physical Review D, 2019, 99.   | 4.7 | 69        |
| 76 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\$sqrt{s_{\mathrm{NN}}}=2.76 \$ \text{ s NN} = 2.76 \text{ \AA TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.   | 3.9 | 68        |
| 77 | Measurement of the $\overline{t} t \bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.  | 3.9 | 68        |
| 78 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\$sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 65        |
| 79 | Measurement of the $W \rightarrow l^{\pm} \nu_l$ and $Z \rightarrow l^+ l^-$ production cross sections in proton-proton collisions at $\$sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.  | 4.7 | 64        |
| 80 | Measurement of isolated-photon pair production in pp collisions at $\$sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 64        |
| 81 | Search for new physics in same-sign dilepton events in proton-proton collisions at $\$sqrt{s}=13,\text{ext}\{TeV\} \$ \text{ s } = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 439.   | 3.9 | 64        |
| 82 | Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML">\langle mml:mrow>\langle mml:mi>p</mml:mi>\langle mml:mi>Pb</mml:mi>\langle mml:mrow></mml:math>$ and PbPb collisions at the CERN Large Hadron Collider. Physical Review C, 2018, 97, .  | 4.9 | 64        |
| 83 | The silicon microstrip sensors of the ATLAS semiconductor tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 578, 98-118.   | 1.6 | 63        |
| 84 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$sqrt{s}=13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 63        |
| 85 | Evidence for the Higgs boson decay to a bottom quark-antiquark pair. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 501-532.   | 4.1 | 63        |
| 86 | A measurement of the Higgs boson mass in the diphoton decay channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 805, 135425.  | 4.1 | 63        |
| 87 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$sqrt{s}=8,\text{ext}\{TeV\} \$ \text{ s } = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 13.   | 3.9 | 62        |
| 88 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s=13 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 62        |
| 89 | Measurement of the inelastic proton-proton cross section at $\$sqrt{s}=13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 62        |
| 90 | Observation of Two Excited States and Measurement of the $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mrow>\langle mml:msubsup>\langle mml:mi>B</mml:mi>\langle mml:mi>c</mml:mi>\langle mml:mo>+</mml:mo>\langle mml:msubsup></mml:math>$ stretchy="false"> $\langle /mml:mo>\langle mml:mn>2</mml:mn>\langle mml:mi>S</mml:mi>\langle mml:mo>+</mml:mo>\langle mml:msubsup></mml:math>$ stretchy="false"> $\langle /mml:mo>\langle mml:mn>7.8</mml:mn>\langle mml:mi>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 42 Td (stret$ | 7.8 | 62        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC. Journal of Instrumentation, 2021, 16, P05014.  | 1.2 | 62        |
| 92  | Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.   | 3.9 | 61        |
| 93  | Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and ZZl <sup>3</sup> couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 61        |
| 94  | Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.<br>Search for resonances in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2013, 73, 1. | 3.9 | 61        |
| 95  | Search for a narrow resonance lighter than 200 GeV decaying to a pair of muons in proton-proton collisions at $\sqrt{s} = 7$ TeV. Physical Review Letters, 2020, 124, 131802.   | 4.7 | 61        |
| 96  | Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.   | 3.9 | 60        |
| 97  | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.   | 3.9 | 60        |
| 98  | Measurement of W ± Z production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.  | 3.9 | 59        |
| 99  | Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 59        |
| 100 | Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 59        |
| 101 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 59        |
| 102 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.  | 3.9 | 58        |
| 103 | Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 57        |
| 104 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 578.   | 3.9 | 57        |
| 105 | Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 57        |
| 106 | Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 57        |
| 107 | Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.   | 3.9 | 56        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. Journal of Instrumentation, 2020, 15, P06005-P06005.   | 1.2 | 56        |
| 110 | Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $s = 8 \text{ TeV}$ $p p$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.                                      | 3.9 | 55        |
| 111 | Limits on the Higgs boson lifetime and width from its decay to four charged leptons. Physical Review D, 2015, 92, .   | 4.7 | 55        |
| 112 | Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $s = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 451.  | 3.9 | 55        |
| 113 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 54        |
| 114 | Search for high-mass resonances decaying to dilepton final states in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 54        |
| 115 | Measurement and QCD analysis of double-differential inclusive jet cross sections in $p p$ collisions at $s = 8 \text{ TeV}$ and cross section ratios to $2.76$ and $7 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.                                   | 4.7 | 54        |
| 116 | Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of $W$ and $Z$ Bosons Using $p p$ Collisions at $s = 13 \text{ TeV}$ . Physical Review Letters, 2017, 119, 141802.  | 7.8 | 54        |
| 117 | Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.                                      | 4.7 | 53        |
| 118 | Measurement of the cross-section for $W$ boson production in association with $b$ -jets in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 53        |
| 119 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 52        |
| 120 | Performance of jet substructure techniques for large- $R$ jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 52        |
| 121 | Measurements of $p \rightarrow Z \rightarrow ZZ$ production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.   | 3.9 | 52        |
| 122 | Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.  | 3.9 | 51        |
| 123 | Measurement of the top quark mass with the template method in the $\text{star}[t] \rightarrow \text{lepton} + \text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.   | 3.9 | 51        |
| 124 | Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review Letters, 2018, 121, 241802.   | 4.1 | 50        |
| 125 | Search for a heavy pseudoscalar boson decaying to a $Z$ and a Higgs boson at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 564.  | 3.9 | 50        |
| 126 | Search for an $L \rightarrow \ell^+ \ell^-$ gauge boson using $Z \rightarrow \ell^+ \ell^-$ events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 792, 345-368. | 4.1 | 49        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.  | 4.7 | 48        |
| 128 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} \sim 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134.   | 3.9 | 48        |
| 129 | Azimuthal anisotropy of charged particles with transverse momentum up to $100 \text{ GeV}/c$ in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . <i>Nature Physics</i> , 2013, 9, 776-780.   | 4.1 | 45        |
| 130 | Azimuthal anisotropy of charged particles with transverse momentum up to $100 \text{ GeV}/c$ in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . <i>Physical Review Letters</i> , 2018, 121, 082301.   | 7.8 | 48        |
| 131 | Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity $\sqrt{s} = 13 \text{ TeV}$ pp Collisions. <i>Physical Review Letters</i> , 2018, 121, 082301.   | 3.9 | 48        |
| 132 | Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2019, 79, 364.  | 3.9 | 48        |
| 133 | Search for the $\langle \text{mml:math} \rangle$ in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2019, 79, 364.   | 3.9 | 48        |
| 134 | Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020, 15, P09018-P09018.  | 1.2 | 47        |
| 135 | Search for third-generation scalar leptoquarks decaying to a top quark and a $\tau$ lepton at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 707.  | 3.9 | 46        |
| 136 | Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.   | 4.7 | 45        |
| 137 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 1.   | 3.9 | 45        |
| 138 | Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 1.  | 3.9 | 45        |
| 139 | Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2328.  | 3.9 | 45        |
| 140 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 45        |
| 141 | Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.  | 4.7 | 45        |
| 142 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.  | 4.7 | 45        |
| 143 | Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 751, 143-163.   | 4.1 | 45        |
| 144 | Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 771, 602-605. | 4.1 | 45        |
| 145 | Study of Z boson production in pPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 771, 602-605.  | 4.1 | 45        |
| 146 | Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 759, 36-57.   | 4.1 | 45        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 140.   | 3.9 | 44        |
| 146 | Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 791, 96-129.  | 4.1 | 44        |
| 147 | Search for the Standard Model Higgs boson in the $H \rightarrow l^+ l^-$ decay mode in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 43        |
| 148 | Search for the standard model Higgs boson produced through vector boson fusion and decaying $t\bar{b}b\bar{A}$ . Physical Review D, 2015, 92,  | 4.7 | 43        |
| 149 | Search for pair production of first and second generation leptoquarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physical Review D, 2016, 93.  | 4.7 | 43        |
| 150 | Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 43        |
| 151 | Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two $\tilde{l}$ , leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 775, 462-488. | 4.1 | 43        |
| 152 | Beam tests of ATLAS SCT silicon strip detector modules. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 538, 384-407.   | 1.6 | 42        |
| 153 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 42        |
| 154 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 42        |
| 155 | Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.  | 3.9 | 41        |
| 156 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 41        |
| 157 | Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.  | 3.9 | 41        |
| 158 | Measurement of the $t\bar{t}$ production cross section in the $e^{\pm}\nu e^{\pm}\nu$ channel in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ and $8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 41        |
| 159 | Measurement of the $t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 128.  | 3.9 | 41        |
| 160 | Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.   | 3.9 | 40        |
| 161 | A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 40        |
| 162 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                             | 4.7 | 40        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Measurement of the $\overline{t} t \bar{t}$ production cross section using events in the $e \bar{e}$ final state in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 172.   | 3.9 | 40        |
| 164 | Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 1-24.                            | 4.1 | 40        |
| 165 | Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2017, 119, 221802.  | 7.8 | 40        |
| 166 | Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. Physical Review Letters, 2018, 120, 071802.  | 7.8 | 40        |
| 167 | Search for new physics in dijet angular distributions using proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.  | 3.9 | 40        |
| 168 | Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13$ TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.  | 3.9 | 40        |
| 169 | Search for disappearing dijets in proton-proton collisions at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 806, 135502.   | 4.1 | 40        |
| 170 | Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 378.                      | 3.9 | 40        |
| 171 | Search for massive colored scalars in four-jet final states in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.  | 3.9 | 39        |
| 172 | Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1820.  | 7.8 | 39        |
| 173 | Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 965.  | 3.9 | 39        |
| 174 | Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at $\sqrt{s} = 13$ TeV. Physical Review D, 2018, 98, 1.   | 4.7 | 39        |
| 175 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 38        |
| 176 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 636.   | 3.9 | 38        |
| 177 | Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\bar{t}$ , leptons at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.               | 4.7 | 38        |
| 178 | Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.   | 3.9 | 37        |
| 179 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 37        |
| 180 | Combined search for anomalous pseudoscalar Higgs couplings in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 37        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Measurement of the $WZ$ production cross section in $pp$ collisions at $\sqrt{s} = 7$ and $8$ TeV and search for anomalous triple gauge couplings at $\sqrt{s} = 8$ TeV    | 3.9 | 37        |
| 182 | Search for pair production of vector-like quarks in the $b\bar{b}$ channel from proton-proton collisions at $\sqrt{s} = 7$ TeV   | 4.1 | 37        |
| 183 | Two jets in proton-proton collisions at $\sqrt{s} = 7$ TeV   | 4.1 | 37        |
| 184 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in $pp$ collisions at $\sqrt{s} = 7$ TeV  | 3.9 | 36        |
| 185 | Search for same-sign top-quark production and fourth-generation down-type quarks in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector                          | 4.7 | 36        |
| 186 | Measurement of the polarisation of $W$ bosons produced with large transverse momentum in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment                   | 3.9 | 36        |
| 187 | Measurement of dijet cross-sections in $pp$ collisions at 7 TeV centre-of-mass energy using the ATLAS detector   | 4.7 | 36        |
| 188 | Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\ell^+\ell^-$ final state in proton-proton collisions at $s = 13$ TeV                      | 4.7 | 36        |
| 189 | Search for Narrow Resonances in the $b\bar{b}\ell^+\ell^-$ -Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV                                  | 7.8 | 36        |
| 190 | Search for top squarks and dark matter particles in opposite-charge dilepton final states at $\sqrt{s} = 13$ TeV   | 4.7 | 36        |
| 191 | Search for a vector-like $T$ quark decaying to a $Z$ boson and a top quark in proton-proton collisions at $\sqrt{s} = 13$ TeV  | 4.1 | 36        |
| 192 | Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV                                       | 4.1 | 36        |
| 193 | Search for low mass vector resonances decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV   | 4.1 | 36        |
| 194 | Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^\pm$ boson in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector | 4.7 | 35        |
| 195 | Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV   | 7.8 | 35        |
| 196 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV                             | 3.9 | 35        |
| 197 | Prediction for minimum bias and the underlying event at LHC energies   | 3.9 | 34        |
| 198 | A search for flavour changing neutral currents in top-quark decays in $pp$ collision data collected with the ATLAS detector at $\sqrt{s} = 7$ TeV                          | 4.7 | 34        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Multi-channel search for squarks and gluinos in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.  | 3.9 | 34        |
| 200 | Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=7\text{TeV}$ . Physical Review Letters, 2016, 116, 052002.   | 7.8 | 34        |
| 201 | Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at $8\text{TeV}$ and ratio of 8 to 7 $t\bar{t}$ cross sections. European Physical Journal C, 2017, 77, 15.  | 3.9 | 34        |
| 202 | Measurement of quarkonium production cross sections in pp collisions at $\sqrt{s}=7\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 251-272.   | 3.9 | 34        |
| 203 | Measurement of the top quark mass with lepton+jets final states using $t\bar{t}$ collisions at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2018, 78, 891.   | 3.9 | 34        |
| 204 | Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 33        |
| 205 | Measurement of jet shapes in top-quark pair events at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.  | 3.9 | 33        |
| 206 | Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 244-269.   | 4.1 | 33        |
| 207 | Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2021, 81, 13.  | 3.9 | 33        |
| 208 | Search for top squark pair production using dilepton final states in $t\bar{t}$ collision data collected at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2021, 81, 3.  | 3.9 | 33        |
| 209 | Search for singly and pair-produced leptoquarks coupling to third-generation fermions in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 244-269.  | 4.1 | 33        |
| 210 | Measurement of $t\bar{t}$ normalised multi-differential cross sections in $\sqrt{s}=13\text{TeV}$ $t\bar{t}$ collisions at $\sqrt{s}=13\text{TeV}$ , and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1. | 3.9 | 33        |
| 211 | Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 32        |
| 212 | Measurement of $t\bar{t}$ c1 and $t\bar{t}$ c2 production with $\sqrt{s}=7\text{TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 32        |
| 213 | Searches for pair production of third-generation squarks in $\sqrt{s}=13\text{TeV}$ pp collisions. European Physical Journal C, 2017, 77, 327.   | 3.9 | 32        |
| 214 | Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900\text{GeV}$ and $\sqrt{s}=7\text{TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.  | 3.9 | 31        |
| 215 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.   | 3.9 | 31        |
| 216 | Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7\text{TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $s = 2.76 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 31        |
| 218 | Search for top squark pair production in pp collisions at $s = 13 \text{ TeV}$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 31        |
| 219 | A multi-dimensional search for new heavy resonances decaying to boosted $W$ boson pairs in the dijet final state at $13 \text{ TeV}$ . European Physical Journal C, 2020, 80, 237.   | 3.9 | 31        |
| 220 | Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 30        |
| 221 | Measurements of the associated production of a $Z$ boson and $b$ jets in pp collisions at $s = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 751.  | 4.1 | 30        |
| 222 | Measurements of differential cross sections for the production of top quark pairs and of additional jets in proton-proton collisions at $s = 13 \text{ TeV}$ . Physical Review D, 2018, 98, 013004.                            | 3.9 | 30        |
| 223 | Search for invisible decays of the Higgs boson produced via vector boson fusion in proton-proton collisions at $s = 13 \text{ TeV}$ . Physical Review D, 2022, 105, 11.  | 4.7 | 30        |
| 224 | Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 29        |
| 225 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 29        |
| 226 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $s = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 280.                        | 3.9 | 29        |
| 227 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.                             | 4.7 | 28        |
| 228 | Search for $t\bar{t}$ production in the $t\bar{t}H$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.                         | 4.7 | 28        |
| 229 | Measurements of differential $Z$ boson production cross sections in proton-proton collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 27        |
| 230 | Search for new physics in events with a leptonically decaying $Z$ boson and a large transverse momentum imbalance in proton-proton collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2020, 2020, 1.         | 3.9 | 27        |
| 231 | Search for massive resonances decaying into $W$ and $Z$ bosons in proton-proton collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 27        |
| 232 | Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $s = 13 \text{ TeV}$ . Journal of Instrumentation, 2020, 15, P02027-P02027.   | 1.2 | 27        |
| 233 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 27        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . European Physical Journal C, 2016, 76, 1.   | 3.9 | 26        |
| 236 | Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 797, 134876.                           | 4.1 | 26        |
| 237 | A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 $\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 2083.   | 3.9 | 25        |
| 238 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.  | 3.9 | 25        |
| 239 | Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 25        |
| 240 | Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 25        |
| 241 | Search for long-lived particles using displaced jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Measurement of the charge asymmetry in top quark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physical Review D, 2016, 93, 092001. | 4.7 | 25        |
| 242 | Search for dark matter and unparticles produced in association with a boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physical Review D, 2016, 93, 092002.  | 4.7 | 24        |
| 243 | Measurement of jet substructure observables in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 432-454.   | 4.7 | 24        |
| 244 | Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2010, 70, 875-916.   | 4.7 | 24        |
| 245 | Search for new long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 432-454.   | 4.1 | 24        |
| 246 | Commissioning of the ATLAS Muon Spectrometer with cosmic rays. European Physical Journal C, 2010, 70, 875-916.   | 3.9 | 23        |
| 247 | Measurement of the underlying event in jet events from $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.   | 3.9 | 23        |
| 248 | Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 467.   | 3.9 | 23        |
| 249 | Observation of Top Quark Production in Proton-Nucleus Collisions. Physical Review Letters, 2017, 119, 242001.  | 7.8 | 23        |
| 250 | Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.   | 3.9 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018, 97, .  | 4.7 | 23        |
| 254 | Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at $\sqrt{s} = 13 \text{ TeV}$ . <i>Physical Review Letters</i> , 2019, 123, 231803.   | 7.8 | 23        |
| 255 | Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2020, 80, 752.   | 3.9 | 23        |
| 256 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.   | 4.7 | 23        |
| 257 | Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 1.   | 3.9 | 22        |
| 258 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.   | 3.9 | 22        |
| 259 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.                                   | 4.7 | 22        |
| 260 | Measurement of the ZZ production cross section and Z → ee, Z → μμ, Z → ττ branching fraction in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 763, 280-303.   | 4.1 | 22        |
| 261 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.  | 4.7 | 22        |
| 262 | Search for direct pair production of supersymmetric partners to the $\tilde{\tau}_1$ lepton in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2020, 80, 189.  | 3.9 | 22        |
| 263 | Observation of a New Excited Beauty Strange Baryon Decaying to $\Lambda_c^+ \rightarrow \Lambda_c^0 \pi^+$ . <i>Physical Review Letters</i> , 2021, 126, 252003.  | 7.8 | 22        |
| 264 | Measurement of the polarization in $W \rightarrow \ell^+ \ell^-$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 2062.   | 3.9 | 21        |
| 265 | Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow J/\psi(\rightarrow \ell^+\ell^-)$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.  | 4.7 | 21        |
| 266 | Search for a Light Charged Higgs Boson Decaying to a $W$ boson and a $Z$ boson. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.  | 7.8 | 21        |
| 267 | Constraints on anomalous trilinear interactions $\lambda_{\text{HLL}} = \lambda_{\text{LHL}} = \lambda_{\text{HLH}} = \lambda_{\text{LHH}} = \lambda_{\text{HHL}}$ from the production of Higgs bosons decaying to $\ell^+\ell^-$ and $\nu\bar{\nu}$ in the final state. <i>Physical Review D</i> , 2019, 100, 1. | 4.7 | 21        |
| 268 | A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020, 4, 10.  | 2.9 | 21        |
| 269 | Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.   | 4.7 | 21        |
| 270 | Search for $t\bar{t}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.   | 4.7 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 20        |
| 272 | Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $s=13$ TeV. Physical Review D, 2019, 99, .  | 4.7 | 20        |
| 273 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. Physical Review D, 2019, 100, .   | 4.7 | 20        |
| 274 | Search for a light charged Higgs boson in the channel in proton-proton collisions at $\sqrt{s}=13$ TeV. Physical Review D, 2019, 100, .   | 4.7 | 20        |
| 275 | Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 20        |
|     | Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. Physical Review D, 2020, 101, .   | 4.7 | 20        |
| 276 | Search for top quark production in fully hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Physical Review D, 2021, 104, .  | 4.1 | 20        |
| 277 | Search for top quark production in fully hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Physical Review D, 2021, 104, .  | 4.7 | 20        |
| 278 | Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.                           | 4.7 | 19        |
| 279 | Measurement of k T splitting scales in $W^{\pm}\ell^{\pm}\ell^{\mp}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.   | 3.9 | 19        |
| 280 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.                              | 4.7 | 19        |
| 281 | Addendum to "Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.                                | 3.9 | 19        |
| 282 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ell^+$ , $\ell^-$ leptons in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                            | 4.7 | 19        |
| 283 | Search for the differential cross sections for the associated production of a $W^{\pm}\ell^{\pm}\ell^{\mp}$ boson and jets in proton-proton collisions at $\sqrt{s}=13$ TeV. Physical Review D, 2017, 96, .                                       | 4.7 | 19        |
| 284 | Principal-component analysis of two-particle azimuthal correlations in PbPb and $t\bar{t}$ production at CMS. Physical Review C, 2017, 96, .  | 4.7 | 19        |
| 285 | Search for supersymmetric particles in proton-proton collisions with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear Physics, 2018, 778, 26-29. | 4.1 | 19        |
| 286 | Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 723.                                      | 3.9 | 19        |
| 287 | Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.  | 4.7 | 18        |
| 288 | Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.                  | 3.9 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 460.   | 3.9 | 18        |
| 290 | Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 767, 403-430. |     |           |
| 291 | Measurement of normalized differential cross sections in the dilepton channel from pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 18        |
| 292 | Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 18        |
| 293 | MuSiC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 629.   | 3.9 | 18        |
| 294 | Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 970.  | 3.9 | 18        |
| 295 | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2022, 82, 290.  | 3.9 | 18        |
| 296 | Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.   | 3.9 | 17        |
| 297 | Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 17        |
| 298 | Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 17        |
| 299 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7$ TeV. European Physical Journal C, 2015, 75, 158.   | 3.9 | 17        |
| 300 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 17        |
| 301 | Search for Ẑ³ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 17        |
| 302 | Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 697.   | 3.9 | 17        |
| 303 | Measurement of the associated production of a single top quark and a Z boson in pp collisions at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 358-364.            |     |           |
| 304 | Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 17        |
| 305 | Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134952.  | 4.1 | 17        |
| 306 | Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.   | 3.9 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Measurement of dijet azimuthal decorrelation in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 536.  | 3.9 | 16        |
| 308 | Measurement of the production cross section of a $W$ boson in association with two $b$ jets in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 92.  | 3.9 | 16        |
| 309 | Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton+proton collisions at $13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2019, 777, 134690.    | 4.1 | 16        |
| 310 | Measurements of cross sections in association with $b$ jets and inclusive jets and their ratio using dilepton final states in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2018, 78, 287.                                | 4.1 | 16        |
| 311 | Measurement of associated $Z + \text{charm}$ production in proton+proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2018, 78, 287.   | 3.9 | 16        |
| 312 | Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physical Review D, 2019, 99, 072001.   | 4.7 | 16        |
| 313 | Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. Physical Review D, 2021, 104, 032001.   | 4.7 | 16        |
| 314 | Search for diphoton events with large missing transverse energy with $36 \text{ pb}^{-1}$ of $7 \text{ TeV}$ proton+proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.  | 4.7 | 16        |
| 315 | Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 15        |
| 316 | Search for decays of stopped, long-lived particles from $7 \text{ TeV}$ $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.   | 3.9 | 15        |
| 317 | Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 15        |
| 318 | Measurement of the flavour composition of dijet events in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.   | 4.7 | 15        |
| 319 | Search for $W\text{H}$ production with a light Higgs boson decaying to prompt electron-jets in proton+proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.  | 2.9 | 15        |
| 320 | Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section using events with one lepton and at least one jet in $\text{pp}$ collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.                                | 4.7 | 15        |
| 321 | Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 15        |
| 322 | Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section using events with one lepton and at least one jet in $\text{pp}$ collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.                                | 4.7 | 15        |
| 323 | Search for a heavy neutral particle decaying into an electron and a muon using $1 \text{ fb}^{-1}$ of ATLAS data. European Physical Journal C, 2011, 71, 1.   | 3.9 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 9-35. | 4.1 | 14        |
| 326 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 14        |
| 327 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 14        |
| 328 | Studies of $B^{\pm} \rightarrow D_s^{\pm} (5840)^0$ and $B^{\pm} \rightarrow D_s^{\pm} (5840)^0$ .   |     |           |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 13        |
| 344 | Jet properties in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 13        |
| 345 | Measurement of the $\langle \cos(\Delta\phi(p_T^{\text{miss}})) \rangle$ distribution in $\sqrt{s} = 13$ TeV pp collisions at LHC energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 813, 136036. Measurement of the azimuthal anisotropy of hadron jets in $\sqrt{s} = 13$ TeV pp collisions at LHCb. Measurement of the electroweak production of $t\bar{t}$ at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 13        |
| 346 | Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 813, 136036. Measurement of the azimuthal anisotropy of hadron jets in $\sqrt{s} = 13$ TeV pp collisions at LHCb. Measurement of the electroweak production of $t\bar{t}$ at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.1 | 13        |
| 347 | Measurement of the electroweak production of $t\bar{t}$ at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.1 | 13        |
| 348 | Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 13        |
| 349 | Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 12        |
| 350 | Search for $R_{\text{CP}}$ in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 12        |
| 351 | Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 12        |
| 352 | Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 12        |
| 353 | Search for dark matter produced in association with a Higgs boson decaying to $\tilde{l}^3\tilde{l}^3$ or $\tilde{l}^1, +\tilde{l}^1, \tilde{a}^0$ at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 12        |
| 354 | An embedding technique to determine $\tilde{l}^1, \tilde{l}^1$ backgrounds in proton-proton collision data. Journal of Instrumentation, 2019, 14, P06032-P06032.   | 1.2 | 12        |
| 355 | Search for Dark Matter Particles Produced in Association with a Top Quark Pair at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2019, 122, 011803.   | 4.7 | 12        |
| 356 | Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.  | 3.9 | 12        |
| 357 | Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 12        |
| 358 | Constraints on the $\langle \cos(\Delta\phi(p_T^{\text{miss}})) \rangle$ distribution in $\sqrt{s} = 13$ TeV pp collisions at LHCb. Polarizations in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2020, 124, 1.   | 4.7 | 12        |
| 359 | Development and validation of HERWIG <sup>7</sup> tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.  | 3.9 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | ment of the CP-violating phase $\tilde{\chi}^0_1$ in the $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si1.svg"}$ $\langle \text{mml:msubsup} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \mathit{mathvariant}=\text{"normal"} \rangle B \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \mathit{mathvariant}=\text{"normal"} \rangle s \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mn} \rangle 0 \langle / \text{mml:mn} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle / \text{mml:msubsup} \rangle$ $\langle \text{mml:mo} \mathit{stretchy}=\text{"false"} \rangle \hat{\alpha}^1 \langle / \text{mml:mo} \rangle$ $\langle \text{mml:mi} \mathit{mathvariant}=\text{"normal"} \rangle ] \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mo} \mathit{stretchy}=\text{"false"} \rangle \hat{\alpha}^1 \langle / \text{mml:mo} \rangle$ | 4.1 | 12        |
| 362 | Search for a right-handed $W$ boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.   | 4.7 | 12        |
| 363 | Identification of hadronic tau lepton decays using a deep neural network. <i>Journal of Instrumentation</i> , 2022, 17, P07023.   | 1.2 | 12        |
| 364 | Measurement of $W\tilde{l}^3$ and $Z\tilde{l}^3$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.   | 4.7 | 11        |
| 365 | Search for standard model production of four top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.  | 4.1 | 11        |
| 366 | Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 118-143.   | 4.1 | 11        |
| 367 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.  | 4.7 | 11        |
| 368 | Precision measurement of the structure of the CMS inner tracking system using nuclear interactions. <i>Journal of Instrumentation</i> , 2018, 13, P10034-P10034.  | 1.2 | 11        |
| 369 | Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.   | 4.7 | 11        |
| 370 | Study of the underlying event in top quark pair production in $\text{pp}$ collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 123.  | 3.9 | 11        |
| 371 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 10        |
| 372 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in $\text{pp}$ collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.  | 4.7 | 10        |
| 373 | Study of dijet events with a large rapidity gap between the two leading jets in $\text{pp}$ collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2018, 78, 242.   | 3.9 | 10        |
| 374 | Search for Higgsino pair production in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:math} \rangle$ collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 242.   | 4.7 | 10        |
| 375 | Measurement of the $Z/\gamma$ cross section in $\text{pp}$ collisions at $\sqrt{s} = 13$ TeV and validation of $\text{Higgs}$ . <i>European Physical Journal C</i> , 2018, 78, 708.   | 3.9 | 10        |
| 376 | Search for a heavy resonance decaying into a $Z$ boson and a vector boson in the $\text{u}\overline{\text{u}}\text{q}\overline{\text{q}}$ final state. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.   | 4.7 | 10        |
| 377 | Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 779, 166-192.  | 4.7 | 10        |
| 378 | Search for vectorlike light-flavor quark partners in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2018, 97.  | 4.7 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Search for the production of $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msup} \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:mo} \rangle \hat{A} \pm \langle /mml:mo \rangle \langle /mml:msup} \langle \text{mml:msup} \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:mo} \rangle \langle \text{mml:msup} \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle \text{mml:msqrt} \langle \text{mml:mo} \rangle = \langle /mml:mo \rangle \langle \text{mml:mn} \rangle 13 \langle /mml:mn \rangle \langle \text{mml:mtext} \rangle \hat{a} \epsilon \% \langle /mml:mtext \rangle \langle /mml:msup} \langle /mml:msup \rangle \langle /mml:mo \rangle \langle /mml:msup \rangle \langle /mml:msup \rangle \langle /mml:msup} \langle /mml:math \rangle \text{ events at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msqrt} \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle \text{mml:msqr}\rangle$ | 4.7 | 10        |
| 380 | Measurement of differential cross sections for Z boson pair production in association with jets at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll">\rangle \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle \text{mml:mrow} \rangle \langle /mml:msqr}\rangle$ and 13 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 19-44.   | 8   | 10        |
| 381 | Measurement of the associated production of a Z boson with charm or bottom quark jets in proton-proton collisions at $s=13\text{TeV}$ . Physical Review D, 2020, 102, . Search for resonant pair production of Higgs bosons in the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \rangle b \langle /mml:mi \rangle \langle \text{mml:mi} \rangle b \langle /mml:mi \rangle \langle \text{mml:mi} \rangle Z \langle /mml:mi \rangle \langle \text{mml:mi} \rangle Z \langle /mml:mi \rangle \langle \text{mml:math} \rangle$ channel in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msqr}\rangle$   | 4.7 | 10        |
| 382 | Evidence for $\langle \text{W} \rangle \text{ ext } \langle \text{W} \rangle \text{ ext }$ production from double-parton interactions in proton-proton collisions at $\langle \text{sqrt}\{s\} = 13 \text{ TeV} \rangle$ . European Physical Journal C, 2020, 80, 1. Search for heavy resonances decaying to $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mrow} \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:mrow} \rangle \langle /mml:math \rangle$ , $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mrow} \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Z \langle /mml:mi \rangle \langle \text{mml:mrow} \rangle \langle /mml:math \rangle$   | 4.7 | 10        |
| 383 | Search for flavor-changing Neutral Current Interactions for the top Quark and Higgs Boson in Final States with Two Photons in Proton-Proton Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mrow} \langle \text{mml:msqr}\rangle$ . Searches for $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \rangle R \langle /mml:mi \rangle \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ -parity-violating supersymmetry in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mrow} \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mrow} \rangle \langle /mml:math \rangle$  | 7.8 | 10        |
| 384 | Inclusive search for supersymmetry using razor variables in pp collisions at $s=13\text{TeV}$ . Physical Review D, 2017, 95, .   | 4.7 | 9         |
| 385 | Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e^{\pm 1/4}$ final states in proton-proton collisions at $\langle \text{sqrt}\{s\}=13 \text{ TeV} \rangle$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 9         |
| 386 | Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\langle \text{sqrt}\{s\} = 13, \text{ext } \{ \text{TeV} \} \rangle \text{ s } = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 1.  | 4.7 | 9         |
| 387 | Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mrow} \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mrow} \rangle \langle /mml:math \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mrow} \langle \text{mml:msqr}\rangle$ . Multiparticle correlation studies in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mtext} \rangle \text{Pb} \langle /mml:mtext \rangle \langle /mml:math \rangle$  | 4.7 | 9         |
| 388 | Inclusive search for supersymmetry using razor variables in pp collisions at $s=13\text{TeV}$ . Physical Review D, 2017, 95, .   | 4.7 | 9         |
| 389 | Search for a heavy vector resonance decaying to a $\langle \text{mathrm\{Z\}} \rangle_{\langle \text{mathrm\{V\}} \rangle} \langle \text{mathrm\{Z\}} \rangle \langle \text{mathrm\{V\}} \rangle \langle \text{mathrm\{V\}} \rangle$ boson and a Higgs boson in proton-proton collisions at $\langle \text{sqrt}\{s\} = 13, \text{ext } \{ \text{TeV} \} \rangle \text{ s } = 13 \text{ TeV}$ . European Physical Journal C, 2021, 81, 688.  | 3.9 | 9         |
| 390 | Search for a heavy resonance decaying to a top and a bottom quark at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mrow} \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mrow} \rangle \langle /mml:math \rangle$ Mode to a Pair of $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msqr}\rangle$ in the hadronic final state. Physics Letters B, 2021, 800, 125535.   | 4.1 | 9         |
| 391 | Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msqr}\rangle$ . Leptons in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \rangle l, \langle /mml:mi \rangle \langle \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msqr}\rangle$ and a Higgs boson in proton-proton collisions at $\langle \text{sqrt}\{s\} = 13, \text{ext } \{ \text{TeV} \} \rangle \text{ s } = 13 \text{ TeV}$ . European Physical Journal C, 2021, 81, 688.  | 4.7 | 8         |
| 392 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s \text{ N N } = 5.02 \text{ } \langle \text{sqrt}\{s_{\text{NN}}\} \rangle = 5.02 \text{ TeV}$ and $8.16 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 8         |
| 393 | Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msqr}\rangle$ .  | 4.7 | 8         |
| 394 | Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msqr}\rangle$ .  | 4.7 | 8         |
| 395 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s \text{ N N } = 5.02 \text{ } \langle \text{sqrt}\{s_{\text{NN}}\} \rangle = 5.02 \text{ TeV}$ and $8.16 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2 $\rightarrow$ 2q final states at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 8         |
| 398 | Search for pair production of excited top quarks in the lepton + jets final state. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 778, 349-370.  | 4.1 | 8         |
| 399 | Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 773.  | 3.9 | 8         |
| 400 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 7         |
| 401 | Search for excited quarks of light and heavy flavor in $\gamma\gamma$ -jet final states in proton-proton collisions at $s=13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 390-411.   | 4.1 | 7         |
| 402 | Evidence for Top Quark Production in Nucleus-Nucleus Collisions. Physical Review Letters, 2020, 125, 222001.  | 7.8 | 7         |
| 403 | Measurement of differential cross sections using top quarks at large transverse momenta in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ . First Search for Exclusive Diphoton Production at High Mass with Tagged Protons in Proton-Proton Collisions at $\sqrt{s}=13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 390-411. Physical Review Letters, 2022, 129, . | 4.7 | 7         |
| 404 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 6         |
| 405 | Centrality and pseudorapidity dependence of the transverse energy density in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ . Physical Review C, 2019, 100, .  | 2.9 | 6         |
| 406 | Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 76-99.   | 4.1 | 6         |
| 407 | Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the lepton+jets final state in proton-proton collisions at $s=13 \text{ TeV}$ . Physical Review D, 2019, 100, .   | 4.7 | 6         |
| 408 | Search for dijet resonances using events with three jets in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 76-99.   | 4.1 | 6         |
| 409 | Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft $\tau$ . Nuclear Physics B, 2019, 927, 115102.   | 4.1 | 6         |
| 410 | Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s}=13 \text{ TeV}$ . Physical Review Letters, 2020, 124, 041803.  | 7.8 | 6         |
| 411 | Performance of the CMS muon trigger system in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ . Journal of Instrumentation, 2021, 16, P07001.   | 1.2 | 6         |
| 412 | Observation of the $b\bar{b} \rightarrow J/\psi \ell^+\ell^-$ decay in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 802, 135203.   | 4.1 | 6         |
| 413 | Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=13 \text{ TeV}$ . Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ . Physical Review Letters, 2021, 127, 191801. Physical Review Letters, 2022, 127, 191801.  | 4.7 | 6         |
| 414 | Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.  | 4.7 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2022, 17, P03014.   | 1.2 | 6         |
| 416 | Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.                          | 4.7 | 6         |
| 417 | Measurement of the inclusive $t\overline{t}$ cross section in pp collisions at $\sqrt{s}=5.02$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.              | 4.7 | 5         |
| 418 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.      | 4.7 | 5         |
| 419 | Observation of the $Z \rightarrow e^+e^-$ , $Z \rightarrow \mu^+\mu^-$ , $Z \rightarrow \tau^+\tau^-$ Decay in pp Collisions at $s=13$ TeV. Physical Review Letters, 2018, 121, 418015                              |     |           |
| 420 | Search for the pair production of light top squarks in the $e\bar{t}\bar{t}/4\ell$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.                     | 4.7 | 5         |
| 421 | Search for pair-produced three-jet resonances in proton-proton collisions at $s=13$ TeV. Physical Review D, 2019, 99, .   | 4.7 | 5         |
| 422 | Constraints on the Initial State of Pb-Pb Collisions via Measurements of $Z$ -Boson Yields and Azimuthal Anisotropy at $\sqrt{s}=13$ TeV. Physical Review Letters, 2021, 127, 172302                                | 7.8 | 5         |
| 423 | Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s}=8$ TeV with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.                                 | 4.1 | 5         |
| 424 | Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.       | 4.7 | 5         |
| 425 | Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .         | 4.7 | 5         |
| 426 | Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.                                 | 4.7 | 5         |
| 427 | Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 5         |
| 428 | Precision measurement of the $W$ boson decay branching fractions in proton-proton collisions at $\sqrt{s}=13$ TeV. Physical Review Letters, 2022, 128, 121805   | 4.7 | 5         |
| 429 | Probing Charm Quark Dynamics via Multiparticle Correlations in Pb-Pb Collisions at $\sqrt{s}=13$ TeV. Physical Review Letters, 2022, 129, .   | 7.8 | 5         |
| 430 | Measurement of differential cross sections in the kinematic angular variable $\tilde{\ell}^*$ for inclusive Z boson production in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 4         |
| 431 | Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at $s=13\text{ TeV}$ . Physical Review Letters, 2018, 121, 141802.   | 7.8 | 4         |
| 434 | Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ altimg}=\text{"si1.gif"} \text{ overflow}=\text{"scroll"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \text{ width}=\text{"0.2em"} \rangle \langle / \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ . Physics Letters, Section B: Nuclear, hadronic and elementary particle physics and field theory, 2019, 810, 135411.   | 4.1 | 4         |
| 435 | differential cross sections in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ display}=\text{"block"} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mo} \rangle \hat{\pm} \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mi} \rangle \hat{13} \langle / \text{mml:mi} \rangle \text{ and effective field}$ . Physical Review D, 2022, 105, .   | 4.7 | 4         |
| 436 | Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, .  | 4.7 | 4         |
| 437 | Search for Narrow $H\hat{1}^3$ Resonances in Proton-Proton Collisions at $s=13\text{ TeV}$ . Physical Review Letters, 2019, 122, 081804.   | 7.8 | 3         |
| 438 | Search for the rare decay of the W boson into a pion and a photon in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ altimg}=\text{"si1.svg"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{ linebreak}=\text{"goodbreak"} \text{ linebreakstyle}=\text{"after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mspace} \text{ width}=\text{"0.2em"} \rangle \langle / \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ . Physics Letters, Section B: Nuclear, hadronic and elementary particle physics and field theory, 2019, 810, 135611.  | 4.1 | 3         |
| 439 | Hard color singlet exchange in dijet events in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ display}=\text{"block"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mspace} \text{ width}=\text{"0.2em"} \rangle \langle / \text{mml:mtext} \rangle \text{Physical Review D}, 2021, 104, .$  | 4.7 | 3         |
| 440 | Study of the $B\rightarrow\Lambda\bar{p}$ decay in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 3         |
| 441 | Measurements of the $(p\bar{p})\rightarrow Z\bar{Z}$ production cross section and the $Z\rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s}=13\text{ TeV})$ . Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 78, 1.   | 3   |           |
| 442 | Search for strongly interacting massive particles generating trackless jets in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ . European Physical Journal C, 2022, 82, 213.  | 3.9 | 3         |
| 443 | Predicting the radiation environment at high-luminosity hadron-collider experiments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2003, 510, 219-232.  | 1.6 | 2         |
| 444 | Measurements of angular distance and momentum ratio distributions in three-jet and $\text{ext}\{Z\}$ + two-jet final states in $\text{ext}\{p\}\text{ext}\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.  | 3.9 | 2         |
| 445 | Measurement of the $t\bar{t}$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 74, 1.   | 2   |           |
| 446 | Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 2         |
| 447 | Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s}=5.02\text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.  | 4.7 | 2         |
| 448 | Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, .  | 4.7 | 2         |
| 449 | Measurement of the production cross section for $\text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"block"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ jets in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ display}=\text{"block"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mi} \rangle \hat{13} \langle / \text{mml:mi} \rangle$ . Physical Review D, 2022, 105, . | 4.7 | 2         |
| 450 | Correlations of azimuthal anisotropy Fourier harmonics with subevent cumulants in pPb collisions at $s_{NN}=8.16\text{ TeV}$ . Physical Review C, 2021, 103, .   | 2.9 | 1         |

|     |   |     |   |
|-----|---|-----|---|
| 451 | The ATLAS Simulation Infrastructure. , 2010, 70, 823.   | 1   |   |
| 452 | Search for $W\tilde{l}^3$ resonances in proton-proton collisions at $s=13$ TeV using hadronic decays of Lorentz-boosted $W$ bosons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 826, 136888.  | 4.1 | 1 |
| 453 | Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 1 |
| 454 | Observation of $B\tilde{S}^0 \rightarrow \psi(2S)K^0 \pi^+ \pi^-$ and $B\tilde{S}^0 \rightarrow \psi(2S)K^0 \pi^0 \pi^0$ decays. European Physical Journal C, 2022, 82, .<br>decaying to $\psi(2S)$<br>$\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$<br>$\text{display} = "block"$<br>$\text{stretchy} = "false"$<br>$(\langle \text{mml:mi} \rangle \text{Tj ETQq1} 1 0.784314 \text{rgBT} / \text{Overlock} 10 \text{Tf} 50 54.7 \text{Td} (\text{accent} = "true"))$ | 3.9 | 1 |
| 455 | Search for high-mass resonances decaying to a jet and a Lorentz-boosted resonance in proton-proton collisions at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 832, 137263.  | 4.1 | 0 |