
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4865751/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Epithelial-mesenchymal transition in glioblastoma progression. Oncology Letters, 2016, 11, 1615-1620.	1.8	207
2	Molecular Classification and Survival Prediction in Human Gliomas Based on Proteome Analysis. Cancer Research, 2004, 64, 2496-2501.	0.9	156
3	Cathepsin D Is a Potential Serum Marker for Poor Prognosis in Glioma Patients. Cancer Research, 2005, 65, 5190-5194.	0.9	104
4	Direct application of MALDI-TOF mass spectrometry to cerebrospinal fluid for rapid pathogen identification in a patient with bacterial meningitis. Clinica Chimica Acta, 2014, 435, 59-61.	1.1	78
5	Recombinant Sendai Virus Vector Induces Complete Remission of Established Brain Tumors through Efficient Interleukin-2 Gene Transfer in Vaccinated Rats. Clinical Cancer Research, 2005, 11, 3821-3827.	7.0	38
6	Association of serum levels of antibodies against MMP1, CBX1, and CBX5 with transient ischemic attack and cerebral infarction. Oncotarget, 2018, 9, 5600-5613.	1.8	38
7	Gene Expression Signature–Based Prognostic Risk Score in Patients with Primary Central Nervous System Lymphoma. Clinical Cancer Research, 2012, 18, 5672-5681.	7.0	35
8	Identification of stroke-associated-antigens via screening of recombinant proteins from the human expression cDNA library (SEREX). Journal of Translational Medicine, 2015, 13, 71.	4.4	35
9	Transforming growth factor-l² and stem cell markers are highly expressed around necrotic areas in glioblastoma. Journal of Neuro-Oncology, 2016, 129, 101-107.	2.9	32
10	Treatment of low-grade oligodendroglial tumors without radiotherapy. Neurology, 2004, 63, 2384-2386.	1.1	30
11	Target amplicon exome-sequencing identifies promising diagnosis and prognostic markers involved in RTK-RAS and PI3K-AKT signaling as central oncopathways in primary central nervous system lymphoma. Oncotarget, 2018, 9, 27471-27486.	1.8	30
12	White matter dissection and structural connectivity of the human vertical occipital fasciculus to link vision-associated brain cortex. Scientific Reports, 2020, 10, 820.	3.3	30
13	Novel serum autoantibodies against talin1 in multiple sclerosis: Possible pathogenetic roles of the antibodies. Journal of Neuroimmunology, 2015, 284, 30-36.	2.3	28
14	Autologous antibody to src-homology 3-domain GRB2-like 1 specifically increases in the sera of patients with low-grade gliomas. Journal of Experimental and Clinical Cancer Research, 2012, 31, 85.	8.6	27
15	MyD88 Mutation in Elderly Predicts Poor Prognosis in Primary Central Nervous System Lymphoma: Multi-Institutional Analysis. World Neurosurgery, 2018, 112, e69-e73.	1.3	26
16	Programmed Cell Death Ligand 1 Expression in Primary Central Nervous System Lymphomas: A Clinicopathological Study. , 2017, 37, 5655-5666.		26
17	High serum level of plasminogen activator inhibitor-1 predicts histological grade of intracerebral gliomas. Anticancer Research, 2008, 28, 415-8.	1.1	26
18	Plasticity in Glioma Stem Cell Phenotype and Its Therapeutic Implication. Neurologia Medico-Chirurgica, 2018, 58, 61-70.	2.2	25

#	Article	IF	CITATIONS
19	Clinical Proteomics in Cancer Research – Promises and Limitations of Current Two-Dimensional Gel Electrophoresis. Current Medicinal Chemistry, 2008, 15, 2393-2400.	2.4	24
20	Circulating anti-filamin C autoantibody as a potential serum biomarker for low-grade gliomas. BMC Cancer, 2014, 14, 452.	2.6	24
21	Differential expression of individual transcript variants of PD-1 and PD-L2 genes on Th-1/Th-2 status is guaranteed for prognosis prediction in PCNSL. Scientific Reports, 2019, 9, 10004.	3.3	24
22	Photo-immune therapy with liposomally formulated phospholipid-conjugated indocyanine green induces specific antitumor responses with heat shock protein-70 expression in a glioblastoma model. Oncotarget, 2019, 10, 175-183.	1.8	24
23	Favorable long-term outcome of low-grade oligodendrogliomas irrespective of 1p/19q status when treated without radiotherapy. Journal of Neuro-Oncology, 2011, 102, 443-449.	2.9	23
24	Liposomally formulated phospholipid-conjugated indocyanine green for intra-operative brain tumor detection and resection. International Journal of Pharmaceutics, 2015, 496, 401-406.	5.2	23
25	MicroRNA signature constituted of miR-30d, miR-93, and miR-181b is a promising prognostic marker in primary central nervous system lymphoma. PLoS ONE, 2019, 14, e0210400.	2.5	23
26	Intrinsic protective mechanisms of the neuron-glia network against glioma invasion. Journal of Clinical Neuroscience, 2016, 26, 19-25.	1.5	18
27	Elevation of autoantibody level against PDCD11 in patients with transient ischemic attack. Oncotarget, 2018, 9, 8836-8848.	1.8	18
28	Eighty percent survival rate at 15Âyears for 1p/19q co-deleted oligodendroglioma treated with upfront chemotherapy irrespective of tumor grade. Journal of Neuro-Oncology, 2019, 141, 205-211.	2.9	17
29	Serum antiâ€LRPAP1 is a common biomarker for digestive organ cancers and atherosclerotic diseases. Cancer Science, 2020, 111, 4453-4464.	3.9	16
30	Elevated levels of autoantibodies against DNAJC2 in sera of patients with atherosclerotic diseases. Heliyon, 2020, 6, e04661.	3.2	16
31	miR-101, miR-548b, miR-554, and miR-1202 are reliable prognosis predictors of the miRNAs associated with cancer immunity in primary central nervous system lymphoma. PLoS ONE, 2020, 15, e0229577.	2.5	16
32	CD1d expression in glioblastoma is a promising target for NKT cell-based cancer immunotherapy. Cancer Immunology, Immunotherapy, 2021, 70, 1239-1254.	4.2	15
33	Serum anti-AP3D1 antibodies are risk factors for acute ischemic stroke related with atherosclerosis. Scientific Reports, 2021, 11, 13450.	3.3	14
34	Association of Serum Anti-PCSK9 Antibody Levels with Favorable Postoperative Prognosis in Esophageal Cancer. Frontiers in Oncology, 2021, 11, 708039.	2.8	14
35	Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. BMC Medicine, 2021, 19, 131.	5.5	13
36	Primary diffuse leptomeningeal gliomatosis followed with serial magnetic resonance images. Neuropathology, 2007, 27, 290-294.	1.2	12

#	Article	IF	CITATIONS
37	Non-deep-seated primary CNS lymphoma: therapeutic responses and a molecular signature. Journal of Neuro-Oncology, 2014, 117, 261-268.	2.9	12
38	Elevation of Autoantibody in Patients with Ischemic Stroke. Neurologia Medico-Chirurgica, 2018, 58, 303-310.	2.2	12
39	Differential chemosensitivity in human intracerebral gliomas measured by flow cytometric DNA analysis. International Journal of Molecular Medicine, 2002, 10, 187-92.	4.0	12
40	Association between serum anti‑ASXL2 antibody levels and acute ischemic stroke, acute myocardial infarction, diabetes mellitus, chronic kidney disease and digestive organ cancer, and their possible association with atherosclerosis and hypertension. International Journal of Molecular Medicine, 2020, 46, 1274-1288.	4.0	11
41	Serum anti-SERPINE1 antibody as a potential biomarker of acute cerebral infarction. Scientific Reports, 2021, 11, 21772.	3.3	11
42	Anaplastic oligodendroglial tumors harboring 1p/19q deletion can be successfully treated without radiotherapy. Anticancer Research, 2011, 31, 4475-9.	1.1	11
43	Immunological responsiveness to interleukin-2-producing brain tumors can be restored by concurrent subcutaneous transplantation of the same tumors. Cancer Gene Therapy, 2000, 7, 1263-1269.	4.6	10
44	IDH1 mutation is prognostic for diffuse astrocytoma but not low-grade oligodendrogliomas in patients not treated with early radiotherapy. Journal of Neuro-Oncology, 2015, 124, 493-500.	2.9	9
45	GSEA-assisted gene signatures valid for combinations of prognostic markers in PCNSL. Scientific Reports, 2020, 10, 8435.	3.3	9
46	Effects of bilateral pallidal deep brain stimulation on chorea after pulmonary thromboendarterectomy with deep hypothermia and circulatory arrest: a case report. Acta Neurochirurgica, 2018, 160, 393-395.	1.7	8
47	Proteome-based identification of molecular markers predicting chemosensitivity to each category of anticancer agents in human gliomas. International Journal of Oncology, 2005, 26, 993-8.	3.3	8
48	Akt/protein kinase B overexpression as an accurate prognostic marker in adult diffuse astrocytoma. Acta Neurochirurgica, 2009, 151, 263-268.	1.7	7
49	Circulating Anti-Sorting Nexins 16 Antibodies as an Emerging Biomarker of Coronary Artery Disease in Patients with Obstructive Sleep Apnea. Diagnostics, 2020, 10, 71.	2.6	7
50	Survival prediction based on the gene expression associated with cancer morphology and microenvironment in primary central nervous system lymphoma. PLoS ONE, 2021, 16, e0251272.	2.5	7
51	Efficacy and safety of nivolumab in Japanese patients with first recurrence of glioblastoma: an open-label, non-comparative study. International Journal of Clinical Oncology, 2021, 26, 2205-2215.	2.2	6
52	Semi-quantitative Assessment Using [¹⁸ F]FDG Tracer in Patients with Severe Brain Injury. Journal of Visualized Experiments, 2018, , .	0.3	5
53	Whole-brain radiation therapy is not beneficial as an adjuvant therapy for brain metastases compared with localized irradiation. Anticancer Research, 2002, 22, 325-30.	1.1	5
54	Association of serum levels of antibodies against ALDOA and FH4 with transient ischemic attack and cerebral infarction. BMC Neurology, 2021, 21, 274.	1.8	4

#	Article	lF	CITATIONS
55	Intravenous Infusion of Autoserum-Expanded Autologous Mesenchymal Stem Cells in Patients With Chronic Brain Injury: Protocol for a Phase 2 Trial. JMIR Research Protocols, 2022, 11, e37898.	1.0	3
56	Two Patients with Reversible Cerebral Vasoconstriction after Carotid Artery Stenting. Journal of Neuroendovascular Therapy, 2022, 16, 106-115.	0.1	2
57	Two cases of symptomatic secondary hypophysitis due to Rathke's cleft cysts treated with glucocorticoids: long-term follow-up. Endocrine Journal, 2021, 68, 269-279.	1.6	2
58	Whole-Genome Sequencing of Primary Central Nervous System Lymphoma and Diffuse Large B-Cell Lymphoma. Blood, 2016, 128, 4112-4112.	1.4	2
59	Image feature conversion of pathological image for registration with ultrasonic image. , 2018, , .		1
60	ICAM1-Negative Intravascular Large B-Cell Lymphoma of the Pituitary Gland: A Case Report and Literature Review. AACE Clinical Case Reports, 2021, 7, 249-255.	1.1	1
61	Genetic Basis of Primary Central Nervous System Lymphoma. Blood, 2015, 126, 2687-2687.	1.4	1
62	Transarterial embolization for falx dural arteriovenous fistula through the artery of Davidoff and Schechter: A case report. Radiology Case Reports, 2022, 17, 700-705.	0.6	1
63	Low anti-CFL1 antibody with high anti-ACTB antibody is a poor prognostic factor in esophageal squamous cell carcinoma. Esophagus, 2022, 19, 617-625.	1.9	1
64	Transclival clipping for giant vertebral artery aneurysm: A case report. Interdisciplinary Neurosurgery: Advanced Techniques and Case Management, 2019, 17, 107-112.	0.3	0
65	Mechanical Thrombectomy for Acute Ischemic Stroke Complicated by Bacterial Meningitis and Infective Endocarditis. Journal of Neuroendovascular Therapy, 2021, 15, 175-180.	0.1	0
66	Correlation between Higher Brain Dysfunction and Cerebral Blood Flow after Carotid Artery Stenting. Journal of Neuroendovascular Therapy, 2021, , .	0.1	0
67	Results of Gamma Knife Surgery alone for Brain Metastases : Indications for and Limitations of Local Treatment Protocol without Prophylactic Whole Brain Radiation Therapy(<special issue=""> Current) Tj ETQq1 1</special>	0.7 8.4 314	rg & T /Overlo
68	Gamma Knife Surgery Alone for Less Than 5 Brain Metastases : Is Prophylactic Whole Brain Radiation Therapy Necessary?. Japanese Journal of Neurosurgery, 2007, 16, 497-502.	0.0	0
69	Cerebellar hemorrhage due to dural arteriovenous fistula mimicking a hemorrhagic metastatic brain tumor: a case report. Nosotchu, 2018, 40, 427-431.	0.1	0
70	Evaluation of association between parameters related to penetration into cerebrospinal fluid and the microbiological efficacy of vancomycin in patients with bacterial meningitis. Journal of Chemotherapy, 2022, 34, 157-165.	1.5	0