

Yasuo Iwadate

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4865751/publications.pdf>

Version: 2024-02-01

70
papers

1,473
citations

304743

22
h-index

361022

35
g-index

71
all docs

71
docs citations

71
times ranked

2164
citing authors

#	ARTICLE	IF	CITATIONS
1	Two Patients with Reversible Cerebral Vasoconstriction after Carotid Artery Stenting. <i>Journal of Neuroendovascular Therapy</i> , 2022, 16, 106-115.	0.1	2
2	Transarterial embolization for falx dural arteriovenous fistula through the artery of Davidoff and Schechter: A case report. <i>Radiology Case Reports</i> , 2022, 17, 700-705.	0.6	1
3	Evaluation of association between parameters related to penetration into cerebrospinal fluid and the microbiological efficacy of vancomycin in patients with bacterial meningitis. <i>Journal of Chemotherapy</i> , 2022, 34, 157-165.	1.5	0
4	Intravenous Infusion of Autoserum-Expanded Autologous Mesenchymal Stem Cells in Patients With Chronic Brain Injury: Protocol for a Phase 2 Trial. <i>JMIR Research Protocols</i> , 2022, 11, e37898.	1.0	3
5	Low anti-CFL1 antibody with high anti-ACTB antibody is a poor prognostic factor in esophageal squamous cell carcinoma. <i>Esophagus</i> , 2022, 19, 617-625.	1.9	1
6	CD1d expression in glioblastoma is a promising target for NKT cell-based cancer immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 1239-1254.	4.2	15
7	Mechanical Thrombectomy for Acute Ischemic Stroke Complicated by Bacterial Meningitis and Infective Endocarditis. <i>Journal of Neuroendovascular Therapy</i> , 2021, 15, 175-180.	0.1	0
8	Correlation between Higher Brain Dysfunction and Cerebral Blood Flow after Carotid Artery Stenting. <i>Journal of Neuroendovascular Therapy</i> , 2021, , .	0.1	0
9	Two cases of symptomatic secondary hypophysitis due to Rathke's cleft cysts treated with glucocorticoids: long-term follow-up. <i>Endocrine Journal</i> , 2021, 68, 269-279.	1.6	2
10	Survival prediction based on the gene expression associated with cancer morphology and microenvironment in primary central nervous system lymphoma. <i>PLoS ONE</i> , 2021, 16, e0251272.	2.5	7
11	Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. <i>BMC Medicine</i> , 2021, 19, 131.	5.5	13
12	Serum anti-AP3D1 antibodies are risk factors for acute ischemic stroke related with atherosclerosis. <i>Scientific Reports</i> , 2021, 11, 13450.	3.3	14
13	ICAM1-Negative Intravascular Large B-Cell Lymphoma of the Pituitary Gland: A Case Report and Literature Review. <i>AACE Clinical Case Reports</i> , 2021, 7, 249-255.	1.1	1
14	Association of serum levels of antibodies against ALDOA and FH4 with transient ischemic attack and cerebral infarction. <i>BMC Neurology</i> , 2021, 21, 274.	1.8	4
15	Association of Serum Anti-PCSK9 Antibody Levels with Favorable Postoperative Prognosis in Esophageal Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 708039.	2.8	14
16	Efficacy and safety of nivolumab in Japanese patients with first recurrence of glioblastoma: an open-label, non-comparative study. <i>International Journal of Clinical Oncology</i> , 2021, 26, 2205-2215.	2.2	6
17	Serum anti-SERPINE1 antibody as a potential biomarker of acute cerebral infarction. <i>Scientific Reports</i> , 2021, 11, 21772.	3.3	11
18	Serum anti-CLRPAP1 is a common biomarker for digestive organ cancers and atherosclerotic diseases. <i>Cancer Science</i> , 2020, 111, 4453-4464.	3.9	16

#	ARTICLE	IF	CITATIONS
19	Elevated levels of autoantibodies against DNAJC2 in sera of patients with atherosclerotic diseases. <i>Heliyon</i> , 2020, 6, e04661.	3.2	16
20	Circulating Anti-Sorting Nexins 16 Antibodies as an Emerging Biomarker of Coronary Artery Disease in Patients with Obstructive Sleep Apnea. <i>Diagnostics</i> , 2020, 10, 71.	2.6	7
21	White matter dissection and structural connectivity of the human vertical occipital fasciculus to link vision-associated brain cortex. <i>Scientific Reports</i> , 2020, 10, 820.	3.3	30
22	miR-101, miR-548b, miR-554, and miR-1202 are reliable prognosis predictors of the miRNAs associated with cancer immunity in primary central nervous system lymphoma. <i>PLoS ONE</i> , 2020, 15, e0229577.	2.5	16
23	GSEA-assisted gene signatures valid for combinations of prognostic markers in PCNSL. <i>Scientific Reports</i> , 2020, 10, 8435.	3.3	9
24	Association between serum anti-ASXL2 antibody levels and acute ischemic stroke, acute myocardial infarction, diabetes mellitus, chronic kidney disease and digestive organ cancer, and their possible association with atherosclerosis and hypertension. <i>International Journal of Molecular Medicine</i> , 2020, 46, 1274-1288.	4.0	11
25	Differential expression of individual transcript variants of PD-1 and PD-L2 genes on Th-1/Th-2 status is guaranteed for prognosis prediction in PCNSL. <i>Scientific Reports</i> , 2019, 9, 10004.	3.3	24
26	Transclival clipping for giant vertebral artery aneurysm: A case report. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> , 2019, 17, 107-112.	0.3	0
27	Photo-immune therapy with liposomally formulated phospholipid-conjugated indocyanine green induces specific antitumor responses with heat shock protein-70 expression in a glioblastoma model. <i>Oncotarget</i> , 2019, 10, 175-183.	1.8	24
28	Eighty percent survival rate at 15 years for 1p/19q co-deleted oligodendroglioma treated with upfront chemotherapy irrespective of tumor grade. <i>Journal of Neuro-Oncology</i> , 2019, 141, 205-211.	2.9	17
29	MicroRNA signature constituted of miR-30d, miR-93, and miR-181b is a promising prognostic marker in primary central nervous system lymphoma. <i>PLoS ONE</i> , 2019, 14, e0210400.	2.5	23
30	Effects of bilateral pallidal deep brain stimulation on chorea after pulmonary thromboendarterectomy with deep hypothermia and circulatory arrest: a case report. <i>Acta Neurochirurgica</i> , 2018, 160, 393-395.	1.7	8
31	MyD88 Mutation in Elderly Predicts Poor Prognosis in Primary Central Nervous System Lymphoma: Multi-Institutional Analysis. <i>World Neurosurgery</i> , 2018, 112, e69-e73.	1.3	26
32	Association of serum levels of antibodies against MMP1, CBX1, and CBX5 with transient ischemic attack and cerebral infarction. <i>Oncotarget</i> , 2018, 9, 5600-5613.	1.8	38
33	Target amplicon exome-sequencing identifies promising diagnosis and prognostic markers involved in RTK-RAS and PI3K-AKT signaling as central oncopathways in primary central nervous system lymphoma. <i>Oncotarget</i> , 2018, 9, 27471-27486.	1.8	30
34	Semi-quantitative Assessment Using [¹⁸ F]FDG Tracer in Patients with Severe Brain Injury. <i>Journal of Visualized Experiments</i> , 2018, , .	0.3	5
35	Elevation of autoantibody level against PDCD11 in patients with transient ischemic attack. <i>Oncotarget</i> , 2018, 9, 8836-8848.	1.8	18
36	Plasticity in Glioma Stem Cell Phenotype and Its Therapeutic Implication. <i>Neurologia Medico-Chirurgica</i> , 2018, 58, 61-70.	2.2	25

#	ARTICLE	IF	CITATIONS
37	Elevation of Autoantibody in Patients with Ischemic Stroke. <i>Neurologia Medico-Chirurgica</i> , 2018, 58, 303-310.	2.2	12
38	Image feature conversion of pathological image for registration with ultrasonic image. , 2018, , .		1
39	Cerebellar hemorrhage due to dural arteriovenous fistula mimicking a hemorrhagic metastatic brain tumor: a case report. <i>Nosotchu</i> , 2018, 40, 427-431.	0.1	0
40	Programmed Cell Death Ligand 1 Expression in Primary Central Nervous System Lymphomas: A Clinicopathological Study. , 2017, 37, 5655-5666.		26
41	Transforming growth factor- β^2 and stem cell markers are highly expressed around necrotic areas in glioblastoma. <i>Journal of Neuro-Oncology</i> , 2016, 129, 101-107.	2.9	32
42	Intrinsic protective mechanisms of the neuron-glia network against glioma invasion. <i>Journal of Clinical Neuroscience</i> , 2016, 26, 19-25.	1.5	18
43	Epithelial-mesenchymal transition in glioblastoma progression. <i>Oncology Letters</i> , 2016, 11, 1615-1620.	1.8	207
44	Whole-Genome Sequencing of Primary Central Nervous System Lymphoma and Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016, 128, 4112-4112.	1.4	2
45	Liposomally formulated phospholipid-conjugated indocyanine green for intra-operative brain tumor detection and resection. <i>International Journal of Pharmaceutics</i> , 2015, 496, 401-406.	5.2	23
46	Identification of stroke-associated-antigens via screening of recombinant proteins from the human expression cDNA library (SEREX). <i>Journal of Translational Medicine</i> , 2015, 13, 71.	4.4	35
47	Novel serum autoantibodies against talin1 in multiple sclerosis: Possible pathogenetic roles of the antibodies. <i>Journal of Neuroimmunology</i> , 2015, 284, 30-36.	2.3	28
48	IDH1 mutation is prognostic for diffuse astrocytoma but not low-grade oligodendrogliomas in patients not treated with early radiotherapy. <i>Journal of Neuro-Oncology</i> , 2015, 124, 493-500.	2.9	9
49	Genetic Basis of Primary Central Nervous System Lymphoma. <i>Blood</i> , 2015, 126, 2687-2687.	1.4	1
50	Direct application of MALDI-TOF mass spectrometry to cerebrospinal fluid for rapid pathogen identification in a patient with bacterial meningitis. <i>Clinica Chimica Acta</i> , 2014, 435, 59-61.	1.1	78
51	Non-deep-seated primary CNS lymphoma: therapeutic responses and a molecular signature. <i>Journal of Neuro-Oncology</i> , 2014, 117, 261-268.	2.9	12
52	Circulating anti-filamin C autoantibody as a potential serum biomarker for low-grade gliomas. <i>BMC Cancer</i> , 2014, 14, 452.	2.6	24
53	Gene Expression Signature-Based Prognostic Risk Score in Patients with Primary Central Nervous System Lymphoma. <i>Clinical Cancer Research</i> , 2012, 18, 5672-5681.	7.0	35
54	Autologous antibody to src-homology 3-domain GRB2-like 1 specifically increases in the sera of patients with low-grade gliomas. <i>Journal of Experimental and Clinical Cancer Research</i> , 2012, 31, 85.	8.6	27

#	ARTICLE	IF	CITATIONS
55	Favorable long-term outcome of low-grade oligodendrogliomas irrespective of 1p/19q status when treated without radiotherapy. <i>Journal of Neuro-Oncology</i> , 2011, 102, 443-449.	2.9	23
56	Anaplastic oligodendroglial tumors harboring 1p/19q deletion can be successfully treated without radiotherapy. <i>Anticancer Research</i> , 2011, 31, 4475-9.	1.1	11
57	Akt/protein kinase B overexpression as an accurate prognostic marker in adult diffuse astrocytoma. <i>Acta Neurochirurgica</i> , 2009, 151, 263-268.	1.7	7
58	Clinical Proteomics in Cancer Research – Promises and Limitations of Current Two-Dimensional Gel Electrophoresis. <i>Current Medicinal Chemistry</i> , 2008, 15, 2393-2400.	2.4	24
59	High serum level of plasminogen activator inhibitor-1 predicts histological grade of intracerebral gliomas. <i>Anticancer Research</i> , 2008, 28, 415-8.	1.1	26
60	Primary diffuse leptomeningeal gliomatosis followed with serial magnetic resonance images. <i>Neuropathology</i> , 2007, 27, 290-294.	1.2	12
61	Results of Gamma Knife Surgery alone for Brain Metastases : Indications for and Limitations of Local Treatment Protocol without Prophylactic Whole Brain Radiation Therapy(<SPECIAL ISSUE> Current) <i>Tj ETQq1 1 0.784314 rgBT /Overlacc</i>	0.0	0
62	Gamma Knife Surgery Alone for Less Than 5 Brain Metastases : Is Prophylactic Whole Brain Radiation Therapy Necessary?. <i>Japanese Journal of Neurosurgery</i> , 2007, 16, 497-502.	0.0	0
63	Cathepsin D Is a Potential Serum Marker for Poor Prognosis in Glioma Patients. <i>Cancer Research</i> , 2005, 65, 5190-5194.	0.9	104
64	Recombinant Sendai Virus Vector Induces Complete Remission of Established Brain Tumors through Efficient Interleukin-2 Gene Transfer in Vaccinated Rats. <i>Clinical Cancer Research</i> , 2005, 11, 3821-3827.	7.0	38
65	Proteome-based identification of molecular markers predicting chemosensitivity to each category of anticancer agents in human gliomas. <i>International Journal of Oncology</i> , 2005, 26, 993-8.	3.3	8
66	Treatment of low-grade oligodendroglial tumors without radiotherapy. <i>Neurology</i> , 2004, 63, 2384-2386.	1.1	30
67	Molecular Classification and Survival Prediction in Human Gliomas Based on Proteome Analysis. <i>Cancer Research</i> , 2004, 64, 2496-2501.	0.9	156
68	Whole-brain radiation therapy is not beneficial as an adjuvant therapy for brain metastases compared with localized irradiation. <i>Anticancer Research</i> , 2002, 22, 325-30.	1.1	5
69	Differential chemosensitivity in human intracerebral gliomas measured by flow cytometric DNA analysis. <i>International Journal of Molecular Medicine</i> , 2002, 10, 187-92.	4.0	12
70	Immunological responsiveness to interleukin-2-producing brain tumors can be restored by concurrent subcutaneous transplantation of the same tumors. <i>Cancer Gene Therapy</i> , 2000, 7, 1263-1269.	4.6	10