

# Tao Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/486607/publications.pdf>

Version: 2024-02-01

124  
papers

11,370  
citations

25034

57  
h-index

29157

104  
g-index

124  
all docs

124  
docs citations

124  
times ranked

4574  
citing authors

#	ARTICLE	IF	CITATIONS
1	All-polymer solar cells with over 16% efficiency and enhanced stability enabled by compatible solvent and polymer additives. <i>Aggregate</i> , 2022, 3, e58.	9.9	85
2	Processed Efficient Organic Solar Cells from Aromatic Hydrocarbon Solvent without Solvent Additive or Post-treatment: Insights into Solvent Effect on Morphology. <i>Energy and Environmental Materials</i> , 2022, 5, 977-985.	12.8	59
3	Ester side chains engineered quinoxaline based D-A copolymers for high-efficiency all-polymer solar cells. <i>Chemical Engineering Journal</i> , 2022, 429, 132551.	12.7	16
4	Achieving high efficiency and well-kept ductility in ternary all-polymer organic photovoltaic blends thanks to two well miscible donors. <i>Matter</i> , 2022, 5, 725-734.	10.0	145
5	Monolithic perovskite/organic tandem solar cells with 23.6% efficiency enabled by reduced voltage losses and optimized interconnecting layer. <i>Nature Energy</i> , 2022, 7, 229-237.	39.5	137
6	Influence of Fluorine Substitution on the Photovoltaic Performance of Wide Band Gap Polymer Donors for Polymer Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 5740-5749.	8.0	13
7	Simultaneously Enhanced Efficiency and Mechanical Durability in Ternary Solar Cells Enabled by Low-Cost Incompletely Separated Fullerenes. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2200139.	3.9	14
8	Side-chain engineering with chalcogen-containing heterocycles on non-fullerene acceptors for efficient organic solar cells. <i>Chemical Engineering Journal</i> , 2022, 441, 135998.	12.7	12
9	Photovoltaic polymer Photosensitizer-Doped Nano-Therapeutic reagent for in vivo enhanced bioimaging guided photodynamic therapy. <i>Chemical Engineering Journal</i> , 2022, 441, 135983.	12.7	8
10	Heteroheptacene-based acceptors with thieno[3,2-b]pyrrole yield high-performance polymer solar cells. <i>National Science Review</i> , 2022, 9, .	9.5	67
11	Realizing the efficiency-stability balance for all-polymer photovoltaic blends. <i>Journal of Materials Chemistry C</i> , 2022, 10, 9723-9729.	5.5	12
12	Isomerization of Asymmetric Ladder-Type Heteroheptacene-Based Small-Molecule Acceptors Improving Molecular Packing: Efficient Nonfullerene Organic Solar Cells with Excellent Fill Factors. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	20
13	Tailoring the Morphology's Microevolution for Binary All-Polymer Solar Cells Processed by Aromatic Hydrocarbon Solvent with 16.22% Efficiency. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 29956-29963.	8.0	17
14	High-Efficiency Ternary Organic Solar Cells with a Good Figure-of-Merit Enabled by Two Low-Cost Donor Polymers. <i>ACS Energy Letters</i> , 2022, 7, 2547-2556.	17.4	109
15	A Pyrrole-Fused Asymmetrical Electron Acceptor for Polymer Solar Cells with Approaching 16% Efficiency. <i>Small Structures</i> , 2021, 2, 2000052.	12.0	14
16	Synergy strategy to the flexible alkyl and chloride side-chain engineered quinoxaline-based A conjugated polymers for efficient non-fullerene polymer solar cells. <i>Materials Chemistry Frontiers</i> , 2021, 5, 1906-1916.	5.9	11
17	Fine-tuning of side-chain orientations on nonfullerene acceptors enables organic solar cells with 17.7% efficiency. <i>Energy and Environmental Science</i> , 2021, 14, 3469-3479.	30.8	158
18	Achieving 16.68% efficiency ternary as-cast organic solar cells. <i>Science China Chemistry</i> , 2021, 64, 581-589.	8.2	99

#	ARTICLE	IF	CITATIONS
19	Achieving Efficient Ternary Organic Solar Cells Using Structurally Similar Non-Fullerene Acceptors with Varying Flanking Side Chains. <i>Advanced Energy Materials</i> , 2021, 11, 2100079.	19.5	80
20	Significantly Boosting Efficiency of Polymer Solar Cells by Employing a Nontoxic Halogen-Free Additive. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 11117-11124.	8.0	54
21	16% efficiency all-polymer organic solar cells enabled by a finely tuned morphology via the design of ternary blend. <i>Joule</i> , 2021, 5, 914-930.	24.0	228
22	Side-Chain Engineering on Y-Series Acceptors with Chlorinated End Groups Enables High-Performance Organic Solar Cells. <i>Advanced Energy Materials</i> , 2021, 11, 2003777.	19.5	82
23	Flexible Organic Solar Cells: Progress and Challenges. <i>Small Science</i> , 2021, 1, 2100001.	9.9	94
24	Rational Anode Engineering Enables Progresses for Different Types of Organic Solar Cells. <i>Advanced Energy Materials</i> , 2021, 11, 2100492.	19.5	108
25	High-performance all-polymer solar cells enabled by a novel low bandgap non-fully conjugated polymer acceptor. <i>Science China Chemistry</i> , 2021, 64, 1380-1388.	8.2	51
26	Boosting Highly Efficient Hydrocarbon Solvent-Processed All-Polymer-Based Organic Solar Cells by Modulating Thin-Film Morphology. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 34301-34307.	8.0	20
27	Highly crystalline acceptor materials based on benzodithiophene with different amount of fluorine substitution on alkoxyphenyl conjugated side chains for organic photovoltaics. <i>Materials Reports Energy</i> , 2021, 1, 100059.	3.2	2
28	Medium band-gap non-fullerene acceptors based on a benzothiophene donor moiety enabling high-performance indoor organic photovoltaics. <i>Energy and Environmental Science</i> , 2021, 14, 4555-4563.	30.8	43
29	High-Efficiency All-Polymer Solar Cells with Poly-Small-Molecule Acceptors Having $\pi$ -Extended Units with Broad Near-IR Absorption. <i>ACS Energy Letters</i> , 2021, 6, 728-738.	17.4	74
30	Alkoxy substitution on IDT-Series and Y-Series non-fullerene acceptors yielding highly efficient organic solar cells. <i>Journal of Materials Chemistry A</i> , 2021, 9, 7481-7490.	10.3	42
31	Boosting the Efficiency of Non-fullerene Organic Solar Cells via a Simple Cathode Modification Method. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 51078-51085.	8.0	19
32	ITC $\pi$ 2Cl: A Versatile Middle-Bandgap Nonfullerene Acceptor for High-Efficiency Panchromatic Ternary Organic Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900377.	5.8	29
33	Improving the performance of near infrared binary polymer solar cells by adding a second non-fullerene intermediate band-gap acceptor. <i>Journal of Materials Chemistry C</i> , 2020, 8, 909-915.	5.5	47
34	Chalcogen-Fused Perylene Diimides-Based Nonfullerene Acceptors for High-Performance Organic Solar Cells: Insight into the Effect of O, S, and Se. <i>Solar Rrl</i> , 2020, 4, 1900453.	5.8	21
35	Altering the Positions of Chlorine and Bromine Substitution on the End Group Enables High-Performance Acceptor and Efficient Organic Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 2002649.	19.5	103
36	A Non-Conjugated Polymer Acceptor for Efficient and Thermally Stable All-Polymer Solar Cells. <i>Angewandte Chemie</i> , 2020, 132, 20007-20012.	2.0	16

#	ARTICLE	IF	CITATIONS
37	A Non-Conjugated Polymer Acceptor for Efficient and Thermally Stable All-Polymer Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19835-19840.	13.8	105
38	Fine-tuning HOMO energy levels between PM6 and PBDB-T polymer donors via ternary copolymerization. <i>Science China Chemistry</i> , 2020, 63, 1256-1261.	8.2	38
39	Adding a Third Component with Reduced Miscibility and Higher LUMO Level Enables Efficient Ternary Organic Solar Cells. <i>ACS Energy Letters</i> , 2020, 5, 2711-2720.	17.4	188
40	A compatible polymer acceptor enables efficient and stable organic solar cells as a solid additive. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17706-17712.	10.3	51
41	Efficient Organic Ternary Solar Cells Employing Narrow Band Gap Diketopyrrolopyrrole Polymers and Nonfullerene Acceptors. <i>Chemistry of Materials</i> , 2020, 32, 7309-7317.	6.7	22
42	Precisely Controlling the Position of Bromine on the End Group Enables Well-Regular Polymer Acceptors for All-Polymer Solar Cells with Efficiencies over 15%. <i>Advanced Materials</i> , 2020, 32, e2005942.	21.0	282
43	Isomerization Strategy of Nonfullerene Small-Molecule Acceptors for Organic Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2004477.	14.9	58
44	Reducing $V_{OC}$ loss via structure compatible and high $V_{OC}$ nonfullerene acceptors for over 17% efficiency ternary organic photovoltaics. <i>EcoMat</i> , 2020, 2, e12061.	11.9	23
45	Dopamine Semiquinone Radical Doped PEDOT:PSS: Enhanced Conductivity, Work Function and Performance in Organic Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 2000743.	19.5	97
46	Concurrent improvement in $J_{SC}$ and $V_{OC}$ in high-efficiency ternary organic solar cells enabled by a red-absorbing small-molecule acceptor with a high LUMO level. <i>Energy and Environmental Science</i> , 2020, 13, 2115-2123.	30.8	164
47	Fine-Tuning Energy Levels via Asymmetric End Groups Enables Polymer Solar Cells with Efficiencies over 17%. <i>Joule</i> , 2020, 4, 1236-1247.	24.0	344
48	Wide Band-gap Two-dimension Conjugated Polymer Donors with Different Amounts of Chlorine Substitution on Alkoxyphenyl Conjugated Side Chains for Non-fullerene Polymer Solar Cells. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2020, 38, 797-805.	3.8	15
49	15.34% efficiency all-small-molecule organic solar cells with an improved fill factor enabled by a fullerene additive. <i>Energy and Environmental Science</i> , 2020, 13, 2134-2141.	30.8	218
50	Tetrabromination versus Tetrachlorination: A Molecular Terminal Engineering of Nonfluorinated Acceptors to Control Aggregation for Highly Efficient Polymer Solar Cells with Increased $V_{oc}$ and Higher $J_{sc}$ Simultaneously. <i>Solar Rrl</i> , 2020, 4, 2000212.	5.8	5
51	Understanding the Effect of End Group Halogenation in Tuning Miscibility and Morphology of High-Performance Small Molecular Acceptors. <i>Solar Rrl</i> , 2020, 4, 2000250.	5.8	63
52	Improved organic solar cell efficiency based on the regulation of an alkyl chain on chlorinated non-fullerene acceptors. <i>Materials Chemistry Frontiers</i> , 2020, 4, 2428-2434.	5.9	27
53	Synergy of Liquid-Crystalline Small-Molecule and Polymeric Donors Delivers Uncommon Morphology Evolution and 16.6% Efficiency Organic Photovoltaics. <i>Advanced Science</i> , 2020, 7, 2000149.	11.2	67
54	Fluorinated pyrazine-based A conjugated polymers for efficient non-fullerene polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7083-7089.	10.3	17

#	ARTICLE	IF	CITATIONS
55	Over 15% Efficiency Polymer Solar Cells Enabled by Conformation Tuning of Newly Designed Asymmetric Small-Molecule Acceptors. <i>Advanced Functional Materials</i> , 2020, 30, 2000383.	14.9	55
56	Efficient modulation of end groups for the asymmetric small molecule acceptors enabling organic solar cells with over 15% efficiency. <i>Journal of Materials Chemistry A</i> , 2020, 8, 5927-5935.	10.3	39
57	Conformation-Tuning Effect of Asymmetric Small Molecule Acceptors on Molecular Packing, Interaction, and Photovoltaic Performance. <i>Small</i> , 2020, 16, e2001942.	10.0	49
58	Electro-spinning fabrication of nitrogen, phosphorus co-doped porous carbon nanofiber as an electro-chemiluminescent sensor for the determination of cyproheptadine. <i>RSC Advances</i> , 2020, 10, 23091-23096.	3.6	14
59	Bromination: An Alternative Strategy for Non-Fullerene Small Molecule Acceptors. <i>Advanced Science</i> , 2020, 7, 1903784.	11.2	69
60	Improving open-circuit voltage by a chlorinated polymer donor endows binary organic solar cells efficiencies over 17%. <i>Science China Chemistry</i> , 2020, 63, 325-330.	8.2	292
61	Altering alkyl-chains branching positions for boosting the performance of small-molecule acceptors for highly efficient nonfullerene organic solar cells. <i>Science China Chemistry</i> , 2020, 63, 361-369.	8.2	128
62	Mechanically Robust All-Polymer Solar Cells from Narrow Band Gap Acceptors with Hetero-Bridging Atoms. <i>Joule</i> , 2020, 4, 658-672.	24.0	279
63	A 16.4% efficiency organic photovoltaic cell enabled using two donor polymers with their side-chains oriented differently by a ternary strategy. <i>Journal of Materials Chemistry A</i> , 2020, 8, 3676-3685.	10.3	48
64	Weak Makes It Powerful: The Role of Cognate Small Molecules as an Alloy Donor in 2D/1A Ternary Fullerene Solar Cells for Finely Tuned Hierarchical Morphology in Thick Active Layers. <i>Small Methods</i> , 2020, 4, 1900766.	8.6	19
65	Dithieno[3,2-b:1',3'-d]pyrrole-Fused Asymmetrical Electron Acceptors: A Study into the Effects of Nitrogen-Functionalization on Reducing Nonradiative Recombination Loss and Dipole Moment on Morphology. <i>Advanced Science</i> , 2020, 7, 1902657.	11.2	51
66	Asymmetric Acceptors with Fluorine and Chlorine Substitution for Organic Solar Cells toward 16.83% Efficiency. <i>Advanced Functional Materials</i> , 2020, 30, 2000456.	14.9	164
67	10.13% Efficiency All-Polymer Solar Cells Enabled by Improving the Optical Absorption of Polymer Acceptors. <i>Solar Rrl</i> , 2020, 4, 2000142.	5.8	45
68	Methane-perylene diimide-based small molecule acceptors for high efficiency non-fullerene organic solar cells. <i>Journal of Materials Chemistry C</i> , 2019, 7, 10901-10907.	5.5	19
69	Thioether Bond Modification Enables Boosted Photovoltaic Performance of Nonfullerene Polymer Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 32218-32224.	8.0	16
70	16.7%-efficiency ternary blended organic photovoltaic cells with PCBM as the acceptor additive to increase the open-circuit voltage and phase purity. <i>Journal of Materials Chemistry A</i> , 2019, 7, 20713-20722.	10.3	266
71	Isomer-free: Precise Positioning of Chlorine-Induced Interpenetrating Charge Transfer for Elevated Solar Conversion. <i>IScience</i> , 2019, 17, 302-314.	4.1	103
72	8.78% Efficient All-Polymer Solar Cells Enabled by Polymer Acceptors Based on a N Embedded Electron-Deficient Unit. <i>Advanced Materials</i> , 2019, 31, e1904585.	21.0	113

#	ARTICLE	IF	CITATIONS
73	A monothiophene unit incorporating both fluoro and ester substitution enabling high-performance donor polymers for non-fullerene solar cells with 16.4% efficiency. <i>Energy and Environmental Science</i> , 2019, 12, 3328-3337.	30.8	337
74	Significantly improving the performance of polymer solar cells by the isomeric ending-group based small molecular acceptors: Insight into the isomerization. <i>Nano Energy</i> , 2019, 66, 104146.	16.0	47
75	Bromination of the Small-Molecule Acceptor with Fixed Position for High-Performance Solar Cells. <i>Chemistry of Materials</i> , 2019, 31, 8044-8051.	6.7	62
76	Isomerization of Perylene Diimide Based Acceptors Enabling High-Performance Nonfullerene Organic Solar Cells with Excellent Fill Factor. <i>Advanced Science</i> , 2019, 6, 1802065.	11.2	69
77	Achieving Balanced Charge Transport and Favorable Blend Morphology in Non-Fullerene Solar Cells via Acceptor End Group Modification. <i>Chemistry of Materials</i> , 2019, 31, 1752-1760.	6.7	48
78	Multifunctional asymmetrical molecules for high-performance perovskite and organic solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2412-2420.	10.3	14
79	A nonfullerene acceptor with a 1000 nm absorption edge enables ternary organic solar cells with improved optical and morphological properties and efficiencies over 15%. <i>Energy and Environmental Science</i> , 2019, 12, 2529-2536.	30.8	213
80	Overcoming the energy loss in asymmetrical non-fullerene acceptor-based polymer solar cells by halogenation of polymer donors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15404-15410.	10.3	39
81	Unconjugated Side-Chain Engineering Enables Small Molecular Acceptors for Highly Efficient Non-Fullerene Organic Solar Cells: Insights into the Fine-Tuning of Acceptor Properties and Micromorphology. <i>Advanced Functional Materials</i> , 2019, 29, 1902155.	14.9	105
82	A High-Performance Non-Fullerene Acceptor Compatible with Polymers with Different Bandgaps for Efficient Organic Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1800376.	5.8	37
83	Reduced Energy Loss Enabled by a Chlorinated Thiophene-Fused Ending-Group Small Molecular Acceptor for Efficient Nonfullerene Organic Solar Cells with 13.6% Efficiency. <i>Advanced Energy Materials</i> , 2019, 9, 1900041.	19.5	144
84	Simultaneously increasing open-circuit voltage and short-circuit current to minimize the energy loss in organic solar cells <i>via</i> designing asymmetrical non-fullerene acceptor. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11053-11061.	10.3	37
85	Regulating exciton bonding energy and bulk heterojunction morphology in organic solar cells <i>via</i> methyl-functionalized non-fullerene acceptors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 6809-6817.	10.3	26
86	Introducing an identical benzodithiophene donor unit for polymer donors and small-molecule acceptors to unveil the relationship between the molecular structure and photovoltaic performance of non-fullerene organic solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 26351-26357.	10.3	18
87	Functionalizing tetraphenylpyrazine with perylene diimides (PDIs) as high-performance nonfullerene acceptors. <i>Journal of Materials Chemistry C</i> , 2019, 7, 14563-14570.	5.5	9
88	Efficient All-Polymer Solar Cells based on a New Polymer Acceptor Achieving 10.3% Power Conversion Efficiency. <i>ACS Energy Letters</i> , 2019, 4, 417-422.	17.4	196
89	Fine-Tuning of Molecular Packing and Energy Level through Methyl Substitution Enabling Excellent Small Molecule Acceptors for Nonfullerene Polymer Solar Cells with Efficiency up to 12.54%. <i>Advanced Materials</i> , 2018, 30, 1706124.	21.0	253
90	Novel $\pi$ -Conjugated Polymer Based on an Extended Thienoquinoid. <i>Chemistry of Materials</i> , 2018, 30, 319-323.	6.7	17

#	ARTICLE	IF	CITATIONS
91	A three-dimensional thiophene-annulated perylene bisimide as a fullerene-free acceptor for a high performance polymer solar cell with the highest PCE of 8.28% and a $V_{OC}$ over 1.0 V. <i>Journal of Materials Chemistry C</i> , 2018, 6, 1136-1142.	5.5	41
92	A new small molecule acceptor based on indaceno[2,1-b:6,5-b <sup>TM</sup> ]dithiophene and thiophene-fused ending group for fullerene-free organic solar cells. <i>Dyes and Pigments</i> , 2018, 148, 263-269.	3.7	17
93	Non-fullerene acceptor engineering with three-dimensional thiophene/selenophene-annulated perylene diimides for high performance polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12601-12607.	5.5	21
94	Chlorine Atom-Induced Molecular Interlocked Network in a Non-Fullerene Acceptor. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 39992-40000.	8.0	113
95	Pyran-annulated perylene diimide derivatives as non-fullerene acceptors for high performance organic solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 11111-11117.	5.5	16
96	Use of two structurally similar small molecular acceptors enabling ternary organic solar cells with high efficiencies and fill factors. <i>Energy and Environmental Science</i> , 2018, 11, 3275-3282.	30.8	261
97	Alkyl Chain End Group Engineering of Small Molecule Acceptors for Non-Fullerene Organic Solar Cells. <i>ACS Applied Energy Materials</i> , 2018, 1, 4724-4730.	5.1	19
98	Optimized Fibril Network Morphology by Precise Side-Chain Engineering to Achieve High-Performance Bulk-Heterojunction Organic Solar Cells. <i>Advanced Materials</i> , 2018, 30, e1707353.	21.0	271
99	Asymmetrical Ladder-Type Donor-Induced Polar Small Molecule Acceptor to Promote Fill Factors Approaching 77% for High-Performance Nonfullerene Polymer Solar Cells. <i>Advanced Materials</i> , 2018, 30, e1800052.	21.0	252
100	Asymmetrical Small Molecule Acceptor Enabling Nonfullerene Polymer Solar Cell with Fill Factor Approaching 79%. <i>ACS Energy Letters</i> , 2018, 3, 1760-1768.	17.4	102
101	Controlling Molecular Weight to Achieve High-Efficient Polymer Solar Cells With Unprecedented Fill Factor of 79% Based on Non-Fullerene Small Molecule Acceptor. <i>Solar Rrl</i> , 2018, 2, 1800129.	5.8	16
102	Modulation of End Groups for Low-Bandgap Nonfullerene Acceptors Enabling High-Performance Organic Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1801203.	19.5	99
103	Subtle Side-Chain Engineering of Random Terpolymers for High-Performance Organic Solar Cells. <i>Chemistry of Materials</i> , 2018, 30, 3294-3300.	6.7	64
104	Near-Infrared Small Molecule Acceptor Enabled High-Performance Nonfullerene Polymer Solar Cells with Over 13% Efficiency. <i>Advanced Functional Materials</i> , 2018, 28, 1803128.	14.9	78
105	Enhanced open-circuit voltage in methoxyl substituted benzodithiophene-based polymer solar cells. <i>Science China Chemistry</i> , 2017, 60, 243-250.	8.2	15
106	Organic Solar Cells Based on WO <sub>2</sub> Nanowire Anode Buffer Layer with Enhanced Power Conversion Efficiency and Ambient Stability. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 12629-12636.	8.0	33
107	Highly Efficient Parallel-Like Ternary Organic Solar Cells. <i>Chemistry of Materials</i> , 2017, 29, 2914-2920.	6.7	152
108	A Novel Thiophene-Fused Ending Group Enabling an Excellent Small Molecule Acceptor for High-Performance Fullerene-Free Polymer Solar Cells with 11.8% Efficiency. <i>Solar Rrl</i> , 2017, 1, 1700044.	5.8	198

#	ARTICLE	IF	CITATIONS
109	Alkyl Side-Chain Engineering in Wide-Bandgap Copolymers Leading to Power Conversion Efficiencies over 10%. <i>Advanced Materials</i> , 2017, 29, 1604251.	21.0	213
110	Influence of 2,2-bithiophene and thieno[3,2-b] thiophene units on the photovoltaic performance of benzodithiophene-based wide-bandgap polymers. <i>Journal of Materials Chemistry C</i> , 2017, 5, 4471-4479.	5.5	12
111	Non-planar perylenediimide acceptors with different geometrical linker units for efficient non-fullerene organic solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 1713-1723.	10.3	54
112	Pyrene-Fused Perylene Diimides: New Building Blocks to Construct Non-Fullerene Acceptors With Extremely High Open-Circuit Voltages up to 1.26 V. <i>Solar Rrl</i> , 2017, 1, 1700123.	5.8	24
113	Rational design of perylenediimide-based polymer acceptor for efficient all-polymer solar cells. <i>Organic Electronics</i> , 2017, 50, 376-383.	2.6	14
114	Thienobenzene-fused perylene bisimide as a non-fullerene acceptor for organic solar cells with a high open-circuit voltage and power conversion efficiency. <i>Materials Chemistry Frontiers</i> , 2017, 1, 749-756.	5.9	44
115	Triphenylamine-cored star-shape compounds as non-fullerene acceptor for high-efficiency organic solar cells: Tuning the optoelectronic properties by S/Se-annulated perylene diimide. <i>Organic Electronics</i> , 2017, 41, 166-172.	2.6	51
116	Ternary Organic Solar Cells Based on Two Highly Efficient Polymer Donors with Enhanced Power Conversion Efficiency. <i>Advanced Energy Materials</i> , 2016, 6, 1502109.	19.5	147
117	Influence of aromatic heterocycle of conjugated side chains on photovoltaic performance of benzodithiophene-based wide-bandgap polymers. <i>Polymer Chemistry</i> , 2016, 7, 4036-4045.	3.9	26
118	Ternary Organic Solar Cells Based on Two Compatible Nonfullerene Acceptors with Power Conversion Efficiency >10%. <i>Advanced Materials</i> , 2016, 28, 10008-10015.	21.0	254
119	Wide bandgap copolymers with vertical benzodithiophene dicarboxylate for high-performance polymer solar cells with an efficiency up to 7.49%. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18792-18803.	10.3	30
120	High-Performance Non-Fullerene Organic Solar Cells Based on a Selenium-Containing Polymer Donor and a Twisted Perylene Bisimide Acceptor. <i>Advanced Science</i> , 2016, 3, 1600117.	11.2	76
121	Dithieno[3,2-b:2',3'-d]pyridin-5(4H)-one based "A" type copolymers with wide bandgaps of up to 2.05 eV to achieve solar cell efficiencies of up to 7.33%. <i>Chemical Science</i> , 2016, 7, 6167-6175.	7.4	43
122	High-Performance Solution-Processed Non-Fullerene Organic Solar Cells Based on Selenophene-Containing Perylene Bisimide Acceptor. <i>Journal of the American Chemical Society</i> , 2016, 138, 375-380.	13.7	643
123	Organic Solar Cells Based on a 2D Benzo[1,2-b:4,5-b']difuran-Conjugated Polymer with High Power Conversion Efficiency. <i>Advanced Materials</i> , 2015, 27, 6969-6975.	21.0	151
124	Single-Junction Organic Solar Cells Based on a Novel Wide-Bandgap Polymer with Efficiency of 9.7%. <i>Advanced Materials</i> , 2015, 27, 2938-2944.	21.0	487