Lilian Lechner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4866291/publications.pdf

Version: 2024-02-01

61984 98798 6,279 172 43 67 citations h-index g-index papers 189 189 189 7083 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Web-based tailored nutrition education: results of a randomized controlled trial. Health Education Research, 2001, 16, 647-660.	1.9	268
2	Determinants of initiation and maintenance of physical activity among older adults: a literature review. Health Psychology Review, 2009, 3, 147-207.	8.6	251
3	Psychosocial Determinants of Fruit and Vegetable Consumption. Appetite, 1995, 25, 285-296.	3.7	215
4	Definite involuntary childlessness: associations between coping, social support and psychological distress. Human Reproduction, 2007, 22, 288-294.	0.9	162
5	A qualitative study on detecting cancer symptoms and seeking medical help; an application of Andersen's model of total patient delay. Patient Education and Counseling, 2001, 42, 145-157.	2.2	129
6	Misconceptions of Fruit and Vegetable Consumption: Differences between Objective and Subjective Estimation of Intake. Journal of Nutrition Education and Behavior, 1997, 29, 313-320.	0.5	112
7	Participation in a Breast Cancer Screening Program: Influence of Past Behavior and Determinants on Future Screening Participation. Preventive Medicine, 1997, 26, 473-482.	3.4	108
8	Gratitude and health: An updated review. Journal of Positive Psychology, 2020, 15, 743-782.	4.0	104
9	Shortâ€term effectiveness of a webâ€based tailored intervention for cancer survivors on quality of life, anxiety, depression, and fatigue: randomized controlled trial. Psycho-Oncology, 2017, 26, 222-230.	2.3	101
10	Profiling physical activity motivation based on self-determination theory: a cluster analysis approach. BMC Psychology, 2015, 3, 1.	2.1	99
11	The role of illness representations in coping and health of patients treated for breast cancer. Psycho-Oncology, 2009, 18, 849-857.	2.3	98
12	Stages of change for fruit, vegetable and fat intake: consequences of misconception. Health Education Research, 1998, 13, 1-11.	1.9	94
13	From theory to practice: An explorative study into the instrumentality and specificity of implementation intentions. Psychology and Health, 2010, 25, 351-364.	2.2	94
14	Measuring risk perceptions of skin cancer: Reliability and validity of different operationalizations. British Journal of Health Psychology, 2011, 16, 92-112.	3.5	92
15	Care needs after primary breast cancer treatment. Survivors' associated sociodemographic and medical characteristics. Psycho-Oncology, 2013, 22, 125-132.	2.3	92
16	Cancer survivors in the first year after treatment: the prevalence and correlates of unmet needs in different domains. Psycho-Oncology, 2016, 25, 51-57.	2.3	90
17	Short-term efficacy of a computer-tailored physical activity intervention for prostate and colorectal cancer patients and survivors: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 106.	4.6	85
18	Factors related to misperception of physical activity in The Netherlands and implications for health promotion programmes. Health Promotion International, 2006, 21, 104-112.	1.8	81

#	Article	IF	CITATIONS
19	The long-term efficacy of two computer-tailored physical activity interventions for older adults: Main effects and mediators Health Psychology, 2011, 30, 442-452.	1.6	81
20	Lifestyle-related effects of the web-based Kanker Nazorg Wijzer (Cancer Aftercare Guide) intervention for cancer survivors: a randomized controlled trial. Journal of Cancer Survivorship, 2016, 10, 883-897.	2.9	81
21	Long-term effects of a web-based cancer aftercare intervention on moderate physical activity and vegetable consumption among early cancer survivors: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 19.	4.6	79
22	Motivational Interviewing in a Web-Based Physical Activity Intervention With an Avatar: Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e48.	4.3	73
23	Predicting older adults' maintenance in exercise participation using an integrated social psychological model. Health Education Research, 2006, 21, 1-14.	1.9	72
24	Help-seeking behaviour for cancer symptoms: perceptions of patients and general practitioners. Psycho-Oncology, 2001, 10, 469-478.	2.3	71
25	Long-term efficacy of a printed or a Web-based tailored physical activity intervention among older adults. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 104.	4.6	70
26	The Active plus protocol: systematic development of two theory- and evidence-based tailored physical activity interventions for the over-fifties. BMC Public Health, 2008, 8, 399.	2.9	69
27	Differences in Reach and Attrition Between Web-Based and Print-Delivered Tailored Interventions Among Adults over 50 Years of Age: Clustered Randomized Trial. Journal of Medical Internet Research, 2012, 14, e179.	4.3	69
28	Relapse prevention in a national smoking cessation contest: Effects of coping planning. British Journal of Health Psychology, 2008, 13, 525-535.	3.5	68
29	Social psychological correlates of paying attention to cancer symptoms and seeking medical help. Social Science and Medicine, 2003, 56, 915-920.	3.8	66
30	Efficacy of Two Tailored Interventions Promoting Physical Activity in Older Adults. American Journal of Preventive Medicine, 2009, 37, 405-417.	3.0	66
31	Starting Participation in an Employee Fitness Program: Attitudes, Social Influence, and Self-Efficacy. Preventive Medicine, 1995, 24, 627-633.	3.4	63
32	Patient and Provider Perspectives on HIV and HIV-Related Stigma in Dutch Health Care Settings. AIDS Patient Care and STDs, 2014, 28, 652-665.	2.5	62
33	Equity-Specific Effects of 26 Dutch Obesity-Related Lifestyle Interventions. American Journal of Preventive Medicine, 2013, 44, e61-e70.	3.0	61
34	Testicular self-examination (TSE) among Dutch young men aged 15-19: determinants of the intention to practice TSE. Health Education Research, 2002, 17, 73-84.	1.9	56
35	Determinants of awareness, initiation and maintenance of physical activity among the over-fifties: a Delphi study. Health Education Research, 2010, 25, 233-247.	1.9	56
36	Online Pestkoppenstoppen: systematic and theory-based development of a web-based tailored intervention for adolescent cyberbully victims to combat and prevent cyberbullying. BMC Public Health, 2014, 14, 396.	2.9	56

#	Article	IF	Citations
37	The Kanker Nazorg Wijzer (Cancer Aftercare Guide) protocol: the systematic development of a web-based computer tailored intervention providing psychosocial and lifestyle support for cancer survivors. BMC Cancer, 2015, 15, 580.	2.6	55
38	Long-term effectiveness and moderators of a web-based tailored intervention for cancer survivors on social and emotional functioning, depression, and fatigue: randomized controlled trial. Journal of Cancer Survivorship, 2017, 11, 691-703.	2.9	55
39	Exploring the Efficacy and Moderators of Two Computer-Tailored Physical Activity Interventions for Older Adults: A Randomized Controlled Trial. Annals of Behavioral Medicine, 2010, 39, 139-150.	2.9	54
40	I Move: systematic development of a web-based computer tailored physical activity intervention, based on motivational interviewing and self-determination theory. BMC Public Health, 2014, 14, 212.	2.9	53
41	Effects of an Employee Fitness Program on Reduced Absenteeism. Journal of Occupational and Environmental Medicine, 1997, 39, 827-831.	1.7	52
42	Use and Appreciation of a Tailored Self-Management eHealth Intervention for Early Cancer Survivors: Process Evaluation of a Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e229.	4.3	52
43	The importance of affectively-laden beliefs about health risks: the case of tobacco use and sun protection. Journal of Behavioral Medicine, 2014, 37, 11-21.	2.1	50
44	Determinants of adolescents' ineffective and improved coping with cyberbullying: A Delphi study. Journal of Adolescence, 2014, 37, 373-385.	2.4	49
45	Development of Web-Based Computer-Tailored Advice to Promote Physical Activity Among People Older Than 50 years. Journal of Medical Internet Research, 2012, 14, e39.	4.3	49
46	Thinking versus feeling: Differentiating between cognitive and affective components of perceived cancer risk. Psychology and Health, 2012, 27, 767-783.	2.2	47
47	Long term effects of self-determination theory and motivational interviewing in a web-based physical activity intervention: randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 101.	4.6	46
48	Dutch Cyberbullying Victims' Experiences, Perceptions, Attitudes and Motivations Related to (Coping) Tj ETC	Qq Q .g 0 rg	gBT/Qverlock
49	Comparing a Video and Text Version of a Web-Based Computer-Tailored Intervention for Obesity Prevention: A Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e236.	4.3	46
50	Prevalence and correlates of healthy lifestyle behaviors among early cancer survivors. BMC Cancer, 2016, 16, 4.	2.6	45
51	Gratitude, Psychopathology and Subjective Well-Being: Results from a 7.5-Month Prospective General Population Study. Journal of Happiness Studies, 2018, 19, 1673-1689.	3.2	45
52	Short- and long-term effects of tailored information versus general information on determinants and intentions related to early detection of cancer. Preventive Medicine, 2004, 38, 694-703.	3.4	43
53	Early detection of cancer: knowledge and behavior among Dutch adults. Cancer Detection and Prevention, 2002, 26, 362-369.	2.1	42
54	The differentiated effectiveness of a printed versus a Web-based tailored physical activity intervention among adults aged over 50. Health Education Research, 2014, 29, 870-882.	1.9	42

#	Article	IF	CITATIONS
55	The working mechanisms of an environmentally tailored physical activity intervention for older adults: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2009, 6, 83.	4.6	41
56	Action planning as predictor of health protective and health risk behavior: an investigation of fruit and snack consumption. International Journal of Behavioral Nutrition and Physical Activity, 2009, 6, 69.	4.6	39
57	The contribution of general and cancerâ€related variables in explaining physical activity in a breast cancer population 3 weeks to 6 months postâ€treatment. Psycho-Oncology, 2013, 22, 203-211.	2.3	38
58	Smoking Cessation Treatment Practices. Journal of Cardiovascular Nursing, 2013, 28, 35-47.	1.1	38
59	Short- and Medium-Term Efficacy of a Web-Based Computer-Tailored Nutrition Education Intervention for Adults Including Cognitive and Environmental Feedback: Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e23.	4.3	38
60	Long-term health outcomes and cost-effectiveness of a computer-tailored physical activity intervention among people aged over fifty: modelling the results of a randomized controlled trial. BMC Public Health, 2014, 14, 1099.	2.9	34
61	Development of a computer-tailored physical activity intervention for prostate and colorectal cancer patients and survivors: OncoActive. BMC Cancer, 2017, 17, 446.	2.6	33
62	The influence of narrative risk communication on feelings of cancer risk. British Journal of Health Psychology, 2013, 18, 407-419.	3.5	32
63	Differences in the use and appreciation of a web-based or printed computer-tailored physical activity intervention for people aged over 50 years. Health Education Research, 2013, 28, 715-731.	1.9	32
64	Predicting parental sunscreen use: Disentangling the role of action planning in the intention–behavior relationship. Psychology and Health, 2008, 23, 829-847.	2.2	31
65	Self-efficacy mediates the impact of craving on smoking abstinence in low to moderately anxious patients: Results of a moderated mediation approach Psychology of Addictive Behaviors, 2013, 27, 113-124.	2.1	31
66	Tailored versus general information on early detection of cancer: a comparison of the reactions of Dutch adults and the impact on attitudes and behaviors. Health Education Research, 2002, 17, 239-252.	1.9	30
67	Effectiveness of a telephone delivered and a face-to-face delivered counseling intervention for smoking cessation in patients with coronary heart disease: a 6-month follow-up. Journal of Behavioral Medicine, 2014, 37, 709-24.	2.1	30
68	Planned development and evaluation protocol of two versions of a web-based computer-tailored nutrition education intervention aimed at adults, including cognitive and environmental feedback. BMC Public Health, 2014, 14, 47.	2.9	30
69	Self-Reporting of Smoking Cessation in Cardiac Patients. Journal of Addiction Medicine, 2015, 9, 308-316.	2.6	30
70	An eHealth Intervention to Promote Physical Activity and Social Network of Single, Chronically Impaired Older Adults: Adaptation of an Existing Intervention Using Intervention Mapping. JMIR Research Protocols, 2017, 6, e230.	1.0	30
71	The usefulness and feasibility of a screening instrument to identify psychosocial problems in patients receiving curative radiotherapy: a process evaluation. BMC Cancer, 2011, 11, 479.	2.6	29
72	HIV Status Disclosure in the Workplace: Positive and Stigmatizing Experiences of Health Care Workers Living with HIV. Journal of the Association of Nurses in AIDS Care, 2017, 28, 923-937.	1.0	29

#	Article	IF	Citations
73	The Dutch cancer information helpline: experience and impact. Patient Education and Counseling, 1996, 28, 149-157.	2.2	28
74	The formation of specific action plans can enhance sun protection behavior in motivated parents. Preventive Medicine, 2008, 47, 127-132.	3.4	28
75	Systematic development of a text-driven and a video-driven web-based computer-tailored obesity prevention intervention. BMC Public Health, 2013, 13, 978.	2.9	28
76	Habit as moderator of the intention–physical activity relationship in older adults: a longitudinal study. Psychology and Health, 2013, 28, 514-532.	2.2	28
77	Cost-effectiveness and cost-utility of a Web-based or print-delivered tailored intervention to promote physical activity among adults aged over fifty: an economic evaluation of the Active Plus intervention. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 122.	4.6	28
78	Participation in an Employee Fitness Program. Journal of Occupational and Environmental Medicine, 1995, 37, 429-436.	1.7	27
79	A Web-Based and Print-Based Computer-Tailored Physical Activity Intervention for Prostate and Colorectal Cancer Survivors: A Comparison of User Characteristics and Intervention Use. Journal of Medical Internet Research, 2017, 19, e298.	4.3	27
80	Motivational interviewing in a web-based physical activity intervention: questions and reflections. Health Promotion International, 2015, 30, 803-815.	1.8	26
81	Motivational interviewing and self-determination theory in a web-based computer tailored physical activity intervention: A randomized controlled trial. Psychology and Health, 2016, 31, 907-930.	2.2	26
82	Passive cancer detection and medical help seeking for cancer symptoms: (in)adequate behavior and psychosocial determinants. European Journal of Cancer Prevention, 2007, 16, 266-274.	1.3	25
83	Psychosocial screening effects on healthâ€related outcomes in patients receiving radiotherapy. A cluster randomised controlled trial. Psycho-Oncology, 2013, 22, 2736-2746.	2.3	25
84	Dropout from Exercise Programs for Seniors: A Prospective Cohort Study. Journal of Aging and Physical Activity, 2005, 13, 409-421.	1.0	24
85	Are clusters of dietary patterns and cluster membership stable over time? Results of a longitudinal cluster analysis study. Appetite, 2014, 82, 154-159.	3.7	24
86	Online interventions aimed at reducing psychological distress in cancer patients: evidence update and suggestions for future directions. Current Opinion in Supportive and Palliative Care, 2020, 14, 27-39.	1.3	24
87	Breast self-examination: longitudinal predictors of intention and subsequent behaviour. European Journal of Cancer Prevention, 2004, 13, 369-376.	1.3	23
88	Risk groups and predictors of short-term abstinence from smoking in patients with coronary heart disease. Heart and Lung: Journal of Acute and Critical Care, 2012, 41, 332-343.	1.6	23
89	Development and usability of a computer-tailored pedometer-based physical activity advice for breast cancer survivors. European Journal of Cancer Care, 2015, 24, 673-682.	1.5	23
90	Online psychosocial interventions for posttreatment cancer survivors: an international evidence review and update. Current Opinion in Supportive and Palliative Care, 2020, 14, 40-50.	1.3	23

#	Article	IF	CITATIONS
91	Use and Effectiveness of a Video- and Text-Driven Web-Based Computer-Tailored Intervention: Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e222.	4.3	23
92	Planning health behaviour change: Comparing the behavioural influence of two types of selfâ€regulatory planning. British Journal of Health Psychology, 2010, 15, 133-149.	3.5	22
93	Treatment-related and psychosocial variables in explaining physical activity in women three weeks to six months post-treatment of breast cancer. Patient Education and Counseling, 2012, 89, 171-177.	2.2	22
94	Design and process evaluation of an informative website tailored to breast cancer survivors' and intimate partners' post-treatment care needs. BMC Research Notes, 2012, 5, 548.	1.4	22
95	Habit as mediator of the relationship between prior and later physical activity: A longitudinal study in older adults. Psychology of Sport and Exercise, 2015, 19, 95-102.	2.1	22
96	Evaluation of a Computer-Tailored Healthy Ageing Intervention to Promote Physical Activity among Single Older Adults with a Chronic Disease. International Journal of Environmental Research and Public Health, 2018, 15, 346.	2.6	22
97	Effectiveness of two intensive treatment methods for smoking cessation and relapse prevention in patients with coronary heart disease: study protocol and baseline description. BMC Cardiovascular Disorders, 2012, 12, 33.	1.7	21
98	Does routine psychosocial screening improve referral to psychosocial care providers and patient–radiotherapist communication? A cluster randomized controlled trial. Patient Education and Counseling, 2013, 93, 289-297.	2.2	21
99	Similarities and differences in underlying beliefs of socio-cognitive factors related to diet and physical activity in lower-educated Dutch, Turkish, and Moroccan adults in the Netherlands: a focus group study. BMC Public Health, 2016, 16, 813.	2.9	21
100	Effectiveness of a Video-Versus Text-Based Computer-Tailored Intervention for Obesity Prevention after One Year: A Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2017, 14, 1275.	2.6	21
101	Negative affective stress reactivity: The dampening effect of snacking. Stress and Health, 2018, 34, 286-295.	2.6	21
102	Psychometric properties of the Dutch version of the Mental Adjustment to Cancer scale in Dutch cancer patients. Psycho-Oncology, 2010, 19, 742-749.	2.3	20
103	Smoking cessation in cardiac patients: the influence of action plans, coping plans and self-efficacy on quitting smoking. Health Education Research, 2016, 31, 350-362.	1.9	19
104	Long-term efficacy of a Web-based computer-tailored nutrition education intervention for adults including cognitive and environmental feedback: a randomized controlled trial. BMC Public Health, 2015, 15, 372.	2.9	18
105	Affect and between-meal snacking in daily life: the moderating role of gender and age. Psychology and Health, 2018, 33, 555-572.	2.2	18
106	Associations between affect and alcohol consumption in adults: an ecological momentary assessment study. American Journal of Drug and Alcohol Abuse, 2020, 46, 88-97.	2.1	18
107	The Effect of Active Plus, a Computer-Tailored Physical Activity Intervention, on the Physical Activity of Older Adults with Chronic Illness(es)—A Cluster Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2020, 17, 2590.	2.6	18
108	Eating in moderation and the essential role of awareness. A Dutch longitudinal study identifying psychosocial predictors. Appetite, 2015, 87, 152-159.	3.7	17

#	Article	IF	CITATIONS
109	Consumption of fruit and vegetables: how to motivate the population to change their behavior. Cancer Letters, 1997, 114, 335-336.	7.2	16
110	Examining direct and indirect pathways to health behaviour: The influence of cognitive and affective probability beliefs. Psychology and Health, 2013, 28, 546-560.	2.2	16
111	Sun protection during snow sports: an analysis of behavior and psychosocial determinants. Health Education Research, 2015, 30, 380-387.	1.9	16
112	The Dutch cancer information helpline: More critical patients after 10 years. Patient Education and Counseling, 2006, 63, 215-222.	2.2	15
113	Physical activity levels and supportive care needs for physical activity among breast cancer survivors with different psychosocial profiles: a cluster-analytical approach. European Journal of Cancer Care, 2012, 21, 790-799.	1.5	15
114	Predicting fruit consumption: the role of habits, previous behavior and mediation effects. BMC Public Health, 2014, 14, 730.	2.9	15
115	Back-of-pack information in substitutive food choices: A process-tracking study in participants intending to eat healthy. Appetite, 2017, 116, 173-183.	3.7	15
116	The effectiveness of the Screening Inventory of Psychosocial Problems (SIPP) in cancer patients treated with radiotherapy: design of a cluster randomised controlled trial. BMC Cancer, 2009, 9, 177.	2.6	14
117	Working mechanisms of a web-based self-management intervention for cancer survivors: a randomised controlled trial. Psychology and Health, 2017, 32, 605-625.	2.2	14
118	Optimizing the efficacy of smoking cessation contests: an exploration of determinants of successful quitting. Health Education Research, 2008, 24, 54-63.	1.9	13
119	Sunbed use at home: risk behaviour and psychosocial determinants. European Journal of Cancer Prevention, 2002, 11, 333-341.	1.3	12
120	Psychometric properties of the Screening Inventory of Psychosocial Problems (SIPP) in Dutch cancer patients treated with radiotherapy. European Journal of Cancer Care, 2011, 20, 305-314.	1.5	12
121	Psychosocial Characteristics Associated with Breast Cancer Survivors' Intimate Partners' Needs for Information and Support After Primary Breast Cancer Treatment. Journal of Psychosocial Oncology, 2012, 30, 1-20.	1.2	12
122	The Development of a Self-Report Questionnaire on Coping with Cyberbullying: The Cyberbullying Coping Questionnaire. Societies, 2015, 5, 460-491.	1.5	12
123	Economic evaluation of a telephone- and face-to-face-delivered counseling intervention for smoking cessation in patients with coronary heart disease. European Journal of Health Economics, 2016, 17, 269-285.	2.8	12
124	Psychometric properties of the Dutch extended Cancer Survivors' Unmet Needs measure (CaSUN-NL). European Journal of Cancer Care, 2018, 27, e12807.	1.5	12
125	Reciprocal relationships between State gratitude and high- and low-arousal positive affects in daily life: A time-lagged ecological assessment study. Journal of Positive Psychology, 2019, 14, 512-527.	4.0	12
126	Factors Associated with the Intention to Use Vitamin D Supplements: Quantitative Study among a Sample of Elderly People in a Medium-Sized Town in the Netherlands. Journal of Nutrition Education and Behavior, 2001, 33, 134-142.	0.5	11

#	Article	IF	Citations
127	Question order in the assessment of misperception of physical activity. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 42.	4.6	11
128	Exploring the working mechanisms of a web-based physical activity intervention, based on self-determination theory and motivational interviewing. Internet Interventions, 2016, 3, 8-17.	2.7	11
129	Well-being in elderly long-term care residents with chronic mental disorder: a systematic review. Aging and Mental Health, 2019, 23, 287-296.	2.8	11
130	The European Smoking Prevention Framework Approach (ESFA) project: Observations by Six Commentators. Health Education Research, 2003, 18, 664-677.	1.9	10
131	Exploring individual cognitions, self-regulation skills, and environmental-level factors as mediating variables of two versions of a Web-based computer-tailored nutrition education intervention aimed at adults: A randomized controlled trial. Appetite, 2016, 98, 101-114.	3.7	10
132	A Web-Based and Print-Delivered Computer-Tailored Physical Activity Intervention for Older Adults: Pretest-Posttest Intervention Study Comparing Delivery Mode Preference and Attrition. Journal of Medical Internet Research, 2019, 21, e13416.	4.3	10
133	The effect of Active Plus, a computer-tailored physical activity intervention, on cognitive functioning of elderly people with chronic illness(es) – study protocol for a randomized controlled trial. BMC Public Health, 2019, 19, 1197.	2.9	9
134	Development and Testing of a Personalized Web-Based Diet and Physical Activity Intervention Based on Motivational Interviewing and the Self-Determination Theory: Protocol for the MyLifestyleCoach Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e14491.	1.0	9
135	Assessing Energy Intake in Daily Life: Signal-Contingent Smartphone Application Versus Event-Contingent Paper and Pencil Estimated Diet Diary. Psychologica Belgica, 2016, 56, 357-369.	1.9	9
136	Correlates of the Intention to Implement a Tailored Physical Activity Intervention: Perceptions of Intermediaries. International Journal of Environmental Research and Public Health, 2014, 11, 1885-1903.	2.6	8
137	Modeling Longitudinal Relationships Between Habit and Physical Activity: Two Cross-Lagged Panel Design Studies in Older Adults. Journal of Aging and Physical Activity, 2017, 25, 464-473.	1.0	8
138	Habit strength and between-meal snacking in daily life: the moderating role of level of education. Public Health Nutrition, 2018, 21, 2595-2605.	2.2	8
139	Long-Term Effects on Loneliness of a Computer-Tailored Intervention for Older Adults With Chronic Diseases: A Randomized Controlled Trial. Journal of Aging and Health, 2021, 33, 865-876.	1.7	8
140	Neighborhood Walkability and Walking Behavior: The Moderating Role of Action Orientation. Journal of Physical Activity and Health, 2013, 10, 515-522.	2.0	7
141	Are action planning and physical activity mediators of the intention-habit relationship?. Psychology of Sport and Exercise, 2016, 27, 243-251.	2.1	7
142	Motives for Protective Behavior Against Carcinogenic Substances in the Workplace:. Journal of Occupational and Environmental Medicine, 2000, 42, 88.	1.7	7
143	Can individual cognitions, self-regulation and environmental variables explain educational differences in vegetable consumption?: a cross-sectional study among Dutch adults. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 149.	4.6	6
144	Stigma experiences among substance users with HIV Stigma and Health, 2016, 1, 123-145.	1.7	6

#	Article	IF	Citations
145	High intensity smoking cessation interventions: Cardiac patients of low socioeconomic status and low intention to quit profit most. Netherlands Heart Journal, 2017, 25, 24-32.	0.8	6
146	Affective Instability and Alcohol Consumption: Ecological Momentary Assessment in an Adult Sample. Journal of Studies on Alcohol and Drugs, 2019, 80, 441-447.	1.0	6
147	Physical Impairments Disrupt the Association Between Physical Activity and Loneliness: A Longitudinal Study. Journal of Aging and Physical Activity, 2019, 27, 787-796.	1.0	6
148	The longitudinal associations between change in physical activity and cognitive functioning in older adults with chronic illness (es). BMC Geriatrics, 2021, 21, 478.	2.7	6
149	Some signals cannot wait: Effects of a national campaign on early detection of cancer among Dutch adults (>55 years). Cancer Epidemiology, 2009, 33, 194-200.	1.9	5
150	Feasibility and acceptability of a telephone―and faceâ€toâ€faceâ€delivered counseling intervention for smoking cessation in Dutch patients with coronary heart disease. Research in Nursing and Health, 2017, 40, 444-458.	1.6	5
151	Implementation of web-based interventions by Dutch occupational health centers. Health Promotion International, 2017, 32, 818-830.	1.8	5
152	A randomized controlled trial into the cognitive effects of a computer-tailored physical activity intervention in older adults with chronic disease(s). European Review of Aging and Physical Activity, 2021, 18, 3.	2.9	5
153	Disclosure of HIV Status to Health Care Providers in the Netherlands: A Qualitative Study. Journal of the Association of Nurses in AIDS Care, 2016, 27, 485-494.	1.0	4
154	Development of a computer-tailored nutrition and physical activity intervention for lower-educated women of Dutch, Turkish and Moroccan origin using content matching and ethnic identity tailoring. BMC Public Health, 2016, 16, 924.	2.9	4
155	Optimizing psychosocial support in prostate cancer patients during active surveillance. International Journal of Urological Nursing, 2020, 14, 115-123.	0.2	4
156	Equity-specific effects of interventions to promote physical activity among middle-aged and older adults: results from applying a novel equity-specific re-analysis strategy. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 65.	4.6	4
157	Predictors of Self-Determined Module Choice in a Web-Based Computer-Tailored Diet and Physical Activity Intervention: Secondary Analysis of Data From a Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e15024.	4.3	4
158	What interventions affect the psychosocial burden experienced by prostate cancer patients undergoing active surveillance? A scoping review. Supportive Care in Cancer, 2022, 30, 4699-4709.	2.2	4
159	The effects of a web-based computer-tailored diet and physical activity intervention based on self-determination theory and motivational interviewing: A randomized controlled trial. Internet Interventions, 2022, 28, 100537.	2.7	4
160	Measurement of Well-Being in Gerontopsychiatric Nursing Home Residents: Development of the Laurens Well-Being Inventory for Gerontopsychiatry. Journal of Geriatric Psychiatry and Neurology, 2018, 31, 136-148.	2.3	3
161	Motivational factors for initiating and maintaining physical activity among adults aged over fifty targeted by a tailored intervention. Psychology and Health, 2020, 35, 1184-1206.	2.2	3
162	Psychiatric and behavioral problems and well-being in gerontopsychiatric nursing home residents. Aging and Mental Health, 2021, 25, 277-285.	2.8	3

#	Article	IF	CITATIONS
163	Influencing Feelings of Cancer Risk: Direct and Moderator Effects of Affectively Laden Phrases in Risk Communication. Journal of Health Communication, 2015, 20, 321-327.	2.4	2
164	Use of nutritional information: analysing clusters of consumers who intend to eat healthily. Journal of Nutritional Science, 2019, 8, e17.	1.9	2
165	An exploration of perceptions and preferences for healthy eating in Dutch consumers: a qualitative pilot study. Pilot and Feasibility Studies, 2021, 7, 20.	1.2	2
166	Psychometric Quality of the Extended Cancer information Needs Questionnaire (CaSUN-NL). Archives of Physical Medicine and Rehabilitation, 2015, 96, e64-e65.	0.9	1
167	Gaining Insight into Determinants ofÂPhysical Activity Using Bayesian Network Learning. Communications in Computer and Information Science, 2021, , 172-187.	0.5	1
168	Use and Appreciation of a Web-Based, Computer-Tailored Diet and Physical Activity Intervention Based on the Self-determination Theory: Evaluation Study of Process and Predictors. JMIR Formative Research, 2021, 5, e22390.	1.4	1
169	Affective Instability and Alcohol Consumption: Ecological Momentary Assessment in an Adult Sample. Journal of Studies on Alcohol and Drugs, 2019, 80, 441-447.	1.0	1
170	Adding Mobile Elements to Online Physical Activity Interventions Targeted at Adults Aged 50 Years and Older: Protocol for a Systematic Design. JMIR Research Protocols, 2022, 11, e31677.	1.0	1
171	Kennis van kankersymptomen en de rol van psychosociale factoren bij tijdig medisch hulpzoekgedrag. TSG: Tijdschrift Voor Gezondheidswetenschappen, 2012, 90, 36-44.	0.1	0
172	Clustering of motivational constructs based on self-determination theory for diet and physical activity and their associations with behaviour: a cross-sectional study. Journal of Nutritional Science, 2022, 11, e22.	1.9	0