

# Susan L Slager

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4872426/publications.pdf>

Version: 2024-02-01

430  
papers

19,666  
citations

11608

70  
h-index

14702

127  
g-index

432  
all docs

432  
docs citations

432  
times ranked

24074  
citing authors

#	ARTICLE	IF	CITATIONS
1	Familial Primary Pulmonary Hypertension (Gene PPH1) Is Caused by Mutations in the Bone Morphogenetic Protein Receptor $\alpha$ II Gene. <i>American Journal of Human Genetics</i> , 2000, 67, 737-744.	2.6	1,089
2	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013, 45, 353-361.	9.4	960
3	Discovery and prioritization of somatic mutations in diffuse large B-cell lymphoma (DLBCL) by whole-exome sequencing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3879-3884.	3.3	853
4	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019, 104, 21-34.	2.6	711
5	Inherited Mutations in 17 Breast Cancer Susceptibility Genes Among a Large Triple-Negative Breast Cancer Cohort Unselected for Family History of Breast Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 304-311.	0.8	521
6	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015, 47, 373-380.	9.4	513
7	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 371-384.	9.4	493
8	Genome-wide association studies identify four ER negative $\alpha$ -specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398.	9.4	374
9	A Genomewide Association Study of Citalopram Response in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2010, 67, 133-138.	0.7	289
10	A common variant at the TERT-CLPTM1L locus is associated with estrogen receptor $\alpha$ -negative breast cancer. <i>Nature Genetics</i> , 2011, 43, 1210-1214.	9.4	279
11	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	0.9	265
12	Mutations in CHEK2 Associated with Prostate Cancer Risk. <i>American Journal of Human Genetics</i> , 2003, 72, 270-280.	2.6	264
13	Rates and Outcomes of Follicular Lymphoma Transformation in the Immunochemotherapy Era: A Report From the University of Iowa/Mayo Clinic Specialized Program of Research Excellence Molecular Epidemiology Resource. <i>Journal of Clinical Oncology</i> , 2013, 31, 3272-3278.	0.8	259
14	Genome-Wide Association Study in BRCA1 Mutation Carriers Identifies Novel Loci Associated with Breast and Ovarian Cancer Risk. <i>PLoS Genetics</i> , 2013, 9, e1003212.	1.5	244
15	Sequence Analysis of the Serotonin Transporter and Associations with Antidepressant Response. <i>Biological Psychiatry</i> , 2005, 58, 374-381.	0.7	203
16	Diffuse large B-cell lymphoma (DLBCL) Richter syndrome in patients with chronic lymphocytic leukaemia (CLL): a cohort study of newly diagnosed patients. <i>British Journal of Haematology</i> , 2013, 162, 774-782.	1.2	187
17	Vitamin D Insufficiency and Prognosis in Non-Hodgkin's Lymphoma. <i>Journal of Clinical Oncology</i> , 2010, 28, 4191-4198.	0.8	184
18	Early event status informs subsequent outcome in newly diagnosed follicular lymphoma. <i>American Journal of Hematology</i> , 2016, 91, 1096-1101.	2.0	180

#	ARTICLE	IF	CITATIONS
19	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	9.4	179
20	Comorbid conditions and survival in unselected, newly diagnosed patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2008, 49, 49-56.	0.6	176
21	<i>ATM</i> , <i>BRCA1</i> , <i>BRCA2</i> and <i>TP53</i> rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016, 53, 800-811.	1.5	174
22	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , 2012, 21, 5373-5384.	1.4	168
23	Family history of hematopoietic malignancies and risk of non-Hodgkin lymphoma (NHL): a pooled analysis of 10,211 cases and 11,905 controls from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Blood</i> , 2007, 109, 3479-3488.	0.6	159
24	Case-Control Studies of Genetic Markers: Power and Sample Size Approximations for Armitage's Test for Trend. <i>Human Heredity</i> , 2001, 52, 149-153.	0.4	154
25	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010, 42, 661-664.	9.4	152
26	Analysis of Association Between the Serotonin Transporter and Antidepressant Response in a Large Clinical Sample. <i>Biological Psychiatry</i> , 2007, 61, 734-742.	0.7	148
27	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	9.4	147
28	Genome-wide association study identifies 25 known breast cancer susceptibility loci as risk factors for triple-negative breast cancer. <i>Carcinogenesis</i> , 2014, 35, 1012-1019.	1.3	145
29	Evidence for Genetic Linkage Between a Polymorphism in the Adenosine 2A Receptor and Panic Disorder. <i>Neuropsychopharmacology</i> , 2004, 29, 558-565.	2.8	144
30	Genetic variation in 1253 immune and inflammation genes and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2007, 110, 4455-4463.	0.6	144
31	Pharmacokinetic Genes Do Not Influence Response or Tolerance to Citalopram in the STAR*D Sample. <i>PLoS ONE</i> , 2008, 3, e1872.	1.1	144
32	Cause of Death in Follicular Lymphoma in the First Decade of the Rituximab Era: A Pooled Analysis of French and US Cohorts. <i>Journal of Clinical Oncology</i> , 2019, 37, 144-152.	0.8	142
33	A simplified scoring system in de novo follicular lymphoma treated initially with immunochemotherapy. <i>Blood</i> , 2018, 132, 49-58.	0.6	130
34	Comparison of Microsatellites Versus Single-Nucleotide Polymorphisms in a Genome Linkage Screen for Prostate Cancer Susceptibility Loci. <i>American Journal of Human Genetics</i> , 2004, 75, 948-965.	2.6	129
35	Tumor Necrosis Factor (TNF) and Lymphotoxin- $\alpha$ (LTA) Polymorphisms and Risk of Non-Hodgkin Lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , 2010, 171, 267-276.	1.6	128
36	Brief Report: Natural History of Individuals With Clinically Recognized Monoclonal B-Cell Lymphocytosis Compared With Patients With Rai 0 Chronic Lymphocytic Leukemia. <i>Journal of Clinical Oncology</i> , 2009, 27, 3959-3963.	0.8	123

#	ARTICLE	IF	CITATIONS
37	Familial predisposition and genetic risk factors for lymphoma. <i>Blood</i> , 2015, 126, 2265-2273.	0.6	122
38	Evidence for a susceptibility locus for panic disorder near the catechol-O-methyltransferase gene on chromosome 22. <i>Biological Psychiatry</i> , 2002, 51, 591-601.	0.7	118
39	Genome-wide association study identifies a novel susceptibility locus at 6p21.3 among familial CLL. <i>Blood</i> , 2011, 117, 1911-1916.	0.6	118
40	Evaluation of Candidate Genes in Case-Control Studies: A Statistical Method to Account for Related Subjects. <i>American Journal of Human Genetics</i> , 2001, 68, 1457-1462.	2.6	114
41	Quality of life in chronic lymphocytic leukemia: an international survey of 1482 patients. <i>British Journal of Haematology</i> , 2007, 139, 255-264.	1.2	112
42	Vitamin D insufficiency and prognosis in chronic lymphocytic leukemia. <i>Blood</i> , 2011, 117, 1492-1498.	0.6	110
43	Common Breast Cancer Susceptibility Loci Are Associated with Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2011, 71, 6240-6249.	0.4	109
44	BCL2 mutations are associated with increased risk of transformation and shortened survival in follicular lymphoma. <i>Blood</i> , 2015, 125, 658-667.	0.6	108
45	Age at diagnosis and the utility of prognostic testing in patients with chronic lymphocytic leukemia. <i>Cancer</i> , 2010, 116, 4777-4787.	2.0	107
46	Analysis of the RNASEL Gene in Familial and Sporadic Prostate Cancer. <i>American Journal of Human Genetics</i> , 2002, 71, 116-123.	2.6	105
47	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014, 5, 4999.	5.8	105
48	Non-Hodgkin lymphoma and obesity: A pooled analysis from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 2062-2070.	2.3	104
49	B-cell count and survival: differentiating chronic lymphocytic leukemia from monoclonal B-cell lymphocytosis based on clinical outcome. <i>Blood</i> , 2009, 113, 4188-4196.	0.6	104
50	Atrial fibrillation in patients with chronic lymphocytic leukemia (CLL). <i>Leukemia and Lymphoma</i> , 2017, 58, 1630-1639.	0.6	102
51	The prognostic significance of cytopenia in chronic lymphocytic leukaemia/small lymphocytic lymphoma. <i>British Journal of Haematology</i> , 2008, 141, 615-621.	1.2	101
52	19p13.1 Is a Triple-Negative-Specific Breast Cancer Susceptibility Locus. <i>Cancer Research</i> , 2012, 72, 1795-1803.	0.4	100
53	Fine-Scale Mapping of the FGFR2 Breast Cancer Risk Locus: Putative Functional Variants Differentially Bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013, 93, 1046-1060.	2.6	98
54	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Diffuse Large B-Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 15-25.	0.9	98

#	ARTICLE	IF	CITATIONS
55	Base resolution methylome profiling: considerations in platform selection, data preprocessing and analysis. <i>Epigenomics</i> , 2015, 7, 813-828.	1.0	97
56	A BAFF-R mutation associated with non-Hodgkin lymphoma alters TRAF recruitment and reveals new insights into BAFF-R signaling. <i>Journal of Experimental Medicine</i> , 2010, 207, 2569-2579.	4.2	96
57	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	2.6	96
58	Tumor Budding in Colorectal Carcinoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1340-1346.	2.1	95
59	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	5.8	94
60	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. <i>PLoS Genetics</i> , 2011, 7, e1001378.	1.5	93
61	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016, 7, 11375.	5.8	93
62	Diagnosis-to-Treatment Interval Is an Important Clinical Factor in Newly Diagnosed Diffuse Large B-Cell Lymphoma and Has Implication for Bias in Clinical Trials. <i>Journal of Clinical Oncology</i> , 2018, 36, 1603-1610.	0.8	93
63	Impact of Ibrutinib and Idelalisib on the Pharmaceutical Cost of Treating Chronic Lymphocytic Leukemia at the Individual and Societal Levels. <i>Journal of Oncology Practice</i> , 2015, 11, 252-258.	2.5	92
64	Elevated Serum B-Lymphocyte Stimulator Levels in Patients With Familial Lymphoproliferative Disorders. <i>Journal of Clinical Oncology</i> , 2006, 24, 983-987.	0.8	85
65	The efficacy of ibrutinib in the treatment of Richter syndrome. <i>Blood</i> , 2015, 125, 1676-1678.	0.6	83
66	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 41-51.	0.9	82
67	A high-density SNP genome-wide linkage search of 206 families identifies susceptibility loci for chronic lymphocytic leukemia. <i>Blood</i> , 2007, 110, 3326-3333.	0.6	79
68	A comprehensive evaluation of the prognostic significance of 13q deletions in patients with Bâ€chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2010, 148, 544-550.	1.2	79
69	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breastâ€ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016, 7, 12675.	5.8	78
70	Hypogammaglobulinemia in newly diagnosed chronic lymphocytic leukemia: Natural history, clinical correlates, and outcomes. <i>Cancer</i> , 2015, 121, 2883-2891.	2.0	77
71	Risk factors for development of a second lymphoid malignancy in patients with chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2007, 139, 398-404.	1.2	76
72	Common variation at 6p21.31 (BAK1) influences the risk of chronic lymphocytic leukemia. <i>Blood</i> , 2012, 120, 843-846.	0.6	76

#	ARTICLE	IF	CITATIONS
73	Fine-Scale Mapping of the 5q11.2 Breast Cancer Locus Reveals at Least Three Independent Risk Variants Regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015, 96, 5-20.	2.6	76
74	Statin Use and Prognosis in Patients With Diffuse Large B-Cell Lymphoma and Follicular Lymphoma in the Rituximab Era. <i>Journal of Clinical Oncology</i> , 2010, 28, 412-417.	0.8	75
75	<i>BRCA2</i> Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. <i>Cancer Research</i> , 2017, 77, 2789-2799.	0.4	75
76	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	5.8	75
77	Assessment of polygenic architecture and risk prediction based on common variants across fourteen cancers. <i>Nature Communications</i> , 2020, 11, 3353.	5.8	75
78	Validation of a new prognostic index for patients with chronic lymphocytic leukemia. <i>Cancer</i> , 2009, 115, 363-372.	2.0	72
79	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Marginal Zone Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 52-65.	0.9	70
80	Autoimmune cytopenia in chronic lymphocytic leukemia/small lymphocytic lymphoma: changes in clinical presentation and prognosis. <i>Leukemia and Lymphoma</i> , 2009, 50, 1261-1268.	0.6	69
81	Transformation of chronic lymphocytic leukemia: incidence, outcomes, and comparison to <i>de novo</i> Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2015, 90, 334-338.	2.0	69
82	The oncogenic transcription factor IRF4 is regulated by a novel CD30/NF- $\kappa$ B positive feedback loop in peripheral T-cell lymphoma. <i>Blood</i> , 2015, 125, 3118-3127.	0.6	68
83	A genome-wide meta-analysis of nodular sclerosing Hodgkin lymphoma identifies risk loci at 6p21.32. <i>Blood</i> , 2012, 119, 469-475.	0.6	66
84	Relationship between comorbidities at diagnosis, survival and ultimate cause of death in patients with chronic lymphocytic leukaemia ( <i>CLL</i> ): a prospective cohort study. <i>British Journal of Haematology</i> , 2017, 178, 394-402.	1.2	66
85	Prognostic Significance of Pretreatment Serum Cytokines in Classical Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2013, 19, 6812-6819.	3.2	64
86	Clinical characteristics and outcomes of Richter transformation: experience of 204 patients from a single center. <i>Haematologica</i> , 2020, 105, 765-773.	1.7	64
87	Patterns of Dietary Fluoride Supplement Use During Infancy. <i>Journal of Public Health Dentistry</i> , 1998, 58, 228-233.	0.5	63
88	Common occurrence of monoclonal B-cell lymphocytosis among members of high-risk CLL families. <i>British Journal of Haematology</i> , 2010, 151, 152-158.	1.2	61
89	No association of germline alteration of MSR1 with prostate cancer risk. <i>Nature Genetics</i> , 2003, 35, 128-129.	9.4	60
90	Chronic lymphocytic leukemia in young ( $\leq$ 55 years) patients: a comprehensive analysis of prognostic factors and outcomes. <i>Haematologica</i> , 2014, 99, 140-147.	1.7	60

#	ARTICLE	IF	CITATIONS
91	Genetic Variation in B-Cell-Activating Factor Is Associated with an Increased Risk of Developing B-Cell Non-Hodgkin Lymphoma. <i>Cancer Research</i> , 2009, 69, 4217-4224.	0.4	59
92	Treatment of autoimmune cytopenia complicating progressive chronic lymphocytic leukemia/small lymphocytic lymphoma with rituximab, cyclophosphamide, vincristine, and prednisone. <i>Leukemia and Lymphoma</i> , 2010, 51, 620-627.	0.6	59
93	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016, 99, 903-911.	2.6	59
94	Association of Mu-Opioid Receptor Variants and Response to Citalopram Treatment in Major Depressive Disorder. <i>American Journal of Psychiatry</i> , 2010, 167, 565-573.	4.0	58
95	The Functional Assessment of Cancer Therapy - General (FACT-G) is valid for monitoring quality of life in patients with non-Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2013, 54, 290-297.	0.6	58
96	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	5.8	58
97	Cohort Profile: The Lymphoma Specialized Program of Research Excellence (SPORE) Molecular Epidemiology Resource (MER) Cohort Study. <i>International Journal of Epidemiology</i> , 2017, 46, 1753-1754i.	0.9	57
98	Overall and Cancer-Specific Survival of Patients With Breast, Colon, Kidney, and Lung Cancers With and Without Chronic Lymphocytic Leukemia: A SEER Population-Based Study. <i>Journal of Clinical Oncology</i> , 2013, 31, 930-937.	0.8	56
99	Germline Lysine-Specific Demethylase 1 ( <i>LSD1/KDM1A</i> ) Mutations Confer Susceptibility to Multiple Myeloma. <i>Cancer Research</i> , 2018, 78, 2747-2759.	0.4	56
100	Recurrent MSCE116K mutations in ALK-negative anaplastic large cell lymphoma. <i>Blood</i> , 2019, 133, 2776-2789.	0.6	55
101	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	1.6	54
102	Identification of recurrent truncated <i>DDX3X</i> mutations in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2015, 169, 445-448.	1.2	54
103	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 1-14.	0.9	52
104	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	1.4	52
105	Pretreatment circulating serum cytokines associated with follicular and diffuse large B-cell lymphoma: A clinic-based case-control study. <i>Cytokine</i> , 2012, 60, 882-889.	1.4	50
106	MicroRNA Related Polymorphisms and Breast Cancer Risk. <i>PLoS ONE</i> , 2014, 9, e109973.	1.1	49
107	Genome linkage screen for prostate cancer susceptibility loci: Results from the Mayo Clinic familial prostate cancer study. <i>Prostate</i> , 2003, 57, 335-346.	1.2	48
108	DNA Glycosylases Involved in Base Excision Repair May Be Associated with Cancer Risk in BRCA1 and BRCA2 Mutation Carriers. <i>PLoS Genetics</i> , 2014, 10, e1004256.	1.5	47



#	ARTICLE	IF	CITATIONS
109	Deep sequencing identifies genetic heterogeneity and recurrent convergent evolution in chronic lymphocytic leukemia. <i>Blood</i> , 2015, 125, 492-498.	0.6	47
110	Elevated serum levels of IL-2R, IL-1RA, and CXCL9 are associated with a poor prognosis in follicular lymphoma. <i>Blood</i> , 2015, 125, 992-998.	0.6	47
111	PatternCNV: a versatile tool for detecting copy number changes from exome sequencing data. <i>Bioinformatics</i> , 2014, 30, 2678-2680.	1.8	43
112	Genome-wide linkage scan for prostate cancer aggressiveness loci using families from the University of Michigan Prostate Cancer Genetics Project. <i>Prostate</i> , 2006, 66, 173-179.	1.2	42
113	Use of positron emission tomography-computed tomography in the management of patients with chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Leukemia and Lymphoma</i> , 2014, 55, 2079-2084.	0.6	42
114	Rapid disease progression following discontinuation of ibrutinib in patients with chronic lymphocytic leukemia treated in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2019, 60, 2712-2719.	0.6	42
115	Personalized risk prediction for event-free survival at 24 months in patients with diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2016, 91, 179-184.	2.0	41
116	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015, 24, 2966-2984.	1.4	40
117	Germline Variation in Apoptosis Pathway Genes and Risk of Non-Hodgkin's Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2847-2858.	1.1	39
118	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020, 107, 837-848.	2.6	39
119	Hematologist/oncologist disease-specific expertise and survival: Lessons from chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL). <i>Cancer</i> , 2012, 118, 1827-1837.	2.0	38
120	Genome-wide association study identifies variants at 16p13 associated with survival in multiple myeloma patients. <i>Nature Communications</i> , 2015, 6, 7539.	5.8	38
121	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015, 24, 285-298.	1.4	38
122	Functional and Clinical Significance of Variants Localized to 8q24 in Colon Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2492-2500.	1.1	37
123	The physician-patient relationship and quality of life: Lessons from chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2009, 33, 263-270.	0.4	37
124	Food-frequency questionnaire-based estimates of total antioxidant capacity and risk of non-Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2012, 131, 1158-1168.	2.3	37
125	Elevated pretreatment serum levels of interferon-inducible protein 10 (CXCL10) predict disease relapse and prognosis in diffuse large B-cell lymphoma patients. <i>American Journal of Hematology</i> , 2012, 87, 865-869.	2.0	37
126	Autoimmune cytopenias in patients with chronic lymphocytic leukaemia treated with ibrutinib in routine clinical practice at an academic medical centre. <i>British Journal of Haematology</i> , 2018, 183, 421-427.	1.2	37



#	ARTICLE	IF	CITATIONS
127	Amplification of 9p24.1 in diffuse large B-cell lymphoma identifies a unique subset of cases that resemble primary mediastinal large B-cell lymphoma. <i>Blood Cancer Journal</i> , 2019, 9, 73.	2.8	37
128	Design and validity of a clinic-based case-control study on the molecular epidemiology of lymphoma. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 95-113.	0.4	37
129	Chronic lymphocytic leukaemia genetics overview. <i>British Journal of Haematology</i> , 2007, 139, 630-634.	1.2	36
130	Postmenopausal hormone therapy and colorectal cancer risk by molecularly defined subtypes among older women. <i>Gut</i> , 2012, 61, 1299-1305.	6.1	36
131	Germline variation in complement genes and event-free survival in follicular and diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2012, 87, 880-885.	2.0	36
132	trans Fatty Acid Intake Is Associated with Increased Risk and n3 Fatty Acid Intake with Reduced Risk of Non-Hodgkin Lymphoma. <i>Journal of Nutrition</i> , 2013, 143, 672-681.	1.3	36
133	Loss of TNFAIP3 enhances MYD88L265P-driven signaling in non-Hodgkin lymphoma. <i>Blood Cancer Journal</i> , 2018, 8, 97.	2.8	36
134	The impact of dose modification and temporary interruption of ibrutinib on outcomes of chronic lymphocytic leukemia patients in routine clinical practice. <i>Cancer Medicine</i> , 2020, 9, 3390-3399.	1.3	36
135	A comprehensive study of polymorphisms in the <i>ABCB1</i> , <i>ABCC2</i> , <i>ABCG2</i> , <i>NR112</i> genes and lymphoma risk. <i>International Journal of Cancer</i> , 2012, 131, 803-812.	2.3	35
136	Patients with chronic lymphocytic leukaemia and clonal deletion of both 17p13.1 and 11q22.3 have a very poor prognosis. <i>British Journal of Haematology</i> , 2013, 163, 326-333.	1.2	35
137	PRRC2A and BCL2L11 gene variants influence risk of non-Hodgkin lymphoma: results from the InterLymph consortium. <i>Blood</i> , 2012, 120, 4645-4648.	0.6	34
138	Early life sun exposure, vitamin D-related gene variants, and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2012, 23, 1017-1029.	0.8	34
139	RVboost: RNA-seq variants prioritization using a boosting method. <i>Bioinformatics</i> , 2014, 30, 3414-3416.	1.8	34
140	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.4	34
141	Familial chronic lymphocytic leukemia. <i>Current Opinion in Hematology</i> , 2010, 17, 350-355.	1.2	33
142	Associations Between Intake of Folate and Related Micronutrients with Molecularly Defined Colorectal Cancer Risks in the Iowa Women's Health Study. <i>Nutrition and Cancer</i> , 2012, 64, 899-910.	0.9	33
143	Incidence of chronic lymphocytic leukemia and high-count monoclonal B-cell lymphocytosis using the 2008 guidelines. <i>Cancer</i> , 2014, 120, 2000-2005.	2.0	33
144	Pharmacovigilance during ibrutinib therapy for chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL) in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2017, 58, 1376-1383.	0.6	33

#	ARTICLE	IF	CITATIONS
145	Cigarette Smoking and Colorectal Cancer Risk by KRAS Mutation Status Among Older Women. <i>American Journal of Gastroenterology</i> , 2012, 107, 782-789.	0.2	32
146	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Lymphoplasmacytic Lymphoma/Waldenstrom's Macroglobulinemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 87-97.	0.9	32
147	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Sporadic Burkitt Lymphoma/Leukemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 106-114.	0.9	32
148	Atrial fibrillation in patients with chronic lymphocytic leukemia (CLL) treated with ibrutinib: risk prediction, management, and clinical outcomes. <i>Annals of Hematology</i> , 2021, 100, 143-155.	0.8	32
149	Genetic Susceptibility Variants for Chronic Lymphocytic Leukemia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1098-1102.	1.1	31
150	Medical History, Lifestyle, and Occupational Risk Factors for Hairy Cell Leukemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 115-124.	0.9	31
151	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mantle Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 76-86.	0.9	31
152	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016, 18, 64.	2.2	31
153	Novel pedigree analysis implicates DNA repair and chromatin remodeling in multiple myeloma risk. <i>PLoS Genetics</i> , 2018, 14, e1007111.	1.5	30
154	CXCR5 polymorphisms in non-Hodgkin lymphoma risk and prognosis. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 1475-1484.	2.0	28
155	Impact of post-alignment processing in variant discovery from whole exome data. <i>BMC Bioinformatics</i> , 2016, 17, 403.	1.2	28
156	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	0.6	28
157	Targeting of inflammatory pathways with R2CHOP in high-risk DLBCL. <i>Leukemia</i> , 2021, 35, 522-533.	3.3	28
158	Lack of intrafollicular memory CD4 <sup>+</sup> T cells is predictive of early clinical failure in newly diagnosed follicular lymphoma. <i>Blood Cancer Journal</i> , 2021, 11, 130.	2.8	27
159	Susceptibility genes and B-cell chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2007, 139, 762-771.	1.2	26
160	Genetic Susceptibility to Chronic Lymphocytic Leukemia. <i>Seminars in Hematology</i> , 2013, 50, 296-302.	1.8	26
161	Genetic polymorphisms in oxidative stress-related genes are associated with outcomes following treatment for aggressive B-cell non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2014, 89, 639-645.	2.0	26
162	History of autoimmune conditions and lymphoma prognosis. <i>Blood Cancer Journal</i> , 2018, 8, 73.	2.8	26

#	ARTICLE	IF	CITATIONS
163	Postmenopausal Hormone Therapy and Colorectal Cancer Risk in Relation to Somatic <i>KRAS</i> Mutation Status among Older Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 681-684.	1.1	25
164	Genome-wide Association Study Identifies HLA-DPB1 as a Significant Risk Factor for Severe Aplastic Anemia. <i>American Journal of Human Genetics</i> , 2020, 106, 264-271.	2.6	25
165	Genome-Wide Association Study of Event-Free Survival in Diffuse Large B-Cell Lymphoma Treated With Immunochemotherapy. <i>Journal of Clinical Oncology</i> , 2015, 33, 3930-3937.	0.8	24
166	Genome-Wide Epigenetic Studies in Human Disease: A Primer on -Omic Technologies. <i>American Journal of Epidemiology</i> , 2016, 183, kww187.	1.6	23
167	<i>CD49d</i> associates with nodal presentation and subsequent development of lymphadenopathy in patients with chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2017, 178, 99-105.	1.2	23
168	A Two-Stage Evaluation of Genetic Variation in Immune and Inflammation Genes with Risk of Non-Hodgkin Lymphoma Identifies New Susceptibility Locus in 6p21.3 Region. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1799-1806.	1.1	22
169	An analytical workflow for accurate variant discovery in highly divergent regions. <i>BMC Genomics</i> , 2016, 17, 703.	1.2	22
170	ChIP-seq in studying epigenetic mechanisms of disease and promoting precision medicine: progresses and future directions. <i>Epigenomics</i> , 2016, 8, 1239-1258.	1.0	22
171	Human Pegivirus Infection and Lymphoma Risk: A Systematic Review and Meta-analysis. <i>Clinical Infectious Diseases</i> , 2020, 71, 1221-1228.	2.9	22
172	Genetic association studies in Alzheimer's disease research: challenges and opportunities. <i>Statistics in Medicine</i> , 2004, 23, 169-178.	0.8	21
173	Association of polygenic risk score with the risk of chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. <i>Blood</i> , 2018, 131, 2541-2551.	0.6	21
174	Risk of serious infection among individuals with and without low count monoclonal B-cell lymphocytosis (MBL). <i>Leukemia</i> , 2021, 35, 239-244.	3.3	21
175	Smoking, variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma: a pooled analysis within the InterLymph consortium. <i>Cancer Causes and Control</i> , 2013, 24, 125-134.	0.8	20
176	Relationship of blood monocytes with chronic lymphocytic leukemia aggressiveness and outcomes: a multi-institutional study. <i>American Journal of Hematology</i> , 2016, 91, 687-691.	2.0	20
177	Human Pegivirus infection and lymphoma risk and prognosis: a North American study. <i>British Journal of Haematology</i> , 2018, 182, 644-653.	1.2	20
178	Coinherited genetics of multiple myeloma and its precursor, monoclonal gammopathy of undetermined significance. <i>Blood Advances</i> , 2020, 4, 2789-2797.	2.5	20
179	The CLL International Prognostic Index predicts outcomes in monoclonal B-cell lymphocytosis and Rai 0 CLL. <i>Blood</i> , 2021, 138, 149-159.	0.6	20
180	Luteinizing hormone ? polymorphism and risk of familial and sporadic prostate cancer. <i>Prostate</i> , 2003, 56, 30-36.	1.2	19

#	ARTICLE	IF	CITATIONS
181	The association between early life and adult body mass index and physical activity with risk of non-Hodgkin lymphoma: impact of gender. <i>Annals of Epidemiology</i> , 2012, 22, 855-862.	0.9	19
182	Skin Cancer Surveillance and Malignancies of the Skin in a Community-Dwelling Cohort of Patients With Newly Diagnosed Chronic Lymphocytic Leukemia. <i>Journal of Oncology Practice</i> , 2014, 10, e1-e4.	2.5	19
183	The utility of prognostic indices, early events, and histological subtypes on predicting outcomes in non-follicular indolent B-cell lymphomas. <i>American Journal of Hematology</i> , 2019, 94, 658-666.	2.0	19
184	<i>t(11;14)(q13;q32)</i> translocations in chronic lymphocytic leukemia: Clinicopathologic features and clinical outcomes. <i>American Journal of Hematology</i> , 2019, 94, 338-345.	2.0	19
185	Statin and non-steroidal anti-inflammatory drug use in relation to clinical outcome among patients with Rai stage 0 chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2010, 51, 1233-1240.	0.6	18
186	A Meta-analysis of Multiple Myeloma Risk Regions in African and European Ancestry Populations Identifies Putatively Functional Loci. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1609-1618.	1.1	18
187	Ibrutinib Therapy for Chronic Lymphocytic Leukemia (CLL): An Analysis of a Large Cohort of Patients Treated in Routine Clinical Practice. <i>Blood</i> , 2015, 126, 2935-2935.	0.6	18
188	Alcohol Intake and Colorectal Cancer Risk by Molecularly Defined Subtypes in a Prospective Study of Older Women. <i>Cancer Prevention Research</i> , 2011, 4, 2035-2043.	0.7	17
189	Outcomes among North American patients with diffuse large B-cell lymphoma are independent of tumor Epstein-Barr virus positivity or immunosuppression. <i>Haematologica</i> , 2018, 103, 297-303.	1.7	17
190	Inherited variants at 3q13.33 and 3p24.1 are associated with risk of diffuse large B-cell lymphoma and implicate immune pathways. <i>Human Molecular Genetics</i> , 2020, 29, 70-79.	1.4	17
191	Tumor mutational load predicts time to first treatment in chronic lymphocytic leukemia (CLL) and monoclonal B-cell lymphocytosis beyond the CLL international prognostic index. <i>American Journal of Hematology</i> , 2020, 95, 906-917.	2.0	17
192	The role of 18F-FDG-PET in detecting Richter's transformation of chronic lymphocytic leukemia in patients receiving therapy with a B-cell receptor inhibitor. <i>Haematologica</i> , 2020, 105, 2675-2678.	1.7	17
193	Investigating the numerical effects of ascertainment bias in linkage analysis: Development of methods and preliminary results. <i>Genetics</i> , 1997, 14, 1119-1124.		16
194	Single nucleotide polymorphisms and inherited risk of chronic lymphocytic leukemia among African Americans. <i>Blood</i> , 2012, 120, 1687-1690.	0.6	16
195	Cytokine gene polymorphisms and progression-free survival in classical Hodgkin lymphoma by EBV status: Results from two independent cohorts. <i>Cytokine</i> , 2013, 64, 523-531.	1.4	16
196	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Adult Acute Lymphocytic Leukemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 125-129.	0.9	16
197	The association of physical activity before and after lymphoma diagnosis with survival outcomes. <i>American Journal of Hematology</i> , 2018, 93, 1543-1550.	2.0	16
198	Preneoplastic Alterations Define CLL DNA Methylome and Persist through Disease Progression and Therapy. <i>Blood Cancer Discovery</i> , 2021, 2, 54-69.	2.6	16

#	ARTICLE	IF	CITATIONS
199	Natural history of monoclonal B-cell lymphocytosis among relatives in CLL families. <i>Blood</i> , 2021, 137, 2046-2056.	0.6	16
200	Risk of non-Hodgkin lymphoma in association with germline variation in complement genes. <i>British Journal of Haematology</i> , 2009, 145, 614-623.	1.2	15
201	Infectious lymphadenitis in patients with chronic lymphocytic leukemia/small lymphocytic lymphoma: a rare, but important, complication. <i>Leukemia and Lymphoma</i> , 2015, 56, 311-314.	0.6	15
202	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	1.1	15
203	Outcomes of a large cohort of individuals with clinically ascertained high-count monoclonal B-cell lymphocytosis. <i>Haematologica</i> , 2018, 103, e237-e240.	1.7	15
204	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. <i>Nature Communications</i> , 2018, 9, 4182.	5.8	15
205	Disease Flare During Temporary Interruption of Ibrutinib Therapy in Patients with Chronic Lymphocytic Leukemia. <i>Oncologist</i> , 2020, 25, 974-980.	1.9	15
206	Incidence and risk of tumor lysis syndrome in patients with relapsed chronic lymphocytic leukemia (CLL) treated with venetoclax in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2020, 61, 2383-2388.	0.6	15
207	Development of smokeless tobacco-induced oral mucosal lesions. <i>Journal of Oral Pathology and Medicine</i> , 1998, 27, 388-394.	1.4	14
208	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014, 16, R51.	2.2	14
209	Cytomegalovirus infection does not impact on survival or time to first treatment in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2016, 91, 776-781.	2.0	14
210	Analysis of racial variations in disease characteristics, treatment patterns, and outcomes of patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2016, 91, 677-680.	2.0	14
211	Comparative analysis of de novo assemblers for variation discovery in personal genomes. <i>Briefings in Bioinformatics</i> , 2018, 19, 893-904.	3.2	14
212	Distinct immune signatures in chronic lymphocytic leukemia and Richter syndrome. <i>Blood Cancer Journal</i> , 2021, 11, 86.	2.8	14
213	Common variants within 6p21.31 locus are associated with chronic lymphocytic leukaemia and, potentially, other non-Hodgkin lymphoma subtypes. <i>British Journal of Haematology</i> , 2012, 159, n/a-n/a.	1.2	13
214	Mapping of the IRF8 Gene Identifies a 3' UTR Variant Associated with Risk of Chronic Lymphocytic Leukemia but not Other Common Non-Hodgkin Lymphoma Subtypes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 461-466.	1.1	13
215	Liver dysfunction in chronic lymphocytic leukemia: Prevalence, outcomes, and pathological findings. <i>American Journal of Hematology</i> , 2017, 92, 1362-1369.	2.0	13
216	A susceptibility locus for classical Hodgkin lymphoma at 8q24 near MYC predicts patient outcome in two independent cohorts. <i>British Journal of Haematology</i> , 2018, 180, 286-290.	1.2	13

#	ARTICLE	IF	CITATIONS
217	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	1.1	13
218	Occupational insecticide exposure and risk of non-Hodgkin lymphoma: A pooled case-control study from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2021, 149, 1768-1786.	2.3	13
219	Humoral and cellular immune responses to recombinant herpes zoster vaccine in patients with chronic lymphocytic leukemia and monoclonal B cell lymphocytosis. <i>American Journal of Hematology</i> , 2022, 97, 90-98.	2.0	13
220	Body mass index associated with monoclonal gammopathy of undetermined significance (MGUS) progression in Olmsted County, Minnesota. <i>Blood Cancer Journal</i> , 2022, 12, 67.	2.8	13
221	Familial Chronic Lymphocytic Leukemia: What Does it Mean to Me?. <i>Clinical Lymphoma and Myeloma</i> , 2009, 9, S194-S197.	1.4	12
222	Increased prevalence of light chain monoclonal gammopathy of undetermined significance (LC $\hat{=}$ MGUS) in first-degree relatives of individuals with multiple myeloma. <i>British Journal of Haematology</i> , 2012, 157, 472-475.	1.2	12
223	Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. <i>Human Molecular Genetics</i> , 2014, 23, 6034-6046.	1.4	12
224	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016, 11, e0160316.	1.1	12
225	Impact of metformin use on the outcomes of newly diagnosed diffuse large B-cell lymphoma and follicular lymphoma. <i>British Journal of Haematology</i> , 2019, 186, 820-828.	1.2	12
226	Associations between Cigarette Smoking, Hormone Therapy, and Folate Intake with Incident Colorectal Cancer by TP53 Protein Expression Level in a Population-Based Cohort of Older Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 350-355.	1.1	11
227	Renal insufficiency is an independent prognostic factor in patients with chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, e22-e25.	1.7	11
228	Genetic evidence of PTPN22 effects on chronic lymphocytic leukemia. <i>Blood</i> , 2013, 121, 237-238.	0.6	10
229	Associations between Environmental Exposures and Incident Colorectal Cancer by ESR2 Protein Expression Level in a Population-Based Cohort of Older Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 713-719.	1.1	10
230	CORR <sup>®</sup> ORS Richard A. Brand Award: Disruption in Peroxisome Proliferator-Activated Receptor- $\beta$ (PPARG) Increases Osteonecrosis Risk Through Genetic Variance and Pharmacologic Modulation. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1800-1812.	0.7	10
231	Polygenic risk score and risk of monoclonal B-cell lymphocytosis in caucasians and risk of chronic lymphocytic leukemia (CLL) in African Americans. <i>Leukemia</i> , 2022, 36, 119-125.	3.3	10
232	Expression of Interferon Regulatory Factor-4 (IRF4/MUM1) Is Associated with Inferior Overall Survival In Peripheral T-Cell Lymphoma. <i>Blood</i> , 2010, 116, 140-140.	0.6	10
233	<i>FCGR3A</i> polymorphisms and diffuse large B-cell lymphoma outcome treated with immunochemotherapy: a meta-analysis on 1134 patients from two prospective cohorts. <i>Hematological Oncology</i> , 2017, 35, 447-455.	0.8	9
234	Chronic lymphocytic leukemia cells from ibrutinib treated patients are sensitive to Axl receptor tyrosine kinase inhibitor therapy. <i>Oncotarget</i> , 2018, 9, 37173-37184.	0.8	9



#	ARTICLE	IF	CITATIONS
235	Association of elevated serum free light chains with chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. <i>Blood Cancer Journal</i> , 2019, 9, 59.	2.8	9
236	Risk of MGUS in relatives of multiple myeloma cases by clinical and tumor characteristics. <i>Leukemia</i> , 2019, 33, 499-507.	3.3	9
237	Addition of venetoclax at time of progression in ibrutinib-treated patients with chronic lymphocytic leukemia: Combination therapy to prevent ibrutinib flare. <i>American Journal of Hematology</i> , 2020, 95, E57-E60.	2.0	9
238	Vulnerable Elders Survey-13 (VES-13) Predicts 1-Year Mortality Risk in Newly Diagnosed Non-Hodgkin Lymphoma (NHL). <i>Blood</i> , 2019, 134, 69-69.	0.6	9
239	Genetic Variation in Genes That Regulate T-Cell Differentiation and Function Is Associated with An Increased Risk of Developing B-Cell Non-Hodgkin Lymphoma. <i>Blood</i> , 2008, 112, 3762-3762.	0.6	9
240	Evolving frontline immunochemotherapy for mantle cell lymphoma and the impact on survival outcomes. <i>Blood Advances</i> , 2022, 6, 1350-1360.	2.5	9
241	Chronic lymphocytic leukemia (CLL) with Reed-Sternberg-like cells vs Classic Hodgkin lymphoma transformation of CLL: does this distinction matter?. <i>Blood Cancer Journal</i> , 2022, 12, 18.	2.8	9
242	Genome-wide linkage analysis of systolic blood pressure: a comparison of two approaches to phenotype definition. <i>BMC Genetics</i> , 2003, 4, S13.	2.7	8
243	Non-Hodgkin Lymphoma, Body Mass Index, and Cytokine Polymorphisms: A Pooled Analysis from the InterLymph Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1061-1070.	1.1	8
244	Event-Free Survival at 12 Months (EFS12) from Diagnosis Is a Robust Endpoint for Disease-Related Survival in Patients with Follicular Lymphoma in the Immunochemotherapy Era. <i>Blood</i> , 2014, 124, 1664-1664.	0.6	8
245	The Importance of Pharmacovigilance during Ibrutinib Therapy for Chronic Lymphocytic Leukemia (CLL) in Routine Clinical Practice. <i>Blood</i> , 2015, 126, 717-717.	0.6	8
246	<i>FCGR2A</i> and <i>FCGR3A</i> polymorphisms in classical Hodgkin lymphoma by Epstein-Barr virus status. <i>Leukemia and Lymphoma</i> , 2013, 54, 2571-2573.	0.6	7
247	Comparison of tumor staging systems for cutaneous squamous cell carcinoma in patients with chronic lymphocytic leukemia. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 639-645.	0.6	7
248	Venetoclax treatment of patients with relapsed T-cell prolymphocytic leukemia. <i>Blood Cancer Journal</i> , 2021, 11, 47.	2.8	7
249	Intrafollicular CD4+ T-Cells As an Independent Predictor of Early Clinical Failure in Newly Diagnosed Follicular Lymphoma. <i>Blood</i> , 2019, 134, 121-121.	0.6	7
250	Prevalence and Overall Survival of Low Count Monoclonal B-Cell Lymphocytosis (LC-MBL): A Screening Study of 8,297 Individuals from the Mayo Clinic Biobank. <i>Blood</i> , 2021, 138, 2632-2632.	0.6	7
251	A genome-wide association study of IgM antibody against phosphorylcholine: shared genetics and phenotypic relationship to chronic lymphocytic leukemia. <i>Human Molecular Genetics</i> , 2018, 27, 1809-1818.	1.4	6
252	Identification of factors associated with duplicate rate in ChIP-seq data. <i>PLoS ONE</i> , 2019, 14, e0214723.	1.1	6



#	ARTICLE	IF	CITATIONS
253	Chronic lymphocytic leukemia (CLL) risk is mediated by multiple enhancer variants within CLL risk loci. <i>Human Molecular Genetics</i> , 2020, 29, 2761-2774.	1.4	6
254	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	1.3	6
255	Cause of death in patients with newly diagnosed chronic lymphocytic leukemia (CLL) stratified by the CLL-International Prognostic Index. <i>Blood Cancer Journal</i> , 2021, 11, 140.	2.8	6
256	The Lymphoma Epidemiology of Outcomes (LEO) Cohort Study Reflects the Demographics and Subtypes of Patients Diagnosed with Non-Hodgkin Lymphoma in the United States. <i>Blood</i> , 2018, 132, 1702-1702.	0.6	6
257	Associations between variants in the cyclooxygenase 2 enzyme gene ( <i>PTGS2</i> ) and development of benign prostate enlargement. <i>BJU International</i> , 2011, 108, 1610-1615.	1.3	5
258	Evaluating the Influence of Quality Control Decisions and Software Algorithms on SNP Calling for the Affymetrix 6.0 SNP Array Platform. <i>Human Heredity</i> , 2011, 71, 221-233.	0.4	5
259	LIM domain only 2 protein expression, <i>LMO2</i> germline genetic variation, and overall survival in diffuse large B-cell lymphoma in the pre-rituximab era. <i>Leukemia and Lymphoma</i> , 2012, 53, 1105-1112.	0.6	5
260	Two truncating variants in <i>FANCC</i> and breast cancer risk. <i>Scientific Reports</i> , 2019, 9, 12524.	1.6	5
261	Pre-treatment Hemoglobin Adds Prognostic Information To The NCCN-IPI In Patients With Diffuse Large B-Cell Lymphoma Treated With Anthracycline-Containing Chemotherapy. <i>Clinical Epidemiology</i> , 2019, Volume 11, 987-996.	1.5	5
262	Association of germline variation with the survival of women with BRCA1/2 pathogenic variants and breast cancer. <i>Npj Breast Cancer</i> , 2020, 6, 44.	2.3	5
263	Anthracycline treatment, cardiovascular risk factors and the cumulative incidence of cardiovascular disease in a cohort of newly diagnosed lymphoma patients from the modern treatment era. <i>American Journal of Hematology</i> , 2021, 96, 979-988.	2.0	5
264	Autoimmune Cytopenias in Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL): The Clinical Implications of Earlier Diagnosis and Longer Follow-Up. <i>Blood</i> , 2006, 108, 2789-2789.	0.6	5
265	Hodgkin Transformation Of Chronic Lymphocytic Leukemia (CLL): Mayo Clinic Experience. <i>Blood</i> , 2013, 122, 1642-1642.	0.6	5
266	Atrial Fibrillation in Patients with Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2015, 126, 2950-2950.	0.6	5
267	Time from Diagnosis to Initiation of Treatment of DLBCL and Implication for Potential Selection Bias in Clinical Trials. <i>Blood</i> , 2016, 128, 3034-3034.	0.6	5
268	Blood transfusion history and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>Cancer Causes and Control</i> , 2019, 30, 889-900.	0.8	4
269	Delineation of clinical and biological factors associated with cutaneous squamous cell carcinoma among patients with chronic lymphocytic leukemia. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1581-1589.	0.6	4
270	Infectious mononucleosis, immune genotypes, and non-Hodgkin lymphoma (NHL): an InterLymph Consortium study. <i>Cancer Causes and Control</i> , 2020, 31, 451-462.	0.8	4

#	ARTICLE	IF	CITATIONS
271	Aspirin and other nonsteroidal anti-inflammatory drugs, statins and risk of non-Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2021, 149, 535-545.	2.3	4
272	Common genetic polymorphisms contribute to the association between chronic lymphocytic leukaemia and non-melanoma skin cancer. <i>International Journal of Epidemiology</i> , 2021, 50, 1325-1334.	0.9	4
273	Heritable Predisposition To Richter Syndrome In Patients With Chronic Lymphocytic Leukemia. <i>Blood</i> , 2013, 122, 2867-2867.	0.6	4
274	Outcomes Of Chronic Lymphocytic Leukemia Patients With Richter Syndrome. <i>Blood</i> , 2013, 122, 4179-4179.	0.6	4
275	Disease Progression and Complications Are the Main Cause of Death in Patients with Chronic Lymphocytic Leukemia (CLL) Independent of Age and Comorbidities at Diagnosis. <i>Blood</i> , 2015, 126, 5265-5265.	0.6	4
276	Skin Cancers Among Chronic Lymphocytic Leukemia (CLL) Patients - the Effect of UV Radiation and CLL Clinical Characteristics. <i>Blood</i> , 2016, 128, 4772-4772.	0.6	4
277	Germline Variation in Complement Genes and Event-Free Survival in Follicular Lymphoma. <i>Blood</i> , 2009, 114, 440-440.	0.6	4
278	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110.	1.1	4
279	Expression quantitative trait loci of genes predicting outcome are associated with survival of multiple myeloma patients. <i>International Journal of Cancer</i> , 2021, 149, 327-336.	2.3	3
280	Epigenetic alteration contributes to the transcriptional reprogramming in T-cell prolymphocytic leukemia. <i>Scientific Reports</i> , 2021, 11, 8318.	1.6	3
281	A Randomized Phase 2 Study Comparing Acalabrutinib with or without Obinutuzumab in the Treatment of Early Stage High Risk Patients with Chronic Lymphocytic Leukemia (CLL) or Small Lymphocytic Lymphoma (SLL). <i>Blood</i> , 2019, 134, 4306-4306.	0.6	3
282	BTK and/or PLCG2 Mutations in Patients with Chronic Lymphocytic Leukemia (CLL) Treated with Ibrutinib: Characteristics and Outcomes at the Time of Progression. <i>Blood</i> , 2019, 134, 3050-3050.	0.6	3
283	Utility and Patterns of Use of PET/CT and Bone Marrow Biopsy for Staging in Non-Hodgkin Lymphoma in the Clinical Setting: A Retrospective Analysis Using the LEO Database. <i>Blood</i> , 2019, 134, 1610-1610.	0.6	3
284	Pure Red Cell Aplasia (PRCA) in Chronic Lymphocytic Leukemia (CLL): Etiology, Therapy, and Outcomes. <i>Blood</i> , 2015, 126, 4169-4169.	0.6	3
285	Prevalence of Low Count (LC) Monoclonal B Cell Lymphocytosis (MBL) and Serious Infections in a Population-Based Cohort of U.S. Adults Participating in a Large Bio-Repository. <i>Blood</i> , 2017, 130, 831-831.	0.6	3
286	Prevalence and the Impact of Hypogammaglobulinemia in Newly Diagnosed, Untreated Diffuse Large B Cell Lymphoma. <i>Blood</i> , 2019, 134, 1604-1604.	0.6	3
287	Favorable Modulation of Chimeric Antigen Receptor T Cells Safety and Efficacy By the Non-Covalent BTK Inhibitor Vecabrutinib. <i>Blood</i> , 2021, 138, 906-906.	0.6	3
288	Inherited genetics of adult diffuse glioma and polygenic risk scores—a review. <i>Neuro-Oncology Practice</i> , 2022, 9, 259-270.	1.0	3

#	ARTICLE	IF	CITATIONS
289	When the negative is positive. <i>Blood</i> , 2011, 117, 1441-1442.	0.6	2
290	Genetic risk of chronic lymphocytic leukemia: a tale of two cities. <i>Leukemia and Lymphoma</i> , 2014, 55, 735-736.	0.6	2
291	Prevalence and the impact of hypogammaglobulinemia in newly diagnosed chronic lymphocytic lymphoma patients. <i>EJHaem</i> , 2020, 1, 537-544.	0.4	2
292	Sequencing at lymphoid neoplasm susceptibility loci maps six myeloma risk genes. <i>Human Molecular Genetics</i> , 2021, 30, 1142-1153.	1.4	2
293	Polymorphisms in the BLYS Gene Are Associated with an Increased Risk of Developing B-Cell Non-Hodgkin Lymphoma.. <i>Blood</i> , 2007, 110, 564-564.	0.6	2
294	Family-Associated Monoclonal B Lymphocytosis Is Commonly Oligoclonal and Expresses Markers Associated with Adverse Risk in CLL. <i>Blood</i> , 2008, 112, 3144-3144.	0.6	2
295	Statin Use and Prognosis in Patients with Follicular Lymphoma (FL) and Diffuse Large B Cell Lymphoma (DLBCL). <i>Blood</i> , 2008, 112, 583-583.	0.6	2
296	Monoclonal B-Cell Lymphocytosis Is Commonly Observed Among Unaffected Members of High Risk CLL Families.. <i>Blood</i> , 2009, 114, 1232-1232.	0.6	2
297	Genetic Polymorphisms In Genes Involved In R-CHOP Metabolism and Event-Free and Overall Survival In Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2010, 116, 996-996.	0.6	2
298	Newly Diagnosed Diffuse Large B-Cell Lymphoma Patients Treated with Immunochemotherapy Who Are Alive and Progression Free 12 Months After Diagnosis Have a Subsequent Overall Survival Similar to That of the General Population. <i>Blood</i> , 2012, 120, 1540-1540.	0.6	2
299	IPI24: An International Study To Create An IPI For The Event-Free Survival At 24 Months (EFS24) Endpoint For DLBCL In The Immunochemotherapy Era. <i>Blood</i> , 2013, 122, 362-362.	0.6	2
300	Hypogammaglobulinemia In Patients With Previously Untreated Chronic Lymphocytic Leukemia: Clinical Correlates and Outcomes. <i>Blood</i> , 2013, 122, 4178-4178.	0.6	2
301	Quality of Life at Diagnosis Independently Predicts Survival in Patients with Aggressive Lymphoma. <i>Blood</i> , 2014, 124, 205-205.	0.6	2
302	B-Cell Count and Survival: Differentiating Chronic Lymphocytic Leukemia (CLL) from and Monoclonal B-Cell Lymphocytosis (MBL) Based on Clinical Outcome.. <i>Blood</i> , 2008, 112, 2062-2062.	0.6	2
303	Whole-Exome Analysis Of DLBCL Tumors Reveals a Unique Genetic Signature Associated With Aggressive Disease. <i>Blood</i> , 2013, 122, 499-499.	0.6	2
304	Validation of Elevated Blood Soluble PD-L1 As an Independent Prognostic Marker in Newly Diagnosed Diffuse Large B-Cell Lymphoma (DLBCL). <i>Blood</i> , 2014, 124, 2998-2998.	0.6	2
305	The Level of Physical Activity before and after Lymphoma Diagnosis Impacts Overall and Lymphoma-Specific Survival. <i>Blood</i> , 2017, 130, 914-914.	0.6	2
306	The Impact of Prior Treatment with a CD19 Targeting Monoclonal Antibody on Subsequent Treatment with CD19 Targeting CART Cell Therapy in Preclinical Models. <i>Blood</i> , 2021, 138, 2412-2412.	0.6	2

#	ARTICLE	IF	CITATIONS
307	Differential transcriptomic profiling in ibrutinib-sensitive versus ibrutinib-resistant Richter syndrome. <i>Hematological Oncology</i> , 2022, 40, 302-306.	0.8	2
308	Prevalence of heavy chain MGUS by race and family history risk groups using a high-sensitivity screening method. <i>Blood Advances</i> , 2022, 6, 3746-3750.	2.5	2
309	Genome-wide meta-analysis of monoclonal gammopathy of undetermined significance (MGUS) identifies risk loci impacting IRF-6. <i>Blood Cancer Journal</i> , 2022, 12, 60.	2.8	2
310	Does a Multiple Myeloma Polygenic Risk Score Predict Overall Survival of Myeloma Patients?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 0, , .	1.1	2
311	B cell receptor signaling drives APOBEC3 expression via direct enhancer regulation in chronic lymphocytic leukemia B cells. <i>Blood Cancer Journal</i> , 2022, 12, .	2.8	2
312	Host genetic variation in tumor necrosis factor and nuclear factor- $\kappa$ B pathways and overall survival in mantle cell lymphoma: A discovery and replication study. <i>American Journal of Hematology</i> , 2019, 94, E153-E155.	2.0	1
313	The prognostic significance of $\langle scp \rangle del6q23 \langle /scp \rangle$ in chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2021, 96, E203-E206.	2.0	1
314	Short Time between Progression after Immunochemotherapy and Initiation of Salvage Therapy (PTI) Is Associated with Inferior Long-Term Outcomes in Patients with Relapsed/Refractory DLBCL. <i>Blood</i> , 2018, 132, 4204-4204.	0.6	1
315	Venetoclax Has Modest Efficacy in the Treatment of Patients with Relapsed T-Cell Prolymphocytic Leukemia. <i>Blood</i> , 2020, 136, 39-40.	0.6	1
316	Molecular Prognostic Factors and Outcome among a Cohort of Patients with Monoclonal B-Cell Lymphocytosis (MBL).. <i>Blood</i> , 2007, 110, 748-748.	0.6	1
317	CD5+ Chronic B-Cell Lymphoproliferative Disorders Could Contain a Novel Disease Entity.. <i>Blood</i> , 2008, 112, 2065-2065.	0.6	1
318	Rates and Outcomes of Follicular Lymphoma Transformation in the Rituximab Era: A Report From the University of Iowa/Mayo Clinic SPORE Molecular Epidemiology Resource. <i>Blood</i> , 2012, 120, 1546-1546.	0.6	1
319	Vitamin D Insufficiency Is Associated with an Increased Risk of Early Clinical Failure in Follicular Lymphoma. <i>Blood</i> , 2016, 128, 1104-1104.	0.6	1
320	Role of Lncrnas in Early Stage Immunoglobulin Heavy Chain Variable Region (IGHV) Unmutated CLL Disease Progression. <i>Blood</i> , 2016, 128, 4364-4364.	0.6	1
321	Germline Variation in Apoptosis Pathway Genes and Risk of Non-Hodgkin Lymphoma.. <i>Blood</i> , 2009, 114, 3933-3933.	0.6	1
322	Pretreatment Serum Cytokines Predict Early Disease Relapse and a Poor Prognosis In Diffuse Large B-Cell Lymphoma (DLBCL) Patients. <i>Blood</i> , 2010, 116, 991-991.	0.6	1
323	Pretreatment Serum Cytokines Predict Early Disease Relapse and A Poor Prognosis In Newly Diagnosed Classical Hodgkin Lymphoma (cHL) Patients. <i>Blood</i> , 2011, 118, 429-429.	0.6	1
324	Alemtuzumab Use and Survival After Reduced Intensity Allogeneic Stem Cell Transplantation in High-Risk Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2011, 118, 4152-4152.	0.6	1

#	ARTICLE	IF	CITATIONS
325	EBV(+) Diffuse Large B Cell Lymphoma Is Infrequent in Upper Central United States and Lacks Unique Clinical Characteristics or Adverse Prognosis Compared to EBV (âˆ“) Counterparts: Results From University of Iowa/Mayo Clinic SPORE. <i>Blood</i> , 2012, 120, 1604-1604.	0.6	1
326	A Genome-Wide Association Study (GWAS) Of Event-Free Survival In Diffuse Large B-Cell Lymphoma (DLBCL) Treated With Rituximab and Anthracycline-Based Chemotherapy: A Lysa and Iowa/Mayo Clinic SPORE Multistage Study. <i>Blood</i> , 2013, 122, 76-76.	0.6	1
327	Transfusion History and Risk of Non-Hodgkin Lymphoma (NHL): an Interlymph Pooled Analysis. <i>Blood</i> , 2014, 124, 3039-3039.	0.6	1
328	Sensitivity of Ibrutinib Exposed Chronic Lymphocytic Leukemia B-Cells to Inhibition of Axl Receptor Tyrosine Kinase. <i>Blood</i> , 2016, 128, 2020-2020.	0.6	1
329	Liver Biopsy in Patients with Chronic Lymphocytic Leukemia: Indications and Pathological Findings. <i>Blood</i> , 2016, 128, 5592-5592.	0.6	1
330	Vaccination History and Risk of Lymphoma and Its Major Subtypes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , cebp.0383.2021.	1.1	1
331	TNFR2 As a Target to Improve CD19-Directed CART Cell Fitness and Antitumor Activity in Large B Cell Lymphoma. <i>Blood</i> , 2021, 138, 901-901.	0.6	1
332	Comparison of MGUS Prevalence By Race and Family History Risk Groups Using a High Sensitivity Screening Method (MASS-FIX). <i>Blood</i> , 2020, 136, 40-41.	0.6	1
333	Vesicular Stomatitis Virus (VSV) Engineered to Express CD19 Stimulates Anti-CD19 Chimeric Antigen Receptor Modified T Cells and Promotes Their Anti-Tumor Effects. <i>Blood</i> , 2020, 136, 30-31.	0.6	1
334	Distinct Gene Expression Signatures in Patients with Richter's Syndrome and Chronic Lymphocytic Leukemia with Prior Exposure to Ibrutinib. <i>Blood</i> , 2020, 136, 30-31.	0.6	1
335	Genomic Profiling Reveals Molecular Heterogeneity in Patients with Richter's Syndrome (RS) and Progressive Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2020, 136, 16-17.	0.6	1
336	Clonal Somatic Mutations Are a Biomarker for Inferior Prognosis in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2020, 136, 26-27.	0.6	1
337	Immunogenicity of a Recombinant Herpes Zoster Vaccine in Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2020, 136, 49-50.	0.6	1
338	Associations of history of vaccination and hospitalization due to infection with risk of monoclonal B-cell lymphocytosis. <i>Leukemia</i> , 2022, , .	3.3	1
339	Serum B-Cell maturation antigen is an independent prognostic marker in previously untreated chronic lymphocytic leukemia. <i>Experimental Hematology</i> , 2022, 111, 32-40.	0.2	1
340	Validation and functional characterization of GWAS-identified variants for chronic lymphocytic leukemia: a CRuCIAL study. <i>Blood Cancer Journal</i> , 2022, 12, 79.	2.8	1
341	3.12 The Prevalence of Serious Infections in a Community-Based Cohort of Patients with Newly Diagnosed Chronic Lymphocytic Leukemia (CLL) Compared to Controls: Results of a Cohort Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011, 11, S203-S204.	0.2	0
342	3.13 Infectious Complications Among Individuals with Monoclonal B-Cell Lymphocytosis (MBL): A Community-based Cohort Study of Newly Diagnosed Patients Compared to Controls. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011, 11, S204-S205.	0.2	0

#	ARTICLE	IF	CITATIONS
343	Hodgkin Transformation of Chronic Lymphocytic Leukemia (CLL): Mayo Clinic Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, S132-S133.	0.2	0
344	Risk factors for hypogammaglobulinemia in chronic lymphocytic leukemia patients treated with anti-CD20 monoclonal antibody-based therapies. <i>Journal of Hematopathology</i> , 2020, 13, 221-229.	0.2	0
345	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
346	CLL-376: Clinical Characteristics and Outcomes of Patients with Chronic Lymphocytic Leukemia (CLL), 80 Years of Age or Older. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, S324-S325.	0.2	0
347	Familial Chronic Lymphocytic Leukemia(CLL): The Mayo Clinic Experience.. <i>Blood</i> , 2004, 104, 1906-1906.	0.6	0
348	Prior Treatment Relates More Strongly to Richter's Transformation Than ZAP-70, CD38, IgVH Gene Mutation Status, and Cytogenetic Abnormalities: Findings of an Observational Cohort Study of 962 Patients with CLL.. <i>Blood</i> , 2006, 108, 2777-2777.	0.6	0
349	A Large Scale Evaluation of Genetic Variation in Immune and Inflammation Genes and Risk of Non-Hodgkin Lymphoma.. <i>Blood</i> , 2006, 108, 817-817.	0.6	0
350	The Prognostic Significance of Cytopenia in Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL).. <i>Blood</i> , 2007, 110, 746-746.	0.6	0
351	Statin Use and Risk of Non-Hodgkin Lymphoma (NHL): Preliminary Results from the Mayo Clinic Case-Control Study.. <i>Blood</i> , 2007, 110, 2615-2615.	0.6	0
352	The Physician-Patient Relationship Impacts Patient Quality of Life in Chronic Lymphocytic Leukemia: Results of an International Survey of 1482 Patients.. <i>Blood</i> , 2007, 110, 2060-2060.	0.6	0
353	Treatment Free Survival of Patients with MBL and Early CLL: Follow-up of 405 Patients at Mayo Clinic.. <i>Blood</i> , 2008, 112, 2063-2063.	0.6	0
354	Higher Intakes of Vegetables, Vitamin E, Manganese and Zinc Are Associated with a Lower Risk of Non-Hodgkin Lymphoma (NHL): Results from a Case-Control Study. <i>Blood</i> , 2008, 112, 3771-3771.	0.6	0
355	Influence of Age at Diagnosis On Utility of Prognostic Testing in Patients with CLL.. <i>Blood</i> , 2009, 114, 2342-2342.	0.6	0
356	Vitamin D Deficiency Is Associated with Inferior Event-Free and Overall Survival in Diffuse Large B-Cell Lymphoma.. <i>Blood</i> , 2009, 114, 1952-1952.	0.6	0
357	Melanoma and Non-Melanoma Skin Cancer in Patients with Chronic Lymphocytic Leukemia.. <i>Blood</i> , 2009, 114, 1268-1268.	0.6	0
358	Family-Associated Monoclonal B Lymphocytosis Shows Differences From CLL That Suggest An Indolent Biology.. <i>Blood</i> , 2009, 114, 1241-1241.	0.6	0
359	Treatment of Patients with Autoimmune Cytopenia and Progressive CLL Using Rituximab, Cyclophosphamide, Vincristine, and Prednisone (R-CVP).. <i>Blood</i> , 2009, 114, 4410-4410.	0.6	0
360	Monoclonal and Polyclonal Serum Free Light Chains and Clinical Outcome In Chronic Lymphocytic Leukemia. <i>Blood</i> , 2010, 116, 2409-2409.	0.6	0



#	ARTICLE	IF	CITATIONS
361	Survival of Patients with Clinically Identified Monoclonal B-Cell Lymphocytosis (MBL) Relative to the Age and Sex Matched General Population. <i>Blood</i> , 2010, 116, 700-700.	0.6	0
362	A BAFF-R Mutation Associated with Non-Hodgkin Lymphoma Exhibits Altered TRAF Binding and Reveals New Insights Into Proximal BAFF-R Signaling. <i>Blood</i> , 2010, 116, 468-468.	0.6	0
363	Investigation of CLL-Susceptibility Loci with Monoclonal B-Cell Lymphocytosis (MBL) Risk and Confirmation of Recently Reported CLL-Susceptibility Loci. <i>Blood</i> , 2010, 116, 2443-2443.	0.6	0
364	Germline Variation in TNF and NF-Kappa B Pathways and Prognosis In Mantle Cell Lymphoma. <i>Blood</i> , 2010, 116, 4127-4127.	0.6	0
365	Infectious Complications In a Prospective Cohort of Community Based Newly Diagnosed Patients with Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2010, 116, 4610-4610.	0.6	0
366	Infectious Complications Among Individuals with Monoclonal B-Cell Lymphocytosis (MBL): A Prospective Case-Control Study of Newly Diagnosed Patients,. <i>Blood</i> , 2011, 118, 3903-3903.	0.6	0
367	Prevalence of MBL Increases Over Time In Relatives of CLL Families,. <i>Blood</i> , 2011, 118, 3881-3881.	0.6	0
368	The Prevalence of Serious Infectious Complications in a Cohort of Non-Referred Patients with Newly Diagnosed Chronic Lymphocytic Leukemia (CLL) Compared to Controls: Results of a Cohort Study. <i>Blood</i> , 2011, 118, 4610-4610.	0.6	0
369	Race As a Determinant of Disease Biology and Outcomes in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2011, 118, 1785-1785.	0.6	0
370	Very High Risk CLL Characterized by a "Double Hit" Clone with Both 11q22 and 17p13 Deletion.. <i>Blood</i> , 2012, 120, 2486-2486.	0.6	0
371	Impact of Obesity and Genetic Variation in Energy Balance and Metabolism Genes On Prognosis in Diffuse Large B-Cell Lymphoma (DLBCL) and Follicular Lymphoma (FL). <i>Blood</i> , 2012, 120, 684-684.	0.6	0
372	Risk of Cancer in Patients with Clinical Monoclonal B-Cell Lymphocytosis (MBL): A Cohort Study of Newly Diagnosed Patients Compared to Controls.. <i>Blood</i> , 2012, 120, 2893-2893.	0.6	0
373	Clinical Utility of PET/CT Scanning in Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2012, 120, 3903-3903.	0.6	0
374	Chronic Lymphocytic Leukemia in Young (<math>\leq 55</math> years) Patients: A Comprehensive Analysis of Prognostic Factors and Outcomes.. <i>Blood</i> , 2012, 120, 2901-2901.	0.6	0
375	Transformation of Chronic Lymphocytic Leukemia Into Diffuse Large B-Cell Lymphoma (Richter's) Tj ETQq1 1 0.784314 rgBT /Overlock	0.6	0
376	Analysis of Stem Cell Transplant Referral in a Cohort of Newly Diagnosed Chronic Lymphocytic Leukemia Patients. <i>Blood</i> , 2012, 120, 4252-4252.	0.6	0
377	Germline Genetic Variation and Risk of Follicular Lymphoma Transformation in the Modern Treatment Era. <i>Blood</i> , 2012, 120, 149-149.	0.6	0
378	Non-Follicular Low Grade B-Cell Lymphomas: Patterns of Presentation and Management with Comparative Prognostic Utility of IPI and FLIPI. <i>Blood</i> , 2012, 120, 1563-1563.	0.6	0



#	ARTICLE	IF	CITATIONS
379	Host Genetics and Risk of Cardiovascular Disease in a Prospective Cohort of Adult Non-Hodgkin Lymphoma Survivors. <i>Blood</i> , 2012, 120, 1573-1573.	0.6	0
380	Prognostic Value of Six Germline Single Nucleotide Polymorphisms At the REL, HLA-DRA, GATA3 and PVT1 Loci Identified in a Classical Hodgkin Lymphoma Genome-Wide Association Study: A Meta-Analysis of 601 Patients for Progression-Free Survival From Two Independent Studies. <i>Blood</i> , 2012, 120, 3637-3637.	0.6	0
381	CXCR5 Polymorphisms in Non-Hodgkin Lymphoma (NHL) Risk and Prognosis.. <i>Blood</i> , 2012, 120, 2702-2702.	0.6	0
382	Genomic Landscape and Clonal Heterogeneity Underlying Progression and Relapse In Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2013, 122, 2855-2855.	0.6	0
383	Comparison Of Single Nucleotide Mutations (SNVs) and Copy Number Variants (CNVs) Detection In Formalin Fixed Paraffin Embedded (FFPE) and Paired Frozen Tumor Tissues Using Target Capture and Sequencing Approach. <i>Blood</i> , 2013, 122, 1784-1784.	0.6	0
384	A Meta-Analysis Of Hodgkin Lymphoma Reveals 19p13.3 (TCF3) As a Novel Susceptibility Loc. <i>Blood</i> , 2013, 122, 626-626.	0.6	0
385	Racial Variations in Disease Characteristics, Presentations, Treatments, and Outcomes in Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2014, 124, 1989-1989.	0.6	0
386	Exome Sequencing in Chronic Lymphocytic Leukemia (CLL) and Multiple Myeloma (MM) Families Identifies Cosegregating Functional Variants. <i>Blood</i> , 2014, 124, 1967-1967.	0.6	0
387	Genomic Diversity of Newly Diagnosed Follicular Lymphoma: a Pilot Investigation. <i>Blood</i> , 2014, 124, 1691-1691.	0.6	0
388	Study of the Subclonal Mutations in Primary Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2015, 126, 131-131.	0.6	0
389	Correlation Between Peripheral Blood Counts and Extent of Bone Marrow Infiltration in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2015, 126, 2926-2926.	0.6	0
390	Event-Free Survival at 12 Months and Subsequent Overall Survival in Patients with Peripheral T-Cell Lymphoma. <i>Blood</i> , 2015, 126, 1501-1501.	0.6	0
391	Mutations in Driver Genes and Changes in Clonal Dynamics Are Associated with Shorter Time to Treatment in MBL Cases. <i>Blood</i> , 2015, 126, 5264-5264.	0.6	0
392	Risk of Monoclonal Gammopathy of Undetermined Significance in First-Degree Relatives of Multiple Myeloma Cases By Cytogenetic Subtype. <i>Blood</i> , 2016, 128, 4425-4425.	0.6	0
393	Liver Dysfunction in Previously Untreated Chronic Lymphocytic Leukemia: Prevalence and Outcomes in a Large Cohort. <i>Blood</i> , 2016, 128, 5585-5585.	0.6	0
394	The Role of Splenectomy in the Care and Treatment of the CLL Patient. <i>Blood</i> , 2016, 128, 5575-5575.	0.6	0
395	No Association of EBV or Immunosuppression Status with Outcomes in US Patients with Diffuse Large B-Cell Lymphoma Treated in the Immunochemotherapy Era. <i>Blood</i> , 2016, 128, 107-107.	0.6	0
396	Clinically Ascertained Monoclonal B-Cell Lymphocytosis: Risk of Progression to Chronic Lymphocytic Leukemia Requiring Therapy and Outcomes. <i>Blood</i> , 2016, 128, 3228-3228.	0.6	0

#	ARTICLE	IF	CITATIONS
397	Whole-Exome Analysis Reveals Novel Somatic Genomic Alterations Associated with Cell of Origin in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016, 128, 2935-2935.	0.6	0
398	Clonal Hematopoiesis of Indeterminate Potential (CHIP) and Chronic Lymphocytic Leukemia (CLL) Driver Genes: Risk of CLL and Monoclonal B-Cell Lymphocytosis (MBL). <i>Blood</i> , 2018, 132, 3116-3116.	0.6	0
399	Clinical Characteristics and Outcomes of Chronic Lymphocytic Leukemia Patients with Richter Transformation. <i>Blood</i> , 2018, 132, 1857-1857.	0.6	0
400	Large-Scale Linkage Analysis of Multiple Myeloma (MM) and Monoclonal Gammopathy of Undetermined Significance (MGUS) Families. <i>Blood</i> , 2018, 132, 4501-4501.	0.6	0
401	Clinical and Quality of Life Predictors of Failure to Achieve Event Free Survival at 24 Months in Patients Aged 70 Years and Older with Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2018, 132, 3579-3579.	0.6	0
402	Association between the Risk of Low/High-Count Monoclonal B-Cell Lymphocytosis (MBL) and the Chronic Lymphocytic Leukemia (CLL) Polygenic Risk Score (PRS). <i>Blood</i> , 2018, 132, 5538-5538.	0.6	0
403	Patterns of Care and Outcomes in Mantle Cell Lymphoma in the Modern Immunochemotherapy Era. <i>Blood</i> , 2018, 132, 4140-4140.	0.6	0
404	Developmental DNA Methylation Subtype Predicts Progression to Treatment and Survival in High-Count Monoclonal B Lymphocytosis. <i>Blood</i> , 2019, 134, 3022-3022.	0.6	0
405	Association between a Polygenic Risk Score for Multiple Myeloma Risk and Overall Survival. <i>Blood</i> , 2019, 134, 4366-4366.	0.6	0
406	Genetic Risk Factors for Cardiovascular Disease in Adult Lymphoma Patients. <i>Blood</i> , 2019, 134, 5215-5215.	0.6	0
407	Genomic Landscape Including Novel Mutational Drivers in Relapsed/Refractory Diffuse Large B Cell Lymphoma. <i>Blood</i> , 2019, 134, 919-919.	0.6	0
408	Clustering of Transcriptomic Signatures in Newly Diagnosed Diffuse Large B-Cell Lymphoma Identifies Two High-Risk Subgroups Which Increase in Prevalence at Relapse. <i>Blood</i> , 2019, 134, 923-923.	0.6	0
409	Germline Variation Predicts Treatment Response in Multiple Myeloma. <i>Blood</i> , 2019, 134, 4397-4397.	0.6	0
410	Genomic Analysis of R2CHOP-Treated DLBCL Reveals a High-Risk Population Driven By Inflammatory Pathways. <i>Blood</i> , 2019, 134, 1480-1480.	0.6	0
411	Treatment and Lifestyle Risk Factors for Cardiovascular Disease Post Lymphoma Diagnosis: A Prospective Study in the Modern Treatment Era. <i>Blood</i> , 2019, 134, 422-422.	0.6	0
412	Tumor Mutational Load and Germline Polygenic Risk Score Predicts Time-to-First Treatment in Chronic Lymphocytic Leukemia (CLL) and High-Count Monoclonal B Cell Lymphocytosis (MBL). <i>Blood</i> , 2019, 134, 852-852.	0.6	0
413	The Role of Imaging in Predicting Time to First Treatment and Overall Survival in Individuals with CLL-like High Count Monoclonal B-Cell Lymphocytosis. <i>Blood</i> , 2019, 134, 3037-3037.	0.6	0
414	Genome-Wide Association Study Identifies an Immune-Related Etiology for Severe Aplastic Anemia. <i>Blood</i> , 2019, 134, 1224-1224.	0.6	0

#	ARTICLE	IF	CITATIONS
415	Utilization of a Targeted Next Generation Sequencing Assay to Identify Copy Number Alterations in Chronic Lymphocytic Leukemia and Monoclonal B-Cell Lymphocytosis. <i>Blood</i> , 2021, 138, 4677-4677.	0.6	0
416	Optimized Inhibition of GM-CSF in Preclinical Models of Anti-CD19 Chimeric Antigen Receptor T Cell Therapy. <i>Blood</i> , 2021, 138, 2777-2777.	0.6	0
417	Outcomes of Patients with Chronic Lymphocytic Leukemia (CLL) Treated with the Combination of Ibrutinib (I) and Venetoclax (V; I+V) after Progression on I Alone (V-na <sup>+</sup> ) or after Progression on Sequential I and V (Double-Refractory). <i>Blood</i> , 2021, 138, 1560-1560.	0.6	0
418	Relationship and Susceptibility to Serious Infections Among Monoclonal B-Cell Lymphocytosis (MBL), Monoclonal Gammopathy of Undetermined Significance (MGUS), and Clonal Hematopoiesis (CH) Premalignant Conditions. <i>Blood</i> , 2021, 138, 3739-3739.	0.6	0
419	B Cell Receptor Signaling Drives APOBEC3 Expression Via Direct Enhancer Regulation in Chronic Lymphocytic Leukemia B Cells. <i>Blood</i> , 2021, 138, 3313-3313.	0.6	0
420	<i>TP53</i> Aberrations and Outcomes in MBL and Untreated CLL. <i>Blood</i> , 2021, 138, 2618-2618.	0.6	0
421	Polygenic Risk Score and Risk of Chronic Lymphocytic Leukemia, Monoclonal B-Cell Lymphocytosis (MBL), and MBL Subtypes. <i>Blood</i> , 2020, 136, 35-36.	0.6	0
422	Clinical Characteristics and Outcomes of Newly Diagnosed Patients with Chronic Lymphocytic Leukemia Who Are 80 Years of Age or Older. <i>Blood</i> , 2020, 136, 26-27.	0.6	0
423	Identification of a Novel Role for PD-1 Signaling in Promotion Tumor Proliferation in B-Cell Lymphoma. <i>Blood</i> , 2020, 136, 10-12.	0.6	0
424	Axl-RTK Inhibition Modulates Monocyte Immune Response to Enhance the Anti-Tumor Effects of CD19 Redirected Chimeric Antigen Receptor T Cells in Preclinical Models. <i>Blood</i> , 2020, 136, 28-29.	0.6	0
425	Impact of Deletion6q23 Identified By FISH in Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2020, 136, 12-13.	0.6	0
426	Targeting Aberrant Chromatin in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2020, 136, 1-1.	0.6	0
427	Body Mass Index and Clinical Factors Associated with Monoclonal Gammopathy of Undetermined Significance (MGUS) Progression in Olmsted County, Minnesota. <i>Blood</i> , 2020, 136, 15-16.	0.6	0
428	High Dimensional Tissue-Based Spatial Analysis of the Tumor Microenvironment of Follicular Lymphoma Reveals Unique Immune Niches inside Malignant Follicles. <i>Blood</i> , 2020, 136, 17-18.	0.6	0
429	Beyond Mortality: Health-Related Quality of Life in Adolescent and Young Adult Patients with Lymphoma: A Longitudinal Study. <i>Blood</i> , 2020, 136, 7-8.	0.6	0
430	The Impact of Prior Treatment with a CD19 Targeting Monoclonal Antibody on Subsequent Treatment with CD19 Targeting CART Cell Therapy in Preclinical Models. <i>Transplantation and Cellular Therapy</i> , 2022, 28, S163-S164.	0.6	0