
Louise Bradvik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4873638/publications.pdf Version: 2024-02-01



LOUISE READVIK

#	Article	IF	CITATIONS
1	Suicide Risk and Mental Disorders. International Journal of Environmental Research and Public Health, 2018, 15, 2028.	2.6	237
2	Longâ€ŧerm suicide risk of depression in the Lundby cohort 1947–1997 – severity and gender. Acta Psychiatrica Scandinavica, 2008, 117, 185-191.	4.5	148
3	A Suicide Peak after Weekends and Holidays in Patients with Alcohol Dependence. Suicide and Life-Threatening Behavior, 2003, 33, 186-191.	1.9	34
4	Late mortality in severe depression. Acta Psychiatrica Scandinavica, 2001, 103, 111-116.	4.5	33
5	Mental Disorders in Suicide and Undetermined Death in the Lundby Study. The Contribution of Severe Depression and Alcohol Dependence. Archives of Suicide Research, 2010, 14, 266-275.	2.3	32
6	Heroin Addicts Reporting Previous Heroin Overdoses Also Report Suicide Attempts. Suicide and Life-Threatening Behavior, 2007, 37, 475-481.	1.9	31
7	Number of addictive substances used related to increased risk of unnatural death: A combined medico-legal and case-record study. BMC Psychiatry, 2009, 9, 48.	2.6	28
8	Repetition and severity of suicide attempts across the life cycle: a comparison by age group between suicide victims and controls with severe depression. BMC Psychiatry, 2009, 9, 62.	2.6	25
9	The occurrence of suicide in severe depression related to the months of the year and the days of the week. European Archives of Psychiatry and Clinical Neuroscience, 2002, 252, 28-32.	3.2	24
10	Violent and Nonviolent Methods of Suicide: Different Patterns May Be Found in Men and Women with Severe Depression. Archives of Suicide Research, 2007, 11, 255-264.	2.3	24
11	Mortality, Causes of Death and Risk Factors for Death Among Primary Amphetamine Users in the Swedish Criminal Justice System. Substance Use and Misuse, 2014, 49, 262-269.	1.4	23
12	Seasonal distribution of suicide in alcoholism. Acta Psychiatrica Scandinavica, 2002, 106, 299-302.	4.5	22
13	Long-term treatment and suicidal behavior in severe depression: ECT and antidepressant pharmacotherapy may have different effects on the occurrence and seriousness of suicide attempts. Depression and Anxiety, 2006, 23, 34-41.	4.1	22
14	Treatment and Suicide in Severe Depression: A Case-Control Study of Antidepressant Therapy at Last Contact Before Suicide. Journal of ECT, 2000, 16, 399-408.	0.6	21
15	Repetition of suicide attempts across episodes of severe depression Behavioural sensitisation found in suicide group but not in controls. BMC Psychiatry, 2011, 11, 5.	2.6	21
16	Suicide after Suicide Attempt in Severe Depression: A Long-Term Follow-Up. Suicide and Life-Threatening Behavior, 2003, 33, 381-388.	1.9	19
17	Suicide in severe depression related to treatment. European Archives of Psychiatry and Clinical Neuroscience, 2005, 255, 245-250.	3.2	18
18	Risk factors for unnatural death: Fatal accidental intoxication, undetermined intent and suicide: Register follow-up in a criminal justice population with substance use problems. Drug and Alcohol Dependence, 2016, 162, 176-181.	3.2	17

LOUISE BRADVIK

#	Article	IF	CITATIONS
19	Variables Associated with Repeated Suicide Attempt in a Criminal Justice Population. Suicide and Life-Threatening Behavior, 2011, 41, 517-531.	1.9	16
20	Malmö Treatment Referral and Intervention Study (MATRIS)—effective referral from syringe exchange to treatment for heroin dependence: a pilot randomized controlled trial. Addiction, 2016, 111, 866-873.	3.3	16
21	Suidical ideation in severe depression. European Archives of Psychiatry and Clinical Neuroscience, 2000, 250, 139-143.	3.2	15
22	Aspects of the Suicidal Career in Severe Depression: A Comparison Between Attempts in Suicides and Controls. Archives of Suicide Research, 2002, 6, 339-349.	2.3	15
23	Taking care of oneself by regaining control - a key to continue living four to five decades after a suicide attempt in severe depression. BMC Psychiatry, 2017, 17, 69.	2.6	15
24	High Rates of Tramadol Use among Treatment-Seeking Adolescents in Malmö, Sweden: A Study of Hair Analysis of Nonmedical Prescription Opioid Use. Journal of Addiction, 2017, 2017, 1-9.	0.9	14
25	Long-Term Suicide Risk in Anxiety—The Lundby Study 1947–2011. Archives of Suicide Research, 2016, 20, 463-475.	2.3	12
26	Interactive Voice Response with Feedback Intervention in Outpatient Treatment of Substance Use Problems in Adolescents and Young Adults: A Randomized Controlled Trial. International Journal of Behavioral Medicine, 2017, 24, 789-797.	1.7	11
27	Risk factors for recurrence in depression in the Lundby population, 1947–1997. Journal of Affective Disorders, 2018, 228, 125-131.	4.1	11
28	Depressive Episodes with Suicide Attempts in Severe Depression: Suicides and Controls Differ Only in the Later Episodes of Unipolar Depression. Archives of Suicide Research, 2010, 14, 363-367.	2.3	9
29	Malmö Treatment Referral and Intervention Study—High 12-Month Retention Rates in Patients Referred from Syringe Exchange to Methadone or Buprenorphine/Naloxone Treatment. Frontiers in Psychiatry, 2017, 8, 161.	2.6	7
30	Antidepressant Therapy in Severe Depression May Have Different Effects on Ego-Dystonic and Ego-Syntonic Suicidal Ideation. Depression Research and Treatment, 2011, 2011, 1-6.	1.3	6
31	Suicidal Career in Severe Depression among Long-Term Survivors: In a Followup after 37–53 Years Suicide Attempts Appeared to End Long before Depression. Depression Research and Treatment, 2013, 2013, 1-6.	1.3	6
32	Health Related Quality of Life in Individuals Transferred from a Needle Exchange Program and Starting Opioid Agonist Treatment. Journal of Addiction, 2018, 2018, 1-7.	0.9	6
33	Long-term course of severe depression: late remission and recurrence may be found in a follow-up after 38-53 years. Mental Illness, 2012, 4, 84-90.	0.8	5
34	Aspects of Additional Psychiatric Disorders in Severe Depression/Melancholia: A Comparison between Suicides and Controls and General Pattern. International Journal of Environmental Research and Public Health, 2018, 15, 1299.	2.6	4
35	Predictors of Psychiatric Hospitalization in Ex-Prisoners With Substance Use Problems. Journal of Drug Issues, 2015, 45, 202-213.	1.2	3
36	Clinical Prediction of Suicide and Undetermined Death: A Pseudo-Prospective Clinical and Medico-Legal Study of Substance Abusers. International Journal of Environmental Research and Public Health, 2017, 14, 310.	2.6	3

LOUISE BRADVIK

#	Article	IF	CITATIONS
37	First and Subsequent Lifetime Alcoholism and Mental Disorders in Suicide Victims With Reference to a Community Sample—the Lundby Study 1947–1997. Frontiers in Psychiatry, 2018, 9, 173.	2.6	3
38	Mental illness in Sweden (1896–1905) reflected through case records from a local general hospital. History of Psychiatry, 2018, 29, 216-231.	0.3	2
39	Remission from Alcohol Use Disorder among Males in the Lundby Cohort during 1947–1997. Psychiatry Journal, 2018, 2018, 1-9.	1.5	2
40	As good as it gets: an empirical study on mentally-ill patients and their stay at a general hospital in Sweden, 1896–1905. History of Psychiatry, 2019, 30, 205-226.	0.3	2
41	Substance Use, Hospitalizations, and Co-Occurring Disorders among Patients Transferred from a Needle Exchange Program to Opioid Maintenance Treatment. International Journal of Environmental Research and Public Health, 2022, 19, 697.	2.6	2
42	Last Suicide Attempt before Completed Suicide in Severe Depression: An Extended Suicidal Process May Be Found in Men Rather Than Women. Archives of Suicide Research, 2013, 17, 426-433.	2.3	1
43	From Substance Use Disorders in Life to Autopsy Findings: A Combined Case-Record and Medico-Legal Study. International Journal of Environmental Research and Public Health, 2019, 16, 801.	2.6	1
44	Essential facts in geriatric medicine Acta Psychiatrica Scandinavica, 2005, 112, 404-404.	4.5	0