## Louise Bradvik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4873638/publications.pdf

Version: 2024-02-01

471509 454955 44 966 17 30 citations h-index g-index papers 44 44 44 1329 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Substance Use, Hospitalizations, and Co-Occurring Disorders among Patients Transferred from a Needle Exchange Program to Opioid Maintenance Treatment. International Journal of Environmental Research and Public Health, 2022, 19, 697.	2.6	2
2	As good as it gets: an empirical study on mentally-ill patients and their stay at a general hospital in Sweden, 1896–1905. History of Psychiatry, 2019, 30, 205-226.	0.3	2
3	From Substance Use Disorders in Life to Autopsy Findings: A Combined Case-Record and Medico-Legal Study. International Journal of Environmental Research and Public Health, 2019, 16, 801.	2.6	1
4	Mental illness in Sweden (1896–1905) reflected through case records from a local general hospital. History of Psychiatry, 2018, 29, 216-231.	0.3	2
5	Risk factors for recurrence in depression in the Lundby population, 1947–1997. Journal of Affective Disorders, 2018, 228, 125-131.	4.1	11
6	Health Related Quality of Life in Individuals Transferred from a Needle Exchange Program and Starting Opioid Agonist Treatment. Journal of Addiction, 2018, 2018, 1-7.	0.9	6
7	Remission from Alcohol Use Disorder among Males in the Lundby Cohort during 1947–1997. Psychiatry Journal, 2018, 2018, 1-9.	1.5	2
8	Suicide Risk and Mental Disorders. International Journal of Environmental Research and Public Health, 2018, 15, 2028.	2.6	237
9	First and Subsequent Lifetime Alcoholism and Mental Disorders in Suicide Victims With Reference to a Community Sampleâ€"the Lundby Study 1947â€"1997. Frontiers in Psychiatry, 2018, 9, 173.	2.6	3
10	Aspects of Additional Psychiatric Disorders in Severe Depression/Melancholia: A Comparison between Suicides and Controls and General Pattern. International Journal of Environmental Research and Public Health, 2018, 15, 1299.	2.6	4
11	Interactive Voice Response with Feedback Intervention in Outpatient Treatment of Substance Use Problems in Adolescents and Young Adults: A Randomized Controlled Trial. International Journal of Behavioral Medicine, 2017, 24, 789-797.	1.7	11
12	Taking care of oneself by regaining control - a key to continue living four to five decades after a suicide attempt in severe depression. BMC Psychiatry, 2017, 17, 69.	2.6	15
13	Malmö Treatment Referral and Intervention Studyâ€"High 12-Month Retention Rates in Patients Referred from Syringe Exchange to Methadone or Buprenorphine/Naloxone Treatment. Frontiers in Psychiatry, 2017, 8, 161.	2.6	7
14	High Rates of Tramadol Use among Treatment-Seeking Adolescents in Malmö, Sweden: A Study of Hair Analysis of Nonmedical Prescription Opioid Use. Journal of Addiction, 2017, 2017, 1-9.	0.9	14
15	Clinical Prediction of Suicide and Undetermined Death: A Pseudo-Prospective Clinical and Medico-Legal Study of Substance Abusers. International Journal of Environmental Research and Public Health, 2017, 14, 310.	2.6	3
16	Risk factors for unnatural death: Fatal accidental intoxication, undetermined intent and suicide: Register follow-up in a criminal justice population with substance use problems. Drug and Alcohol Dependence, 2016, 162, 176-181.	3.2	17
17	Malmö Treatment Referral and Intervention Study (MATRIS)—effective referral from syringe exchange to treatment for heroin dependence: a pilot randomized controlled trial. Addiction, 2016, 111, 866-873.	3.3	16
18	Long-Term Suicide Risk in Anxiety—The Lundby Study 1947–2011. Archives of Suicide Research, 2016, 20, 463-475.	2.3	12

#	Article	IF	CITATIONS
19	Predictors of Psychiatric Hospitalization in Ex-Prisoners With Substance Use Problems. Journal of Drug Issues, 2015, 45, 202-213.	1.2	3
20	Mortality, Causes of Death and Risk Factors for Death Among Primary Amphetamine Users in the Swedish Criminal Justice System. Substance Use and Misuse, 2014, 49, 262-269.	1.4	23
21	Suicidal Career in Severe Depression among Long-Term Survivors: In a Followup after 37–53 Years Suicide Attempts Appeared to End Long before Depression. Depression Research and Treatment, 2013, 2013, 1-6.	1.3	6
22	Last Suicide Attempt before Completed Suicide in Severe Depression: An Extended Suicidal Process May Be Found in Men Rather Than Women. Archives of Suicide Research, 2013, 17, 426-433.	2.3	1
23	Long-term course of severe depression: late remission and recurrence may be found in a follow-up after 38-53 years. Mental Illness, 2012, 4, 84-90.	0.8	5
24	Variables Associated with Repeated Suicide Attempt in a Criminal Justice Population. Suicide and Life-Threatening Behavior, 2011, 41, 517-531.	1.9	16
25	Repetition of suicide attempts across episodes of severe depression Behavioural sensitisation found in suicide group but not in controls. BMC Psychiatry, $2011, 11, 5$ .	2.6	21
26	Antidepressant Therapy in Severe Depression May Have Different Effects on Ego-Dystonic and Ego-Syntonic Suicidal Ideation. Depression Research and Treatment, 2011, 2011, 1-6.	1.3	6
27	Depressive Episodes with Suicide Attempts in Severe Depression: Suicides and Controls Differ Only in the Later Episodes of Unipolar Depression. Archives of Suicide Research, 2010, 14, 363-367.	2.3	9
28	Mental Disorders in Suicide and Undetermined Death in the Lundby Study. The Contribution of Severe Depression and Alcohol Dependence. Archives of Suicide Research, 2010, 14, 266-275.	2.3	32
29	Number of addictive substances used related to increased risk of unnatural death: A combined medico-legal and case-record study. BMC Psychiatry, 2009, 9, 48.	2.6	28
30	Repetition and severity of suicide attempts across the life cycle: a comparison by age group between suicide victims and controls with severe depression. BMC Psychiatry, 2009, 9, 62.	2.6	25
31	Longâ€ŧerm suicide risk of depression in the Lundby cohort 1947–1997 – severity and gender. Acta Psychiatrica Scandinavica, 2008, 117, 185-191.	4.5	148
32	Violent and Nonviolent Methods of Suicide: Different Patterns May Be Found in Men and Women with Severe Depression. Archives of Suicide Research, 2007, 11, 255-264.	2.3	24
33	Heroin Addicts Reporting Previous Heroin Overdoses Also Report Suicide Attempts. Suicide and Life-Threatening Behavior, 2007, 37, 475-481.	1.9	31
34	Long-term treatment and suicidal behavior in severe depression: ECT and antidepressant pharmacotherapy may have different effects on the occurrence and seriousness of suicide attempts. Depression and Anxiety, 2006, 23, 34-41.	4.1	22
35	Essential facts in geriatric medicine Acta Psychiatrica Scandinavica, 2005, 112, 404-404.	4.5	0
36	Suicide in severe depression related to treatment. European Archives of Psychiatry and Clinical Neuroscience, 2005, 255, 245-250.	3.2	18

#	Article	IF	CITATIONS
37	A Suicide Peak after Weekends and Holidays in Patients with Alcohol Dependence. Suicide and Life-Threatening Behavior, 2003, 33, 186-191.	1.9	34
38	Suicide after Suicide Attempt in Severe Depression: A Long-Term Follow-Up. Suicide and Life-Threatening Behavior, 2003, 33, 381-388.	1.9	19
39	Aspects of the Suicidal Career in Severe Depression: A Comparison Between Attempts in Suicides and Controls. Archives of Suicide Research, 2002, 6, 339-349.	2.3	15
40	The occurrence of suicide in severe depression related to the months of the year and the days of the week. European Archives of Psychiatry and Clinical Neuroscience, 2002, 252, 28-32.	3.2	24
41	Seasonal distribution of suicide in alcoholism. Acta Psychiatrica Scandinavica, 2002, 106, 299-302.	4.5	22
42	Late mortality in severe depression. Acta Psychiatrica Scandinavica, 2001, 103, 111-116.	4.5	33
43	Treatment and Suicide in Severe Depression: A Case-Control Study of Antidepressant Therapy at Last Contact Before Suicide. Journal of ECT, 2000, 16, 399-408.	0.6	21
44	Suidical ideation in severe depression. European Archives of Psychiatry and Clinical Neuroscience, 2000, 250, 139-143.	3 <b>.</b> 2	15