

# Yan Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/487390/publications.pdf>

Version: 2024-02-01

142  
papers

6,203  
citations

87888

38  
h-index

76900

74  
g-index

148  
all docs

148  
docs citations

148  
times ranked

8928  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy Improves Survival of Patients with Peritoneal Carcinomatosis from Gastric Cancer: Final Results of a Phase III Randomized Clinical Trial. <i>Annals of Surgical Oncology</i> , 2011, 18, 1575-1581.	1.5	534
2	Collagen as a double-edged sword in tumor progression. <i>Tumor Biology</i> , 2014, 35, 2871-2882.	1.8	444
3	A decade's studies on metastasis of hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 187-196.	2.5	406
4	Application of Quantum Dots-Based Biotechnology in Cancer Diagnosis: Current Status and Future Perspectives. <i>Journal of Nanomaterials</i> , 2010, 2010, 1-11.	2.7	366
5	Establishment of cell clones with different metastatic potential from the metastatic hepatocellular carcinoma cell line MHCC97. <i>World Journal of Gastroenterology</i> , 2001, 7, 630.	3.3	314
6	Stepwise metastatic human hepatocellular carcinoma cell model system with multiple metastatic potentials established through consecutive in vivo selection and studies on metastatic characteristics. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 460-8.	2.5	188
7	From Proteomic Analysis to Clinical Significance. <i>Molecular and Cellular Proteomics</i> , 2004, 3, 73-81.	3.8	172
8	Quantum dots-based immunofluorescence technology for the quantitative determination of HER2 expression in breast cancer. <i>Biomaterials</i> , 2009, 30, 2912-2918.	11.4	161
9	The biocompatibility of quantum dot probes used for the targeted imaging of hepatocellular carcinoma metastasis. <i>Biomaterials</i> , 2008, 29, 4170-4176.	11.4	145
10	Cathepsin B-cleavable doxorubicin prodrugs for targeted cancer therapy. <i>International Journal of Oncology</i> , 2013, 42, 373-383.	3.3	125
11	Chitosan nanoparticle as gene therapy vector via gastrointestinal mucosa administration: Results of an in vitro and in vivo study. <i>Life Sciences</i> , 2007, 80, 388-396.	4.3	113
12	Hepatocellular carcinoma: insight from animal models. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2012, 9, 32-43.	17.8	105
13	Quantum dots for cancer research: current status, remaining issues, and future perspectives. <i>Cancer Biology and Medicine</i> , 2012, 9, 151-63.	3.0	104
14	Design, syntheses, and antitumor activity of novel chromone and aurone derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 5191-5197.	3.0	93
15	Selenium-substituted hydroxyapatite nanoparticles and their in vivo antitumor effect on hepatocellular carcinoma. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 140, 297-306.	5.0	84
16	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival for peritoneal carcinomatosis from colorectal cancer: a systematic review and meta-analysis of current evidence. <i>Oncotarget</i> , 2017, 8, 55657-55683.	1.8	84
17	Patterns of cancer invasion revealed by QDs-based quantitative multiplexed imaging of tumor microenvironment. <i>Biomaterials</i> , 2011, 32, 2907-2917.	11.4	83
18	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy to treat gastric cancer with ascites and/or peritoneal carcinomatosis: Results from a Chinese center. <i>Journal of Surgical Oncology</i> , 2010, 101, 457-464.	1.7	81

#	ARTICLE	IF	CITATIONS
19	Current status and future strategies of cytoreductive surgery plus intraperitoneal hyperthermic chemotherapy for peritoneal carcinomatosis. <i>World Journal of Gastroenterology</i> , 2008, 14, 1159.	3.3	77
20	Milky spots: omental functional units and hotbeds for peritoneal cancer metastasis. <i>Tumor Biology</i> , 2016, 37, 5715-5726.	1.8	62
21	<i>In Vivo</i> Cancer Targeting and Imaging-Guided Surgery with Near Infrared-Emitting Quantum Dot Bioconjugates. <i>Theranostics</i> , 2012, 2, 769-776.	10.0	61
22	Recognition and capture of metastatic hepatocellular carcinoma cells using aptamer-conjugated quantum dots and magnetic particles. <i>Biomaterials</i> , 2013, 34, 3816-3827.	11.4	59
23	Chinese expert consensus on cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for peritoneal malignancies. <i>World Journal of Gastroenterology</i> , 2016, 22, 6906.	3.3	59
24	Quantum-dot-based immunofluorescent imaging of HER2 and ER provides new insights into breast cancer heterogeneity. <i>Nanotechnology</i> , 2010, 21, 095101.	2.6	56
25	The quantitative detection of total HER2 load by quantum dots and the identification of a new subtype of breast cancer with different 5-year prognosis. <i>Biomaterials</i> , 2010, 31, 8818-8825.	11.4	55
26	New breast cancer prognostic factors identified by computer-aided image analysis of HE stained histopathology images. <i>Scientific Reports</i> , 2015, 5, 10690.	3.3	55
27	Quantum dots-based molecular classification of breast cancer by quantitative spectroanalysis of hormone receptors and HER2. <i>Biomaterials</i> , 2011, 32, 7592-7599.	11.4	52
28	Cathepsin B cleavable novel prodrug Acâ€Pheâ€Lysâ€PABCâ€ADM enhances efficacy at reduced toxicity in treating gastric cancer peritoneal carcinomatosis. <i>Cancer</i> , 2012, 118, 2986-2996.	4.1	51
29	Quantum dots-based tissue and in vivo imaging in breast cancer researches: current status and future perspectives. <i>Breast Cancer Research and Treatment</i> , 2015, 151, 7-17.	2.5	49
30	Tapping the potential of quantum dots for personalized oncology: current status and future perspectives. <i>Nanomedicine</i> , 2012, 7, 411-428.	3.3	48
31	The prognosis role of AJCC/UICC 8 edition staging system in gastric cancer, a retrospective analysis. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 292-303.	0.0	46
32	Quantum-dots based simultaneous detection of multiple biomarkers of tumor stromal features to predict clinical outcomes in gastric cancer. <i>Biomaterials</i> , 2012, 33, 5742-5752.	11.4	45
33	Stromal fibroblast activation protein alpha promotes gastric cancer progression via epithelial-mesenchymal transition through Wnt/ $\beta$ -catenin pathway. <i>BMC Cancer</i> , 2018, 18, 1099.	2.6	45
34	Current status and future prospects of clinical trials on CRSâ€+â€HIPEC for gastric cancer peritoneal metastases. <i>International Journal of Hyperthermia</i> , 2017, 33, 562-570.	2.5	43
35	Quantum dots-based double-color imaging of HER2 positive breast cancer invasion. <i>Biochemical and Biophysical Research Communications</i> , 2011, 409, 577-582.	2.1	42
36	Coronin-1C is a novel biomarker for hepatocellular carcinoma invasive progression identified by proteomics analysis and clinical validation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010, 29, 17.	8.6	41

#	ARTICLE	IF	CITATIONS
37	Peritoneal cancer treatment. <i>Expert Opinion on Pharmacotherapy</i> , 2014, 15, 623-636.	1.8	41
38	Quantum dots-based in situ molecular imaging of dynamic changes of collagen IV during cancer invasion. <i>Biomaterials</i> , 2013, 34, 8708-8717.	11.4	40
39	The tumor-stromal ratio as a strong prognosticator for advanced gastric cancer patients: proposal of a new TSNM staging system. <i>Journal of Gastroenterology</i> , 2018, 53, 606-617.	5.1	40
40	Distribution pattern of tumor associated macrophages predicts the prognosis of gastric cancer. <i>Oncotarget</i> , 2017, 8, 92757-92769.	1.8	38
41	Cytoreductive Surgery Under Aminolevulinic Acid-Mediated Photodynamic Diagnosis Plus Hyperthermic Intraperitoneal Chemotherapy in Patients with Peritoneal Carcinomatosis from Ovarian Cancer and Primary Peritoneal Carcinoma: Results of a Phase I Trial. <i>Annals of Surgical Oncology</i> , 2014, 21, 4256-4262.	1.5	37
42	Fluorescence Analysis with Quantum Dot Probes for Hepatoma Under One- and Two-Photon Excitation. <i>Journal of Fluorescence</i> , 2007, 17, 243-247.	2.5	36
43	Co-evolution of cancer microenvironment reveals distinctive patterns of gastric cancer invasion: laboratory evidence and clinical significance. <i>Journal of Translational Medicine</i> , 2010, 8, 101.	4.4	36
44	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival of patients with peritoneal carcinomatosis from colorectal cancer: A case-control study from a Chinese center. <i>Journal of Surgical Oncology</i> , 2014, 109, 730-739.	1.7	36
45	Quantum Dots-Based Quantitative and In Situ Multiple Imaging on Ki67 and Cytokeratin to Improve Ki67 Assessment in Breast Cancer. <i>PLoS ONE</i> , 2015, 10, e0122734.	2.5	36
46	Metastatic human hepatocellular carcinoma models in nude mice and cell line with metastatic potential. <i>World Journal of Gastroenterology</i> , 2001, 7, 597.	3.3	36
47	Experimental models of hepatocellular carcinoma: developments and evolution. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 969-981.	2.5	34
48	Cytoreductive Surgery Plus Hyperthermic Intraperitoneal Chemotherapy Improves Survival in Selected Patients with Peritoneal Carcinomatosis from Abdominal and Pelvic Malignancies: Results of 21 Cases. <i>Annals of Surgical Oncology</i> , 2009, 16, 345-351.	1.5	34
49	Cytoreductive Surgery plus Hyperthermic Intraperitoneal Chemotherapy Improves Survival for Patients with Peritoneal Carcinomatosis from Colorectal Cancer: A Phase II Study from a Chinese Center. <i>PLoS ONE</i> , 2014, 9, e108509.	2.5	33
50	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival of gastric cancer with peritoneal carcinomatosis: evidence from an experimental study. <i>Journal of Translational Medicine</i> , 2011, 9, 53.	4.4	32
51	Cytoreductive Surgery plus Hyperthermic Intraperitoneal Chemotherapy to Treat Advanced/Recurrent Epithelial Ovarian Cancer: Results from a Retrospective Study on Prospectively Established Database. <i>Translational Oncology</i> , 2016, 9, 130-138.	3.7	32
52	Quantum dot-based immunofluorescent imaging of Ki67 and identification of prognostic value in HER2-positive (non-luminal) breast cancer. <i>International Journal of Nanomedicine</i> , 2014, 9, 1339.	6.7	29
53	VCPA, a novel synthetic derivative of Î±-tocopheryl succinate, sensitizes human gastric cancer to doxorubicin-induced apoptosis via ROS-dependent mitochondrial dysfunction. <i>Cancer Letters</i> , 2017, 393, 22-32.	7.2	29
54	Targeting therapy of hepatocellular carcinoma with doxorubicin prodrug PDOX increases anti-metastatic effect and reduces toxicity: a preclinical study. <i>Journal of Translational Medicine</i> , 2013, 11, 192.	4.4	28

#	ARTICLE	IF	CITATIONS
55	Combined features based on MT1-MMP expression, CD11b <sup>+</sup> immunocytes density and LNR predict clinical outcomes of gastric cancer. <i>Journal of Translational Medicine</i> , 2013, 11, 153.	4.4	27
56	Impact of neoadjuvant chemotherapy on lymphocytes and co-inhibitory B7-H4 molecule in gastric cancer: low B7-H4 expression associates with favorable prognosis. <i>Tumor Biology</i> , 2014, 35, 11837-11843.	1.8	27
57	Report on the 9(th) International Congress on Peritoneal Surface Malignancies. <i>Cancer Biology and Medicine</i> , 2014, 11, 281-4.	3.0	27
58	Study on the hepatocellular carcinoma model with metastasis. <i>Genes and Diseases</i> , 2020, 7, 336-350.	3.4	26
59	Quantum dot-based quantitative immunofluorescence detection and spectrum analysis of epidermal growth factor receptor in breast cancer tissue arrays. <i>International Journal of Nanomedicine</i> , 2011, 6, 2265.	6.7	25
60	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy with lobaplatin and docetaxel to treat synchronous peritoneal carcinomatosis from gastric cancer: Results from a Chinese center. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1024-1034.	1.0	25
61	Lysyl oxidase activates cancer stromal cells and promotes gastric cancer progression: quantum dot-based identification of biomarkers in cancer stromal cells. <i>International Journal of Nanomedicine</i> , 2018, Volume 13, 161-174.	6.7	25
62	Computer-Based Image Studies on Tumor Nests Mathematical Features of Breast Cancer and Their Clinical Prognostic Value. <i>PLoS ONE</i> , 2013, 8, e82314.	2.5	25
63	Segmentation of Hematoxylin-Eosin stained breast cancer histopathological images based on pixel-wise SVM classifier. <i>Science China Information Sciences</i> , 2015, 58, 1-13.	4.3	24
64	Trichostatin A and Tamoxifen inhibit breast cancer cell growth by miR-204 and ER $\alpha$ reducing AKT/mTOR pathway. <i>Biochemical and Biophysical Research Communications</i> , 2015, 467, 242-247.	2.1	24
65	Consensuses and controversies on pseudomyxoma peritonei: a review of the published consensus statements and guidelines. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 85.	2.7	24
66	Serum CYFRA 21-1 level reflects hepatocellular carcinoma metastasis: study in nude mice model and clinical patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 515-520.	2.5	23
67	Evaluation of the staging systems for gastric cancer. <i>Journal of Surgical Oncology</i> , 2013, 108, 93-105.	1.7	22
68	Metastatic factors for Krukenberg tumor: a clinical study on 102 cases. <i>Medical Oncology</i> , 2011, 28, 1514-1519.	2.5	21
69	Surgical Results of Patients with Peritoneal Carcinomatosis Treated with Cytoreductive Surgery Using a New Technique Named Aqua Dissection. <i>Gastroenterology Research and Practice</i> , 2012, 2012, 1-10.	1.5	21
70	Establishment and identification of a rabbit model of peritoneal carcinomatosis from gastric cancer. <i>BMC Cancer</i> , 2010, 10, 124.	2.6	20
71	Quantum dots-based double imaging combined with organic dye imaging to establish an automatic computerized method for cancer Ki67 measurement. <i>Scientific Reports</i> , 2016, 6, 20564.	3.3	20
72	Simultaneous determination of doxorubicin and its dipeptide prodrug in mice plasma by HPLC with fluorescence detection. <i>Journal of Pharmaceutical Analysis</i> , 2016, 6, 199-202.	5.3	20

#	ARTICLE	IF	CITATIONS
73	Intraperitoneal free cancer cells in gastric cancer: pathology of peritoneal carcinomatosis and rationale for intraperitoneal chemotherapy/hyperthermic intraperitoneal chemotherapy in gastric cancer. <i>Translational Gastroenterology and Hepatology</i> , 2016, 1, 69-69.	3.0	19
74	Contributions of lung tissue extracts to invasion and migration of human hepatocellular carcinoma cells with various metastatic potentials. <i>Journal of Cancer Research and Clinical Oncology</i> , 2003, 129, 556-564.	2.5	18
75	Lymph node ratio is a better prognosticator than lymph node status for gastric cancer: A retrospective study of 138 cases. <i>Oncology Letters</i> , 2013, 6, 1693-1700.	1.8	18
76	Tumor invasion unit in gastric cancer revealed by QDs-based in situ molecular imaging and multispectral analysis. <i>Biomaterials</i> , 2014, 35, 4125-4132.	11.4	17
77	Long term follow up and retrospective study on 533 gastric cancer cases. <i>BMC Surgery</i> , 2014, 14, 29.	1.3	17
78	Lymphatic Endothelial Markers and Tumor Lymphangiogenesis Assessment in Human Breast Cancer. <i>Diagnostics</i> , 2022, 12, 4.	2.6	17
79	Preoperative serum carbohydrate antigen 125 level is an independent negative prognostic marker for overall survival in colorectal cancer. <i>Medical Oncology</i> , 2011, 28, 789-795.	2.5	16
80	HCV core protein promotes hepatocyte proliferation and chemoresistance by inhibiting NR4A1. <i>Biochemical and Biophysical Research Communications</i> , 2015, 466, 592-598.	2.1	16
81	Perioperative safety after cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy for pseudomyxoma peritonei from appendiceal origin: Experience on 254 patients from a single center. <i>European Journal of Surgical Oncology</i> , 2020, 46, 600-606.	1.0	16
82	Carbohydrate antigen 242 highly consists with carbohydrate antigen 19-9 in diagnosis and prognosis of colorectal cancer: study on 185 cases. <i>Medical Oncology</i> , 2012, 29, 1030-1036.	2.5	15
83	Quantum dot-based multispectral fluorescent imaging to quantitatively study co-expressions of Ki67 and HER2 in breast cancer. <i>Experimental and Molecular Pathology</i> , 2015, 99, 133-138.	2.1	15
84	Pathological prognostic factors of pseudomyxoma peritonei: comprehensive clinicopathological analysis of 155 cases. <i>Human Pathology</i> , 2020, 97, 9-18.	2.0	15
85	A Clinical Database of Breast Cancer Patients Reveals Distinctive Clinico-pathological Characteristics: a Study From Central China. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 1621-1626.	1.2	15
86	Two-step segmentation of Hematoxylin-Eosin stained histopathological images for prognosis of breast cancer. , 2014, , .		14
87	Application of multispectral imaging in quantitative immunohistochemistry study of breast cancer: a comparative study. <i>Tumor Biology</i> , 2016, 37, 5013-5024.	1.8	14
88	The biological basis and function of GNAS mutation in pseudomyxoma peritonei: a review. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2179-2188.	2.5	14
89	Peritoneal cancer index (PCI) based patient selecting strategy for complete cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy in gastric cancer with peritoneal metastasis: A single-center retrospective analysis of 125 patients. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1411-1419.	1.0	14
90	Carcinoembryonic antigen level is related to tumor invasion into the serosa of the stomach: study on 166 cases and suggestion for new therapy. <i>Hepato-Gastroenterology</i> , 2009, 56, 1750-4.	0.5	14

#	ARTICLE	IF	CITATIONS
91	Prognostic significance of tumor-associated macrophages density in gastric cancer: a systemic review and meta-analysis. <i>Minerva Medica</i> , 2016, 107, 314-21.	0.9	14
92	Quantum dot-based molecular imaging of cancer cell growth using a clone formation assay. <i>Molecular Medicine Reports</i> , 2016, 14, 3007-3012.	2.4	13
93	Oncolytic Ad co-expressing decorin and Wnt decoy receptor overcomes chemoresistance of desmoplastic tumor through degradation of ECM and inhibition of EMT. <i>Cancer Letters</i> , 2019, 459, 15-29.	7.2	13
94	Coevolution of the tumor microenvironment revealed by quantum dot-based multiplexed imaging of hepatocellular carcinoma. <i>Future Oncology</i> , 2013, 9, 1029-1037.	2.4	12
95	Subtype classification for prediction of prognosis of breast cancer from a biomarker panel: correlations and indications. <i>International Journal of Nanomedicine</i> , 2014, 9, 1039.	6.7	12
96	Photodynamic Detection of Peritoneal Metastases Using 5-Aminolevulinic Acid (ALA). <i>Cancers</i> , 2017, 9, 23.	3.7	12
97	High Ki-67 expression is a poor prognostic indicator of 5-year recurrence free survival in patients with invasive breast cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2011, 12, 3101-5.	1.2	12
98	Synthesis, identification and in vivo studies of tumor-targeting agent peptide doxorubicin (PDOX) to treat peritoneal carcinomatosis of gastric cancer with similar efficacy but reduced toxicity. <i>Molecular Cancer</i> , 2014, 13, 44.	19.2	11
99	Morphological study and comprehensive cellular constituents of milky spots in the human omentum. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 12877-84.	0.5	11
100	Intraperitoneal chemotherapy with hydroxycamptothecin reduces peritoneal carcinomatosis: results of an experimental study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007, 134, 37-44.	2.5	10
101	Evaluation of the Bioconjugation Efficiency of Different Quantum Dots as Probes for Immunostaining Tumor-Marker Proteins. <i>Applied Spectroscopy</i> , 2010, 64, 847-854.	2.2	10
102	Anticancer effects of Ac-Phe-Lys-PABC-doxorubicin via mitochondria-centered apoptosis involving reactive oxidative stress and the ERK1/2 signaling pathway in MGC-803 cells. <i>Oncology Reports</i> , 2013, 30, 1681-1686.	2.6	10
103	Quantum dot-based multiplexed imaging in malignant ascites: a new model for malignant ascites classification. <i>International Journal of Nanomedicine</i> , 2015, 10, 1759.	6.7	9
104	Cytoreductive surgery combined with hyperthermic intraperitoneal chemotherapy for the treatment of primary peritoneal serous carcinoma: Results of a Chinese retrospective study. <i>International Journal of Hyperthermia</i> , 2016, 32, 289-297.	2.5	9
105	&lt;p&gt;Clinicopathological Characteristics of Pseudomyxoma Peritonei Originated from Ovaries&lt;/p&gt;. <i>Cancer Management and Research</i> , 2020, Volume 12, 7569-7578.	1.9	9
106	Intra-operative hyperthermic intraperitoneal chemotherapy for prevention and treatment of peritoneal metastases from gastric cancer: a narrative review. <i>Journal of Gastrointestinal Oncology</i> , 2021, 12, S70-S78.	1.4	9
107	15-PGDH expression as a predictive factor response to neoadjuvant chemotherapy in advanced gastric cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 6910-8.	0.5	8
108	Application of C12 multi-tumor marker protein chip in the diagnosis of gastrointestinal cancer: results of 329 surgical patients and suggestions for improvement. <i>Hepato-Gastroenterology</i> , 2009, 56, 1388-94.	0.5	8

#	ARTICLE	IF	CITATIONS
109	In Vitro invasive pattern of hepatocellular carcinoma cell line HCCLM9 based on three-dimensional cell culture and quantum dots molecular imaging. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2013, 33, 520-524.	1.0	7
110	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy with lobaplatin and docetaxel improves survival for patients with peritoneal carcinomatosis from abdominal and pelvic malignancies. <i>World Journal of Surgical Oncology</i> , 2016, 14, 246.	1.9	7
111	Advances in the application of quantum dots in tumor markers investigation. <i>Chinese-German Journal of Clinical Oncology</i> , 2008, 7, 179-184.	0.1	6
112	A Comparative Performance Analysis of Multispectral and RGB Imaging on HER2 Status Evaluation for the Prediction of Breast Cancer Prognosis. <i>Translational Oncology</i> , 2016, 9, 521-530.	3.7	6
113	Assessment of Hyperthermic Intraperitoneal Chemotherapy to Eradicate Intraperitoneal Free Cancer Cells. <i>Translational Oncology</i> , 2016, 9, 18-24.	3.7	6
114	Apatinib Mesylate Inhibits the Proliferation and Metastasis of Epithelioid Malignant Peritoneal Mesothelioma In Vitro and In Vivo. <i>Frontiers in Oncology</i> , 2020, 10, 585079.	2.8	6
115	Key factors for successful cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy to treat diffuse malignant peritoneal mesothelioma: results from specialized peritoneal cancer center in China. <i>International Journal of Hyperthermia</i> , 2022, 39, 706-712.	2.5	6
116	Long-term survival of high-grade primary peritoneal papillary serous adenocarcinoma: a case report and literature review. <i>World Journal of Surgical Oncology</i> , 2017, 15, 76.	1.9	5
117	Treatment of hypermyoglobinemia after CRS + HIPEC for patients with peritoneal carcinomatosis. <i>Medicine (United States)</i> , 2017, 96, e8573.	1.0	5
118	Establishment of patient-derived xenograft model of peritoneal mucinous carcinomatosis with signet ring cells and in vivo study on the efficacy and toxicity of intraperitoneal injection of 5-fluorouracil. <i>Cancer Medicine</i> , 2020, 9, 1104-1114.	2.8	5
119	Cytoreductive Surgery plus Hyperthermic Intraperitoneal Chemotherapy Improves Survival with Acceptable Safety for Advanced Ovarian Cancer: A Clinical Study of 100 Patients. <i>BioMed Research International</i> , 2021, 2021, 1-12.	1.9	5
120	Clinicopathological features of desmoplastic small round cell tumors: clinical series and literature review. <i>World Journal of Surgical Oncology</i> , 2021, 19, 193.	1.9	5
121	Clinicopathological analysis of primary carcinoid tumour of the ovary arising in mature cystic teratomas. <i>Journal of International Medical Research</i> , 2021, 49, 0300060521110346.	1.0	5
122	NPM2 in malignant peritoneal mesothelioma: from basic tumor biology to clinical medicine. <i>World Journal of Surgical Oncology</i> , 2022, 20, 141.	1.9	5
123	Anti-cancer effects of novel doxorubicin prodrug PDOX in MCF-7 breast cancer cells. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2014, 34, 521-528.	1.0	4
124	Evaluation of tumor markers biochip C12 system in the diagnosis of gastric cancer and the strategies for improvement: analysis of 100 cases. <i>Hepato-Gastroenterology</i> , 2008, 55, 991-7.	0.5	4
125	Rapid identification of <i>Staphylococcus aureus</i> directly from positive blood culture media using quantum dots as fluorescence probes. <i>Apmis</i> , 2013, 121, 348-352.	2.0	3
126	Oral gastrografin radiography for the evaluation of the functional impact of peritoneal carcinomatosis: Correlation with clinicopathological findings. <i>Molecular and Clinical Oncology</i> , 2015, 3, 979-986.	1.0	3



#	ARTICLE	IF	CITATIONS
127	Analysis of Cancer Marker in Tissues with Hadamard Transform Fluorescence Spectral Microscopic Imaging. <i>Journal of Fluorescence</i> , 2015, 25, 397-402.	2.5	3
128	Reply to: Re: Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy with lobaplatin and docetaxel to treat synchronous peritoneal carcinomatosis from gastric cancer: Results from a Chinese center, <i>Eur J Surg Oncol</i> (2016). <i>European Journal of Surgical Oncology</i> , 2016, 42, 1762-1766.	1.0	3
129	Prevention of Venous Thromboembolism After Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy: Development of a Physiotherapy Program. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2019, 25, 107602961989041.	1.7	3
130	CRS+HIPEC combined with IP+IV chemotherapy for gastric signet-ring cell carcinoma. <i>Medicine (United States)</i> , 2021, 100, e25264.	1.0	3
131	Establishment and histopathological study of patient-derived xenograft models and primary cell lines of epithelioid malignant peritoneal mesothelioma. <i>Experimental Animals</i> , 2021, 70, 225-235.	1.1	3
132	Prognostic significance of CEA, Ki67 and p53 in pseudomyxoma peritonei of appendiceal origin. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110222.	1.0	3
133	Peritoneal Carcinomatosis Diagnosis and Treatment in China: Focusing on Training and Collaboration. <i>Indian Journal of Surgical Oncology</i> , 2019, 10, 12-18.	0.7	2
134	Clinicopathological characteristics of primary peritoneal epithelioid mesothelioma of clear cell type. <i>Medicine (United States)</i> , 2021, 100, e25264.	1.0	2
135	Cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for peritoneal metastasis from breast cancer: a preliminary report of 4 cases. <i>Gland Surgery</i> , 2021, 10, 1315-1324.	1.1	2
136	Tumor-stroma ratio as a new prognosticator for pseudomyxoma peritonei: a comprehensive clinicopathological and immunohistochemical study. <i>Diagnostic Pathology</i> , 2021, 16, 116.	2.0	2
137	Long term survival of cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy in advanced epithelial ovarian cancer. <i>Translational Cancer Research</i> , 2021, 10, 3705-3715.	1.0	1
138	Experimental evidence of good efficacy and reduced toxicity with peptide-doxorubicin to treat gastric cancer. <i>Oncotarget</i> , 2018, 9, 1957-1968.	1.8	1
139	Ten years' disease-free survival of advanced epithelial ovarian cancer treated by cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy. <i>Medicine (United States)</i> , 2020, 99, e23404.	1.0	1
140	Intraperitoneal chemotherapy for peritoneal carcinomatosis improves efficacy with acceptable safety: results of 200 cycles for 41 patients. <i>Hepato-Gastroenterology</i> , 2014, 61, 373-8.	0.5	1
141	Effects of Laparoscopic Hyperthermic Intraperitoneal Chemotherapy for Peritoneal Metastasis from Gastric Cancer. <i>Cancer and Clinical Oncology</i> , 2014, 3, .	0.2	0
142	Risk factors of pleural effusion after cytoreductive surgery and hyperthermic intraperitoneal chemotherapy in late-stage and recurrent ovarian cancer. <i>Annals of Palliative Medicine</i> , 2021, 10, 385-391.	1.2	0