

# Yuanwei Qin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4876440/publications.pdf>

Version: 2024-02-01

86  
papers

6,987  
citations

76326

40  
h-index

60623

81  
g-index

87  
all docs

87  
docs citations

87  
times ranked

6431  
citing authors

#	ARTICLE	IF	CITATIONS
1	Large spatial variation and stagnation of cropland gross primary production increases the challenges of sustainable grain production and food security in China. <i>Science of the Total Environment</i> , 2022, 811, 151408.	8.0	17
2	Large loss and rapid recovery of vegetation cover and aboveground biomass over forest areas in Australia during 2019–2020. <i>Remote Sensing of Environment</i> , 2022, 278, 113087.	11.0	26
3	Small anomalies in dry-season greenness and chlorophyll fluorescence for Amazon moist tropical forests during El Niño and La Niña. <i>Remote Sensing of Environment</i> , 2021, 253, 112196.	11.0	21
4	Assessing variability of optimum air temperature for photosynthesis across site-years, sites and biomes and their effects on photosynthesis estimation. <i>Agricultural and Forest Meteorology</i> , 2021, 298-299, 108277.	4.8	8
5	Forest Changes by Precipitation Zones in Northern China after the Three-North Shelterbelt Forest Program in China. <i>Remote Sensing</i> , 2021, 13, 543.	4.0	17
6	Reply to: “Correlation between paddy rice growth and satellite-observed methane column abundance does not imply causation”. <i>Nature Communications</i> , 2021, 12, 1189.	12.8	1
7	Spatiotemporal Changes of Winter Wheat Planted and Harvested Areas, Photosynthesis and Grain Production in the Contiguous United States from 2008–2018. <i>Remote Sensing</i> , 2021, 13, 1735.	4.0	6
8	Improved estimation of gross primary production of paddy rice cropland with changing model parameters over phenological transitions. <i>Ecological Modelling</i> , 2021, 445, 109492.	2.5	6
9	Carbon loss from forest degradation exceeds that from deforestation in the Brazilian Amazon. <i>Nature Climate Change</i> , 2021, 11, 442-448.	18.8	166
10	Global-scale Consistency of Spaceborne Vegetation Indices, Chlorophyll Fluorescence, and Photosynthesis. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, e2020JG006136.	3.0	21
11	Mapping Panax Notoginseng Plantations by Using an Integrated Pixel- and Object-Based (IPOB) Approach and ZY-3 Imagery. <i>Remote Sensing</i> , 2021, 13, 2184.	4.0	2
12	Natural and semi-natural land dynamics under water resource change from 1990 to 2015 in the Tarim Basin, China. <i>Environmental Research Letters</i> , 2021, 16, 085001.	5.2	5
13	Annual Maps of Forests in Australia from Analyses of Microwave and Optical Images with FAO Forest Definition. <i>Journal of Remote Sensing</i> , 2021, 2021, .	6.7	3
14	Impacts of juniper woody plant encroachment into grasslands on local climate. <i>Agricultural and Forest Meteorology</i> , 2021, 307, 108508.	4.8	21
15	Mapping forest in the southern Great Plains with ALOS-2 PALSAR-2 and Landsat 7/8 data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 104, 102578.	2.8	3
16	Rebound in China’s coastal wetlands following conservation and restoration. <i>Nature Sustainability</i> , 2021, 4, 1076-1083.	23.7	103
17	Tracking annual changes of coastal tidal flats in China during 1986–2016 through analyses of Landsat images with Google Earth Engine. <i>Remote Sensing of Environment</i> , 2020, 238, 110987.	11.0	146
18	Mapping cropping intensity in China using time series Landsat and Sentinel-2 images and Google Earth Engine. <i>Remote Sensing of Environment</i> , 2020, 239, 111624.	11.0	187

#	ARTICLE	IF	CITATIONS
19	Social institution changes and their ecological impacts in Kazakhstan over the past hundred years. <i>Environmental Development</i> , 2020, 34, 100531.	4.1	9
20	Mapping sugarcane plantation dynamics in Guangxi, China, by time series Sentinel-1, Sentinel-2 and Landsat images. <i>Remote Sensing of Environment</i> , 2020, 247, 111951.	11.0	105
21	The Impact of Urban Renewal on Land Surface Temperature Changes: A Case Study in the Main City of Guangzhou, China. <i>Remote Sensing</i> , 2020, 12, 794.	4.0	99
22	Gainers and losers of surface and terrestrial water resources in China during 1989â€“2016. <i>Nature Communications</i> , 2020, 11, 3471.	12.8	81
23	Estimating site-specific optimum air temperature and assessing its effect on the photosynthesis of grasslands in mid- to high-latitudes. <i>Environmental Research Letters</i> , 2020, 15, 034064.	5.2	16
24	Fingerprint of rice paddies in spatialâ€“temporal dynamics of atmospheric methane concentration in monsoon Asia. <i>Nature Communications</i> , 2020, 11, 554.	12.8	56
25	Mapping coastal wetlands of China using time series Landsat images in 2018 and Google Earth Engine. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 163, 312-326.	11.1	138
26	Satellite-observed pantropical carbon dynamics. <i>Nature Plants</i> , 2019, 5, 944-951.	9.3	141
27	Improved estimates of forest cover and loss in the Brazilian Amazon in 2000â€“2017. <i>Nature Sustainability</i> , 2019, 2, 764-772.	23.7	71
28	TROPOMI reveals dry-season increase of solar-induced chlorophyll fluorescence in the Amazon forest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22393-22398.	7.1	78
29	Assessing consistency of spring phenology of snow-covered forests as estimated by vegetation indices, gross primary production, and solar-induced chlorophyll fluorescence. <i>Agricultural and Forest Meteorology</i> , 2019, 275, 305-316.	4.8	64
30	Ecological engineering projects increased vegetation cover, production, and biomass in semiarid and subhumid Northern China. <i>Land Degradation and Development</i> , 2019, 30, 1620-1631.	3.9	71
31	Tracking Reforestation in the Loess Plateau, China after the â€œGrain for Greenâ€•Project through Integrating PALSAR and Landsat Imagery. <i>Remote Sensing</i> , 2019, 11, 2685.	4.0	14
32	Area extraction and spatiotemporal characteristics of winter wheatâ€“summer maize in Shandong Province using NDVI time series. <i>PLoS ONE</i> , 2019, 14, e0226508.	2.5	9
33	Tracking the spatio-temporal change of cropping intensity in China during 2000â€“2015. <i>Environmental Research Letters</i> , 2019, 14, 035008.	5.2	46
34	Title is missing!. , 2019, 14, e0226508.		0
35	Title is missing!. , 2019, 14, e0226508.		0
36	Title is missing!. , 2019, 14, e0226508.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2019, 14, e0226508.		0
38	Title is missing!. , 2019, 14, e0226508.		0
39	Title is missing!. , 2019, 14, e0226508.		0
40	Expansion dynamics of deciduous rubber plantations in Xishuangbanna, China during 2000â€“2010. GIScience and Remote Sensing, 2018, 55, 905-925.	5.9	30
41	Responses of gross primary production of grasslands and croplands under drought, pluvial, and irrigation conditions during 2010â€“2016, Oklahoma, USA. Agricultural Water Management, 2018, 204, 47-59.	5.6	38
42	Divergent trends of open-surface water body area in the contiguous United States from 1984 to 2016. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 3810-3815.	7.1	199
43	Mapping Forest and Their Spatialâ€“Temporal Changes From 2007 to 2015 in Tropical Hainan Island by Integrating ALOS/ALOS-2 L-Band SAR and Landsat Optical Images. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2018, 11, 852-867.	4.9	35
44	Characterizing the encroachment of juniper forests into sub-humid and semi-arid prairies from 1984 to 2010 using PALSAR and Landsat data. Remote Sensing of Environment, 2018, 205, 166-179.	11.0	61
45	Exacerbated grassland degradation and desertification in Central Asia during 2000â€“2014. Ecological Applications, 2018, 28, 442-456.	3.8	83
46	Integrated Analyses of PALSAR and Landsat Imagery Reveal More Agroforests in a Typical Agricultural Production Region, North China Plain. Remote Sensing, 2018, 10, 1323.	4.0	10
47	Spatiotemporal Consistency of Four Gross Primary Production Products and Solarâ€“Induced Chlorophyll Fluorescence in Response to Climate Extremes Across CONUS in 2012. Journal of Geophysical Research C: Biogeosciences, 2018, 123, 3140-3161.	3.0	30
48	Quantifying spatial-temporal changes of tea plantations in complex landscapes through integrative analyses of optical and microwave imagery. International Journal of Applied Earth Observation and Geoinformation, 2018, 73, 697-711.	2.8	13
49	Enhanced gross primary production and evapotranspiration in juniperâ€“encroached grasslands. Global Change Biology, 2018, 24, 5655-5667.	9.5	25
50	Quantifying annual changes in built-up area in complex urban-rural landscapes from analyses of PALSAR and Landsat images. ISPRS Journal of Photogrammetry and Remote Sensing, 2017, 124, 89-105.	11.1	42
51	Status of land use intensity in China and its impacts on land carrying capacity. Journal of Chinese Geography, 2017, 27, 387-402.	3.9	44
52	Estimating aboveground biomass of broadleaf, needleleaf, and mixed forests in Northeastern China through analysis of 25-m ALOS/PALSAR mosaic data. Forest Ecology and Management, 2017, 389, 199-210.	3.2	29
53	Mapping the dynamics of eastern redcedar encroachment into grasslands during 1984â€“2010 through PALSAR and time series Landsat images. Remote Sensing of Environment, 2017, 190, 233-246.	11.0	65
54	Examining the short-term impacts of diverse management practices on plant phenology and carbon fluxes of Old World bluestems pasture. Agricultural and Forest Meteorology, 2017, 237-238, 60-70.	4.8	41

#	ARTICLE	IF	CITATIONS
55	Continued decrease of open surface water body area in Oklahoma during 1984–2015. <i>Science of the Total Environment</i> , 2017, 595, 451-460.	8.0	118
56	A global moderate resolution dataset of gross primary production of vegetation for 2000–2016. <i>Scientific Data</i> , 2017, 4, 170165.	5.3	335
57	Temporal consistency between gross primary production and solar-induced chlorophyll fluorescence in the ten most populous megacity areas over years. <i>Scientific Reports</i> , 2017, 7, 14963.	3.3	30
58	Annual dynamics of forest areas in South America during 2007–2010 at 50-m spatial resolution. <i>Remote Sensing of Environment</i> , 2017, 201, 73-87.	11.0	47
59	A mangrove forest map of China in 2015: Analysis of time series Landsat 7/8 and Sentinel-1A imagery in Google Earth Engine cloud computing platform. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2017, 131, 104-120.	11.1	288
60	Spatiotemporal patterns of paddy rice croplands in China and India from 2000 to 2015. <i>Science of the Total Environment</i> , 2017, 579, 82-92.	8.0	127
61	Open Surface Water Mapping Algorithms: A Comparison of Water-Related Spectral Indices and Sensors. <i>Water (Switzerland)</i> , 2017, 9, 256.	2.7	147
62	Accuracy Assessment and Inter-Comparison of Eight Medium Resolution Forest Products on the Loess Plateau, China. <i>ISPRS International Journal of Geo-Information</i> , 2017, 6, 152.	2.9	25
63	Multi-scale assessments of forest fragmentation in China. <i>Biodiversity Science</i> , 2017, 25, 372-381.	0.6	11
64	Mapping Annual Forest Cover in Sub-Humid and Semi-Arid Regions through Analysis of Landsat and PALSAR Imagery. <i>Remote Sensing</i> , 2016, 8, 933.	4.0	21
65	Northward expansion of paddy rice in northeastern Asia during 2000–2014. <i>Geophysical Research Letters</i> , 2016, 43, 3754-3761.	4.0	63
66	Mapping tropical forests and deciduous rubber plantations in Hainan Island, China by integrating PALSAR 25-m and multi-temporal Landsat images. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 50, 117-130.	2.8	69
67	Semi-natural areas of Tarim Basin in northwest China: Linkage to desertification. <i>Science of the Total Environment</i> , 2016, 573, 178-188.	8.0	22
68	Consistency between sun-induced chlorophyll fluorescence and gross primary production of vegetation in North America. <i>Remote Sensing of Environment</i> , 2016, 183, 154-169.	11.0	180
69	Canopy and climate controls of gross primary production of Mediterranean-type deciduous and evergreen oak savannas. <i>Agricultural and Forest Meteorology</i> , 2016, 226-227, 132-147.	4.8	19
70	Mapping forests in monsoon Asia with ALOS PALSAR 50-m mosaic images and MODIS imagery in 2010. <i>Scientific Reports</i> , 2016, 6, 20880.	3.3	49
71	Mapping paddy rice planting area in rice-wetland coexistent areas through analysis of Landsat 8 OLI and MODIS images. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 46, 1-12.	2.8	103
72	Mapping paddy rice planting area in northeastern Asia with Landsat 8 images, phenology-based algorithm and Google Earth Engine. <i>Remote Sensing of Environment</i> , 2016, 185, 142-154.	11.0	524

#	ARTICLE	IF	CITATIONS
73	Mapping paddy rice distribution using multi-temporal Landsat imagery in the Sanjiang Plain, northeast China. <i>Frontiers of Earth Science</i> , 2016, 10, 49-62.	2.1	39
74	Effects of in-situ and reanalysis climate data on estimation of cropland gross primary production using the Vegetation Photosynthesis Model. <i>Agricultural and Forest Meteorology</i> , 2015, 213, 240-250.	4.8	29
75	Mapping paddy rice planting area in wheat-rice double-cropped areas through integration of Landsat-8 OLI, MODIS and PALSAR images. <i>Scientific Reports</i> , 2015, 5, 10088.	3.3	55
76	Mapping Deciduous Rubber Plantation Areas and Stand Ages with PALSAR and Landsat Images. <i>Remote Sensing</i> , 2015, 7, 1048-1073.	4.0	89
77	Human-Induced Landcover Changes Drive a Diminution of Land Surface Albedo in the Loess Plateau (China). <i>Remote Sensing</i> , 2015, 7, 2926-2941.	4.0	31
78	Tracking the dynamics of paddy rice planting area in 1986–2010 through time series Landsat images and phenology-based algorithms. <i>Remote Sensing of Environment</i> , 2015, 160, 99-113.	11.0	257
79	Mapping paddy rice planting areas through time series analysis of MODIS land surface temperature and vegetation index data. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 106, 157-171.	11.1	207
80	Comparison of surface water extraction performances of different classic water indices using OLI and TM imageries in different situations. <i>Geo-Spatial Information Science</i> , 2015, 18, 32-42.	5.3	89
81	Mapping paddy rice planting area in cold temperate climate region through analysis of time series Landsat 8 (OLI), Landsat 7 (ETM+) and MODIS imagery. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 105, 220-233.	11.1	118
82	Forest cover maps of China in 2010 from multiple approaches and data sources: PALSAR, Landsat, MODIS, FRA, and NFI. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 109, 1-16.	11.1	70
83	Difference and uncertainty of forest coverage estimation in China. <i>Biodiversity Science</i> , 2015, 23, 830-834.	0.6	2
84	Spatiotemporal characteristics, patterns, and causes of land-use changes in China since the late 1980s. <i>Journal of Chinese Geography</i> , 2014, 24, 195-210.	3.9	1,248
85	Spatial-temporal changes of cropland and climate potential productivity in northern China during 1990–2010. <i>Food Security</i> , 2013, 5, 499-512.	5.3	39
86	Impacts of ecological restoration projects on agricultural productivity in China. <i>Journal of Chinese Geography</i> , 2013, 23, 404-416.	3.9	33