

# Felipe B Schuch

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4880546/publications.pdf>

Version: 2024-02-01

183  
papers

13,838  
citations

31902

53  
h-index

25716

108  
g-index

193  
all docs

193  
docs citations

193  
times ranked

13482  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of the combination of vitamins C and E supplementation on oxidative stress, inflammation, muscle soreness, and muscle strength following acute physical exercise: meta-analyses of randomized controlled trials. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 7584-7597.	5.4	5
2	Anger and substance abuse: a systematic review and meta-analysis. <i>Revista Brasileira De Psiquiatria</i> , 2022, 44, 103-110.	0.9	9
3	Combined aerobic and strength training for fitness outcomes in heart failure: meta-analysis and meta-regression. <i>Disability and Rehabilitation</i> , 2022, 44, 4149-4160.	0.9	5
4	Recreational exercise is associated with lower prevalence of depression and anxiety and better quality of life in German people living with HIV. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2022, 34, 182-187.	0.6	4
5	Physical activity correlates in children and adolescents, adults, and older adults with an intellectual disability: a systematic review. <i>Disability and Rehabilitation</i> , 2022, 44, 4189-4200.	0.9	8
6	Food insecurity (hunger) and fast-food consumption among 180 164 adolescents aged 12â€“15 years from sixty-eight countries. <i>British Journal of Nutrition</i> , 2022, 127, 470-477.	1.2	12
7	Resistance training reduces depressive and anxiety symptoms in older women: a pilot study. <i>Aging and Mental Health</i> , 2022, 26, 1136-1142.	1.5	4
8	Moderate to vigorous physical activity and sedentary behavior changes in self-isolating adults during the COVID-19 pandemic in Brazil: a cross-sectional survey exploring correlates. <i>Sport Sciences for Health</i> , 2022, 18, 155-163.	0.4	42
9	The collaborative outcomes study on health and functioning during infection times in adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2022, 299, 393-407.	2.0	22
10	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	2.0	33
11	Prevalence of diabetes in people with intellectual disabilities and ageâ€“and genderâ€“matched controls: A metaâ€“analysis. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2022, 35, 301-311.	1.3	4
12	Relationship between types of physical activity and depression among 88,522 adults. <i>Journal of Affective Disorders</i> , 2022, 297, 415-420.	2.0	22
13	Prospective Associations of Leisure-Time Physical Activity With Psychological Distress and Well-Being: A 12-Year Cohort Study. <i>Psychosomatic Medicine</i> , 2022, 84, 116-122.	1.3	4
14	Effect of high-intensity interval training protocols on VO2max and HbA1c level in people with type 2 diabetes: A systematic review and meta-analysis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101586.	1.1	16
15	Sleep problems and subjective cognitive complaints among middle-aged and older adults in 45 low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2022, , 1.	1.4	0
16	Association between mental health and physical activity levels in people with Parkinsonâ€™s disease during the COVID-19 pandemic: an observational cross-sectional survey in Brazil. <i>Sport Sciences for Health</i> , 2022, 18, 871-877.	0.4	7
17	Measurement of physical activity and sedentary behavior in national health surveys, South America. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2022, 46, 1.	0.6	1
18	Association between physical multimorbidity and sleep problems in 46 low- and middle-income countries. <i>Maturitas</i> , 2022, 160, 23-31.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Changes in Health-Related Behaviours and Mental Health in a UK Public Sample during the First Set of COVID-19 Public Health Restrictions. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3959.	1.2	1
20	Association Between Physical Activity and Risk of Depression. <i>JAMA Psychiatry</i> , 2022, 79, 550.	6.0	264
21	Inflammatory cytokines and alcohol use disorder: systematic review and meta-analysis. <i>Revista Brasileira De Psiquiatria</i> , 2022, , .	0.9	2
22	Effects of yoga on depressive symptoms in people with mental disorders: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, 992-1000.	3.1	67
23	Redefining mental healthcare: going multidisciplinary to manage multimorbidity. <i>British Journal of Sports Medicine</i> , 2021, 55, 7-8.	3.1	11
24	Comparison of physical activity levels in Spanish adults with chronic conditions before and during COVID-19 quarantine. <i>European Journal of Public Health</i> , 2021, 31, 161-166.	0.1	62
25	The efficacy of meditation-based mind-body interventions for mental disorders: A meta-review of 17 meta-analyses of randomized controlled trials. <i>Journal of Psychiatric Research</i> , 2021, 134, 181-191.	1.5	35
26	Factors associated with adherence to sports and exercise among outpatients with major depressive disorder. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, 43, 108-115.	0.4	1
27	Reliability and Convergent Validity of Self-Reported Physical Activity Questionnaires for People With Mental Disorders: A Systematic Review and Meta-Analysis. <i>Journal of Physical Activity and Health</i> , 2021, 18, 109-115.	1.0	0
28	Changes in physical activity and sedentary behaviours from before to during the COVID-19 pandemic lockdown: a systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e000960.	1.4	746
29	Different social contexts of leisure-time physical activity: Does the association with depressive symptoms differ?. <i>Mental Health and Physical Activity</i> , 2021, 20, 100390.	0.9	4
30	Association between cardiorespiratory fitness and depressive symptoms in children and adolescents: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 282, 1234-1240.	2.0	11
31	Dropout from exercise randomized controlled trials among people with anxiety and stress-related disorders: A meta-analysis and meta-regression. <i>Journal of Affective Disorders</i> , 2021, 282, 996-1004.	2.0	33
32	Reliability and validity of physical fitness tests in people with mental disorders: A systematic review and meta-analysis. <i>Physiotherapy Research International</i> , 2021, 26, e1904.	0.7	4
33	Is Physical Activity Associated with Less Depression and Anxiety During the COVID-19 Pandemic? A Rapid Systematic Review. <i>Sports Medicine</i> , 2021, 51, 1771-1783.	3.1	170
34	Changes in Sitting Time, Screen Exposure and Physical Activity during COVID-19 Lockdown in South American Adults: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5239.	1.2	18
35	Circulating Type I Interferon Levels and COVID-19 Severity: A Systematic Review and Meta-Analysis. <i>Frontiers in Immunology</i> , 2021, 12, 657363.	2.2	34
36	Exercisers'™ Affective and Enjoyment Responses: A Meta-Analytic and Meta-Regression Review. <i>Perceptual and Motor Skills</i> , 2021, 128, 2211-2236.	0.6	10

#	ARTICLE	IF	CITATIONS
37	Pathophysiology of Major Depression by Clinical Stages. <i>Frontiers in Psychology</i> , 2021, 12, 641779.	1.1	14
38	The anxiolytic effects of exercise for people with anxiety and related disorders: An update of the available meta-analytic evidence. <i>Psychiatry Research</i> , 2021, 302, 114046.	1.7	42
39	Associations between Physical Activity, Sitting Time, and Time Spent Outdoors with Mental Health during the First COVID-19 Lock Down in Austria. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9168.	1.2	36
40	Cross-sectional associations of leisure and transport related physical activity with depression and anxiety. <i>Journal of Psychiatric Research</i> , 2021, 140, 228-234.	1.5	17
41	Endothelial dysfunction in people with depressive disorders: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2021, 141, 152-159.	1.5	12
42	Mental Health in COVID-19 Pandemic: A Meta-Review of Prevalence Meta-Analyses. <i>Frontiers in Psychology</i> , 2021, 12, 703838.	1.1	89
43	Physical activity, physical fitness and quality of life in outpatients with major depressive disorder versus matched healthy controls: Data from a low-income country. <i>Journal of Affective Disorders</i> , 2021, 294, 802-804.	2.0	4
44	Does being overweight play a role in the reduced inhibitory control of patients receiving treatment for substance use disorder?. <i>Physiology and Behavior</i> , 2021, 241, 113587.	1.0	0
45	Physical activity, exercise, and mental disorders: it is time to move on. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, 43, 177-184.	0.4	27
46	Atividade física e saúde mental durante a pandemia da COVID-19: uma revisão rápida de estudos epidemiológicos brasileiros. <i>Revista Brasileira De Psicoterapia</i> , 2021, 23, .	0.0	0
47	Independent and combined associations of sugar-sweetened beverage consumption, TV viewing, and physical activity with severe depressive symptoms among 59,402 adults. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 574-583.	0.9	9
48	Alcohol use in self-isolation during the COVID-19 pandemic: A cross-sectional survey in Brazil. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, , .	0.4	0
49	Multimorbidity and Anxiety Symptoms among Adults Aged 50 Years and Over from Six Low- and Middle-Income Countries. <i>Journal of Ageing and Longevity</i> , 2021, 1, 36-47.	0.1	3
50	Recreational Exercising and Self-Reported Cardiometabolic Diseases in German People Living with HIV: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11579.	1.2	1
51	From impact factors to real impact: translating evidence on lifestyle interventions into routine mental health care. <i>Translational Behavioral Medicine</i> , 2020, 10, 1070-1073.	1.2	41
52	Exercise as Medicine for Mental and Substance Use Disorders: A Meta-review of the Benefits for Neuropsychiatric and Cognitive Outcomes. <i>Sports Medicine</i> , 2020, 50, 151-170.	3.1	222
53	Sedentary behavior and depression among community-dwelling adults aged ≥50 years: Results from the irish longitudinal study on Ageing. <i>Journal of Affective Disorders</i> , 2020, 262, 389-396.	2.0	31
54	Does physical activity reduce the risk of psychosis? A systematic review and meta-analysis of prospective studies. <i>Psychiatry Research</i> , 2020, 284, 112675.	1.7	26

#	ARTICLE	IF	CITATIONS
55	Is Strength Training as Effective as Aerobic Training for Depression in Older Adults? A Randomized Controlled Trial. <i>Neuropsychobiology</i> , 2020, 79, 141-149.	0.9	30
56	Do we need physical activity guidelines for mental health: What does the evidence tell us?. <i>Mental Health and Physical Activity</i> , 2020, 18, 100315.	0.9	161
57	Perceived barriers, benefits and correlates of physical activity in outpatients with Major Depressive Disorder: A study from Brazil. <i>Psychiatry Research</i> , 2020, 284, 112751.	1.7	10
58	Testâ€retest reliability, validity, and correlates of the 2â€min walk test in outpatients with depression. <i>Physiotherapy Research International</i> , 2020, 25, e1821.	0.7	8
59	Handgrip Strength Is Associated With Hippocampal Volume and White Matter Hyperintensities in Major Depression and Healthy Controls: A UK Biobank Study. <i>Psychosomatic Medicine</i> , 2020, 82, 39-46.	1.3	44
60	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. <i>Lancet Psychiatry</i> , 2020, 7, 955-970.	3.7	103
61	Authorsâ€™ Response. <i>Psychosomatic Medicine</i> , 2020, 82, 534-535.	1.3	1
62	Metabolic syndrome and its components in people with intellectual disability: a metaâ€analysis. <i>Journal of Intellectual Disability Research</i> , 2020, 64, 804-815.	1.2	9
63	Prevalence and correlates of physical activity in a sample of UK adults observing social distancing during the COVID-19 pandemic. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000850.	1.4	78
64	Exercise, Comorbidities, and Health-Related Quality of Life in People Living with HIV: The HIBES Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5138.	1.2	6
65	Nordic Walking and Free Walking Improve the Quality of Life, Cognitive Function, and Depressive Symptoms in Individuals with Parkinsonâ€™s Disease: A Randomized Clinical Trial. <i>Journal of Functional Morphology and Kinesiology</i> , 2020, 5, 82.	1.1	9
66	Joint prevalence of physical activity and sitting time during COVID-19 among US adults in April 2020. <i>Preventive Medicine Reports</i> , 2020, 20, 101256.	0.8	43
67	The relationship between physical activity and mental health in a sample of the UK public: A cross-sectional study during the implementation of COVID-19 social distancing measures. <i>Mental Health and Physical Activity</i> , 2020, 19, 100345.	0.9	162
68	The association between screen time and mental health during COVID-19: A cross sectional study. <i>Psychiatry Research</i> , 2020, 292, 113333.	1.7	75
69	Association between different contexts of physical activity and anxiety-induced sleep disturbance among 100,648 Brazilian adolescents: Brazilian school-based health survey. <i>Psychiatry Research</i> , 2020, 293, 113367.	1.7	0
70	Associations of moderate to vigorous physical activity and sedentary behavior with depressive and anxiety symptoms in self-isolating people during the COVID-19 pandemic: A cross-sectional survey in Brazil. <i>Psychiatry Research</i> , 2020, 292, 113339.	1.7	176
71	A metaâ€review of â€lifestyle psychiatryâ€: the role of exercise, smoking, diet and sleep in the prevention and treatment of mental disorders. <i>World Psychiatry</i> , 2020, 19, 360-380.	4.8	424
72	Effects of physical exercise on cognitive function of older adults with mild cognitive impairment: A systematic review and meta-analysis. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104048.	1.4	77

#	ARTICLE	IF	CITATIONS
73	Assessing physical activity in people with mental illness: 23-country reliability and validity of the simple physical activity questionnaire (SIMPAQ). <i>BMC Psychiatry</i> , 2020, 20, 108.	1.1	73
74	Effects of vitamin C on oxidative stress, inflammation, muscle soreness, and strength following acute exercise: meta-analyses of randomized clinical trials. <i>European Journal of Nutrition</i> , 2020, 59, 2827-2839.	1.8	44
75	Aging and Coronavirus: Exploring Complementary Therapies to Avoid Inflammatory Overload. <i>Frontiers in Medicine</i> , 2020, 7, 354.	1.2	3
76	Chocolate Consumption and Indicators of Adiposity in US Adults. <i>American Journal of Medicine</i> , 2020, 133, 1082-1087.	0.6	7
77	Coronavirus Pandemic (SARS-COV-2): Pre-Exercise Screening Questionnaire (PESQ) for Telepresential Exercise. <i>Frontiers in Public Health</i> , 2020, 8, 146.	1.3	22
78	The role of physical activity in the association between multimorbidity and depressive symptoms: Data from 60,202 adults from the Brazilian National Health Survey. <i>Journal of Psychosomatic Research</i> , 2020, 134, 110122.	1.2	8
79	Candidaemia Mortality Has not Changed Over the Last 2 Decades in Brazil. <i>Mycopathologia</i> , 2020, 185, 685-690.	1.3	2
80	Exercise prescription for people with mental illness: an evaluation of mental health professionals' knowledge, beliefs, barriers, and behaviors. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 271-277.	0.9	12
81	The Effects of Individual Psychotherapy in BDNF Levels of Patients With Mental Disorders: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2020, 11, 445.	1.3	6
82	Using exercise to protect physical and mental health in youth at risk for psychosis. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2020, 23, 433.	0.4	6
83	PHYSICAL ACTIVITY, QUALITY OF LIFE AND GLOBAL FUNCTIONING IN PATIENTS IN THE EARLY STAGES OF PSYCHOSIS. <i>Psychiatria Danubina</i> , 2020, 32, 373-379.	0.2	6
84	Accordance and reproducibility of the electronic version of the WHOQOL-BREF and WHOQOL-OLD questionnaires. <i>Experimental Gerontology</i> , 2019, 125, 110683.	1.2	18
85	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019, 6, 675-712.	3.7	815
86	The efficacy and safety of nutrient supplements in the treatment of mental disorders: a meta-analysis of meta-analyses of randomized controlled trials. <i>World Psychiatry</i> , 2019, 18, 308-324.	4.8	139
87	Effects of exercise on depression and anxiety in persons living with HIV: A meta-analysis. <i>Journal of Psychosomatic Research</i> , 2019, 126, 109823.	1.2	42
88	Effects of Nordic walking training on quality of life, balance and functional mobility in elderly: A randomized clinical trial. <i>PLoS ONE</i> , 2019, 14, e0211472.	1.1	48
89	Physical activity protects from incident anxiety: A meta-analysis of prospective cohort studies. <i>Depression and Anxiety</i> , 2019, 36, 846-858.	2.0	226
90	The Effects of Dietary Improvement on Symptoms of Depression and Anxiety: A Meta-Analysis of Randomized Controlled Trials. <i>Psychosomatic Medicine</i> , 2019, 81, 265-280.	1.3	312

#	ARTICLE	IF	CITATIONS
91	Prediction of Depression Scores From Aerobic Fitness, Body Fatness, Physical Activity, and Vagal Indices in Non-exercising, Female Workers. <i>Frontiers in Psychiatry</i> , 2019, 10, 192.	1.3	10
92	Physical Activity and Exercise as a Treatment of Depression: Evidence and Neurobiological Mechanism. , 2019, , 293-299.		2
93	Effects of Aerobic and Resistance Exercise on Cardiovascular Parameters for People Living With HIV. <i>Journal of the Association of Nurses in AIDS Care</i> , 2019, 30, 186-205.	0.4	6
94	Response to the Letter to the Editor. <i>Current Sports Medicine Reports</i> , 2019, 18, 423.	0.5	0
95	The Role of Exercise in Preventing and Treating Depression. <i>Current Sports Medicine Reports</i> , 2019, 18, 299-304.	0.5	117
96	P.728 Anti-inflammatory cytokines in alcohol use disorder: a systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2019, 29, S489-S490.	0.3	0
97	Prospective associations between physical activity and clinician diagnosed major depressive disorder in adults: A 13-year cohort study. <i>Preventive Medicine</i> , 2019, 118, 38-43.	1.6	16
98	Handgrip strength and depression among 34,129 adults aged 50 years and older in six low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 243, 448-454.	2.0	63
99	Correlates of sedentary behavior in 2,375 people with depression from 6 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 234, 97-104.	2.0	22
100	Physical Activity and Incident Depression: A Meta-Analysis of Prospective Cohort Studies. <i>American Journal of Psychiatry</i> , 2018, 175, 631-648.	4.0	933
101	Association Between Muscular Strength and Cognition in People With Major Depression or Bipolar Disorder and Healthy Controls. <i>JAMA Psychiatry</i> , 2018, 75, 740.	6.0	54
102	Relationship between sedentary behavior and depression: A mediation analysis of influential factors across the lifespan among 42,469 people in low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 229, 231-238.	2.0	107
103	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018, 193, 412-417.	1.1	25
104	The Validity and Value of Self-reported Physical Activity and Accelerometry in People With Schizophrenia: A Population-Scale Study of the UK Biobank. <i>Schizophrenia Bulletin</i> , 2018, 44, 1293-1300.	2.3	77
105	Food addiction: Prevalence, psychopathological correlates and associations with quality of life in a large sample. <i>Journal of Psychiatric Research</i> , 2018, 96, 145-152.	1.5	115
106	Physical activity and suicidal ideation: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018, 225, 438-448.	2.0	140
107	Quality of life and sleep quality are similarly improved after aquatic or dry-land aerobic training in patients with type 2 diabetes: A randomized clinical trial. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 483-488.	0.6	24
108	Effect of aerobic exercise on hippocampal volume in humans: A systematic review and meta-analysis. <i>NeuroImage</i> , 2018, 166, 230-238.	2.1	334

#	ARTICLE	IF	CITATIONS
109	Child Maltreatment and Illicit Substance Abuse: A Systematic Review and Meta-Analysis of Longitudinal Studies. <i>Child Abuse Review</i> , 2018, 27, 344-360.	0.4	67
110	Can physical exercise modulate cortisol level in subjects with depression? A systematic review and meta-analysis. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 360-368.	0.4	51
111	Psychometric properties of the modified Yale Food Addiction Scale 2.0 in a large Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 444-448.	0.9	29
112	Physical activity and mental health. <i>Lancet Psychiatry</i> , 2018, 5, 873.	3.7	46
113	Brain-derived neurotrophic factor in substance use disorders: A systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2018, 193, 91-103.	1.6	40
114	Exercise for the Prevention and Treatment of Depression. , 2018, , 1-18.		6
115	Effects of aerobic and resistance exercise alone or combined on strength and hormone outcomes for people living with HIV. A meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0203384.	1.1	16
116	Associations between active travel and physical multi-morbidity in six low- and middle-income countries among community-dwelling older adults: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0203277.	1.1	21
117	Is it possible for people with severe mental illness to sit less and move more? A systematic review of interventions to increase physical activity or reduce sedentary behaviour. <i>Schizophrenia Research</i> , 2018, 202, 3-16.	1.1	60
118	Portuguese and Brazilian guidelines for the treatment of depression: exercise as medicine. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 210-211.	0.9	11
119	The association of depression and all-cause and cause-specific mortality: an umbrella review of systematic reviews and meta-analyses. <i>BMC Medicine</i> , 2018, 16, 112.	2.3	143
120	Passive and mentally-active sedentary behaviors and incident major depressive disorder: A 13-year cohort study. <i>Journal of Affective Disorders</i> , 2018, 241, 579-585.	2.0	93
121	Sedentary behavior and perceived stress among adults aged ≥50 years in six low- and middle-income countries. <i>Maturitas</i> , 2018, 116, 100-107.	1.0	21
122	Exercise and Posttraumatic Stress Disorder. , 2018, , 375-387.		1
123	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw111.	2.3	49
124	Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw115.	2.3	270
125	Cardiorespiratory Fitness in Severe Mental Illness: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2017, 47, 343-352.	3.1	170
126	A critical review of exercise as a treatment for clinically depressed adults: time to get pragmatic. <i>Acta Neuropsychiatrica</i> , 2017, 29, 65-71.	1.0	42



#	ARTICLE	IF	CITATIONS
127	Effects of Nordic walking training on functional parameters in Parkinson's disease: a randomized controlled clinical trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 351-358.	1.3	77
128	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 6.	2.0	115
129	An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. <i>Psychiatry Research</i> , 2017, 249, 102-108.	1.7	402
130	Psychometric Properties of the Brazilian Portuguese Version of the PARmed-X for Pregnancy. <i>Journal of Physical Activity and Health</i> , 2017, 14, 646-651.	1.0	3
131	Physical activity and sedentary behavior in people with major depressive disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2017, 210, 139-150.	2.0	411
132	Higher cardio-respiratory fitness is associated with increased mental and physical quality of life in people with bipolar disorder: A controlled pilot study. <i>Psychiatry Research</i> , 2017, 256, 219-224.	1.7	16
133	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2017, 221, 81-88.	2.0	21
134	Factors that influence the neurobiological effects of exercise likely extend beyond age and intensity in people with major depression. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 77, 301-302.	2.9	5
135	Exercise works for depression: bridging the implementation gap and making exercise a core component of treatment. <i>Acta Neuropsychiatrica</i> , 2017, 29, 124-126.	1.0	6
136	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. <i>World Psychiatry</i> , 2017, 16, 308-315.	4.8	600
137	Childhood trauma and suicide attempt: A meta-analysis of longitudinal studies from the last decade. <i>Psychiatry Research</i> , 2017, 256, 353-358.	1.7	165
138	Physical activity and anxiety: A perspective from the World Health Survey. <i>Journal of Affective Disorders</i> , 2017, 208, 545-552.	2.0	211
139	Dropout from physical activity interventions in people living with HIV: a systematic review and meta-analysis. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 636-643.	0.6	42
140	Physical fitness in people with posttraumatic stress disorder: a systematic review. <i>Disability and Rehabilitation</i> , 2017, 39, 2461-2467.	0.9	36
141	More Reasons to Move: Exercise in the Treatment of Alcohol Use Disorders. <i>Frontiers in Psychiatry</i> , 2017, 8, 160.	1.3	26
142	O Exercício como Uma Ferramenta Terapêutica Essencial na Saúde Mental: Encurtando a Diferença Entre a Pesquisa e a Prática, Uma Perspetiva Portuguesa. <i>Acta Medica Portuguesa</i> , 2017, 30, 354.	0.2	4
143	Exercise and Posttraumatic Stress Disorder. , 2017, , 1-13.		0
144	Exercise for depression in older adults: a meta-analysis of randomized controlled trials adjusting for publication bias. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 247-254.	0.9	160

#	ARTICLE	IF	CITATIONS
145	Physical activity and sedentary behavior in people with bipolar disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 201, 145-152.	2.0	109
146	Exercise improves physical and psychological quality of life in people with depression: A meta-analysis including the evaluation of control group response. <i>Psychiatry Research</i> , 2016, 241, 47-54.	1.7	118
147	Physical activity and depression: a large cross-sectional, population-based study across 36 low- and middle-income countries. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 546-556.	2.2	88
148	Dropout from physical activity interventions in children and adolescents with attention deficit hyperactivity disorder: A systematic review and meta-analysis. <i>Mental Health and Physical Activity</i> , 2016, 11, 46-52.	0.9	11
149	Moving beyond the weight-loss paradigm of exercise interventions for mental illness. <i>Psychiatry Research</i> , 2016, 246, 392-393.	1.7	4
150	Are lower levels of cardiorespiratory fitness associated with incident depression? A systematic review of prospective cohort studies. <i>Preventive Medicine</i> , 2016, 93, 159-165.	1.6	85
151	How much physical activity do people with schizophrenia engage in? A systematic review, comparative meta-analysis and meta-regression. <i>Schizophrenia Research</i> , 2016, 176, 431-440.	1.1	284
152	Moderators of response in exercise treatment for depression: A systematic review. <i>Journal of Affective Disorders</i> , 2016, 195, 40-49.	2.0	59
153	Prevalence and predictors of treatment dropout from physical activity interventions in schizophrenia: a meta-analysis. <i>General Hospital Psychiatry</i> , 2016, 39, 15-23.	1.2	172
154	Translation and cross-cultural adaptation of the PARmed-X for Pregnancy into Brazilian Portuguese. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 335-343.	0.9	3
155	Neurobiological effects of exercise on major depressive disorder: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 61, 1-11.	2.9	189
156	Physical activity as a vital sign in patients with schizophrenia: Evidence and clinical recommendations. <i>Schizophrenia Research</i> , 2016, 170, 336-340.	1.1	32
157	The effects of water-based strength exercise on quality of life in young women. <i>Sport Sciences for Health</i> , 2016, 12, 105-112.	0.4	3
158	Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. <i>Journal of Psychiatric Research</i> , 2016, 77, 42-51.	1.5	950
159	Challenges Establishing the Efficacy of Exercise as an Antidepressant Treatment: A Systematic Review and Meta-Analysis of Control Group Responses in Exercise Randomised Controlled Trials. <i>Sports Medicine</i> , 2016, 46, 699-713.	3.1	43
160	Dropout from exercise randomized controlled trials among people with depression: A meta-analysis and meta regression. <i>Journal of Affective Disorders</i> , 2016, 190, 457-466.	2.0	202
161	Exercise improves cardiorespiratory fitness in people with depression: A meta-analysis of randomized control trials. <i>Journal of Affective Disorders</i> , 2016, 190, 249-253.	2.0	132
162	Dansa e flexibilidade: Interferncias na Qualidade de Vida de Adultos. <i>Revista Brasileira De Qualidade De Vida</i> , 2016, 8, .	0.1	1

#	ARTICLE	IF	CITATIONS
163	Depression in Athletes or Increased Depressive Symptoms in Athletes?. Current Sports Medicine Reports, 2015, 14, 244.	0.5	9
164	Treinamento de força diminui os sintomas depressivos e melhora a qualidade de vida relacionada a saúde em idosos. Revista Brasileira De Educação Física E Esporte: RBEFE, 2015, 29, 189-196.	0.1	7
165	No evidence of a control group response in exercise randomised controlled trials in people with schizophrenia: A systematic review and meta-analysis. Psychiatry Research, 2015, 229, 840-843.	1.7	4
166	Effects of a single bout of maximal aerobic exercise on BDNF in bipolar disorder: A gender-based response. Psychiatry Research, 2015, 229, 57-62.	1.7	27
167	Exercise and severe major depression: Effect on symptom severity and quality of life at discharge in an inpatient cohort. Journal of Psychiatric Research, 2015, 61, 25-32.	1.5	95
168	Association Between Internalizing Disorders and Day-to-Day Activities of Low Energetic Expenditure. Child Psychiatry and Human Development, 2015, 46, 67-74.	1.1	2
169	Water-Based Exercise and Quality of Life in Women: The Role of Depressive Symptoms. Women and Health, 2014, 54, 161-175.	0.4	21
170	Gender differences in perception of quality of life in adults with and without chronic health conditions: The role of depressive symptoms. Journal of Health Psychology, 2014, 19, 721-729.	1.3	22
171	Progress in the Study of the Effects of Exercise on Affective and Anxiety Disorders. Frontiers in Psychiatry, 2014, 5, 153.	1.3	2
172	The effects of exercise on oxidative stress (TBARS) and BDNF in severely depressed inpatients. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 605-613.	1.8	58
173	Somatic, but not cognitive, symptoms of anxiety predict lower levels of physical activity in panic disorder patients. Journal of Affective Disorders, 2014, 164, 63-68.	2.0	22
174	Is Exercise an Efficacious Treatment for Depression? A Comment upon Recent Negative Findings. Frontiers in Psychiatry, 2013, 4, 20.	1.3	17
175	SU-E-T-178: Optically Stimulated Luminescence (OSL) Dosimetry: A Study of A-Al <sub>2</sub> O <sub>3</sub> :C Assessed by PENELOPE Monte Carlo Simulation. Medical Physics, 2012, 39, 3744-3744.	1.6	0
176	The impact of exercise on Quality of Life within exercise and depression trials: A systematic review. Mental Health and Physical Activity, 2011, 4, 43-48.	0.9	31
177	Exercise and severe depression: Preliminary results of an add-on study. Journal of Affective Disorders, 2011, 133, 615-618.	2.0	57
178	Physical activity and exercise for the prevention and management of anxiety. , 0, , 369-384.		2
179	Progress in Physical activity and Exercise and Affective and Anxiety Disorders: Translational Studies, Perspectives and Future Directions. Frontiers Research Topics, 0, , .	0.2	0
180	Assessing Physical Activity in People with Mental Illness: 23-Country Reliability and Validity of the Simple Physical Activity Questionnaire (SIMPAQ). SSRN Electronic Journal, 0, , .	0.4	1

#	ARTICLE	IF	CITATIONS
181	Overburden of the caregiver of cancer patients in palliative care. Revista De Enfermagem UFPE on Line, 0, 14, .	0.1	4
182	Environmental Risk/Protective Factors and Biomarkers for Attention-Deficit/Hyperactivity Disorder: An Umbrella Review of the Evidence. SSRN Electronic Journal, 0, , .	0.4	0
183	Pre-Exercise Screening Questionnaire: tradução do instrumento de triagem relacionado à COVID-19. Revista Brasileira De Atividade Física E Saúde, 0, 25, 1-8.	0.1	0