
Joseph M Unger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4880812/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Relevance of Bone Marrow Biopsies for Response Assessment in US National Cancer Institute National Clinical Trials Network Follicular Lymphoma Clinical Trials. Journal of Clinical Oncology, 2023, 41, 336-342. | 0.8 | 9 |
| 2 | Association Between Health-Related Quality of Life and Progression-Free Survival in Patients With Advanced Cancer: A Secondary Analysis of SWOG Clinical Trials. JCO Oncology Practice, 2022, 18, e442-e451. | 1.4 | 5 |
| 3 | Unequal impact of the COVID-19 pandemic on paediatric cancer care: a population-based cohort study in China. The Lancet Regional Health - Western Pacific, 2022, 19, 100347. | 1.3 | 9 |
| 4 | S1417CD: A Prospective Multicenter Cooperative Group-Led Study of Financial Hardship in Metastatic Colorectal Cancer Patients. Journal of the National Cancer Institute, 2022, 114, 372-380. | 3.0 | 28 |
| 5 | Sex Differences in Risk of Severe Adverse Events in Patients Receiving Immunotherapy, Targeted Therapy, or Chemotherapy in Cancer Clinical Trials. Journal of Clinical Oncology, 2022, 40, 1474-1486. | 0.8 | 102 |
| 6 | Patterns of Scientific and Clinical Impact in Cancer Randomized Clinical Trials. JAMA Network Open, 2022, 5, e2219657. | 2.8 | 1 |
| 7 | Physical Activity Before, During, and After Chemotherapy for High-Risk Breast Cancer: Relationships With Survival. Journal of the National Cancer Institute, 2021, 113, 54-63. | 3.0 | 98 |
| 8 | Caregiver engagement practices in National Cancer Institute Clinical Oncology Research Program settings: Implications for research to advance the field. Cancer, 2021, 127, 639-647. | 2.0 | 13 |
| 9 | "When Offered to Participate†A Systematic Review and Meta-Analysis of Patient Agreement to Participate in Cancer Clinical Trials. Journal of the National Cancer Institute, 2021, 113, 244-257. | 3.0 | 116 |
| 10 | Association of the COVID-19 Outbreak With Patient Willingness to Enroll in Cancer Clinical Trials. JAMA Oncology, 2021, 7, 131. | 3.4 | 36 |
| 11 | Patient-Reported Outcomes and Long-Term Nonadherence to Aromatase Inhibitors. Journal of the National Cancer Institute, 2021, 113, 989-996. | 3.0 | 13 |
| 12 | Recommendations on Eliminating Racial Disparities in Multiple Myeloma Therapies: A Step toward Achieving Equity in Healthcare. Blood Cancer Discovery, 2021, 2, 119-124. | 2.6 | 27 |
| 13 | Association of Osteonecrosis of the Jaw With Zoledronic Acid Treatment for Bone Metastases in Patients With Cancer. JAMA Oncology, 2021, 7, 246. | 3.4 | 34 |
| 14 | Immune-Based Cancer Treatment: Addressing Disparities in Access and Outcomes. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2021, 41, 66-78. | 1.8 | 23 |
| 15 | Persistent Disparity: Socioeconomic Deprivation and Cancer Outcomes in Patients Treated in Clinical Trials. Journal of Clinical Oncology, 2021, 39, 1339-1348. | 0.8 | 62 |
| 16 | Patient Knowledge and Expectations About Return of Genomic Results in a Biomarker-Driven Master Protocol Trial (SWOG S1400GEN). JCO Oncology Practice, 2021, 17, e1821-e1829. | 1.4 | 4 |
| 17 | The COVID-19 pandemic and new clinical trial activations. Trials, 2021, 22, 260. | 0.7 | 37 |
| 18 | Representativeness in Premarketing vs Postmarketing US Food and Drug Administration Trials. JAMA Network Open, 2021, 4, e217159. | 2.8 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Long-term results from a randomized blinded sham- and waitlist-controlled trial of acupuncture for joint symptoms related to aromatase inhibitors in early stage breast cancer (S1200) Journal of Clinical Oncology, 2021, 39, 12018-12018. | 0.8 | 2 |
| 20 | Cancer Clinical Trial Participation at the 1-Year Anniversary of the Outbreak of the COVID-19 Pandemic. JAMA Network Open, 2021, 4, e2118433. | 2.8 | 35 |
| 21 | Adolescent and young adult enrollment to a National Cancer Institute–sponsored National Clinical Trials Network Research Group over 25 years. Cancer, 2021, 127, 4574-4584. | 2.0 | 11 |
| 22 | Association of Fatigue and Outcomes in Advanced Cancer: An Analysis of Four SWOG Treatment Trials. JCO Oncology Practice, 2021, 17, e1246-e1257. | 1.4 | 8 |
| 23 | Current Practices for Screening and Addressing Financial Hardship within the NCI Community Oncology Research Program. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 669-675. | 1.1 | 35 |
| 24 | Predictors of Pain Reduction in Trials of Interventions for Aromatase Inhibitor–Associated Musculoskeletal Symptoms. JNCI Cancer Spectrum, 2021, 5, pkab087. | 1.4 | 2 |
| 25 | Impact of the Pilot Volume-Based Drug Purchasing Policy in China: Interrupted Time-Series Analysis with Controls. Frontiers in Pharmacology, 2021, 12, . | 1.6 | 12 |
| 26 | Dietary Supplement Use During Chemotherapy and Survival Outcomes of Patients With Breast Cancer Enrolled in a Cooperative Group Clinical Trial (SWOG S0221). Journal of Clinical Oncology, 2020, 38, 804-814. | 0.8 | 142 |
| 27 | Patterns of alcohol use and associated characteristics and HIV-related outcomes among a sample of African-American women living with HIV. Drug and Alcohol Dependence, 2020, 206, 107753. | 1.6 | 12 |
| 28 | Economic Evaluations in National Cancer Institute–Sponsored Network Cancer Clinical Trials. Value in Health, 2020, 23, 1653-1661. | 0.1 | 2 |
| 29 | Representativeness of Black Patients in Cancer Clinical Trials Sponsored by the National Cancer Institute Compared With Pharmaceutical Companies. JNCI Cancer Spectrum, 2020, 4, pkaa034. | 1.4 | 59 |
| 30 | Randomized Trial of Text Messaging to Reduce Early Discontinuation of Adjuvant Aromatase Inhibitor Therapy in Women With Early-Stage Breast Cancer: SWOG S1105. Journal of Clinical Oncology, 2020, 38, 2122-2129. | 0.8 | 59 |
| 31 | Association of the Coronavirus Disease 2019 (COVID-19) Outbreak With Enrollment in Cancer Clinical Trials. JAMA Network Open, 2020, 3, e2010651. | 2.8 | 72 |
| 32 | Design, data linkage, and implementation considerations in the first cooperative group led study assessing financial outcomes in cancer patients and their informal caregivers. Contemporary Clinical Trials, 2020, 95, 106037. | 0.8 | 4 |
| 33 | Association of Patient Demographic Characteristics and Insurance Status With Survival in Cancer Randomized Clinical Trials With Positive Findings. JAMA Network Open, 2020, 3, e203842. | 2.8 | 29 |
| 34 | Enrollment of adolescents and young adults onto SWOG cancer research network clinical trials: A comparative analysis by treatment site and era. Cancer Medicine, 2020, 9, 2146-2152. | 1.3 | 18 |
| 35 | What Keeps Patients Out of Clinical Trials?. JCO Oncology Practice, 2020, 16, 125-127. | 1.4 | 16 |
| 36 | Healthcare utilization and cost of care in elderly breast cancer patients enrolled in SWOG clinical trials. Breast Cancer Research and Treatment, 2020, 181, 455-463. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Investigator Use of Social Media for Recruitment of Patients for Cancer Clinical Trials. JAMA Network Open, 2020, 3, e2031202. | 2.8 | 10 |
| 38 | Predictive model of aromatase inhibitor non-adherence using patient-reported outcomes in women with breast cancer (SWOG S1105) Journal of Clinical Oncology, 2020, 38, 12019-12019. | 0.8 | 3 |
| 39 | Cumulative incidence of financial hardship in metastatic colorectal cancer patients: Primary endpoint results for SWOG S1417CD Journal of Clinical Oncology, 2020, 38, 7010-7010. | 0.8 | 8 |
| 40 | Disparity of Race Reporting and Representation in Clinical Trials Leading to Cancer Drug Approvals From 2008 to 2018. JAMA Oncology, 2019, 5, e191870. | 3.4 | 348 |
| 41 | A comparison of nurses' and physicians' perception of cancer treatment burden based on reported adverse events. Health and Quality of Life Outcomes, 2019, 17, 146. | 1.0 | 2 |
| 42 | Sociodemographic, clinical and birth hospitalization characteristics and infant Hepatitis B vaccination in Washington State. Vaccine, 2019, 37, 5738-5744. | 1.7 | 11 |
| 43 | Association between body mass index and response to duloxetine for aromatase inhibitorâ€associated musculoskeletal symptoms in SWOG S1202. Cancer, 2019, 125, 2123-2129. | 2.0 | 18 |
| 44 | Lung Cancer Screening in the National Cancer Institute Community Oncology Research Program: Availability and Service Organization. Journal of the American College of Radiology, 2019, 16, 427-434. | 0.9 | 7 |
| 45 | Systematic Review and Meta-Analysis of the Magnitude of Structural, Clinical, and Physician and Patient Barriers to Cancer Clinical Trial Participation. Journal of the National Cancer Institute, 2019, 111, 245-255. | 3.0 | 294 |
| 46 | Association of National Cancer Institute–Sponsored Clinical Trial Network Group Studies With Guideline Care and New Drug Indications. JAMA Network Open, 2019, 2, e1910593. | 2.8 | 18 |
| 47 | Religiosity, Social Support, and Ethnic Identity: Exploring "Resilience Resources―for African-American Women Experiencing HIV-Related Stigma. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 175-183. | 0.9 | 14 |
| 48 | Acquisition of sexual orientation and gender identity data among NCI Community Oncology Research Program practice groups. Cancer, 2019, 125, 1313-1318. | 2.0 | 30 |
| 49 | Prevalence of Hepatitis B Virus, Hepatitis C Virus, and HIV Infection Among Patients With Newly Diagnosed Cancer From Academic and Community Oncology Practices. JAMA Oncology, 2019, 5, 497. | 3.4 | 67 |
| 50 | Association of Patient Comorbid Conditions With Cancer Clinical Trial Participation. JAMA Oncology, 2019, 5, 326. | 3.4 | 115 |
| 51 | HIV-Related Stigma and Viral Suppression Among African-American Women: Exploring the Mediating Roles of Depression and ART Nonadherence. AIDS and Behavior, 2019, 23, 2025-2036. | 1.4 | 43 |
| 52 | Final Analysis of the Prevention of Early Menopause Study (POEMS)/SWOG Intergroup S0230. Journal of the National Cancer Institute, 2019, 111, 210-213. | 3.0 | 70 |
| 53 | Key design and analysis principles for quality of life and patient-reported outcomes in clinical trials. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 324-330. | 0.8 | 11 |
| 54 | Osteonecrosis of the jaw in patients with cancer receiving zoledronic acid for bone metastases: SWOG S0702, NCT00874211 Journal of Clinical Oncology, 2019, 37, 11502-11502. | 0.8 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Using Medicare Claims to Examine Long-term Prostate Cancer Risk of Finasteride in the Prostate Cancer Prevention Trial. Journal of the National Cancer Institute, 2018, 110, 1208-1215. | 3.0 | 16 |
| 56 | Estimating global treatment toxicity burden from adverseâ€event data. Cancer, 2018, 124, 858-864. | 2.0 | 7 |
| 57 | Gonadotropin-Releasing Hormone Agonists During Chemotherapy for Preservation of Ovarian Function and Fertility in Premenopausal Patients With Early Breast Cancer: A Systematic Review and Meta-Analysis of Individual Patient–Level Data. Journal of Clinical Oncology, 2018, 36, 1981-1990. | 0.8 | 268 |
| 58 | Association of Cardiovascular Risk Factors With Cardiac Events and Survival Outcomes Among Patients With Breast Cancer Enrolled in SWOG Clinical Trials. Journal of Clinical Oncology, 2018, 36, 2710-2717. | 0.8 | 61 |
| 59 | Patient-reported outcomes for patients with metastatic castration-resistant prostate cancer receiving docetaxel and Atrasentan versus docetaxel and placebo in a randomized phase III clinical trial (SWOG S0421). Journal of Patient-Reported Outcomes, 2018, 2, 27. | 0.9 | 10 |
| 60 | Omega-3 fatty acid use for obese breast cancer patients with aromatase inhibitor-related arthralgia (SWOG S0927). Breast Cancer Research and Treatment, 2018, 172, 603-610. | 1.1 | 37 |
| 61 | Randomized, Multicenter, Placebo-Controlled Clinical Trial of Duloxetine Versus Placebo for Aromatase Inhibitor–Associated Arthralgias in Early-Stage Breast Cancer: SWOG S1202. Journal of Clinical Oncology, 2018, 36, 326-332. | 0.8 | 79 |
| 62 | The scientific impact and value of large, NCI-sponsored randomized phase III cancer chemoprevention trials. Cancer Epidemiology, 2018, 55, 117-122. | 0.8 | 3 |
| 63 | Effect of Acupuncture vs Sham Acupuncture or Waitlist Control on Joint Pain Related to Aromatase Inhibitors Among Women With Early-Stage Breast Cancer. JAMA - Journal of the American Medical Association, 2018, 320, 167. | 3.8 | 202 |
| 64 | Geographic Distribution and Survival Outcomes for Rural Patients With Cancer Treated in Clinical Trials. JAMA Network Open, 2018, 1, e181235. | 2.8 | 130 |
| 65 | The Effect of Positive SWOG Treatment Trials on Survival of Patients With Cancer in the US Population. JAMA Oncology, 2017, 3, 1345. | 3.4 | 24 |
| 66 | Debated Role of Ovarian Protection With Gonadotropin-Releasing Hormone Agonists During Chemotherapy for Preservation of Ovarian Function and Fertility in Women With Cancer. Journal of Clinical Oncology, 2017, 35, 804-805. | 0.8 | 20 |
| 67 | Seven-year follow-up for energy/vitality outcomes in early stage Hodgkin's disease patients treated with subtotal lymphoid irradiation versus chemotherapy plus radiation: SWOG S9133 and its QOL companion study, S9208. Journal of Cancer Survivorship, 2017, 11, 32-40. | 1.5 | 3 |
| 68 | History of Diabetes and Survival Outcome Among Participants 65 Years or Older in SWOG Clinical Trials. JCO Clinical Cancer Informatics, 2017, 1, 1-12. | 1.0 | 1 |
| 69 | The Role of Clinical Trial Participation in Cancer Research: Barriers, Evidence, and Strategies. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2016, 35, 185-198. | 1.8 | 375 |
| 70 | The Role of Clinical Trial Participation in Cancer Research: Barriers, Evidence, and Strategies. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2016, 36, 185-198. | 1.8 | 246 |
| 71 | Adverse Health Effects of Intermittent vs Continuous Androgen Deprivation Therapy for Metastatic Prostate Cancer—Reply. JAMA Oncology, 2016, 2, 686. | 3.4 | 0 |
| 72 | Long-term Consequences of Finasteride vs Placebo in the Prostate Cancer Prevention Trial. Journal of the National Cancer Institute, 2016, 108, djw168. | 3.0 | 36 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Measuring the Real Clinical Impact of Randomized Clinical Trials in Oncology—Reply. JAMA Oncology, 2016, 2, 1511. | 3.4 | 2 |
| 74 | The Scientific Impact of Positive and Negative Phase 3 Cancer Clinical Trials. JAMA Oncology, 2016, 2, 875. | 3.4 | 45 |
| 75 | Adverse Health Events Following Intermittent and Continuous Androgen Deprivation in Patients With Metastatic Prostate Cancer. JAMA Oncology, 2016, 2, 453. | 3.4 | 83 |
| 76 | Patient Income Level and Cancer Clinical Trial Participation. JAMA Oncology, 2016, 2, 137. | 3.4 | 123 |
| 77 | lbritumomab consolidation after 3 cycles of CHOP plus radiotherapy in high-risk limited-stage aggressive B-cell lymphoma: SWOG S0313. Blood, 2015, 125, 236-241. | 0.6 | 17 |
| 78 | Ovarian Protection during Adjuvant Chemotherapy. New England Journal of Medicine, 2015, 372, 2268-2270. | 13.9 | 39 |
| 79 | Randomized Multicenter Placebo-Controlled Trial of Omega-3 Fatty Acids for the Control of Aromatase Inhibitor–Induced Musculoskeletal Pain: SWOG S0927. Journal of Clinical Oncology, 2015, 33, 1910-1917. | 0.8 | 83 |
| 80 | The Diffusion of Docetaxel in Patients With Metastatic Prostate Cancer. Journal of the National Cancer Institute, 2015, 107, . | 3.0 | 17 |
| 81 | Goserelin for Ovarian Protection during Breast-Cancer Adjuvant Chemotherapy. New England Journal of Medicine, 2015, 372, 923-932. | 13.9 | 452 |
| 82 | Comparison of Survival Outcomes Among Cancer Patients Treated In and Out of Clinical Trials. Journal of the National Cancer Institute, 2014, 106, dju002. | 3.0 | 178 |
| 83 | <scp>R</scp> â€ <scp>CHOP</scp> with iodineâ€131 tositumomab consolidation for advanced stage diffuse large <scp>B</scp> â€cell lymphoma (<scp>DLBCL</scp>): <scp>SWOG S</scp> 0433. British Journal of Haematology, 2014, 166, 382-389. | 1.2 | 33 |
| 84 | Phase 2 trial of combined cisplatin, etoposide, gemcitabine, and methylprednisolone (PEGS) in peripheral Tâ€cell nonâ€Hodgkin lymphoma. Cancer, 2013, 119, 371-379. | 2.0 | 74 |
| 85 | Autologous Transplantation as Consolidation for Aggressive Non-Hodgkin's Lymphoma. New England Journal of Medicine, 2013, 369, 1681-1690. | 13.9 | 298 |
| 86 | Supplement use during an intergroup clinical trial for breast cancer (S0221). Breast Cancer Research and Treatment, 2013, 137, 903-913. | 1.1 | 31 |
| 87 | Randomized Double-Blind Placebo-Controlled Trial of Acetyl-L-Carnitine for the Prevention of Taxane-Induced Neuropathy in Women Undergoing Adjuvant Breast Cancer Therapy. Journal of Clinical Oncology, 2013, 31, 2627-2633. | 0.8 | 184 |
| 88 | Patient Income Level and Cancer Clinical Trial Participation. Journal of Clinical Oncology, 2013, 31, 536-542. | 0.8 | 209 |
| 89 | A Comparative Analysis of Prognostic Factor Models for Follicular Lymphoma Based on a Phase III Trial of CHOP–Rituximab versus CHOP + 131Iodine—Tositumomab. Clinical Cancer Research, 2013, 19, 6624-6632. | 3.2 | 32 |
| 90 | A Prospective Analysis of the Influence of Older Age on Physician and Patient Decision-Making When Considering Enrollment in Breast Cancer Clinical Trials (SWOG S0316). Oncologist, 2012, 17, 1180-1190. | 1.9 | 89 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | A phase 2 trial of complete resection for stage IV melanoma. Cancer, 2011, 117, 4740-4746. | 2.0 | 136 |
| 92 | A Phase III Randomized Intergroup Trial (SWOG S0016) of CHOP Chemotherapy Plus Rituximab Vs. CHOP Chemotherapy Plus Iodine-131-Tositumomab for the Treatment of Newly Diagnosed Follicular Non-Hodgkin's Lymphoma. Blood, 2011, 118, 98-98. | 0.6 | 14 |
| 93 | A Strategy for Full Interrogation of Prognostic Gene Expression Patterns: Exploring the Biology of Diffuse Large B Cell Lymphoma. PLoS ONE, 2011, 6, e22267. | 1.1 | 9 |
| 94 | Increased MYC gene copy number correlates with increased mRNA levels in diffuse large B-cell lymphoma. Haematologica, 2010, 95, 597-603. | 1.7 | 87 |
| 95 | Natural History of CNS Relapse in Patients With Aggressive Non-Hodgkin's Lymphoma: A 20-Year Follow-Up Analysis of SWOG 8516—The Southwest Oncology Group. Journal of Clinical Oncology, 2009, 27, 114-119. | 0.8 | 226 |
| 96 | Treatment Quality and Outcomes of African American Versus White Breast Cancer Patients: Retrospective Analysis of Southwest Oncology Studies S8814/S8897. Journal of Clinical Oncology, 2009, 27, 2157-2162. | 0.8 | 100 |
| 97 | â€~Minority report': how best to analyze clinical trial data to address disparities. Breast Cancer Research and Treatment, 2009, 118, 519-521. | 1.1 | 2 |
| 98 | A phase II trial of single agent bevacizumab in patients with relapsed, aggressive non-Hodgkin lymphoma: Southwest oncology group study S0108. Leukemia and Lymphoma, 2009, 50, 728-735. | 0.6 | 84 |
| 99 | Phase II Study of Rituximab Plus Three Cycles of CHOP and Involved-Field Radiotherapy for Patients With Limited-Stage Aggressive B-Cell Lymphoma: Southwest Oncology Group Study 0014. Journal of Clinical Oncology, 2008, 26, 2258-2263. | 0.8 | 247 |
| 100 | Late Cardiac Effects of Adjuvant Chemotherapy in Breast Cancer Survivors Treated on Southwest Oncology Group Protocol S8897. Journal of Clinical Oncology, 2008, 26, 1223-1230. | 0.8 | 78 |
| 101 | Health-Related Quality of Life Results in Pathologic Stage C Prostate Cancer From a Southwest Oncology Group Trial Comparing Radical Prostatectomy Alone With Radical Prostatectomy Plus Radiation Therapy. Journal of Clinical Oncology, 2008, 26, 112-120. | 0.8 | 140 |
| 102 | Total body irradiation, etoposide, cyclophosphamide, and autologous peripheral blood stem-cell transplantation followed by randomization to therapy with interleukin-2 versus observation for patients with non-Hodgkin lymphoma: results of a phase 3 randomized trial by the Southwest Oncology Group (SWOG 9438). Blood, 2008, 111, 4048-4054. | 0.6 | 25 |
| 103 | Impact of a Peer-Delivered Telephone Intervention for Women Experiencing a Breast Cancer Recurrence. Journal of Clinical Oncology, 2007, 25, 2093-2099. | 0.8 | 62 |
| 104 | Quantitative nuclease protection assay in paraffin-embedded tissue replicates prognostic microarray gene expression in diffuse large-B-cell lymphoma. Laboratory Investigation, 2007, 87, 979-997. | 1.7 | 50 |
| 105 | Impact of the Year 2000 Medicare Policy Change on Older Patient Enrollment to Cancer Clinical Trials. Journal of Clinical Oncology, 2006, 24, 141-144. | 0.8 | 105 |
| 106 | Loss of major histocompatibility class II expression in non-immune-privileged site diffuse large B-cell lymphoma is highly coordinated and not due to chromosomal deletions. Blood, 2005, 107, 1101-1107. | 0.6 | 68 |
| 107 | Estimated impact of the Prostate Cancer Prevention Trial on population mortality. Cancer, 2005, 103, 1375-1380. | 2.0 | 40 |
| 108 | New Treatment Options Have Changed the Survival of Patients With Follicular Lymphoma. Journal of Clinical Oncology, 2005, 23, 8447-8452. | 0.8 | 368 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | The person-years saved model and other methodologies for assessing the population impact of cancer-prevention strategiesâ~†. Urologic Oncology: Seminars and Original Investigations, 2004, 22, 362-368. | 0.8 | 13 |
| 110 | Loss of MHC class II gene and protein expression in diffuse large B-cell lymphoma is related to decreased tumor immunosurveillance and poor patient survival regardless of other prognostic factors: a follow-up study from the Leukemia and Lymphoma Molecular Profiling Project. Blood, 2004, 103, 4251-4258. | 0.6 | 296 |
| 111 | Effect of Adding Rituximab to Three Cycles of CHOP Plus Invoved-Field Radiotherapy for Limited-Stage Aggressive Diffuse B-Cell Lymphoma (SWOG-0014) Blood, 2004, 104, 158-158. | 0.6 | 25 |
| 112 | The value of augmented preparative regimens combined with an autologous bone marrow transplant for the management of relapsed or refractory hodgkin disease: A southwest oncology group phase II trial. Biology of Blood and Marrow Transplantation, 2003, 9, 529-539. | 2.0 | 55 |
| 113 | A phase 2 trial of CHOP chemotherapy followed by tositumomab/iodine I 131 tositumomab for previously untreated follicular non-Hodgkin lymphoma: Southwest Oncology Group Protocol S9911. Blood, 2003, 102, 1606-1612. | 0.6 | 165 |
| 114 | Adjuvant Immunotherapy of Resected, Intermediate-Thickness, Node-Negative Melanoma With an Allogeneic Tumor Vaccine: Overall Results of a Randomized Trial of the Southwest Oncology Group. Journal of Clinical Oncology, 2002, 20, 2058-2066. | 0.8 | 206 |
| 115 | Risk Assessment in Localized Primary Cutaneous Melanoma. American Journal of Clinical Pathology, 2002, 118, 504-511. | 0.4 | 98 |
| 116 | Adjuvant Immunotherapy of Resected, Intermediate-Thickness, Node-Negative Melanoma With an Allogeneic Tumor Vaccine: Impact of HLA Class I Antigen Expression on Outcome. Journal of Clinical Oncology, 2002, 20, 2067-2075. | 0.8 | 197 |
| 117 | Infusional CHOP Chemotherapy (CVAD) With or Without Chemosensitizers Offers No Advantage Over Standard CHOP Therapy in the Treatment of Lymphoma: A Southwest Oncology Group Study. Journal of Clinical Oncology, 2001, 19, 750-755. | 0.8 | 29 |
| 118 | Phase III Randomized Intergroup Trial of Subtotal Lymphoid Irradiation Versus Doxorubicin, Vinblastine, and Subtotal Lymphoid Irradiation for Stage IA to IIA Hodgkin's Disease. Journal of Clinical Oncology, 2001, 19, 4238-4244. | 0.8 | 143 |
| 119 | Interferon Alfa Consolidation After Intensive Chemotherapy Does Not Prolong the Progression-Free Survival of Patients With Low-Grade Non-Hodgkin's Lymphoma: Results of the Southwest Oncology Group Randomized Phase III Study 8809. Journal of Clinical Oncology, 2000, 18, 2010-2016. | 0.8 | 74 |
| 120 | Underrepresentation of Patients 65 Years of Age or Older in Cancer-Treatment Trials. New England Journal of Medicine, 1999, 341, 2061-2067. | 13.9 | 2,030 |
| 121 | Cross ectional Versus Longitudinal Estimates of Cognitive Change in Nondemented Older People: A CERAD Study. Journal of the American Geriatrics Society, 1999, 47, 559-563. | 1.3 | 45 |
| 122 | Metastatic Melanoma From Intraocular Primary Tumors. American Journal of Clinical Oncology: Cancer Clinical Trials, 1998, 21, 568-572. | 0.6 | 59 |