

Bernhard Schermer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4882662/publications.pdf>

Version: 2024-02-01

131
papers

12,226
citations

41344

49
h-index

26613

107
g-index

146
all docs

146
docs citations

146
times ranked

16717
citing authors

#	ARTICLE	IF	CITATIONS
1	A Mammalian microRNA Expression Atlas Based on Small RNA Library Sequencing. <i>Cell</i> , 2007, 129, 1401-1414.	28.9	3,390
2	Inversin, the gene product mutated in nephronophthisis type II, functions as a molecular switch between Wnt signaling pathways. <i>Nature Genetics</i> , 2005, 37, 537-543.	21.4	680
3	Mutations in INVS encoding inversin cause nephronophthisis type 2, linking renal cystic disease to the function of primary cilia and left-right axis determination. <i>Nature Genetics</i> , 2003, 34, 413-420.	21.4	582
4	Nephrin and CD2AP Associate with Phosphoinositide 3-OH Kinase and Stimulate AKT-Dependent Signaling. <i>Molecular and Cellular Biology</i> , 2003, 23, 4917-4928.	2.3	348
5	Exome Capture Reveals ZNF423 and CEP164 Mutations, Linking Renal Ciliopathies to DNA Damage Response Signaling. <i>Cell</i> , 2012, 150, 533-548.	28.9	347
6	Mutations in a novel gene, NPHP3, cause adolescent nephronophthisis, tapeto-retinal degeneration and hepatic fibrosis. <i>Nature Genetics</i> , 2003, 34, 455-459.	21.4	345
7	Podocyte-Specific Deletion of Dicer Alters Cytoskeletal Dynamics and Causes Glomerular Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 2150-2158.	6.1	300
8	Loss of Nephrocystin-3 Function Can Cause Embryonic Lethality, Meckel-Gruber-like Syndrome, Situs Inversus, and Renal-Hepatic-Pancreatic Dysplasia. <i>American Journal of Human Genetics</i> , 2008, 82, 959-970.	6.2	294
9	Podocin and MEC-2 bind cholesterol to regulate the activity of associated ion channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 17079-17086.	7.1	262
10	Trafficking of TRPP2 by PACS proteins represents a novel mechanism of ion channel regulation. <i>EMBO Journal</i> , 2005, 24, 705-716.	7.8	237
11	PDZD7 is a modifier of retinal disease and a contributor to digenic Usher syndrome. <i>Journal of Clinical Investigation</i> , 2010, 120, 1812-1823.	8.2	203
12	Repression of the genome organizer SATB1 in regulatory T cells is required for suppressive function and inhibition of effector differentiation. <i>Nature Immunology</i> , 2011, 12, 898-907.	14.5	179
13	Mutations in KIF7 link Joubert syndrome with Sonic Hedgehog signaling and microtubule dynamics. <i>Journal of Clinical Investigation</i> , 2011, 121, 2662-2667.	8.2	173
14	The von Hippel-Lindau tumor suppressor protein controls ciliogenesis by orienting microtubule growth. <i>Journal of Cell Biology</i> , 2006, 175, 547-554.	5.2	165
15	Tracking the fate of glomerular epithelial cells in vivo using serial multiphoton imaging in new mouse models with fluorescent lineage tags. <i>Nature Medicine</i> , 2013, 19, 1661-1666.	30.7	143
16	NPHP4, a cilia-associated protein, negatively regulates the Hippo pathway. <i>Journal of Cell Biology</i> , 2011, 193, 633-642.	5.2	142
17	A Single-Cell Transcriptome Atlas of the Mouse Glomerulus. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 2060-2068.	6.1	137
18	Nephrocystin Specifically Localizes to the Transition Zone of Renal and Respiratory Cilia and Photoreceptor Connecting Cilia. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2424-2433.	6.1	133

#	ARTICLE	IF	CITATIONS
19	The ciliary membrane-associated proteome reveals actin-binding proteins as key components of cilia. <i>EMBO Reports</i> , 2017, 18, 1521-1535.	4.5	119
20	The Carboxyl Terminus of Neph Family Members Binds to the PDZ Domain Protein Zonula Occludens-1. <i>Journal of Biological Chemistry</i> , 2003, 278, 13417-13421.	3.4	112
21	KIBRA Modulates Directional Migration of Podocytes. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1891-1903.	6.1	112
22	Anaerobic Glycolysis Maintains the Glomerular Filtration Barrier Independent of Mitochondrial Metabolism and Dynamics. <i>Cell Reports</i> , 2019, 27, 1551-1566.e5.	6.4	106
23	14-3-3 Interacts with Regulator of G Protein Signaling Proteins and Modulates Their Activity. <i>Journal of Biological Chemistry</i> , 2000, 275, 28167-28172.	3.4	104
24	A molecular mechanism explaining albuminuria in kidney disease. <i>Nature Metabolism</i> , 2020, 2, 461-474.	11.9	99
25	Neph-Nephrin Proteins Bind the Par3-Par6-Atypical Protein Kinase C (aPKC) Complex to Regulate Podocyte Cell Polarity. <i>Journal of Biological Chemistry</i> , 2008, 283, 23033-23038.	3.4	97
26	Dysregulated Autophagy Contributes to Podocyte Damage in Fabry's Disease. <i>PLoS ONE</i> , 2013, 8, e63506.	2.5	97
27	DAF-16/FOXO and EGL-27/GATA promote developmental growth in response to persistent somatic DNA damage. <i>Nature Cell Biology</i> , 2014, 16, 1168-1179.	10.3	97
28	Genome-Wide Analysis of Wilms' Tumor 1-Controlled Gene Expression in Podocytes Reveals Key Regulatory Mechanisms. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2097-2104.	6.1	97
29	Phosphorylation by casein kinase 2 induces PACS-1 binding of nephrocystin and targeting to cilia. <i>EMBO Journal</i> , 2005, 24, 4415-4424.	7.8	92
30	<i>Listeria monocytogenes</i> Infection in Macrophages Induces Vacuolar-Dependent Host miRNA Response. <i>PLoS ONE</i> , 2011, 6, e27435.	2.5	90
31	Mutations in NEK8 link multiple organ dysplasia with altered Hippo signalling and increased c-MYC expression. <i>Human Molecular Genetics</i> , 2013, 22, 2177-2185.	2.9	84
32	Discovery of microvascular miRNAs using public gene expression data: miR-145 is expressed in pericytes and is a regulator of Fli1. <i>Genome Medicine</i> , 2009, 1, 108.	8.2	82
33	Podocin Organizes Ion Channel-Lipid Supercomplexes: Implications for Mechanosensation at the Slit Diaphragm. <i>Nephron Experimental Nephrology</i> , 2007, 106, e27-e31.	2.2	81
34	A Multi-layered Quantitative In Vivo Expression Atlas of the Podocyte Unravels Kidney Disease Candidate Genes. <i>Cell Reports</i> , 2018, 23, 2495-2508.	6.4	81
35	An optimized electroporation approach for efficient CRISPR/Cas9 genome editing in murine zygotes. <i>PLoS ONE</i> , 2018, 13, e0196891.	2.5	74
36	Upregulation of RGS7 may contribute to tumor necrosis factor-induced changes in central nervous function. <i>Nature Medicine</i> , 1999, 5, 913-918.	30.7	71

#	ARTICLE	IF	CITATIONS
37	The ciliopathy disease protein NPHP9 promotes nuclear delivery and activation of the oncogenic transcriptional regulator TAZ. <i>Human Molecular Genetics</i> , 2012, 21, 5528-5538.	2.9	69
38	Intrinsic proinflammatory signaling in podocytes contributes to podocyte damage and prolonged proteinuria. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F1473-F1485.	2.7	63
39	The Cleaved Cytoplasmic Tail of Polycystin-1 Regulates Src-Dependent STAT3 Activation. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1737-1748.	6.1	61
40	Inhibition of insulin/IGF-1 receptor signaling protects from mitochondria-mediated kidney failure. <i>EMBO Molecular Medicine</i> , 2015, 7, 275-287.	6.9	61
41	YAP-mediated mechanotransduction determines the podocyte's response to damage. <i>Science Signaling</i> , 2017, 10, .	3.6	61
42	Label-free quantitative proteomic analysis of the YAP/TAZ interactome. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 306, C805-C818.	4.6	59
43	Inhibition of the production of endothelium-derived hyperpolarizing factor by cannabinoid receptor agonists. <i>British Journal of Pharmacology</i> , 1999, 126, 949-960.	5.4	58
44	Rapid SARS-CoV-2 testing in primary material based on a novel multiplex RT-LAMP assay. <i>PLoS ONE</i> , 2020, 15, e0238612.	2.5	58
45	Breaking the chain at the membrane: paraoxonase 2 counteracts lipid peroxidation at the plasma membrane. <i>FASEB Journal</i> , 2014, 28, 1769-1779.	0.5	57
46	Lipid-Protein Interactions along the Slit Diaphragm of Podocytes. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 473-478.	6.1	55
47	The proteome microenvironment determines the protective effect of preconditioning in cisplatin-induced acute kidney injury. <i>Kidney International</i> , 2019, 95, 333-349.	5.2	55
48	Single-cell RNA sequencing reveals the mesangial identity and species diversity of glomerular cell transcriptomes. <i>Nature Communications</i> , 2021, 12, 2141.	12.8	55
49	AATF/Che-1 acts as a phosphorylation-dependent molecular modulator to repress p53-driven apoptosis. <i>EMBO Journal</i> , 2012, 31, 3961-3975.	7.8	53
50	Interaction of 14-3-3 Protein with Regulator of G Protein Signaling 7 Is Dynamically Regulated by Tumor Necrosis Factor- α . <i>Journal of Biological Chemistry</i> , 2002, 277, 32954-32962.	3.4	51
51	The Ciliary Protein Nephrocystin-4 Translocates the Canonical Wnt Regulator Jade-1 to the Nucleus to Negatively Regulate β^2 -Catenin Signaling. <i>Journal of Biological Chemistry</i> , 2012, 287, 25370-25380.	3.4	49
52	Single-nephron proteomes connect morphology and function in proteinuric kidney disease. <i>Kidney International</i> , 2018, 93, 1308-1319.	5.2	49
53	Extracellular Phosphorylation of Collagen XVII by Ecto-Casein Kinase 2 Inhibits Ectodomain Shedding. <i>Journal of Biological Chemistry</i> , 2007, 282, 22737-22746.	3.4	48
54	Altered lipid metabolism in the aging kidney identified by three layered omic analysis. <i>Aging</i> , 2016, 8, 441-454.	3.1	46

#	ARTICLE	IF	CITATIONS
55	The von Hippel Lindau Tumor Suppressor Limits Longevity. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 2513-2517.	6.1	45
56	The ubiquitin ligase Ubr4 controls stability of podocin/MEC-2 supercomplexes. <i>Human Molecular Genetics</i> , 2016, 25, 1328-1344.	2.9	45
57	The Centrosomal Kinase Plk1 Localizes to the Transition Zone of Primary Cilia and Induces Phosphorylation of Nephrocystin-1. <i>PLoS ONE</i> , 2012, 7, e38838.	2.5	44
58	WT1 targets <i>Gas1</i> to maintain nephron progenitor cells by modulating FGF signals. <i>Development (Cambridge)</i> , 2015, 142, 1254-1266.	2.5	42
59	N-Degradomic Analysis Reveals a Proteolytic Network Processing the Podocyte Cytoskeleton. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2867-2878.	6.1	41
60	Light Microscopic Visualization of Podocyte Ultrastructure Demonstrates Oscillating Glomerular Contractions. <i>American Journal of Pathology</i> , 2013, 182, 332-338.	3.8	40
61	Phosphoproteomic Analysis Reveals Regulatory Mechanisms at the Kidney Filtration Barrier. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1509-1522.	6.1	40
62	Clinical spectrum and pathogenesis of nephronophthisis. <i>Current Opinion in Nephrology and Hypertension</i> , 2012, 21, 272-278.	2.0	38
63	Conditional loss of kidney microRNAs results in congenital anomalies of the kidney and urinary tract (CAKUT). <i>Journal of Molecular Medicine</i> , 2013, 91, 739-748.	3.9	37
64	Three-layered proteomic characterization of a novel <i>ACTN4</i> mutation unravels its pathogenic potential in FSGS. <i>Human Molecular Genetics</i> , 2016, 25, 1152-1164.	2.9	36
65	p35, the non-cyclin activator of Cdk5, protects podocytes against apoptosis in vitro and in vivo. <i>Kidney International</i> , 2010, 77, 690-699.	5.2	33
66	Vasopressin-2 Receptor Signaling and Autosomal Dominant Polycystic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1140-1147.	6.1	33
67	Low-Molecular Weight Heparin Increases Circulating sFlt-1 Levels and Enhances Urinary Elimination. <i>PLoS ONE</i> , 2014, 9, e85258.	2.5	31
68	Quantitative deep mapping of the cultured podocyte proteome uncovers shifts in proteostatic mechanisms during differentiation. <i>American Journal of Physiology - Cell Physiology</i> , 2016, 311, C404-C417.	4.6	31
69	The proteomic landscape of small urinary extracellular vesicles during kidney transplantation. <i>Journal of Extracellular Vesicles</i> , 2020, 10, e12026.	12.2	30
70	Comparative analysis of Neph gene expression in mouse and chicken development. <i>Histochemistry and Cell Biology</i> , 2012, 137, 355-366.	1.7	29
71	Cysteine S-Glutathionylation Promotes Stability and Activation of the Hippo Downstream Effector Transcriptional Co-activator with PDZ-binding Motif (TAZ). <i>Journal of Biological Chemistry</i> , 2016, 291, 11596-11607.	3.4	28
72	Enzyme Replacement Therapy Clears Gb3 Deposits from a Podocyte Cell Culture Model of Fabry Disease but Fails to Restore Altered Cellular Signaling. <i>Cellular Physiology and Biochemistry</i> , 2019, 52, 1139-1150.	1.6	28

#	ARTICLE	IF	CITATIONS
73	AATF suppresses apoptosis, promotes proliferation and is critical for Kras-driven lung cancer. <i>Oncogene</i> , 2018, 37, 1503-1518.	5.9	26
74	Preoperative Short-Term Calorie Restriction for Prevention of Acute Kidney Injury After Cardiac Surgery: A Randomized, Controlled, Open-Label, Pilot Trial. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	26
75	The Integrated RNA Landscape of Renal Preconditioning against Ischemia-Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 716-730.	6.1	26
76	Magnetic resonance T2 mapping and diffusion-weighted imaging for early detection of cystogenesis and response to therapy in a mouse model of polycystic kidney disease. <i>Kidney International</i> , 2017, 92, 1544-1554.	5.2	24
77	mTOR-Activating Mutations in RRAGD Are Causative for Kidney Tubulopathy and Cardiomyopathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 2885-2899.	6.1	24
78	Injured Podocytes Are Sensitized to Angiotensin II-Induced Calcium Signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 532-542.	6.1	23
79	Proteome Analysis of Isolated Podocytes Reveals Stress Responses in Glomerular Sclerosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 544-559.	6.1	23
80	Nephrocystin-4 Regulates Pyk2-induced Tyrosine Phosphorylation of Nephrocystin-1 to Control Targeting to Monocilia. <i>Journal of Biological Chemistry</i> , 2011, 286, 14237-14245.	3.4	22
81	Targeted deletion of the AAA-ATPase Ruvbl1 in mice disrupts ciliary integrity and causes renal disease and hydrocephalus. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-17.	7.7	22
82	Urine-derived cells: a promising diagnostic tool in Fabry disease patients. <i>Scientific Reports</i> , 2018, 8, 11042.	3.3	22
83	Loss of Dgcr8-mediated microRNA expression in the kidney results in hydronephrosis and renal malformation. <i>BMC Nephrology</i> , 2015, 16, 55.	1.8	21
84	Comparative phosphoproteomic analysis of mammalian glomeruli reveals conserved podocin C-terminal phosphorylation as a determinant of slit diaphragm complex architecture. <i>Proteomics</i> , 2015, 15, 1326-1331.	2.2	21
85	Putting the brakes on p53-driven apoptosis. <i>Cell Cycle</i> , 2012, 11, 4122-4128.	2.6	20
86	Transition zone proteins and cilia dynamics. <i>Nature Genetics</i> , 2011, 43, 723-724.	21.4	19
87	Casein Kinase 1 β Phosphorylates the Wnt Regulator Jade-1 and Modulates Its Activity. <i>Journal of Biological Chemistry</i> , 2014, 289, 26344-26356.	3.4	19
88	Network for Early Onset Cystic Kidney Diseases—A Comprehensive Multidisciplinary Approach to Hereditary Cystic Kidney Diseases in Childhood. <i>Frontiers in Pediatrics</i> , 2018, 6, 24.	1.9	19
89	A protein-RNA interaction atlas of the ribosome biogenesis factor AATF. <i>Scientific Reports</i> , 2019, 9, 11071.	3.3	19
90	Characterization of a short isoform of the kidney protein podocin in human kidney. <i>BMC Nephrology</i> , 2013, 14, 102.	1.8	18

#	ARTICLE	IF	CITATIONS
91	A fast and simple clearing and swelling protocol for 3D in-situ imaging of the kidney across scales. <i>Kidney International</i> , 2021, 99, 1010-1020.	5.2	18
92	GFPT2/GFAT2 and AMDHD2 act in tandem to control the hexosamine pathway. <i>ELife</i> , 2022, 11, .	6.0	18
93	An approach to cystic kidney diseases: the clinician's view. <i>Nature Reviews Nephrology</i> , 2014, 10, 687-699.	9.6	17
94	Neph2/Kirrel3 regulates sensory input, motor coordination, and homeõcage activity in rodents. <i>Genes, Brain and Behavior</i> , 2018, 17, e12516.	2.2	17
95	A Disease-causing Mutation Illuminates the Protein Membrane Topology of the Kidney-expressed Prohibitin Homology (PHB) Domain Protein Podocin. <i>Journal of Biological Chemistry</i> , 2014, 289, 11262-11271.	3.4	16
96	Challenges in establishing genotypẽcphenotype correlations in ARPKD: case report on a toddler with two severe PKHD1 mutations. <i>Pediatric Nephrology</i> , 2017, 32, 1269-1273.	1.7	16
97	The RNA-Protein Interactome of Differentiated Kidney Tubular Epithelial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 564-576.	6.1	16
98	Transcriptional profiling reveals progeroid <i>Ercc1 -/̃</i> mice as a model system for glomerular aging. <i>BMC Genomics</i> , 2013, 14, 559.	2.8	15
99	Protein half̃cife determines expression of proteostatic networks in podocyte differentiation. <i>FASEB Journal</i> , 2018, 32, 4696-4713.	0.5	15
100	Hippo signaling̃c a central player in cystic kidney disease?. <i>Pediatric Nephrology</i> , 2020, 35, 1143-1152.	1.7	15
101	The BAR Domain Protein PICK1 Regulates Cell Recognition and Morphogenesis by Interacting with Neph Proteins. <i>Molecular and Cellular Biology</i> , 2011, 31, 3241-3251.	2.3	14
102	Mice lacking microRNAs in Pax8-expressing cells develop hypothyroidism and end-stage renal failure. <i>BMC Molecular Biology</i> , 2016, 17, 11.	3.0	14
103	Affinity-Enhanced Multimeric VEGF (Vascular Endothelial Growth Factor) and PlGF (Placental Growth) Tj ETQq1 1 0.784314 rgBT /Ove Hypertension, 2020, 76, 1176-1184.	2.7	14
104	Characterization of a splice-site mutation in the tumor suppressor gene FLCN associated with renal cancer. <i>BMC Medical Genetics</i> , 2017, 18, 53.	2.1	13
105	Inactivation of Apoptosis Antagonizing Transcription Factor in tubular epithelial cells induces accumulation of DNA damage and nephronophthisis. <i>Kidney International</i> , 2019, 95, 846-858.	5.2	13
106	Loss of the <i>Birc6</i> gene product folliculin induces longevity in a hypoxiãcinducible factor̃cdependent manner. <i>Aging Cell</i> , 2013, 12, 593-603.	6.7	12
107	Prohibitin-2 Depletion Unravels Extra-Mitochondrial Functions at the Kidney Filtration Barrier. <i>American Journal of Pathology</i> , 2016, 186, 1128-1139.	3.8	12
108	Single and Transient Ca ²⁺ Peaks in Podocytes do not induce Changes in Glomerular Filtration and Perfusion. <i>Scientific Reports</i> , 2016, 6, 35400.	3.3	12

#	ARTICLE	IF	CITATIONS
109	Par3A is dispensable for the function of the glomerular filtration barrier of the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F112-F119.	2.7	10
110	The carboxy-terminus of the human ARPKD protein fibrocystin can control STAT3 signalling by regulating SRC-1 activation. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 14633-14638.	3.6	10
111	Jade-1S phosphorylation induced by CK1 δ contributes to cell cycle progression. <i>Cell Cycle</i> , 2016, 15, 1034-1045.	2.6	9
112	Construction of a viral T2A-peptide based knock-in mouse model for enhanced Cre recombinase activity and fluorescent labeling of podocytes. <i>Kidney International</i> , 2017, 91, 1510-1517.	5.2	9
113	Oral Supplementation of Glucosamine Fails to Alleviate Acute Kidney Injury in Renal Ischemia-Reperfusion Damage. <i>PLoS ONE</i> , 2016, 11, e0161315.	2.5	9
114	A mathematical estimation of the physical forces driving podocyte detachment. <i>Kidney International</i> , 2021, 100, 1054-1062.	5.2	8
115	The NF- κ B essential modulator (NEMO) controls podocyte cytoskeletal dynamics independently of NF- κ B. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F617-F626.	2.7	7
116	Expanding the Spectrum of FAT1 Nephropathies by Novel Mutations That Affect Hippo Signaling. <i>Kidney International Reports</i> , 2021, 6, 1368-1378.	0.8	7
117	The Atypical Cyclin-Dependent Kinase 5 (Cdk5) Guards Podocytes from Apoptosis in Glomerular Disease While Being Dispensable for Podocyte Development. <i>Cells</i> , 2021, 10, 2464.	4.1	7
118	Super-Resolution Imaging of the Filtration Barrier Suggests a Role for Podocin R229Q in Genetic Predisposition to Glomerular Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 138-154.	6.1	7
119	Three-Dimensional Super-Resolved Imaging of Paraffin-Embedded Kidney Samples. <i>Kidney360</i> , 2022, 3, 446-454.	2.1	7
120	Scaffold polarity proteins Par3A and Par3B share redundant functions while Par3B acts independent of atypical protein kinase C/Par6 in podocytes to maintain the kidney filtration barrier. <i>Kidney International</i> , 2022, 101, 733-751.	5.2	7
121	Proline-dependent and basophilic kinases phosphorylate human TRPC6 at serine 14 to control channel activity through increased membrane expression. <i>FASEB Journal</i> , 2018, 32, 208-219.	0.5	6
122	Activation of Hypoxia-Inducible Factor Signaling Modulates the RNA Protein Interactome in <i>Caenorhabditis elegans</i> . <i>iScience</i> , 2019, 22, 466-476.	4.1	5
123	A systematic analysis of diet-induced nephroprotection reveals overlapping changes in cysteine catabolism. <i>Translational Research</i> , 2022, 244, 32-46.	5.0	4
124	Caloric restriction reduces the pro-inflammatory eicosanoid 20-hydroxyeicosatetraenoic acid to protect from acute kidney injury. <i>Kidney International</i> , 2022, 102, 560-576.	5.2	4
125	Targeted deletion of Ruvbl1 results in severe defects of epidermal development and perinatal mortality. <i>Molecular and Cellular Pediatrics</i> , 2021, 8, 1.	1.8	3
126	PDZD7 is a modifier of retinal disease and a contributor to digenic Usher syndrome. <i>Journal of Clinical Investigation</i> , 2011, 121, 821-821.	8.2	3

#	ARTICLE	IF	CITATIONS
127	Endothelial cilia protect against atherosclerosis. <i>EMBO Reports</i> , 2016, 17, 125-126.	4.5	2
128	CALINCA – A Novel Pipeline for the Identification of lncRNAs in Podocyte Disease. <i>Cells</i> , 2021, 10, 692.	4.1	2
129	Modulation of Endocannabinoids by Caloric Restriction Is Conserved in Mice but Is Not Required for Protection from Acute Kidney Injury. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5485.	4.1	2
130	Krüppel-like Factor 4 (Klf4) in human and mouse lung development: Regulation of ATII Cell Homeostasis in Lungs of Newborn Mice Exposed to HYX. , 2018, , .		1
131	MAGED2 controls vasopressin-induced aquaporin-2 expression in collecting duct cells. <i>Journal of Proteomics</i> , 2022, 252, 104424.	2.4	1