

Junlong Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4883326/publications.pdf>

Version: 2024-02-01

37
papers

496
citations

840776

11
h-index

752698

20
g-index

40
all docs

40
docs citations

40
times ranked

958
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Prognostic significance of frequent CLDN18-ARHGAP26/6 fusion in gastric signet-ring cell cancer. <i>Nature Communications</i> , 2018, 9, 2447. | 12.8 | 100 |
| 2 | Association of pre-microRNAs genetic variants with susceptibility in systemic lupus erythematosus. <i>Molecular Biology Reports</i> , 2011, 38, 1463-1468. | 2.3 | 42 |
| 3 | Impact of <i>NUDT15</i> polymorphisms on thiopurines-induced myelotoxicity and thiopurines tolerance dose. <i>Oncotarget</i> , 2017, 8, 13575-13585. | 1.8 | 40 |
| 4 | Elevated circulating PAI-1 levels are related to lung function decline, systemic inflammation, and small airway obstruction in chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2016, Volume 11, 2369-2376. | 2.3 | 24 |
| 5 | IL-1 β and IL-6 Are Highly Expressed in RF+IgE+ Systemic Lupus Erythematosus Subtype. <i>Journal of Immunology Research</i> , 2017, 2017, 1-8. | 2.2 | 21 |
| 6 | Autoimmune disease associated IFIH1 single nucleotide polymorphism related with IL-18 serum levels in Chinese systemic lupus erythematosus patients. <i>Scientific Reports</i> , 2018, 8, 9442. | 3.3 | 21 |
| 7 | Association of the gene polymorphisms in sodium taurocholate cotransporting polypeptide with the outcomes of hepatitis B infection in Chinese Han population. <i>Infection, Genetics and Evolution</i> , 2014, 27, 77-82. | 2.3 | 20 |
| 8 | Increased serum TRAIL and DR5 levels correlated with lung function and inflammation in stable COPD patients. <i>International Journal of COPD</i> , 2015, 10, 2405. | 2.3 | 17 |
| 9 | Association between tumor necrosis factor polymorphisms and rheumatoid arthritis as well as systemic lupus erythematosus: a meta-analysis. <i>Brazilian Journal of Medical and Biological Research</i> , 2019, 52, e7927. | 1.5 | 16 |
| 10 | Simultaneous Homogeneous Fluorescence Detection of AFP and GPC3 in Hepatocellular Carcinoma Clinical Samples Assisted by Enzyme-Free Catalytic Hairpin Assembly. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 28697-28705. | 8.0 | 15 |
| 11 | Polymorphisms in sodium taurocholate cotransporting polypeptide are not associated with hepatitis B virus clearance in Chinese Tibetans and Uygurs. <i>Infection, Genetics and Evolution</i> , 2016, 41, 128-134. | 2.3 | 13 |
| 12 | Genetic Polymorphisms of rs3077 and rs9277535 in HLA-DP associated with Systemic lupus erythematosus in a Chinese population. <i>Scientific Reports</i> , 2017, 7, 39757. | 3.3 | 12 |
| 13 | Genetic polymorphism of rs9277535 in HLA-DP associated with rheumatoid arthritis and anti-CCP production in a Chinese population. <i>Clinical Rheumatology</i> , 2018, 37, 1799-1805. | 2.2 | 11 |
| 14 | The Expression of LIGHT Was Increased and the Expression of HVEM and BTLA Were Decreased in the T Cells of Patients with Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0155345. | 2.5 | 11 |
| 15 | Genetic Variation in miR-146a Is Not Associated with Susceptibility to IgA Nephropathy in Adults from a Chinese Han Population. <i>PLoS ONE</i> , 2015, 10, e0139554. | 2.5 | 10 |
| 16 | Association of the independent polymorphisms in CDKN2A with susceptibility of acute lymphoblastic leukemia. <i>Bioscience Reports</i> , 2018, 38, . | 2.4 | 10 |
| 17 | <p>Circulating syndecan-1 as a novel biomarker relates to lung function, systemic inflammation, and exacerbation in COPD</p>. <i>International Journal of COPD</i> , 2019, Volume 14, 1933-1941. | 2.3 | 10 |
| 18 | Association of GTF2I gene polymorphisms with renal involvement of systemic lupus erythematosus in a Chinese population. <i>Medicine (United States)</i> , 2019, 98, e16716. | 1.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The value of anti-rod and rings antibodies in Western China population: A retrospective study. <i>Scandinavian Journal of Immunology</i> , 2020, 91, e12848. | 2.7 | 9 |
| 20 | IKZF1 polymorphisms are associated with susceptibility, cytokine levels, and clinical features in systemic lupus erythematosus. <i>Medicine (United States)</i> , 2020, 99, e22607. | 1.0 | 9 |
| 21 | The establishment of neuron-specific enolase reference interval for the healthy population in southwest China. <i>Scientific Reports</i> , 2020, 10, 6332. | 3.3 | 9 |
| 22 | Association of genetic variants in TPMT, ITPA, and NUDT15 with azathioprine-induced myelosuppression in southwest china patients with autoimmune hepatitis. <i>Scientific Reports</i> , 2021, 11, 7984. | 3.3 | 9 |
| 23 | Genetic polymorphisms in HLA-DP and STAT4 are associated with IgA nephropathy in a Southwest Chinese population. <i>Oncotarget</i> , 2018, 9, 7066-7074. | 1.8 | 8 |
| 24 | Anti-centrosome antibodies: Prevalence and disease association in Chinese population. <i>Scandinavian Journal of Immunology</i> , 2019, 90, e12803. | 2.7 | 7 |
| 25 | Multiple genetic variants associated with posttransplantation diabetes mellitus in Chinese Han populations. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, . | 2.1 | 5 |
| 26 | ETS1 polymorphism rs73013527 in relation to serum RANKL levels among patients with RA. <i>Medicine (United States)</i> , 2021, 100, e24562. | 1.0 | 5 |
| 27 | Anti-Mitotic Spindle Apparatus Autoantibodies: Prevalence and Disease Association in Chinese Population. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 702-708. | 2.1 | 4 |
| 28 | Monitoring peripheral neutrophil and T-lymphocyte subsets could assist in differentiating the severity and disease progression of coronavirus disease 2019. <i>Aging</i> , 2021, 13, 7723-7732. | 3.1 | 4 |
| 29 | Analysis of inflammation-related microRNA expression in patients with ankylosing spondylitis. <i>Immunologic Research</i> , 2022, 70, 23-32. | 2.9 | 4 |
| 30 | Association of genetic polymorphisms in IL-23R and IL-17A with the susceptibility to IgA nephropathy in a Chinese Han population. <i>Genes and Immunity</i> , 2022, 23, 33-41. | 4.1 | 4 |
| 31 | Circulating IL-1 ² , IL-17, and IP-10 as Potential Predictors of Hepatitis B Virus Infection Prognosis. <i>Journal of Immunology Research</i> , 2022, 2022, 1-9. | 2.2 | 4 |
| 32 | Association between PPP2CA polymorphisms and clinical features in southwest Chinese systemic lupus erythematosus patients. <i>Medicine (United States)</i> , 2018, 97, e11451. | 1.0 | 3 |
| 33 | Association between food allergy and ankylosing spondylitis. <i>Medicine (United States)</i> , 2019, 98, e14421. | 1.0 | 3 |
| 34 | Genetic polymorphisms near IL-21 gene associated with Th17 cytokines confer risk for systemic lupus erythematosus in Chinese Han population. <i>Lupus</i> , 2019, 28, 406-413. | 1.6 | 2 |
| 35 | Genetic association of E26 transformation specific sequence 1 polymorphisms with the susceptibility of primary biliary cholangitis in China. <i>Scientific Reports</i> , 2019, 9, 19680. | 3.3 | 2 |
| 36 | Evaluating the diagnostic and prognostic value of lone anti-Sm for autoimmune diseases using Euroimmun line immunoassays. <i>Clinical Rheumatology</i> , 2018, 37, 3017-3023. | 2.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Genetic variations in LIGHT are associated with susceptibility to ankylosing spondylitis in a Chinese Han population. <i>Oncotarget</i> , 2017, 8, 91415-91424. | 1.8 | 1 |