

Junlong Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4883326/publications.pdf>

Version: 2024-02-01

37
papers

496
citations

840776

11
h-index

752698

20
g-index

40
all docs

40
docs citations

40
times ranked

958
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of inflammation-related microRNA expression in patients with ankylosing spondylitis. <i>Immunologic Research</i> , 2022, 70, 23-32.	2.9	4
2	Association of genetic polymorphisms in IL-23R and IL-17A with the susceptibility to IgA nephropathy in a Chinese Han population. <i>Genes and Immunity</i> , 2022, 23, 33-41.	4.1	4
3	Circulating IL-1 β , IL-17, and IP-10 as Potential Predictors of Hepatitis B Virus Infection Prognosis. <i>Journal of Immunology Research</i> , 2022, 2022, 1-9.	2.2	4
4	Simultaneous Homogeneous Fluorescence Detection of AFP and GPC3 in Hepatocellular Carcinoma Clinical Samples Assisted by Enzyme-Free Catalytic Hairpin Assembly. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 28697-28705.	8.0	15
5	ETS1 polymorphism rs73013527 in relation to serum RANKL levels among patients with RA. <i>Medicine (United States)</i> , 2021, 100, e24562.	1.0	5
6	Monitoring peripheral neutrophil and T-lymphocyte subsets could assist in differentiating the severity and disease progression of coronavirus disease 2019. <i>Aging</i> , 2021, 13, 7723-7732.	3.1	4
7	Association of genetic variants in TPMT, ITPA, and NUDT15 with azathioprine-induced myelosuppression in southwest china patients with autoimmune hepatitis. <i>Scientific Reports</i> , 2021, 11, 7984.	3.3	9
8	The value of anti- α rods and rings antibodies in Western China population: A retrospective study. <i>Scandinavian Journal of Immunology</i> , 2020, 91, e12848.	2.7	9
9	IKZF1 polymorphisms are associated with susceptibility, cytokine levels, and clinical features in systemic lupus erythematosus. <i>Medicine (United States)</i> , 2020, 99, e22607.	1.0	9
10	The establishment of neuron-specific enolase reference interval for the healthy population in southwest China. <i>Scientific Reports</i> , 2020, 10, 6332.	3.3	9
11	Anti- α centrosome antibodies: Prevalence and disease association in Chinese population. <i>Scandinavian Journal of Immunology</i> , 2019, 90, e12803.	2.7	7
12	<p>>Circulating syndecan-1 as a novel biomarker relates to lung function, systemic inflammation, and exacerbation in COPD</p><p>>. <i>International Journal of COPD</i> , 2019, Volume 14, 1933-1941.	2.3	10
13	Association between tumor necrosis factor polymorphisms and rheumatoid arthritis as well as systemic lupus erythematosus: a meta-analysis. <i>Brazilian Journal of Medical and Biological Research</i> , 2019, 52, e7927.	1.5	16
14	Genetic polymorphisms near IL-21 gene associated with Th17 cytokines confer risk for systemic lupus erythematosus in Chinese Han population. <i>Lupus</i> , 2019, 28, 406-413.	1.6	2
15	Genetic association of E26 transformation specific sequence 1 polymorphisms with the susceptibility of primary biliary cholangitis in China. <i>Scientific Reports</i> , 2019, 9, 19680.	3.3	2
16	Association of GTF2I gene polymorphisms with renal involvement of systemic lupus erythematosus in a Chinese population. <i>Medicine (United States)</i> , 2019, 98, e16716.	1.0	9
17	Association between food allergy and ankylosing spondylitis. <i>Medicine (United States)</i> , 2019, 98, e14421.	1.0	3
18	Genetic polymorphism of rs9277535 in HLA-DP associated with rheumatoid arthritis and anti-CCP production in a Chinese population. <i>Clinical Rheumatology</i> , 2018, 37, 1799-1805.	2.2	11

#	ARTICLE	IF	CITATIONS
19	Multiple genetic variants associated with posttransplantation diabetes mellitus in Chinese Han populations. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .	2.1	5
20	Prognostic significance of frequent CLDN18-ARHGAP26/6 fusion in gastric signet-ring cell cancer. <i>Nature Communications</i> , 2018, 9, 2447.	12.8	100
21	Association between PPP2CA polymorphisms and clinical features in southwest Chinese systemic lupus erythematosus patients. <i>Medicine (United States)</i> , 2018, 97, e11451.	1.0	3
22	Evaluating the diagnostic and prognostic value of lone anti-Sm for autoimmune diseases using Euroimmun line immunoassays. <i>Clinical Rheumatology</i> , 2018, 37, 3017-3023.	2.2	1
23	Association of the independent polymorphisms in CDKN2A with susceptibility of acute lymphoblastic leukemia. <i>Bioscience Reports</i> , 2018, 38, .	2.4	10
24	Autoimmune disease associated IFIH1 single nucleotide polymorphism related with IL-18 serum levels in Chinese systemic lupus erythematosus patients. <i>Scientific Reports</i> , 2018, 8, 9442.	3.3	21
25	Genetic polymorphisms in HLA-DP and STAT4 are associated with IgA nephropathy in a Southwest Chinese population. <i>Oncotarget</i> , 2018, 9, 7066-7074.	1.8	8
26	Genetic Polymorphisms of rs3077 and rs9277535 in HLA-DP associated with Systemic lupus erythematosus in a Chinese population. <i>Scientific Reports</i> , 2017, 7, 39757.	3.3	12
27	IL-1 β and IL-6 Are Highly Expressed in RF+IgE+ Systemic Lupus Erythematosus Subtype. <i>Journal of Immunology Research</i> , 2017, 2017, 1-8.	2.2	21
28	Impact of NUDT15 polymorphisms on thiopurines-induced myelotoxicity and thiopurines tolerance dose. <i>Oncotarget</i> , 2017, 8, 13575-13585.	1.8	40
29	Genetic variations in LIGHT are associated with susceptibility to ankylosing spondylitis in a Chinese Han population. <i>Oncotarget</i> , 2017, 8, 91415-91424.	1.8	1
30	Elevated circulating PAI-1 levels are related to lung function decline, systemic inflammation, and small airway obstruction in chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2016, Volume 11, 2369-2376.	2.3	24
31	Anti-Mitotic Spindle Apparatus Autoantibodies: Prevalence and Disease Association in Chinese Population. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 702-708.	2.1	4
32	Polymorphisms in sodium taurocholate cotransporting polypeptide are not associated with hepatitis B virus clearance in Chinese Tibetans and Uygurs. <i>Infection, Genetics and Evolution</i> , 2016, 41, 128-134.	2.3	13
33	The Expression of LIGHT Was Increased and the Expression of HVEM and BTLA Were Decreased in the T Cells of Patients with Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0155345.	2.5	11
34	Increased serum TRAIL and DR5 levels correlated with lung function and inflammation in stable COPD patients. <i>International Journal of COPD</i> , 2015, 10, 2405.	2.3	17
35	Genetic Variation in miR-146a Is Not Associated with Susceptibility to IgA Nephropathy in Adults from a Chinese Han Population. <i>PLoS ONE</i> , 2015, 10, e0139554.	2.5	10
36	Association of the gene polymorphisms in sodium taurocholate cotransporting polypeptide with the outcomes of hepatitis B infection in Chinese Han population. <i>Infection, Genetics and Evolution</i> , 2014, 27, 77-82.	2.3	20

#	ARTICLE	IF	CITATIONS
37	Association of pre-microRNAs genetic variants with susceptibility in systemic lupus erythematosus. Molecular Biology Reports, 2011, 38, 1463-1468.	2.3	42