
Isabelle Vivodtzev

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4886008/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Diaphragmatic Activity and Respiratory Function Following C3 or C6 Unilateral Spinal Cord Contusion in Mice. Biology, 2022, 11, 558.	2.8	1
2	Serotonin 1A Receptor Pharmacotherapy and Neuroplasticity in Spinal Cord Injury. Pharmaceuticals, 2022, 15, 460.	3.8	0
3	The effect of heart rate variability on blood pressure is augmented in spinal cord injury and is unaltered by exercise training. Clinical Autonomic Research, 2021, 31, 293-301.	2.5	11
4	Gains in aerobic capacity with whole-body functional electrical stimulation row training and generalization to arms-only exercise after spinal cord injury. Spinal Cord, 2021, 59, 74-81.	1.9	7
5	Serotonin 1A agonist and cardiopulmonary improvements with whole-body exercise in acute, high-level spinal cord injury: a retrospective analysis. European Journal of Applied Physiology, 2021, 121, 453-463.	2.5	7
6	Cardiac, Autonomic, and Cardiometabolic Impact of Exercise Training in Spinal Cord Injury. Journal of Cardiopulmonary Rehabilitation and Prevention, 2021, 41, 6-12.	2.1	10
7	Acute Ventilatory Support During Whole-Body Hybrid Rowing in Patients With High-Level Spinal Cord Injury. Chest, 2020, 157, 1230-1240.	0.8	13
8	Ventilatory support during whole-body row training improves oxygen uptake efficiency in patients with high-level spinal cord injury: A pilot study. Respiratory Medicine, 2020, 171, 106104.	2.9	2
9	Response. Chest, 2020, 158, 1785.	0.8	0
10	Mild to Moderate Sleep Apnea Is Linked to Hypoxia-induced Motor Recovery after Spinal Cord Injury. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 887-890.	5.6	15
11	Cardiovascular Risk in COPD. Chest, 2020, 157, 753-754.	0.8	5
12	Chronic neuromuscular electrical stimulation improves muscle mass and insulin sensitivity in a mouse model. Scientific Reports, 2019, 9, 7252.	3.3	5
13	Automated O2 titration improves exercise capacity in patients with hypercapnic chronic obstructive pulmonary disease: a randomised controlled cross-over trial. Thorax, 2019, 74, 298-301.	5.6	7
14	<p>Low Liver Density Is Linked to Cardiovascular Comorbidity in COPD: An ECLIPSE Cohort Analysis</p> . International Journal of COPD, 2019, Volume 14, 3053-3061.	2.3	2
15	Ventilatory support or respiratory muscle training as adjuncts to exercise in obese CPAP-treated patients with obstructive sleep apnoea: a randomised controlled trial. Thorax, 2018, 73, 634-643.	5.6	26
16	Clinical Use of Neuromuscular Electrical Stimulation for Neuromuscular Rehabilitation: What Are We Overlooking?. Archives of Physical Medicine and Rehabilitation, 2018, 99, 806-812.	0.9	88
17	Maximal exercise capacity in patients with obstructive sleep apnoea syndrome: a systematic review and meta-analysis. European Respiratory Journal, 2018, 51, 1702697.	6.7	38
18	Quadriceps muscle fat infiltration is associated with cardiometabolic risk in <scp>COPD</scp> . Clinical Physiology and Functional Imaging, 2018, 38, 788-797.	1.2	12

ISABELLE VIVODTZEV

#	Article	IF	CITATIONS
19	Augmenting exercise capacity with noninvasive ventilation in high-level spinal cord injury. Journal of Applied Physiology, 2018, 124, 1294-1296.	2.5	5
20	Obstructive Sleep Apnea Syndrome, Objectively Measured Physical Activity and Exercise Training Interventions: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2018, 9, 73.	2.4	83
21	Physiological correlates to spontaneous physical activity variability in obese patients with already treated sleep apnea syndrome. Sleep and Breathing, 2017, 21, 61-68.	1.7	8
22	Acute Feasibility of Neuromuscular Electrical Stimulation in Severely Obese Patients with Obstructive Sleep Apnea Syndrome: A Pilot Study. BioMed Research International, 2017, 2017, 1-7.	1.9	1
23	Ectopic fat accumulation in patients with COPD: an ECLIPSE substudy. International Journal of COPD, 2017, Volume 12, 451-460.	2.3	33
24	Obstructive Sleep Apnea: A Cluster Analysis at Time of Diagnosis. PLoS ONE, 2016, 11, e0157318.	2.5	146
25	Tolerance and Physiological Correlates of Neuromuscular Electrical Stimulation in COPD: A Pilot Study. PLoS ONE, 2014, 9, e94850.	2.5	14
26	Arterial Stiffness in COPD. Chest, 2014, 145, 861-875.	0.8	85
27	A new paradigm of neuromuscular electrical stimulation for the quadriceps femoris muscle. European Journal of Applied Physiology, 2014, 114, 1197-1205.	2.5	34
28	CPAP Treatment Supported by Telemedicine Does Not Improve Blood Pressure in High Cardiovascular Risk OSA Patients: A Randomized, Controlled Trial. Sleep, 2014, 37, 1863-1870.	1.1	62
29	Arterial stiffness by pulse wave velocity in COPD: reliability and reproducibility. European Respiratory Journal, 2013, 42, 1140-1142.	6.7	19
30	Benefits of Neuromuscular Electrical Stimulation Prior to Endurance Training in Patients With Cystic Fibrosis and Severe Pulmonary Dysfunction. Chest, 2013, 143, 485-493.	0.8	37
31	Functional and Muscular Effects of Neuromuscular Electrical Stimulation in Patients With Severe COPD. Chest, 2012, 141, 716-725.	0.8	137
32	Reduced six-minute walking distance, high fat-free-mass index and hypercapnia are associated with endothelial dysfunction in COPD. Respiratory Physiology and Neurobiology, 2012, 183, 128-134.	1.6	32
33	Significant Improvement in Arterial Stiffness After Endurance Training in Patients With COPD. Chest, 2010, 137, 585-592.	0.8	67
34	Home exercise training with non-invasive ventilation in thoracic restrictive respiratory disorders: A randomised study. Respiratory Physiology and Neurobiology, 2009, 167, 168-173.	1.6	20
35	Voluntary activation during knee extensions in severely deconditioned patients with chronic obstructive pulmonary disease: Benefit of endurance training. Muscle and Nerve, 2008, 37, 27-35.	2.2	29
36	Neuromuscular Electrical Stimulation of the Lower Limbs in Patients With Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2008, 28, 79-91.	2.1	87

#	Article	IF	CITATIONS
37	Improvement in Quadriceps Strength and Dyspnea in Daily Tasks After 1 Month of Electrical Stimulation in Severely Deconditioned and Malnourished COPD. Chest, 2006, 129, 1540-1548.	0.8	225