

Marco Borghesi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/488875/publications.pdf>

Version: 2024-02-01

109
papers

2,883
citations

172457

29
h-index

206112

48
g-index

111
all docs

111
docs citations

111
times ranked

3579
citing authors

#	ARTICLE	IF	CITATIONS
1	Complications After Systematic, Random, and Image-guided Prostate Biopsy. <i>European Urology</i> , 2017, 71, 353-365.	1.9	353
2	18F-Fluciclovine PET/CT for the Detection of Prostate Cancer Relapse. <i>Clinical Nuclear Medicine</i> , 2015, 40, e386-e391.	1.3	118
3	Positive Surgical Margins After Nephron-Sparing Surgery for Renal Cell Carcinoma: Incidence, Clinical Impact, and Management. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 5-9.	1.9	79
4	11C-Choline PET/CT in castration-resistant prostate cancer patients treated with docetaxel. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 84-91.	6.4	77
5	An increased body mass index is associated with a worse prognosis in patients administered BCG immunotherapy for T1 bladder cancer. <i>World Journal of Urology</i> , 2019, 37, 507-514.	2.2	77
6	Perioperative Complications and Mortality After Radical Cystectomy When Using a Standardized Reporting Methodology. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 189-197.	1.9	75
7	<sc>PADUA</sc> and R.E.N.A.L. nephrometry scores correlate with perioperative outcomes of robotâ€assisted partial nephrectomy: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (<sc>GQI</sc>â€<sc>RUS</sc>) database. <i>BJU International</i> , 2017, 119, 456-463.	2.5	75
8	18F-FACBC Compared With 11C-Choline PET/CT in Patients With Biochemical Relapse After Radical Prostatectomy: A Prospective Study in 28 Patients. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 106-110.	1.9	68
9	MRI Displays the Prostatic Cancer Anatomy and Improves the Bundles Management Before Robot-Assisted Radical Prostatectomy. <i>Journal of Endourology</i> , 2018, 32, 315-321.	2.1	68
10	Systemic Inflammatory Markers and Oncologic Outcomes in Patients with High-risk Nonâ€muscle-invasive Urothelial Bladder Cancer. <i>European Urology Oncology</i> , 2018, 1, 403-410.	5.4	66
11	Can Testis-Sparing Surgery for Small Testicular Masses Be Considered a Valid Alternative to Radical Orchiectomy? A Prospective Single-Center Study. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 522-526.	1.9	58
12	Prediction nomogram for 68Ga-PSMA-11 PET/CT in different clinical settings of PSA failure after radical treatment for prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 136-146.	6.4	56
13	Validation of Neutrophil-to-lymphocyte Ratio in a Multi-institutional Cohort of Patients With T1G3 Nonâ€muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 445-452.	1.9	55
14	The extent of pelvic lymph node dissection correlates with the biochemical recurrence rate in patients with intermediateâ€and highâ€risk prostate cancer. <i>BJU International</i> , 2011, 108, 1262-1268.	2.5	54
15	Expanding utilization of robotic partial nephrectomy for clinical T1b and complex T1a renal masses. <i>World Journal of Urology</i> , 2013, 31, 499-504.	2.2	53
16	Indication for and Extension of Pelvic Lymph Node Dissection During Robot-assisted Radical Prostatectomy: An Analysis of Five European Institutions. <i>European Urology</i> , 2014, 66, 635-643.	1.9	51
17	The Prognostic Role of Circulating Tumor Cells (CTC) in High-risk Nonâ€muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e661-e666.	1.9	47
18	Longâ€term evaluation of survival, continence and potency (<sc>SCP</sc>) outcomes after robotâ€assisted radical prostatectomy (<sc>RARP</sc>). <i>BJU International</i> , 2013, 112, 338-345.	2.5	46

#	ARTICLE	IF	CITATIONS
19	Modified Glasgow Prognostic Score is Associated With Risk of Recurrence in Bladder Cancer Patients After Radical Cystectomy. <i>Medicine (United States)</i> , 2015, 94, e1861.	1.0	43
20	A snapshot of nephron-sparing surgery in Italy: A prospective, multicenter report on clinical and perioperative outcomes (the RECORD 1 project). <i>European Journal of Surgical Oncology</i> , 2015, 41, 346-352.	1.0	42
21	Type 2 diabetes mellitus predicts worse outcomes in patients with high-grade T1 bladder cancer receiving bacillus Calmette-Guérin after transurethral resection of the bladder tumor. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 459-464.	1.6	42
22	Diagnostic Accuracy of 11C-Choline PET/CT in Preoperative Lymph Node Staging of Bladder Cancer. <i>Clinical Nuclear Medicine</i> , 2014, 39, e308-e312.	1.3	39
23	A Prospective, Multicenter Evaluation of Predictive Factors for Positive Surgical Margins After Nephron-Sparing Surgery for Renal Cell Carcinoma: The RECORD1 Italian Project. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 165-170.	1.9	37
24	Which patients with clinical localized renal mass would achieve the trifecta after partial nephrectomy? The impact of surgical technique. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 339-349.	3.9	36
25	The impact of the extent of lymph-node dissection on biochemical relapse after radical prostatectomy in node-negative patients. <i>Anticancer Research</i> , 2010, 30, 2297-302.	1.1	35
26	Urology in the Time of Coronavirus: Reduced Access to Urgent and Emergent Urological Care during the Coronavirus Disease 2019 Outbreak in Italy. <i>Urologia Internationalis</i> , 2020, 104, 631-636.	1.3	34
27	What is the standard surgical approach to large volume BPE? Systematic review of existing randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 22-29.	3.9	34
28	Differing Risk of Cancer Death Among Patients With Pathologic T3a Renal Cell Carcinoma: Identification of Risk Categories According to Fat Infiltration and Renal Vein Thrombosis. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 451-457.	1.9	32
29	Is Traditional Laparoscopy the Real Competitor of Robot-assisted Partial Nephrectomy?. <i>European Urology</i> , 2012, 62, 1034-1036.	1.9	30
30	Small Renal Masses Initially Managed Using Active Surveillance: Results From a Retrospective Study With Long-Term Follow-Up. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 178-181.	1.9	30
31	Surveillance for small renal masses: retrospective analysis of a cohort of 42 patients with long-term follow-up. <i>International Urology and Nephrology</i> , 2013, 45, 307-312.	1.4	29
32	Sexuality during COVID lockdown: a cross-sectional Italian study among hospital workers and their relatives. <i>International Journal of Impotence Research</i> , 2021, 33, 131-136.	1.8	29
33	Active surveillance for clinically localized renal tumors: An updated review of current indications and clinical outcomes. <i>International Journal of Urology</i> , 2015, 22, 432-438.	1.0	28
34	Small Renal Masses Managed With Active Surveillance: Predictors of Tumor Growth Rate After Long-Term Follow-Up. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e87-e92.	1.9	28
35	The Intraoperative Complications Assessment and Reporting with Universal Standards (ICARUS) Global Surgical Collaboration Project: Development of Criteria for Reporting Adverse Events During Surgical Procedures and Evaluating Their Impact on the Postoperative Course. <i>European Urology Focus</i> . 2022. 8. 1847-1858.	3.1	28
36	The number of nodes removed as well as the template of the dissection is independently correlated to cancer-specific survival after radical cystectomy for muscle-invasive bladder cancer. <i>International Urology and Nephrology</i> , 2013, 45, 711-719.	1.4	27

#	ARTICLE	IF	CITATIONS
37	Differing risk of cancer death among patients with lymph node metastasis after radical prostatectomy and pelvic lymph node dissection: identification of risk categories according to number of positive nodes and Gleason score. <i>BJU International</i> , 2013, 111, 1237-1244.	2.5	27
38	The Prognostic Impact of Tumor Size on Cancer-Specific and Overall Survival Among Patients With Pathologic T3a Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e235-e241.	1.9	26
39	Predictors of Residual T1 High Grade on Re-Transurethral Resection in a Large Multi-Institutional Cohort of Patients with Primary T1 High-Grade/Grade 3 Bladder Cancer. <i>Journal of Cancer</i> , 2018, 9, 4250-4254.	2.5	26
40	The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORD1 project. <i>Minerva Urologica e Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 47-54.	3.9	25
41	Laparoscopic and robotic ureteral stenosis repair: a multi-institutional experience with a long-term follow-up. <i>Journal of Robotic Surgery</i> , 2016, 10, 323-330.	1.8	24
42	in-bore MRI-guided Prostate Biopsy Using an Endorectal Nonmagnetic Device: A Prospective Study of 70 Consecutive Patients. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 417-427.	1.9	24
43	Posterior Muscolofascial Reconstruction Incorporated into Urethrovesical Anastomosis During Robot-Assisted Radical Prostatectomy. <i>Journal of Endourology</i> , 2012, 26, 1542-1545.	2.1	23
44	Tubeless procedure reduces hospitalization and pain after percutaneous nephrolithotomy: results of a multivariable analysis. <i>Urolithiasis</i> , 2013, 41, 347-353.	2.0	23
45	Nomogram for predicting the likelihood of postoperative surgical complications in patients treated with partial nephrectomy: a prospective multicentre observational study (the RECORD 2) <i>Urology</i> , 2018, 102, 431-438.	2.5	23
46	High-Grade T1 on Re-Transurethral Resection after Initial High-Grade T1 Confers Worse Oncological Outcomes: Results of a Multi-Institutional Study. <i>Urologia Internationalis</i> , 2018, 101, 7-15.	1.3	22
47	Three-dimensional digital reconstruction of renal model to guide preoperative planning of robot-assisted partial nephrectomy. <i>International Journal of Urology</i> , 2019, 26, 931-932.	1.0	22
48	Diagnostic performance of MRI/TRUS fusion-guided biopsies vs. systematic prostate biopsies in biopsy-naïve, previous negative biopsy patients and men undergoing active surveillance. <i>Minerva Urology and Nephrology</i> , 2021, 73, 357-366.	2.5	22
49	How does ⁶⁸ Ga-prostate-specific membrane antigen positron emission tomography/computed tomography impact the management of patients with prostate cancer recurrence after surgery?. <i>International Journal of Urology</i> , 2019, 26, 804-811.	1.0	21
50	The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , 2021, 13, 5276.	3.7	21
51	Predictive accuracy and clinical benefit of a nomogram aimed to predict ⁶⁸ Ga-PSMA PET/CT positivity in patients with prostate cancer recurrence and PSA ≤ 1 ng/ml external validation on a single institution database. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2100-2105.	6.4	20
52	Systemic combining inflammatory score (SCIS): a new score for prediction of oncologic outcomes in patients with high-risk non-muscle-invasive urothelial bladder cancer. <i>Translational Andrology and Urology</i> , 2021, 10, 626-635.	1.4	20
53	Survival, Continence and Potency (SCP) recovery after radical retropubic prostatectomy: A long-term combined evaluation of surgical outcomes. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1716-1723.	1.0	19
54	First Case of ¹⁸ F-FACBC PET/CT-Guided Salvage Retroperitoneal Lymph Node Dissection for Disease Relapse after Radical Prostatectomy for Prostate Cancer and Negative ¹¹ C-Choline PET/CT: New Imaging Techniques May Expand Pioneering Approaches. <i>Urologia Internationalis</i> , 2014, 92, 242-245.	1.3	19

#	ARTICLE	IF	CITATIONS
55	Preoperative Staging With 11C-Choline PET/CT Is Adequately Accurate in Patients With Very High-Risk Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 305-312.e1.	1.9	19
56	Retroperitoneal Robot-Assisted Versus Open Partial Nephrectomy for cT1 Renal Tumors: A Matched-Pair Comparison of Perioperative and Early Oncological Outcomes. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e391-e396.	1.9	18
57	Holmium laser prostatectomy in a tertiary Italian center: A prospective cost analysis in comparison with bipolar TURP and open prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 92, .	0.8	17
58	3D Reconstruction and physical renal model to improve percutaneous puncture during PNL. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019, 45, 1281-1282.	1.5	17
59	Robot assisted radical cystectomy with totally intracorporeal urinary diversion: initial, single-surgeon's experience after a modified modular training. <i>Minerva Urology and Nephrology</i> , 2018, 70, 193-201.	2.5	16
60	State-of-the-art imaging techniques in the management of preoperative staging and re-staging of prostate cancer. <i>International Journal of Urology</i> , 2019, 26, 18-30.	1.0	16
61	Predicting positive surgical margins in partial nephrectomy: A prospective multicentre observational study (the RECORd 2 project). <i>European Journal of Surgical Oncology</i> , 2020, 46, 1353-1359.	1.0	16
62	68Ga-PSMA-PET/CT-Guided Salvage Retroperitoneal Lymph Node Dissection for Disease Relapse After Radical Prostatectomy for Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e415-e417.	1.9	15
63	Nodal Occult Metastases in Intermediate- and High-Risk Prostate Cancer Patients Detected Using Serial Section, Immunohistochemistry, and Real-Time Reverse Transcriptase Polymerase Chain Reaction: Prospective Evaluation With Matched-Pair Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e55-e64.	1.9	14
64	Adverse Features and Competing Risk Mortality in Patients With High-Risk Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e239-e248.	1.9	14
65	State of the art of PET/CT with 11-choline and 18F-fluorocholine in the diagnosis and follow-up of localized and locally advanced prostate cancer. <i>Archivos Espanoles De Urologia</i> , 2015, 68, 354-70.	0.2	14
66	Modified Glasgow Prognostic Score as a Predictor of Recurrence in Patients with High Grade Non-Muscle Invasive Bladder Cancer Undergoing Intravesical Bacillus Calmette-Guérin Immunotherapy. <i>Diagnostics</i> , 2022, 12, 586.	2.6	14
67	Preservation of the smooth muscular internal (vesical) sphincter and of the proximal urethra for the early recovery of urinary continence after retropubic radical prostatectomy: A prospective case-control study. <i>International Journal of Urology</i> , 2014, 21, 157-162.	1.0	13
68	The impact of a structured intensive modular training in the learning curve of robot assisted radical prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , 2018, 90, 1.	0.8	13
69	Oncologic outcomes in prostate cancer patients treated with robot-assisted radical prostatectomy: results from a single institution series with more than 10 years follow up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 38-46.	3.9	13
70	Patterns of positive surgical margins after open radical prostatectomy and their association with clinical recurrence. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 464-473.	3.9	13
71	Sex-related penile fracture with complete urethral rupture: A case report and review of the literature. <i>Archivio Italiano Di Urologia Andrologia</i> , 2015, 87, 260.	0.8	12
72	Identification of prostate cancer risk categories according to surgical margins status, pathological stage and Gleason score. <i>International Journal of Urology</i> , 2013, 20, 1097-1103.	1.0	10

#	ARTICLE	IF	CITATIONS
73	The role of multiparametric MRI in active surveillance for low-risk prostate cancer: The ROMAS randomized controlled trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 433.e1-433.e7.	1.6	10
74	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration. <i>World Journal of Urology</i> , 2022, 40, 1167-1174.	2.2	9
75	First case of 18F-FACBC PET/CT-guided salvage radiotherapy for local relapse after radical prostatectomy with negative 11C-Choline PET/CT and multiparametric MRI: New imaging techniques may improve patient selection. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014, 86, 239.	0.8	8
76	Predicting survival in nodeâ€positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multiâ€institutional database. <i>International Journal of Urology</i> , 2016, 23, 1000-1008.	1.0	8
77	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in nodeâ€positive prostate cancer patients: External validation on a multiâ€institutional database. <i>International Journal of Urology</i> , 2018, 25, 574-581.	1.0	8
78	Smooth Muscle Tumor of Uncertain Malignant Potential of the Urinary Bladder: A Case Report and Review of the Literature. <i>Clinical Genitourinary Cancer</i> , 2013, 11, e6-e9.	1.9	6
79	Peri-Operative Outcomes after Open and Robot-Assisted Radical Cystectomy by Using an Advanced Bipolar Seal and Cut Technology (CaimanÂ®): A Prospective, Comparative, and Multi-Institutional Study. <i>Current Urology</i> , 2019, 12, 64-69.	0.6	6
80	Posterior muscle-fascial reconstruction and knotless urethro-neo bladder anastomosis during robot-assisted radical cystectomy: Description of the technique and its impact on urinary continence. <i>Archivio Italiano Di Urologia Andrologia</i> , 2019, 91, 5-10.	0.8	6
81	Is Fast Track protocol a safe tool to reduce hospitalization time after radical cystectomy with ileal urinary diversion? Initial results from a single high-volume centre. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 91, 230-236.	0.8	6
82	Diagnostic imaging work-up for disease relapse after radical treatment for prostate cancer: How to differentiate local from systemic disease? The urologist point of view. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013, 32, 310-313.	0.0	5
83	Preservation of the smooth muscular internal (vesical) sphincter and of the proximal urethra during retropubic radical prostatectomy: A technical modification to improve the early recovery of continence. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014, 86, 132.	0.8	5
84	Can the multiphasic computed tomography be useful in the clinical management of small renal masses?. <i>Acta Radiologica</i> , 2017, 58, 625-633.	1.1	5
85	Incidence of fatigue and low-dose corticosteroid use in prostate cancer patients receiving systemic treatment: a meta-analysis of randomized controlled trials. <i>World Journal of Urology</i> , 2019, 37, 1049-1059.	2.2	5
86	Molecular Diagnostic Tools for the Detection of Nodal Micrometastases in Prostate Cancer Patients Undergoing Radical Prostatectomy with Extended Pelvic Lymph Node Dissection: A Prospective Study. <i>Urologia</i> , 2012, 79, 141-146.	0.7	4
87	Revised Gleason Grading System Is a Better Predictor of Indolent Prostate Cancer at the Time of Diagnosis: Retrospective Clinical-Pathological Study on Matched Biopsy and Radical Prostatectomy Specimens. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 325-329.	1.9	4
88	Toward the future of the functional imaging of advanced prostate cancer. <i>European Urology Focus</i> , 2017, 3, 240-242.	3.1	4
89	Association of statin use and oncological outcomes in patients with first diagnosis of T1 high grade non-muscle invasive urothelial bladder cancer: results from a multicenter study. <i>Minerva Urology and Nephrology</i> , 2022, 73, .	2.5	4
90	First case of bilateral, synchronous anaplastic variant of spermatocytic seminoma treated with radical orchifunicectomy as single approach: Case report and review of the literature. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014, 86, 41.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Salvage Surgery for Nodal Recurrence of Prostate Cancer: Might the Robotic Approach Render an Experimental Procedure More Acceptable?. <i>European Urology</i> , 2017, 72, 439-441.	1.9	3
92	Association of statin use and oncological outcomes in patients with first diagnosis of T1 high grade non-muscle invasive urothelial bladder cancer: results from a multicentre study. <i>Minerva Urology and Nephrology</i> , 2021, , .	2.5	3
93	Re: Adverse Effects of Robotic-assisted Laparoscopic Versus Open Retropubic Radical Prostatectomy Among a Nationwide Random Sample of Medicare-age Men. <i>European Urology</i> , 2012, 62, 933-935.	1.9	2
94	Re: Impact of Complete Bladder Neck Preservation on Urinary Continence, Quality of Life and Surgical Margins After Radical Prostatectomy: A Randomized, Controlled, Single Blind Trial. <i>European Urology</i> , 2013, 64, 338-339.	1.9	2
95	Massive hematuria due to ruptured iatrogenic aortic pseudoaneurysm: A case report. <i>Archivio Italiano Di Urologia Andrologia</i> , 2013, 85, 96.	0.8	2
96	Robot-Assisted Radical Nephroureterectomy for Upper Urinary Tract Urothelial Carcinoma: A Promising Alternative to Open Surgery or a Future "Gold Standard"? <i>Clinical Genitourinary Cancer</i> , 2014, 12, e65-e66.	1.9	2
97	Bladder cancer histological variants: which parameters could predict the concordance between transurethral resection of bladder tumor and radical cystectomy specimens?. <i>Central European Journal of Urology</i> , 2021, 74, 355-361.	0.3	2
98	Clinically Localized Renal Cell Carcinoma: Which is the Best Treatment Strategy?. <i>Clinical Genitourinary Cancer</i> , 2014, 12, e61.	1.9	1
99	Re: Sabine D. Brookman-May, Matthias May, Ingmar Wolff, et al. Evaluation of the Prognostic Significance of Perirenal Fat Invasion and Tumor Size in Patients with pT1-pT3a Localized Renal Cell Carcinoma in a Comprehensive Multicenter Study of the CORONA Project. Can We Improve Prognostic Discrimination for Patients with Stage pT3a tumors? <i>Eur Urol</i> 2015;67:943-51. <i>European Urology</i> , 2016, 69, e99-e100.	1.9	1
100	Flexible cystoscopy for ureteral stent removal without antimicrobial prophylaxis. A prospective observational study. <i>Urologia</i> , 2021, 88, 130-134.	0.7	1
101	Re: Impact of Complete Bladder Neck Preservation on Urinary Continence, Quality of Life and Surgical Margins After Radical Prostatectomy: A Randomized, Controlled, Single Blind Trial. <i>Journal of Urology</i> , 2013, 190, 815-816.	0.4	0
102	Robot-assisted partial nephrectomy: Excellent results even in more complex renal tumours. <i>Canadian Urological Association Journal</i> , 2014, 8, 165.	0.6	0
103	Re: Long-term Outcomes of Patients with Lymph Node Metastasis Treated with Radical Prostatectomy Without Adjuvant Androgen-deprivation Therapy. <i>European Urology</i> , 2014, 65, 250-251.	1.9	0
104	Lymphovascular Invasion in High Grade T1 Bladder Cancer: Are More Aggressive Treatments Needed?. <i>Clinical Genitourinary Cancer</i> , 2014, 12, e59-e60.	1.9	0
105	Editorial Comment from Dr Schiavina and Dr Borghesi to Postoperative prostate-specific antigen monitoring interval for radical prostatectomy patients with low recurrence risk. <i>International Journal of Urology</i> , 2015, 22, 886-886.	1.0	0
106	Editorial Comment to Local recurrence of renal cell carcinoma that simulated multiple renal arteriovenous fistulas after laparoscopic partial nephrectomy: Report of a rare case. <i>International Journal of Urology</i> , 2016, 23, 891-892.	1.0	0
107	MP64-16 ADVERSE FEATURES AND COMPETING RISK MORTALITY IN PATIENTS WITH HIGH-RISK PROSTATE CANCER. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
108	PD61-01 18F-FLUCICLOVINE PET/CT IN COMPARISON WITH 11C- CHOLINE PET/CT FOR NODAL STAGING IN PROSTATE CANCER PATIENTS: PRELIMINARY DIAGNOSTIC ACCURACY ANALYSIS. <i>Journal of Urology</i> , 2017, 197, .	0.4	0

#	ARTICLE	IF	CITATIONS
109	Re: Reconsidering Prostate Cancer Mortality â€” The Future of PSA Screening. European Urology, 2020, 78, 929.	1.9	0