## Gregorio Castañeda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4890727/publications.pdf

Version: 2024-02-01

72 papers 1,533 citations

279798 23 h-index 377865 34 g-index

72 all docs 72 docs citations

times ranked

72

1689 citing authors

#	Article	IF	CITATIONS
1	Homoleptic ruthenium complexes with N-heterocyclic carbene ligands as photosensitizers in the photocatalytic generation of H2 from water. Journal of Organometallic Chemistry, 2019, 898, 120880.	1.8	7
2	Cationic Bis(cyclometalated) Ir(III) Complexes with Pyridine–Carbene Ligands. Photophysical Properties and Photocatalytic Hydrogen Production from Water. Inorganic Chemistry, 2018, 57, 970-984.	4.0	26
3	Electrochemical sensor for leukemia drug imatinib determination in urine by adsorptive striping square wave voltammetry using modified screen-printed electrodes. Electrochimica Acta, 2018, 269, 668-675.	5.2	39
4	A Rapid, Direct and Validated HPLC- Fluorescence Method for the Quantification of Abiraterone and Abiraterone Acetate in Urine and Serum Samples from Patients with Castration- Resistant Prostate Cancer. Current Pharmaceutical Analysis, 2018, 14, 233-238.	0.6	2
5	Simultaneous Determination of Erlotinib and its Metabolites in Human Urine and Serum Samples by High-Performance Liquid Chromatography. Chromatographia, 2017, 80, 409-415.	1.3	8
6	Gold nanoparticles as analytical tools for the quantification of small quantities of triazine derivatives anchored on graphene in water dispersions. RSC Advances, 2017, 7, 21982-21987.	3.6	2
7	Sublethal effects induced by captopril on Cyprinus carpio as determined by oxidative stress biomarkers. Science of the Total Environment, 2017, 605-606, 811-823.	8.0	13
8	Effect of amoxicillin exposure on brain, gill, liver, and kidney of common carp ( <i>Cyprinus) Tj ETQq0 0 0 rgBT /C</i>	verlock 10	O Tf 50 462 Td
9	Micellar electrokinetic chromatographic method for the dabrafenib determination in biological samples. Electrophoresis, 2016, 37, 1296-1302.	2.4	4
10	Improving green enrichment of virgin olive oil by oregano. Effects on antioxidants. Food Chemistry, 2016, 197, 509-515.	8.2	24
11	Quantitation of sunitinib, an oral multitarget tyrosine kinase inhibitor, and its metabolite in urine samples by nonaqueous capillary electrophoresis time of flight mass spectrometry. Electrophoresis, 2015, 36, 1580-1587.	2.4	10
12	Simultaneous determination of erlotinib and metabolites in human urine using capillary electrophoresis. Electrophoresis, 2014, 35, 1489-1495.	2.4	11
13	Simultaneous determination of omeprazole and their main metabolites in human urine samples by capillary electrophoresis using electrospray ionization-mass spectrometry detection. Journal of Pharmaceutical and Biomedical Analysis, 2014, 92, 211-219.	2.8	19
14	Determination of histamine H2 receptor antagonists in pharmaceutical formulations by CE-MS. Analytical Methods, 2014, 6, 1714-1719.	2.7	6
15	Development and validation of a non-aqueous capillary electrophoresis method for the determination of imatinib, codeine and morphine in human urine. Analytical Methods, 2014, 6, 3842.	2.7	13
16	Study of controlled degradation processes and electrophoretic behaviour of omeprazole and its main degradation products using diode-array and ESI-IT-MS detection. Analytical Methods, 2013, 5, 3299.	2.7	5
17	Rapid determination of letrozole, citalopram and their metabolites by high performance liquid chromatography-fluorescence detection in urine: Method validation and application to real samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 913-914. 12-18.	2.3	17
18	Direct determination of pregabalin in human urine by nonaqueous <scp>CE</scp> â€ <scp>TOF</scp> â€ <scp>MS</scp> . Electrophoresis, 2013, 34, 1429-1436.	2.4	17

#	Article	IF	Citations
19	Comparative validations of non-aqueous capillary electrophoresis and high-performance liquid chromatography methods for the simultaneous determination of histamine H2 receptor antagonists in human urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 921-922, 56-63.	2.3	12
20	Determination of morphine, codeine, and paclitaxel in human serum and plasma by micellar electrokinetic chromatography. Journal of Separation Science, 2012, 35, 2297-2306.	2.5	10
21	Development of Microwaveâ€Assisted Reactions for PAMAM Dendrimer Synthesis. European Journal of Organic Chemistry, 2012, 2012, 2331-2337.	2.4	8
22	Direct and fast determination of paclitaxel, morphine and codeine in urine by micellar electrokinetic chromatography. Journal of Chromatography A, 2012, 1231, 66-72.	3.7	29
23	Screening of non-polar heterocyclic amines in urine by microextraction in packed sorbent-fluorimetric detection and confirmation by capillary liquid chromatography. Talanta, 2011, 83, 1562-1567.	5.5	24
24	Determination of heterocyclic amines in urine samples by capillary liquid chromatography with evaporated light-scattering detection. Analytical and Bioanalytical Chemistry, 2010, 397, 223-231.	3.7	13
25	Achiral liquid chromatography with circular dichroism detection for the determination of carnitine enantiomers in dietary supplements and pharmaceutical formulations. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 478-483.	2.8	21
26	Simultaneous determination of six nonâ€polar heterocyclic amines in meat samples by supercritical fluid extraction–capillary electrophoresis under fluorimetric detection. Electrophoresis, 2010, 31, 2165-2173.	2.4	14
27	Advantages of using a modified orthogonal sampling configuration originally designed for LC–ESI-MS to couple CE and MS for the determination of antioxidant phenolic compounds found in virgin olive oil. Talanta, 2010, 82, 548-554.	<b>5.</b> 5	14
28	Use of toxicity assays for enantiomeric discrimination of pharmaceutical substances. Chirality, 2009, 21, 751-759.	2.6	74
29	Optimisation and validation of a new CE method for the determination of lansoprazole enantiomers in pharmaceuticals. Electrophoresis, 2009, 30, 2940-2946.	2.4	16
30	Supercritical fluid extractionâ€"Achiral liquid chromatography with circular dichroism detection for the determination of menthone enantiomers in natural peppermint oil samples. Talanta, 2009, 79, 284-288.	5 <b>.</b> 5	15
31	New CE–ESI-MS analytical method for the separation, identification and quantification of seven phenolic acids including three isomer compounds in virgin olive oil. Talanta, 2009, 79, 1238-1246.	<b>5.</b> 5	54
32	Rapid characterization of fatty alcohol ethoxylates by nonâ€aqueous capillary electrophoresis. Electrophoresis, 2008, 29, 3060-3068.	2.4	10
33	Determination of zearalenone and its metabolites in urine samples by liquid chromatography with electrochemical detection using a carbon nanotube-modified electrode. Journal of Chromatography A, 2008, 1212, 54-60.	3.7	48
34	Development and validation of a capillary zone electrophoresis method for the determination of propranolol and N-desisopropylpropranolol in human urine. Analytica Chimica Acta, 2006, 559, 9-14.	5.4	20
35	Determination of ibuprofen and tetrazepam in human urine by micellar electrokinetic capillary chromatography. Analytical and Bioanalytical Chemistry, 2006, 384, 208-214.	3.7	8
36	Method development and validation for the separation and determination of omeprazole enantiomers in pharmaceutical preparations by capillary electrophoresis. Analytica Chimica Acta, 2005, 533, 127-133.	5.4	54

#	Article	IF	Citations
37	Development and validation method for determination of fluoxetine and its main metabolite norfluoxetine by nonaqueous capillary electrophoresis in human urine. Talanta, 2005, 65, 163-171.	5.5	44
38	Micellar electrokinetic chromatography method for the determination of sulfamethoxazole, trimethoprim and their main metabolites in human serum. Journal of Separation Science, 2005, 28, 543-548.	2.5	12
39	Analytical approaches to expanding the use of capillary electrophoresis in routine food analysis. Journal of Separation Science, 2005, 28, 915-924.	2.5	18
40	Voltammetric determination of Imatinib (Gleevec) and its main metabolite using square-wave and adsorptive stripping square-wave techniques in urine samples. Talanta, 2005, 66, 202-209.	5.5	24
41	Voltammetric Behavior of Mifepristone (RU-486) Using Square-Wave and Adsortive Stripping-Wave Techniques. Determination in Urine Samples. Electroanalysis, 2004, 16, 661-666.	2.9	5
42	Very fast and direct capillary zone electrophoresis method for the determination of creatinine and creatine in human urine. Analytica Chimica Acta, 2004, 521, 53-59.	5.4	19
43	Determination of sildenafil citrate (viagra) and its metabolite (UK-103,320) by square-wave and adsorptive stripping square-wave voltammetry. Total determination in biological samples. Talanta, 2004, 62, 427-432.	5.5	28
44	Development of a Micellar electrokinetic capillary chromatography method for the determination of three drugs employed in the erectile dysfunction therapy. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 811, 231-236.	2.3	30
45	Direct and fast capillary zone electrophoretic method for the determination of Gleevec and its main metabolite in human urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 794, 381-388.	2.3	24
46	Determination of Clobazam, Clorazepate, Flurazepam and Flunitrazepam in pharmaceutical preparations. Talanta, 2002, 57, 333-341.	5 <b>.</b> 5	13
47	Micellar electrokinetic capillary chromatographic method for simultaneous determination of drugs used to treat advanced breast cancer. Chromatographia, 2002, 56, 283-288.	1.3	4
48	Determination of sildenafil citrate and its main metabolite by sample stacking with polarity switching using micellar electrokinetic chromatography. Journal of Chromatography A, 2002, 953, 279-286.	3.7	42
49	Determination of lormetazepam and its main metabolite in serum using micellar electrokinetic capillary chromatography with direct injection and ultraviolet absorbance detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2002, 773, 151-158.	2.3	16
50	Micellar electrokinetic capillary chromatography for the determination of Viagra and its metabolite (UK-103,320) in human serum. Electrophoresis, 2001, 22, 2004-2009.	2.4	17
51	Simultaneous determination of sulfamethoxypyridazine, sulfamethoxazole, sulfadimethoxine and their associated compounds by liquid chromatography. Analytica Chimica Acta, 2001, 442, 241-248.	5.4	26
52	Determination of sulfametoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis. Journal of Chromatography A, 2001, 918, 205-210.	3.7	42
53	Voltammetric Behavior of Fluvoxamine Using Square-Wave and Adsorptive Stripping Square-Wave Techniques. Determination in Pharmaceutical Products. Electroanalysis, 2000, 12, 1059-1063.	2.9	20
54	Simultaneous determination of sulfaquinoxaline, sulfamethazine and pyrimethamine by liquid chromatography. Journal of Chromatography A, 2000, 870, 169-177.	3.7	20

#	Article	IF	CITATIONS
55	Voltammetric behavior of sildenafil citrate (Viagra) using square wave and adsorptive stripping square wave techniques. Analytica Chimica Acta, 2000, 417, 143-148.	5.4	51
56	Micellar Electrokinetic Capillary Chromatography as an Alternative Method for the Determination of Estrogens. Analytical Letters, 1999, 32, 2453-2469.	1.8	11
57	MICELLAR ELECTROKINETIC CAPILLARY CHROMATOGRAPHY AS AN ALTERNATIVE METHOD FOR THE DETERMINATION OF SULFONAMIDES AND THEIR ASSOCIATED COMPOUNDS. Journal of Liquid Chromatography and Related Technologies, 1999, 22, 1975-1986.	1.0	15
58	Determination of Diazepam and associated compounds in pharmaceutical preparations. Fresenius' Journal of Analytical Chemistry, 1999, 364, 570-575.	1.5	5
59	Determination of ethinylestradiol and gestodene in oral contraceptives by micellar electrokinetic chromatography. Chromatographia, 1999, 49, 65-70.	1.3	19
60	Voltammetric Behavior of Gestodene Using Square-Wave Technique. Determination in Oral Contraceptives. Electroanalysis, 1999, 11, 268-273.	2.9	8
61	Micellar electrokinetic capillary chromatography as an alternative method for the determination of ethinylestradiol and levo-norgestrel. Talanta, 1999, 50, 261-268.	5.5	23
62	Simultaneous determination of cis- and trans-resveratrol in wines by capillary zone electrophoresis. Analyst, The, 1999, 124, 61-66.	3.5	45
63	Evaluation of Capillary Zone Electrophoresis and Micellar Electrokinetic Capillary Chromatography with Direct Injection of Plasma for the Determination of Cefotaxime and Its Metabolite. Analytical Chemistry, 1997, 69, 1364-1369.	6.5	27
64	Simultaneous Determination of Ethinylestradiol and Levonorgestrel in Oral Contraceptives by Derivative Spectrophotometry. Analyst, The, 1997, 122, 41-44.	3.5	43
65	Voltammetric behavior of sulfadimetoxol using square-wave and adsorptive stripping square-wave techniques. Electroanalysis, 1997, 9, 474-477.	2.9	5
66	Simultaneous spectrophotometric determination of ethinylestradiol and levonorgestrel by partial least squares and principal component regression multivariate calibration. Analytica Chimica Acta, 1997, 340, 257-265.	5.4	67
67	Partial least squares method in the analysis by square wave voltammetry. Simultaneous determination of sulphamethoxypyridazine and trimethoprim. Analytica Chimica Acta, 1997, 349, 303-311.	5.4	24
68	Voltammetric behavior of pyrimethamine in veterinary formulations using square-wave and adsorptive square-wave techniques. Electroanalysis, 1995, 7, 1156-1160.	2.9	1
69	Capillary Electrophoresis as an Alternative Method for the Determination of Cefotaxime. Journal of Liquid Chromatography and Related Technologies, 1995, 18, 3877-3887.	1.0	30
70	Adsorptive stripping voltammetric behaviour of sulphaquinoxaline using differential-pulse and square-wave techniques. Analytica Chimica Acta, 1993, 273, 369-375.	5.4	8
71	Spectral ratio derivative spectrophotometric determination of sulphaquinoxaline and pyrimethamine in veterinary formulations. Journal of Pharmaceutical and Biomedical Analysis, 1993, 11, 601-607.	2.8	24
72	Determination of sulfamethoxazole and trimethoprim by ratio spectra derivative spectrophotometry. Fresenius' Journal of Analytical Chemistry, 1992, 342, 723-728.	1.5	27