

Yi Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4895829/publications.pdf>

Version: 2024-02-01

118
papers

6,317
citations

81900

39
h-index

69250

77
g-index

148
all docs

148
docs citations

148
times ranked

6597
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Simple structure descriptors quantifying the diffusion of ethene in small-pore zeolites: insights from molecular dynamic simulations. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 1590-1602. | 6.0 | 4 |
| 2 | High-throughput Screening of Aluminophosphate Zeolites for Adsorption Heat Pump Applications. <i>Chemical Research in Chinese Universities</i> , 2022, 38, 161-166. | 2.6 | 2 |
| 3 | Unraveling templated-regulated distribution of isolated SiO ₄ tetrahedra in silicoaluminophosphate zeolites with high-throughput computations. <i>National Science Review</i> , 2022, 9, . | 9.5 | 4 |
| 4 | Unveiling Secondary-Ion-Promoted Catalytic Properties of Cu-SSZ-13 Zeolites for Selective Catalytic Reduction of NO _x . <i>Journal of the American Chemical Society</i> , 2022, 144, 12816-12824. | 13.7 | 51 |
| 5 | A cage-based covalent organic framework for drug delivery. <i>New Journal of Chemistry</i> , 2021, 45, 3343-3348. | 2.8 | 31 |
| 6 | Turning waste into treasure: biomass carbon derived from sunflower seed husks used as anode for lithium-ion batteries. <i>Ionics</i> , 2021, 27, 1025-1039. | 2.4 | 8 |
| 7 | Emerging applications of zeolites in catalysis, separation and host-guest assembly. <i>Nature Reviews Materials</i> , 2021, 6, 1156-1174. | 48.7 | 209 |
| 8 | High-throughput model-building and screening of zeolitic imidazolate frameworks for CO ₂ capture from flue gas. <i>Chinese Chemical Letters</i> , 2020, 31, 227-230. | 9.0 | 19 |
| 9 | Transition-Metal-Containing Porphyrin Metal-Organic Frameworks as π-Backbonding Adsorbents for NO ₂ Removal. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19680-19683. | 13.8 | 49 |
| 10 | Functional Porous Materials Chemistry. <i>Advanced Materials</i> , 2020, 32, e2006277. | 21.0 | 19 |
| 11 | High-throughput screening of hypothetical aluminosilicate zeolites for CO ₂ capture from flue gas. <i>Journal of CO₂ Utilization</i> , 2020, 42, 101346. | 6.8 | 14 |
| 12 | Recent Advances of Solid-State NMR Spectroscopy for Microporous Materials. <i>Advanced Materials</i> , 2020, 32, e2002879. | 21.0 | 50 |
| 13 | Stimuli-Responsive Luminescent Properties of Tetraphenylethene-Based Strontium and Cobalt Metal-Organic Frameworks. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19716-19721. | 13.8 | 70 |
| 14 | gem-Diol Type Intermediate in the Activation of a Ketone on Sn ^{IV} Zeolite as Studied by Solid-State NMR Spectroscopy. <i>Angewandte Chemie</i> , 2020, 132, 19700-19706. | 2.0 | 2 |
| 15 | gem-Diol Type Intermediate in the Activation of a Ketone on Sn ^{IV} Zeolite as Studied by Solid-State NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19532-19538. | 13.8 | 13 |
| 16 | Prediction by Convolutional Neural Networks of CO ₂ /N ₂ Selectivity in Porous Carbons from N ₂ Adsorption Isotherm at 77 K. <i>Angewandte Chemie</i> , 2020, 132, 19813-19816. | 2.0 | 7 |
| 17 | Prediction by Convolutional Neural Networks of CO ₂ /N ₂ Selectivity in Porous Carbons from N ₂ Adsorption Isotherm at 77 K. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19645-19648. | 13.8 | 26 |
| 18 | Single-Atom Catalysts Supported by Crystalline Porous Materials: Views from the Inside. <i>Advanced Materials</i> , 2020, 32, e2002910. | 21.0 | 65 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Molecular simulations of host-guest interactions between zeolite framework STW and its organic structure-directing agents. <i>Chinese Chemical Letters</i> , 2020, 31, 1951-1955. | 9.0 | 10 |
| 20 | Selective Acetylene Adsorption within an Imino-Functionalized Nanocage-Based Metal-Organic Framework. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 5999-6006. | 8.0 | 33 |
| 21 | Database of open-framework aluminophosphate structures. <i>Scientific Data</i> , 2020, 7, 107. | 5.3 | 14 |
| 22 | Creating Hierarchical Pores in Zeolite Catalysts. <i>Trends in Chemistry</i> , 2019, 1, 601-611. | 8.5 | 145 |
| 23 | Helicity of perfluoroalkyl chains controlled by the self-assembly of the Ala-Ala dipeptides. <i>Chirality</i> , 2019, 31, 992-1000. | 2.6 | 8 |
| 24 | Luminescent covalent organic framework as a recyclable turn-off fluorescent sensor for cations and anions in aqueous solution. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11919-11925. | 5.5 | 35 |
| 25 | Systematic Study of Ti-Distribution in Titanosilicate *BEA Zeolites via Symmetry-Adapted Enumeration. <i>Chinese Journal of Chemistry</i> , 2019, 37, 593-596. | 4.9 | 0 |
| 26 | Necessity of Heteroatoms for Realizing Hypothetical Aluminophosphate Zeolites: A High-Throughput Computational Approach. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 1411-1415. | 4.6 | 19 |
| 27 | Graphical user interface for the program <i>FraGen</i> . <i>Journal of Applied Crystallography</i> , 2019, 52, 1455-1459. | 4.5 | 1 |
| 28 | Reducing possible combinations of Wyckoff positions for zeolite structure prediction. <i>Faraday Discussions</i> , 2018, 211, 541-552. | 3.2 | 4 |
| 29 | Formation mechanism and characterization of porous biomass carbon for excellent performance lithium-ion batteries. <i>RSC Advances</i> , 2018, 8, 12666-12671. | 3.6 | 27 |
| 30 | Toward a New Era of Designed Synthesis of Nanoporous Zeolitic Materials. <i>ACS Nano</i> , 2018, 12, 4096-4104. | 14.6 | 56 |
| 31 | Radical-Facilitated Green Synthesis of Highly Ordered Mesoporous Silica Materials. <i>Journal of the American Chemical Society</i> , 2018, 140, 4770-4773. | 13.7 | 91 |
| 32 | Creating intraparticle mesopores inside ZSM-5 nanocrystals under OSDA-free conditions and achievement of high activity in LDPE degradation. <i>Microporous and Mesoporous Materials</i> , 2018, 258, 178-188. | 4.4 | 17 |
| 33 | Roles of Hydroxyl Groups During Side-Chain Alkylation of Toluene with Methanol over Zeolite NaY: A Density Functional Theory Study. <i>Chinese Journal of Chemistry</i> , 2017, 35, 716-722. | 4.9 | 14 |
| 34 | Accelerating the detection of unfeasible hypothetical zeolites via symmetric local interatomic distance criteria. <i>Chinese Chemical Letters</i> , 2017, 28, 1365-1368. | 9.0 | 4 |
| 35 | Enhancement of Gas Sorption and Separation Performance via Ligand Functionalization within Highly Stable Zirconium-Based Metal-Organic Frameworks. <i>Crystal Growth and Design</i> , 2017, 17, 2131-2139. | 3.0 | 35 |
| 36 | Screening out unfeasible hypothetical zeolite structures via the closest non-adjacent O-O pairs. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 1276-1280. | 2.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Applications of Zeolites in Sustainable Chemistry. <i>CheM</i> , 2017, 3, 928-949. | 11.7 | 518 |
| 38 | Genetic engineering of inorganic functional modular materials. <i>Chemical Science</i> , 2016, 7, 3472-3481. | 7.4 | 10 |
| 39 | Ionothermal synthesis and magnetic study of a new manganese phosphite with an unprecedented Mn/P ratio. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 924-927. | 6.0 | 9 |
| 40 | High-throughput dynamic microwave-assisted extraction coupled with liquid-liquid extraction for analysis of tetrabromobisphenol A in soil. <i>Analytical Methods</i> , 2016, 8, 8015-8021. | 2.7 | 2 |
| 41 | Dual Functionalized Cages in Metal-Organic Frameworks via Stepwise Postsynthetic Modification. <i>Chemistry of Materials</i> , 2016, 28, 4781-4786. | 6.7 | 55 |
| 42 | Accelerated crystallization of zeolites via hydroxyl free radicals. <i>Science</i> , 2016, 351, 1188-1191. | 12.6 | 297 |
| 43 | Preparation of disordered carbon from rice husks for lithium-ion batteries. <i>New Journal of Chemistry</i> , 2016, 40, 325-329. | 2.8 | 50 |
| 44 | Organotemplate-free synthesis of an open-framework magnesium aluminophosphate with proton conduction properties. <i>Chemical Communications</i> , 2015, 51, 2149-2151. | 4.1 | 38 |
| 45 | Methyl viologen-templated zinc gallophosphate zeolitic material with dual photo-/thermochromism and tuneable photovoltaic activity. <i>Chemical Science</i> , 2015, 6, 2922-2927. | 7.4 | 104 |
| 46 | High proton conduction in a new alkali metal-templated open-framework aluminophosphate. <i>Chemical Communications</i> , 2015, 51, 9317-9319. | 4.1 | 54 |
| 47 | In silico prediction and screening of modular crystal structures via a high-throughput genomic approach. <i>Nature Communications</i> , 2015, 6, 8328. | 12.8 | 63 |
| 48 | Confinement Effect of Zeolite Cavities on Methanol-to-Olefin Conversion: A Density Functional Theory Study. <i>Journal of Physical Chemistry C</i> , 2014, 118, 24935-24940. | 3.1 | 32 |
| 49 | Solvatochromic AIE luminogens as supersensitive water detectors in organic solvents and highly efficient cyanide chemosensors in water. <i>Chemical Science</i> , 2014, 5, 2710. | 7.4 | 274 |
| 50 | In situ growth-etching approach to the preparation of hierarchically macroporous zeolites with high MTO catalytic activity and selectivity. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17994-18004. | 10.3 | 102 |
| 51 | High storage capacity and separation selectivity for C ₂ hydrocarbons over methane in the metal-organic framework Cu-TDPAT. <i>Journal of Materials Chemistry A</i> , 2014, 2, 15823-15828. | 10.3 | 102 |
| 52 | A family of germanates constructed from Ge ₇ clusters co-templated by metal complexes and organic/inorganic species. <i>CrystEngComm</i> , 2014, 16, 9545-9554. | 2.6 | 5 |
| 53 | An N-rich metal-organic framework with an rht topology: high CO ₂ and C ₂ hydrocarbons uptake and selective capture from CH ₄ . <i>Chemical Communications</i> , 2014, 50, 5031. | 4.1 | 137 |
| 54 | Methylviologen-templated layered bimetal phosphate: a multifunctional X-ray-induced photochromic material. <i>Chemical Science</i> , 2014, 5, 4237-4241. | 7.4 | 130 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 55 | New Stories of Zeolite Structures: Their Descriptions, Determinations, Predictions, and Evaluations. <i>Chemical Reviews</i> , 2014, 114, 7268-7316. | 47.7 | 449 |
| 56 | Hydrothermal synthesis of an ITH-type germanosilicate zeolite in a non-concentrated gel system. <i>Journal of Porous Materials</i> , 2013, 20, 975-981. | 2.6 | 14 |
| 57 | Rolling Up the Sheet: Constructing Metal-Organic Lamellae and Nanotubes from a $\{[Mn_3(\text{propanediolato})_2(\text{dicyanamide})_2]\}_n$ Honeycomb Skeleton. <i>Journal of the American Chemical Society</i> , 2013, 135, 18276-18279. | 13.7 | 34 |
| 58 | Design and Synthesis of Two Porous Metal-Organic Frameworks with <i>nbo</i> and <i>agw</i> Topologies Showing High CO_2 Adsorption Capacity. <i>Inorganic Chemistry</i> , 2013, 52, 10720-10722. | 4.0 | 41 |
| 59 | Luminescent carbon dots in a new magnesium aluminophosphate zeolite. <i>Chemical Communications</i> , 2013, 49, 9006. | 4.1 | 93 |
| 60 | Molecular engineering of microporous crystals: (VII) The molar ratio dependence of the structure-directing ability of piperazine in the crystallization of four aluminophosphates with open-frameworks. <i>Microporous and Mesoporous Materials</i> , 2013, 176, 112-122. | 4.4 | 18 |
| 61 | Criteria for Zeolite Frameworks Realizable for Target Synthesis. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1673-1677. | 13.8 | 107 |
| 62 | A Gallogermanate Zeolite with Eleven-Membered Ring Channels. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 5501-5503. | 13.8 | 40 |
| 63 | Predicting Hypothetical Zeolite Frameworks Using Program FraGen. <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 2013, 29, 1661-1665. | 4.9 | 2 |
| 64 | $[(C_4NH_{12})_4 [M_4Al_{12}P_{16}O_{64}]]$ (M = Co, Zn): New Heteroatom-Containing Aluminophosphate Molecular Sieves with Two Intersecting 8-Ring Channels. <i>Inorganic Chemistry</i> , 2012, 51, 1969-1974. | 4.0 | 30 |
| 65 | Distribution of trivalent metal cations in alumino-/gallogermanate zeolites with JST topology. <i>Dalton Transactions</i> , 2012, 41, 12170. | 3.3 | 6 |
| 66 | Divalent-Metal-Stabilized Aluminophosphates Exhibiting a New Zeolite Framework Topology. <i>Inorganic Chemistry</i> , 2012, 51, 225-229. | 4.0 | 34 |
| 67 | $K_3[Tb_xEu_{1-x}Ge_3O_8(OH)_2]$ ($x = 1, 0.88, 0.67, 0$): 2D-Layered Lanthanide Germanates with Tunable Photoluminescent Properties. <i>Inorganic Chemistry</i> , 2012, 51, 4779-4783. | 4.0 | 10 |
| 68 | A novel decanuclear Co(ii) cluster with adamantane-like metallic skeleton supported by 8-hydroxyquinoline and in situ formed CO_3^{2-} anions. <i>Dalton Transactions</i> , 2012, 41, 6242. | 3.3 | 14 |
| 69 | Structures and properties of lanthanide metal-organic frameworks based on a 1,2,3-triazole-containing tetracarboxylate ligand. <i>Dalton Transactions</i> , 2012, 41, 12790. | 3.3 | 50 |
| 70 | LEV-zeotype magnesium aluminophosphates with variable Mg/Al ratios. <i>Dalton Transactions</i> , 2012, 41, 6855. | 3.3 | 13 |
| 71 | $[(C_6N_4H_{21})_2 [Ge_7O_{14}F_6]]$: A New Germanate Compound Constructed from Alternately Stacked Pseudo Triple-Sheet Layers. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 1362-1364. | 1.2 | 1 |
| 72 | A Germanate Compound Constructed from Dissymmetric Ge_7 Chains and Metal Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 1345-1350. | 1.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 73 | Molecular engineering of microporous crystals: (IV) Crystallization process of microporous aluminophosphate AlPO ₄ -11. <i>Microporous and Mesoporous Materials</i> , 2012, 152, 190-207. | 4.4 | 26 |
| 74 | FraGen: a computer program for real-space structure solution of extended inorganic frameworks. <i>Journal of Applied Crystallography</i> , 2012, 45, 855-861. | 4.5 | 20 |
| 75 | A Zinc Phosphate Structure with Unusual Double Sheet Layers Templated by a Cobalt Hexaammine Complex. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 36-39. | 2.0 | 3 |
| 76 | Enhanced Binding Affinity, Remarkable Selectivity, and High Capacity of CO ₂ by Dual Functionalization of a <i>rht</i> -Type Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 1412-1415. | 13.8 | 430 |
| 77 | A Computational Method for Specified Substructure Search in Inorganic Crystal Structures. <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 2012, 28, 536-540. | 4.9 | 0 |
| 78 | Syntheses and characterizations of heteroatom-containing open-framework aluminophosphates. <i>Dalton Transactions</i> , 2011, 40, 9289. | 3.3 | 6 |
| 79 | Na ₈ CeSi ₆ O ₁₈ and Its Ti-Doped Analogue Na ₈ Ce _{0.73} Ti _{0.27} Si ₆ O ₁₈ with Interesting Photovoltaic Properties. <i>Chemistry of Materials</i> , 2011, 23, 2842-2847. | 6.7 | 13 |
| 80 | ACO-Zeotype Iron Aluminum Phosphates with Variable Al/Fe Ratios Controlled by F ⁺ Ions. <i>Inorganic Chemistry</i> , 2011, 50, 1820-1825. | 4.0 | 16 |
| 81 | An inorganic-organic hybrid compound built from polyoxovanadate cluster and Mn (II) complexes. <i>Inorganic Chemistry Communication</i> , 2011, 14, 1640-1643. | 3.9 | 6 |
| 82 | A Gallogermanate Zeolite Constructed Exclusively by Three-Ring Building Units. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3003-3005. | 13.8 | 53 |
| 83 | A new open-framework indium phosphite containing intersecting extra-large 16-ring channels. <i>Inorganic Chemistry Communication</i> , 2011, 14, 727-730. | 3.9 | 13 |
| 84 | Synthesis, characterization and properties of microporous lanthanide silicates: K ₈ Ln ₃ Si ₁₂ O ₃₂ NO ₃ ·H ₂ O (Ln=Eu, Tb, Gd, Sm). <i>Solid State Sciences</i> , 2010, 12, 422-427. | 3.2 | 7 |
| 85 | Ionothermal Synthesis of Extra-Large-Pore Open-Framework Nickel Phosphite 5H ₃ O·[Ni ₈ (HPO ₃) ₉ Cl ₃]·1.5H ₂ O: Magnetic Anisotropy of the Antiferromagnetism. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 2328-2331. | 13.8 | 63 |
| 86 | A Rapid Aqueous Fluoride Ion Sensor with Dual Output Modes. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 4915-4918. | 13.8 | 511 |
| 87 | New Lanthanide Silicates Based on Anionic Silicate Chain, Layer, and Framework Prepared under High-Temperature and High-Pressure Conditions. <i>Inorganic Chemistry</i> , 2010, 49, 9833-9838. | 4.0 | 28 |
| 88 | Spontaneous crystallization of a new chiral open-framework borophosphate in the ionothermal system. <i>Dalton Transactions</i> , 2010, 39, 1713. | 3.3 | 24 |
| 89 | Heteroatom-Stabilized Chiral Framework of Aluminophosphate Molecular Sieves. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 314-317. | 13.8 | 87 |
| 90 | A Crystalline Germanate with Mesoporous 30-Ring Channels. <i>Journal of the American Chemical Society</i> , 2009, 131, 14128-14129. | 13.7 | 80 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 91 | The Synthesis of Multiwalled Rare-Earth Phosphate Nanomaterials Using Organophosphates with Upconversion Properties. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 2033-2037. | 2.0 | 14 |
| 92 | Combining Structure Modeling and Electron Microscopy to Determine Complex Zeolite Framework Structures. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 4401-4405. | 13.8 | 24 |
| 93 | Introduction and application of zeobank: synthesis and structure databases of zeolites and related materials. <i>Studies in Surface Science and Catalysis</i> , 2007, , 168-176. | 1.5 | 7 |
| 94 | Synthesis, characterization and crystal structure analysis of an open-framework zirconium phosphate. <i>Microporous and Mesoporous Materials</i> , 2007, 104, 185-191. | 4.4 | 19 |
| 95 | Syntheses and Structures of Two Low-Dimensional Beryllium Phosphate Compounds: $[C_5H_{14}N_2]_2[Be_3(HPO_4)_5] \cdot H_2O$ and $[C_6H_{18}N_2]_{0.5}[Be_2(PO_4)(HPO_4)OH] \cdot 0.5H_2O$. <i>Inorganic Chemistry</i> , 2006, 45, 3281-3286. | 4.0 | 15 |
| 96 | Synthesis and characterization of a new open-framework aluminophosphate $C_4N_3H_{16} \cdot Al_4P_5O_{20}(H_2O)_2$ (AlPO-CJ31). <i>Microporous and Mesoporous Materials</i> , 2006, 93, 325-330. | 4.4 | 8 |
| 97 | $[C_3N_2H_{12}] \cdot [MnAl_3P_4O_{17}] \cdot [H_3O]$: A manganese (II)-substituted aluminophosphate with zeotype AFN topology. <i>Microporous and Mesoporous Materials</i> , 2005, 85, 252-259. | 4.4 | 8 |
| 98 | In situ synthesis of aluminophosphate microporous molecular sieve 8-hydroxyquinoline-AlPO ₄ -5 with blue-emitting luminescence property. <i>Microporous and Mesoporous Materials</i> , 2005, 85, 324-330. | 4.4 | 8 |
| 99 | Synthesis, Crystal Structure, and Solid-State NMR Spectroscopy of a New Open-Framework Aluminophosphate $(NH_4)_2Al_4(PO_4)_4(HPO_4) \cdot H_2O$. <i>ChemInform</i> , 2005, 36, no. | 0.0 | 0 |
| 100 | Synthesis, Crystal Structure, and Solid-State NMR Spectroscopy of a New Open-Framework Aluminophosphate $(NH_4)_2Al_4(PO_4)_4(HPO_4) \cdot H_2O$. <i>Inorganic Chemistry</i> , 2005, 44, 4391-4397. | 4.0 | 27 |
| 101 | Lamellar Mesostructured Aluminophosphates: Intercalation of n-Alkylamines into Layered Aluminophosphate by Ultrasonic Method. <i>Chemistry of Materials</i> , 2005, 17, 2101-2107. | 6.7 | 21 |
| 102 | Prediction of Open-Framework Aluminophosphate Structures Using the Automated Assembly of Secondary Building Units Method with Lowenstein's Constraints. <i>Chemistry of Materials</i> , 2005, 17, 6086-6093. | 6.7 | 27 |
| 103 | Design of Chiral Zeolite Frameworks with Specified Channels through Constrained Assembly of Atoms. <i>Chemistry of Materials</i> , 2005, 17, 4399-4405. | 6.7 | 51 |
| 104 | Hydrogen-Bonded Helices in the Layered Aluminophosphate $(C_2H_8N)_2[Al_2(HPO_4)(PO_4)_2]$. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 2399-2402. | 13.8 | 67 |
| 105 | Covalent Bonding of Phosphonates of L-Proline and L-Cysteine to ³ -Zirconium Phosphate. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2956-2960. | 2.0 | 13 |
| 106 | A New 3-D Open-Framework Zinc Phosphate $[C_6H_{16}N_2] \cdot [Zn_2(HPO_4)_3]$ Synthesized by a Solvothermal Combinatorial Approach. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 3718. | 2.0 | 6 |
| 107 | Hydrogen-Bonded Helices in the Layered Aluminophosphate $(C_2H_8N)_2[Al_2(HPO_4)(PO_4)_2]$. <i>ChemInform</i> , 2004, 35, no. | 0.0 | 0 |
| 108 | $[C_6N_2H_{14}]_{0.5} \cdot [MnAl_3(PO_4)_4(H_2O)_2]$: A Manganese(II)-Substituted Aluminophosphate with AFN Topology. <i>ChemInform</i> , 2004, 35, no. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | [C ₆ N ₂ H ₁₄] _{0.5} ·[MnAl ₃ (PO ₄) ₄ (H ₂ O) ₂]: A Manganese(II)-Substituted Aluminophosphate with AFN Topology. <i>Inorganic Chemistry</i> , 2004, 43, 2703-2707. | 4.0 | 6 |
| 110 | Assembly of p-Nitroaniline Molecule in the Channel of Zeolite MFI Large Single Crystal for NLO Material. <i>Journal of Physical Chemistry B</i> , 2004, 108, 3426-3430. | 2.6 | 28 |
| 111 | Design of zeolite frameworks with cross-linked channels through constrained assembly of atoms. <i>Studies in Surface Science and Catalysis</i> , 2004, , 308-316. | 1.5 | 3 |
| 112 | The application of combinatorial approach in the hydrothermal syntheses of open-framework zinc phosphates. <i>Studies in Surface Science and Catalysis</i> , 2004, , 1028-1034. | 1.5 | 1 |
| 113 | Chirality Transfer from Guest Chiral Metal Complexes to Inorganic Framework: The Role of Hydrogen Bonding. <i>Chemistry - A European Journal</i> , 2003, 9, 5048-5055. | 3.3 | 107 |
| 114 | (C ₆ H ₁₆ N ₂)Zn ₃ (HPO ₃) ₄ ·4H ₂ O: a new layered zinc phosphite templated by diprotonated trans-1,4-diaminocyclohexane. <i>Journal of Solid State Chemistry</i> , 2003, 170, 303-307. | 2.9 | 35 |
| 115 | Design of Zeolite Frameworks with Defined Pore Geometry through Constrained Assembly of Atoms. <i>Chemistry of Materials</i> , 2003, 15, 2780-2785. | 6.7 | 52 |
| 116 | Synthesis and structure of a new layered zinc phosphite (C ₅ H ₆ N ₂)Zn(HPO ₃) containing helical chains. <i>Chemical Communications</i> , 2003, , 882-883. | 4.1 | 105 |
| 117 | Combinatorial approach for the hydrothermal syntheses of open-framework zinc phosphates. <i>Chemical Communications</i> , 2002, , 1720-1721. | 4.1 | 47 |
| 118 | Synthesis and Characterization of a New Layered Aluminophosphate [Al ₃ P ₄ O ₁₆] ₂ [(CH ₃) ₂ NHCH ₂ CH ₂ NH(CH ₃) ₂] ₂ [H ₃ O]. <i>Journal of Solid State Chemistry</i> , 2002, 167, 282-288. | 2.9 | 14 |