

Desmond E Schipper

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4896078/publications.pdf>

Version: 2024-02-01

45
papers

1,107
citations

516710

16
h-index

395702

33
g-index

45
all docs

45
docs citations

45
times ranked

1591
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulatable Detection of Antibiotics Based on a Near-IR-Luminescent Tubelike Zn(II)â€“Yb(III) Nanocluster. <i>Inorganic Chemistry</i> , 2022, 61, 1011-1017.	4.0	6
2	Construction of a luminescent square-like Cd ₆ Eu ₂ nanocluster for the quantitative detection of 2,6-dipicolinic acid as an anthrax biomarker. <i>Journal of Materials Chemistry C</i> , 2022, 10, 3510-3516.	5.5	11
3	Rapid and Reliable Excitation Wavelength-Dependent Detection of 2,6-Dipicolinic Acid Based on a Luminescent Cd(II)â€“Tb(III) Nanocluster. <i>Inorganic Chemistry</i> , 2022, 61, 8484-8489.	4.0	10
4	Construction of a high-nuclearity Nd(<i>iii</i>) nanoring for the NIR luminescent detection of antibiotics. <i>Dalton Transactions</i> , 2021, 50, 5865-5870.	3.3	2
5	Ratiometric fluorescent detection of dipicolinic acid as an anthrax biomarker based on a high-nuclearity Yb ₁₈ nanoring. <i>Dalton Transactions</i> , 2021, 50, 13528-13532.	3.3	5
6	Visible luminescent Ln ₄₂ nanotorus coordination clusters. <i>Journal of Coordination Chemistry</i> , 2021, 74, 92-101.	2.2	1
7	Construction of a nanoscale Yb(III) Schiff base complex with NIR luminescence response to anions and nitro explosives. <i>Journal of Luminescence</i> , 2021, 231, 117807.	3.1	2
8	Construction of Zn(II)/Cd(II)â€“Yb(III) Schiff Base Complexes for the NIR Luminescent Sensing of Fluoroquinolone Antibiotics. <i>Inorganic Chemistry</i> , 2021, 60, 5764-5770.	4.0	17
9	High-Nuclearity Cd(II)â€“Nd(III) Nanowheel with NIR Emission Sensing of Metal Cations and Nitro-Based Explosives. <i>Crystal Growth and Design</i> , 2021, 21, 2821-2827.	3.0	9
10	Construction of an Octanuclear Zn(II)â€“Yb(III) Schiff Base Complex for the NIR Luminescent Sensing of Nitrofurantoin Antibiotics. <i>Chinese Journal of Chemistry</i> , 2021, 39, 2083-2087.	4.9	4
11	Triangular Cd(II)â€“Sm(III) Schiff Base Complex with Dual Visible and Near-Infrared Luminescent Responses to Nitro Explosives. <i>Journal of Physical Chemistry A</i> , 2021, 125, 251-257.	2.5	5
12	Structural manifestations and biological screening for newly synthesized heteroleptic bismuth(V) bis-carboxylates. <i>Journal of Coordination Chemistry</i> , 2021, 74, 3002-3017.	2.2	3
13	Construction of a 1-D Sm(<i>iii</i>) coordination polymer with a long-chain Schiff base ligand: dual-emissive response to metal ions. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 464-469.	6.0	3
14	One High-Nuclearity Cd(II)â€“Yb(III) Nanoring with Near-IR Luminescent Sensing to Antibiotics. <i>Inorganic Chemistry</i> , 2020, 59, 16809-16813.	4.0	10
15	One Nanoscale Zn(II)-Nd(III) Complex With Schiff Base Ligand: NIR Luminescent Sensing of Anions and Nitro Explosives. <i>Frontiers in Chemistry</i> , 2020, 8, 536907.	3.6	2
16	Construction of a 18-Metal Neodymium(III) Nanoring with NIR Luminescent Sensing to Antibiotics. <i>Inorganic Chemistry</i> , 2020, 59, 17608-17613.	4.0	12
17	Construction of Chiral â€œTriple-Deckerâ€“Nd(III) Nanocluster with High NIR Luminescence Sensitivity toward Co(II). <i>Inorganic Chemistry</i> , 2020, 59, 8652-8656.	4.0	8
18	In pursuit of advanced materials from single-source precursors based on metal carbonyls. <i>Dalton Transactions</i> , 2019, 48, 2248-2262.	3.3	4

#	ARTICLE	IF	CITATIONS
19	NIR luminescence for the detection of metal ions and nitro explosives based on a grape-like nine-nuclear Nd(μ_3) nanocluster. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 550-555.	6.0	20
20	Construction of a Large High-Nuclearity Cd-Sm Schiff Base Cluster with Nanoscale Inner Cavity as Luminescent Probe for Metal Cations. <i>Crystal Growth and Design</i> , 2019, 19, 2149-2154.	3.0	20
21	Large Ln ₄₂ coordination nanorings: NIR luminescence sensing of metal ions and nitro explosives. <i>Chemical Communications</i> , 2019, 55, 13116-13119.	4.1	44
22	Self-assembly of luminescent 42-metal lanthanide nanowheels with sensing properties towards metal ions and nitro explosives. <i>Journal of Materials Chemistry C</i> , 2019, 7, 13425-13431.	5.5	23
23	Effects of Catalyst Phase on the Hydrogen Evolution Reaction of Water Splitting: Preparation of Phase-Pure Films of FeP, Fe ₂ P, and Fe ₃ P and Their Relative Catalytic Activities. <i>Chemistry of Materials</i> , 2018, 30, 3588-3598.	6.7	123
24	A self-assembling luminescent lanthanide molecular nanoparticle with potential for live cell imaging. <i>Chemical Science</i> , 2018, 9, 4630-4637.	7.4	26
25	Self-assembly of luminescent Zn-Ln (Ln = Sm and Nd) nanoclusters with a long-chain Schiff base ligand. <i>New Journal of Chemistry</i> , 2018, 42, 7241-7246.	2.8	9
26	Luminescent Polynuclear Zn- and Cd-Ln Square-Like Nanoclusters With a Flexible Long-Chain Schiff Base Ligand. <i>Frontiers in Chemistry</i> , 2018, 6, 321.	3.6	2
27	Anionic Bismuth Oxido Clusters with Pendant Silver Cations: Synthesis and Structures of $\{[\text{Bi}_4(\mu_3\text{O})_2(\text{TFA})_9(\text{Ag}(\text{tol})_2)]_2\}$ and $\{[\text{Bi}_4(\mu_3\text{O})_2(\text{TFA})_{10}(\text{AgPPh}_3)_2]\}_n$. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 1457-1463.	2.0	13
28	Synthesis of Hexagonal FeMnP Thin Films from a Single-Source Molecular Precursor. <i>Chemistry - A European Journal</i> , 2017, 23, 5565-5572.	3.3	9
29	Gold coated iron phosphide core-shell structures. <i>RSC Advances</i> , 2017, 7, 25848-25854.	3.6	7
30	Iron carbonyl clusters with ECl ₂ units (E = As, Sb). <i>Journal of Organometallic Chemistry</i> , 2017, 849-850, 279-285.	1.8	2
31	A TiO ₂ /FeMnP Core/Shell Nanorod Array Photoanode for Efficient Photoelectrochemical Oxygen Evolution. <i>ACS Nano</i> , 2017, 11, 4051-4059.	14.6	106
32	Bifunctional metal phosphide FeMnP films from single source metal organic chemical vapor deposition for efficient overall water splitting. <i>Nano Energy</i> , 2017, 39, 444-453.	16.0	117
33	Self-assembly of high-nuclearity lanthanide-based nanoclusters for potential bioimaging applications. <i>Nanoscale</i> , 2016, 8, 11123-11129.	5.6	14
34	Thin Films of (Fe _{1-x} Co _x) ₃ P and Fe ₃ (P _{1-x} Te _x) from the Co-Decomposition of Organometallic Precursors by MOCVD. <i>Chemistry of Materials</i> , 2016, 28, 7066-7071.	6.7	10
35	Anionic Bismuth-Oxido Carboxylate Clusters with Transition Metal Counteranions. <i>Inorganic Chemistry</i> , 2016, 55, 11560-11569.	4.0	16
36	Transformations in Transition-Metal Carbonyls Containing Arsenic: Exploring the Chemistry of [Et ₄ N] ₂ [HAs{Fe(CO) ₄ } ₃] in the Search for Single-Source Precursors for Advanced Metal Pnictide Materials. <i>Organometallics</i> , 2016, 35, 471-483.	2.3	20

#	ARTICLE	IF	CITATIONS
37	New Main-Group-Element-Rich <i>nido</i> -Octahedral Cluster System: Synthesis and Characterization of $[Et_4N][Fe_2(CO)_6(\frac{1}{4}As)_3-EFe(CO)_4]_2$. <i>Inorganic Chemistry</i> , 2016, 55, 6679-6684.	4.0	3
38	A self-assembling lanthanide molecular nanoparticle for optical imaging. <i>Dalton Transactions</i> , 2015, 44, 2667-2675.	3.3	12
39	Asphalt-Derived High Surface Area Activated Porous Carbons for Carbon Dioxide Capture. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 1376-1382.	8.0	108
40	Self-assembly of NIR luminescent 30-metal drum-like and 12-metal rectangular d^4f nanoclusters with long-chain Schiff base ligands. <i>Chemical Communications</i> , 2014, 50, 15569-15572.	4.1	34
41	Lanthanide nano-drums: a new class of molecular nanoparticles for potential biomedical applications. <i>Faraday Discussions</i> , 2014, 175, 241-255.	3.2	5
42	Anion dependent self-assembly of 56-metal Cd^4Ln nanoclusters with enhanced near-infrared luminescence properties. <i>Nanoscale</i> , 2014, 6, 10569-10573.	5.6	24
43	Anion dependent self-assembly of luminescent Zn^4Ln (Eu and Tb) salen complexes. <i>Polyhedron</i> , 2013, 52, 165-169.	2.2	28
44	Anion-Dependent Self-Assembly of Near-Infrared Luminescent 24- and 32-Metal Cd^4Ln Complexes with Drum-like Architectures. <i>Journal of the American Chemical Society</i> , 2013, 135, 8468-8471.	13.7	134
45	Anion-dependent construction of two hexanuclear $3d^4f$ complexes with a flexible Schiff base ligand. <i>Dalton Transactions</i> , 2012, 41, 11449.	3.3	64