

Luigi Pinna

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4896247/publications.pdf>

Version: 2024-02-01

47
papers

1,763
citations

172457

29
h-index

289244

40
g-index

62
all docs

62
docs citations

62
times ranked

1127
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Unlocking Access to Enantiopure Fused Uracils by Chemodivergent [4+2] Cross-Cycloadditions: DFT-Supported Homo-Synergistic Organocatalytic Approach. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20055-20064. | 13.8 | 12 |
| 2 | Unlocking Access to Enantiopure Fused Uracils by Chemodivergent [4+2] Cross-Cycloadditions: DFT-Supported Homo-Synergistic Organocatalytic Approach. <i>Angewandte Chemie</i> , 2020, 132, 20230-20239. | 2.0 | 5 |
| 3 | Exploiting the Distal Reactivity of Indolyl Methylene malononitriles: An Asymmetric Organocatalyzed [4+2] Cycloaddition with Enals Enables the Assembly of Elusive Dihydrocarbazoles. <i>Chemistry - A European Journal</i> , 2016, 22, 12637-12640. | 3.3 | 30 |
| 4 | Organocatalytic, Asymmetric Eliminative [4+2] Cycloaddition of Allylidene Malononitriles with Enals: Rapid Entry to Cyclohexadiene-Embedding Linear and Angular Polycycles. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 7386-7390. | 13.8 | 37 |
| 5 | Direct and Enantioselective Vinylogous Michael Addition of α -Alkylidene pyrazolinones to Nitroolefins Catalyzed by Dual Cinchona Alkaloid Thioureas. <i>Advanced Synthesis and Catalysis</i> , 2014, 356, 2330-2336. | 4.3 | 52 |
| 6 | Direct Regio-, Diastereo-, and Enantioselective Vinylogous Michael Addition of Prochiral α -Alkylidene oxindoles to Nitroolefins. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 1881-1886. | 4.3 | 50 |
| 7 | Bifunctional Cinchona Alkaloid/Thiourea Catalyzes Direct and Enantioselective Vinylogous Michael Addition of α -Alkylidene Oxindoles to Nitroolefins. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 6200-6204. | 13.8 | 116 |
| 8 | Diastereo- and Enantioselective Catalytic Vinylogous Mukaiyama-Mannich Reactions of Pyrrole-Based Silyl Dienolates with Alkyl-Substituted Aldehydes. <i>Journal of Organic Chemistry</i> , 2011, 76, 10291-10298. | 3.2 | 39 |
| 9 | Uncatalyzed, Diastereoselective Vinylogous Mukaiyama Aldol Reactions on Aqueous Media: Pyrrole vs Furan 2-Silyloxy Dienes. <i>Journal of Organic Chemistry</i> , 2010, 75, 8681-8684. | 3.2 | 40 |
| 10 | Asymmetric total synthesis of 1-deoxy-7,8-di-epi-castanospermine. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 1725. | 2.8 | 25 |
| 11 | Further Uses of Pyrrole-Based Dioxysilane Synthons: A Full Aldol Approach to Azabicyclo[2.1]alkane Systems. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 2273-2287. | 2.4 | 18 |
| 12 | New Enantioselective Entry to Cycloheptane Amino Acid Polyols. <i>Journal of Organic Chemistry</i> , 2006, 71, 225-230. | 3.2 | 24 |
| 13 | Streamlined, Asymmetric Synthesis of 8,4 α -Oxyneolignans. <i>Journal of Organic Chemistry</i> , 2006, 71, 8552-8558. | 3.2 | 37 |
| 14 | Advances in Chemical Synthesis of Carbasugars and Analogues. <i>ChemInform</i> , 2004, 35, no. | 0.0 | 0 |
| 15 | Variable Strategy toward Carbasugars and Relatives. 6.1 Diastereoselective Synthesis of 2-Deoxy-2-amino-5a-carba- β -l-mannopyranuronic Acid and 2-Deoxy-2-amino-5a-carba- β -l-mannopyranose. <i>Journal of Organic Chemistry</i> , 2004, 69, 1625-1628. | 3.2 | 24 |
| 16 | Variable Strategy toward Carbasugars and Relatives. 5.1 Focus on Preparation of Chiral Nonracemic Medium-Sized Carbocycles. <i>Journal of Organic Chemistry</i> , 2003, 68, 5881-5885. | 3.2 | 35 |
| 17 | Advances in Chemical Synthesis of Carbasugars and Analogues. <i>Studies in Natural Products Chemistry</i> , 2003, 29, 449-520. | 1.8 | 24 |
| 18 | Variable Strategy toward Carbasugars and Relatives. 4.1 Viable Access to (4a-Carbapentofuranosyl)amines, (5a-Carbahexopyranosyl)amines, and Amino Acids Thereof. <i>Journal of Organic Chemistry</i> , 2002, 67, 5338-5342. | 3.2 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Synthesis of a Small Repertoire of Non-Racemic 5a-Carbahexopyranoses and 1-Thio-5a-carbahexopyranoses. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 1956. | 2.4 | 20 |
| 20 | Variable Strategy toward Carbasugars and Relatives. 2.1 Diversity-Based Synthesis of $\hat{1}^2$ -d-Xylo, $\hat{1}^2$ -d-Ribo, $\hat{1}^2$ -l-Arabino, and $\hat{1}^2$ -l-Lyxo 4a-Carba-furanoses and (4a-Carba-furanosyl)thiols. <i>Journal of Organic Chemistry</i> , 2001, 66, 8070-8075. | 3.2 | 43 |
| 21 | The Utility of Furan-, Pyrrole-, and Thiophene-Based 2-Silyloxy Dienes As Demonstrated by Modular Synthesis of Annonaceous Acetogenin Core Units and Their Pyrrolidine and Thiolane Analogues. <i>Journal of Organic Chemistry</i> , 2000, 65, 2048-2064. | 3.2 | 32 |
| 22 | Variable Strategy toward Carbasugars and Relatives. 1. Stereocontrolled Synthesis of Pseudo- $\hat{1}^2$ -d-gulopyranose, Pseudo- $\hat{1}^2$ -d-xylofuranose, (Pseudo- $\hat{1}^2$ -d-gulopyranosyl)amine, and (Pseudo- $\hat{1}^2$ -d-xylofuranosyl)amine. <i>Journal of Organic Chemistry</i> , 2000, 65, 6307-6318. | 3.2 | 42 |
| 23 | Diastereoselective synthesis of a novel lactam peptidomimetic exploiting vinylogous Mannich addition of 2-silyloxyfuran reagents. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 765-773. | 1.8 | 30 |
| 24 | Lewis Acid Assisted Vinylogous Mannich and Mukaiyama Aldol Reactions: A Route to Densely Hydroxylated Indolizidine Alkaloid Analogues. <i>European Journal of Organic Chemistry</i> , 1999, 1999, 1395-1400. | 2.4 | 33 |
| 25 | Variable Strategy toward Carbasugars and Relatives As Illustrated by Diastereoselective Synthesis of 1-Deoxy-1-amino-pseudo- $\hat{1}^2$ -d-gulopyranose (Alias 1,2,4-Tri-epi-validamine). <i>Organic Letters</i> , 1999, 1, 1213-1215. | 4.6 | 20 |
| 26 | Modular Approach toward the Construction of the Core Motifs of Annonaceous Acetogenins and Variants Thereof. <i>Journal of Organic Chemistry</i> , 1998, 63, 1368-1369. | 3.2 | 31 |
| 27 | Parallel, Stereoselective Syntheses of both Enantiomers of Muricatacin and Their Sulfur and Nitrogen Relatives Using the Silyloxy Diene-Based Methodology. <i>Journal of Organic Chemistry</i> , 1997, 62, 4513-4517. | 3.2 | 46 |
| 28 | Diastereoselective synthesis of. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 3237-3243. | 1.8 | 23 |
| 29 | RECENT ADVANCES IN THE STEREOSELECTIVE SYNTHESIS OF HYDROXYLATED PYRROLIZIDINES. A REVIEW. <i>Organic Preparations and Procedures International</i> , 1996, 28, 641-682. | 1.3 | 45 |
| 30 | Total Syntheses of 2,4-Diamino-2,4-dideoxy-l-arabinose and 2,4-Diamino-2,4-dideoxy-l-ribose. <i>Journal of Organic Chemistry</i> , 1996, 61, 5172-5174. | 3.2 | 23 |
| 31 | 2-(tert-butyl dimethylsilyloxy)thiophene: Application to total syntheses of both enantiomers of 2 \hat{a} \hat{e} $\hat{2}$,3 \hat{a} \hat{e} $\hat{2}$ -dideoxy-4 \hat{a} \hat{e} $\hat{2}$ -thiocytidine. <i>Tetrahedron Letters</i> , 1995, 36, 1941-1944. | 1.4 | 28 |
| 32 | Total syntheses of N-boc-protected 3 \hat{a} \hat{e} $\hat{2}$ -deoxy-4 \hat{a} \hat{e} $\hat{2}$ -azathymidine and 4 \hat{a} \hat{e} $\hat{2}$ -azauridine. <i>Tetrahedron Letters</i> , 1994, 35, 4019-4022. | 1.4 | 53 |
| 33 | N-tert-butoxycarbonyl-2-(tert-butyl dimethylsilyloxy)pyrrole as a glycine anion equivalent: A flexible enantioselective access to polyhydroxy- $\hat{1}^2$ -amino acids. <i>Tetrahedron Letters</i> , 1994, 35, 2423-2426. | 1.4 | 35 |
| 34 | Total Syntheses of All Four Isomers of cis-1,2-Dihydroxypyrrrolizidine. <i>Journal of Organic Chemistry</i> , 1994, 59, 2906-2909. | 3.2 | 60 |
| 35 | Asymmetric synthesis of 4-amino-2,3,4-trideoxyaldonic acids: novel gaba c-glycoconjugates. <i>Tetrahedron</i> , 1993, 49, 6489-6496. | 1.9 | 16 |
| 36 | Efficient total syntheses of (1R, 2R, 3R, 9R, 9aR)-1,2,3,9-tetrahydroquinolizidine and its enantiomer. <i>Tetrahedron</i> , 1993, 49, 6627-6636. | 1.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Total synthesis of 2,3-dideoxy-C-methylheptose derivatives. <i>Tetrahedron: Asymmetry</i> , 1993, 4, 681-686. | 1.8 | 24 |
| 38 | Selective reactions using N-(tert-butoxycarbonyl)-2-(tert-butyltrimethylsilyloxy)pyrrole: concise asymmetric syntheses of (+)-1-deoxy-8-epi-castanospermine and its enantiomer. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993, , 2991. | 0.9 | 32 |
| 39 | Total syntheses of (+)-2,8,8a-tri-epi-swainsonine and (-)-1-epi-swainsonine. <i>Journal of Organic Chemistry</i> , 1993, 58, 3397-3400. | 3.2 | 50 |
| 40 | N-(tert-Butoxycarbonyl)-2-(tert-butyltrimethylsilyloxy)pyrrole: a promising compound for synthesis of chiral nonracemic hydroxylated pyrrolidine derivatives. <i>Journal of Organic Chemistry</i> , 1992, 57, 3760-3763. | 3.2 | 85 |
| 41 | Total synthesis of 1,5-dideoxy-1,5-iminoalditols. <i>Tetrahedron</i> , 1992, 48, 727-742. | 1.9 | 51 |
| 42 | Homochiral $\hat{1},\hat{2}$ -unsaturated $\hat{1}^3$ -lactams: Versatile templates. <i>Tetrahedron: Asymmetry</i> , 1992, 3, 1035-1048. | 1.8 | 46 |
| 43 | Hydroformylation of styrene catalyzed by rhodium complexes with 2-diphenylphosphinopyridine. <i>Journal of Molecular Catalysis</i> , 1991, 66, 183-190. | 1.2 | 46 |
| 44 | Highly stereoselective total synthesis of octopyranose derivatives. <i>Tetrahedron</i> , 1991, 47, 8025-8030. | 1.9 | 23 |
| 45 | Asymmetric hydroformylation of N-acyl 1-aminoacrylic acid derivatives by rhodium/chiral diphosphine catalysts. <i>Tetrahedron: Asymmetry</i> , 1991, 2, 623-632. | 1.8 | 49 |
| 46 | Optically active phenanthrolines in asymmetric catalysis. IV. Enantioselective hydrosilylation of acetophenone by rhodium/chiral alkyl phenanthroline catalysts.. <i>Tetrahedron: Asymmetry</i> , 1990, 1, 937-942. | 1.8 | 61 |
| 47 | Completely regioselective hydroformylation of methyl n-acetamidoacrylate by chiral rhodium phosphine catalysts.. <i>Tetrahedron: Asymmetry</i> , 1990, 1, 693-696. | 1.8 | 33 |