

Mona Bajaj-Elliott

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4901636/publications.pdf>

Version: 2024-02-01

89
papers

4,079
citations

117625

34
h-index

114465

63
g-index

90
all docs

90
docs citations

90
times ranked

5559
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-18: A potential inflammation biomarker in Wiskott-Aldrich syndrome. <i>European Journal of Immunology</i> , 2021, 51, 1285-1288.	2.9	1
2	Next-generation sequencing as a clinical laboratory tool for describing different microbiotas: an urgent need for future paediatric practice. <i>Archives of Disease in Childhood</i> , 2021, 106, 1035-1035.	1.9	0
3	Is the skin microbiota a modifiable risk factor for breast disease?: A systematic review. <i>Breast</i> , 2021, 59, 279-285.	2.2	7
4	Cervical Gene Delivery of the Antimicrobial Peptide, Human β -Defensin (HBD)-3, in a Mouse Model of Ascending Infection-Related Preterm Birth. <i>Frontiers in Immunology</i> , 2020, 11, 106.	4.8	19
5	Wiskott Aldrich syndrome protein regulates non-selective autophagy and mitochondrial homeostasis in human myeloid cells. <i>ELife</i> , 2020, 9, .	6.0	18
6	Predictive value of cervical cytokine, antimicrobial and microflora levels for pre-term birth in high-risk women. <i>Scientific Reports</i> , 2019, 9, 11246.	3.3	14
7	Comparative genomics and genome biology of <i>Campylobacter showae</i> . <i>Emerging Microbes and Infections</i> , 2019, 8, 827-840.	6.5	8
8	Gut microbiota from infant with cow's milk allergy promotes clinical and immune features of atopy in a murine model. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1790-1793.	5.7	17
9	Innate Lymphoid Cells and T Cells Contribute to the Interleukin-17A Signature Detected in the Synovial Fluid of Patients With Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2019, 71, 460-467.	5.6	19
10	<i>Salmonella</i> exploits HLA-B27 and host unfolded protein responses to promote intracellular replication. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 74-82.	0.9	37
11	Human beta defensin (HBD) gene copy number affects HBD2 protein levels: impact on cervical bactericidal immunity in pregnancy. <i>European Journal of Human Genetics</i> , 2018, 26, 434-439.	2.8	19
12	Novel <i>Campylobacter concisus</i> lipooligosaccharide is a determinant of inflammatory potential and virulence. <i>Journal of Lipid Research</i> , 2018, 59, 1893-1905.	4.2	4
13	Comparative genomics of <i>Campylobacter concisus</i> : Analysis of clinical strains reveals genome diversity and pathogenic potential. <i>Emerging Microbes and Infections</i> , 2018, 7, 1-17.	6.5	25
14	The bile salt sodium taurocholate induces <i>Campylobacter jejuni</i> outer membrane vesicle production and increases OMV-associated proteolytic activity. <i>Cellular Microbiology</i> , 2018, 20, e12814.	2.1	27
15	Wiskott-Aldrich syndrome protein regulates autophagy and inflammasome activity in innate immune cells. <i>Nature Communications</i> , 2017, 8, 1576.	12.8	50
16	<i>Campylobacter jejuni</i> outer membrane vesicle-associated proteolytic activity promotes bacterial invasion by mediating cleavage of intestinal epithelial cell E-cadherin and occludin. <i>Cellular Microbiology</i> , 2016, 18, 561-572.	2.1	113
17	Antimicrobial Peptides and Preterm Birth. , 2016, , 293-299.		0
18	Role of Glycosyltransferases Modifying Type B Flagellin of Emerging Hypervirulent <i>Clostridium difficile</i> Lineages and Their Impact on Motility and Biofilm Formation. <i>Journal of Biological Chemistry</i> , 2016, 291, 25450-25461.	3.4	49

#	ARTICLE	IF	CITATIONS
19	A critical role for ATF2 transcription factor in the regulation of E-selectin expression in response to non-endotoxin components of <i>Neisseria meningitidis</i> . <i>Cellular Microbiology</i> , 2016, 18, 66-79.	2.1	5
20	<i>Clostridium difficile</i> -mediated effects on human intestinal epithelia: Modelling host-pathogen interactions in a vertical diffusion chamber. <i>Anaerobe</i> , 2016, 37, 96-102.	2.1	25
21	Amino acid-based formula affects the gastrointestinal cytokine milieu of children with non-IgE mediated cow's milk allergy. <i>Clinical and Translational Allergy</i> , 2015, 5, P41.	3.2	4
22	Anti-inflammatory features of the amino acid-based formula Neocate. <i>Clinical and Translational Allergy</i> , 2015, 5, P151.	3.2	3
23	Is variation in copy number of the human beta defensin gene cluster associated with preterm birth?. <i>Lancet, The</i> , 2015, 385, S47.	13.7	0
24	Pancreatic Amylase Is an Environmental Signal for Regulation of Biofilm Formation and Host Interaction in <i>Campylobacter jejuni</i> . <i>Infection and Immunity</i> , 2015, 83, 4884-4895.	2.2	8
25	Pseudaminic Acid on <i>Campylobacter jejuni</i> Flagella Modulates Dendritic Cell IL-10 Expression via Siglec-10 Receptor: A Novel Flagellin-Host Interaction. <i>Journal of Infectious Diseases</i> , 2014, 210, 1487-1498.	4.0	70
26	YIM-P59. Relationships between the Th17 and innate lymphoid cell signature in enthesitis related arthritis. <i>Pediatric Rheumatology</i> , 2014, 12, .	2.1	0
27	Host Immunity to <i>Clostridium difficile</i> PCR Ribotype 017 Strains. <i>Infection and Immunity</i> , 2014, 82, 4989-4996.	2.2	9
28	Association of DEFB1 polymorphisms and in-vivo protein expression: a population-based, case-control study. <i>Lancet, The</i> , 2014, 383, S59.	13.7	1
29	Mannose-binding Lectin Genotype Influences Frequency and Duration of Infectious Complications in Children With Malignancy. <i>Journal of Pediatric Hematology/Oncology</i> , 2013, 35, 69-75.	0.6	17
30	<i>Campylobacter jejuni</i> Lipooligosaccharide Sialylation, Phosphorylation, and Amide/Ester Linkage Modifications Fine-tune Human Toll-like Receptor 4 Activation. <i>Journal of Biological Chemistry</i> , 2013, 288, 19661-19672.	3.4	40
31	<i>Clostridium difficile</i> Modulates Host Innate Immunity via Toxin-Independent and Dependent Mechanism(s). <i>PLoS ONE</i> , 2013, 8, e69846.	2.5	59
32	Increase in <i>Campylobacter jejuni</i> Invasion of Intestinal Epithelial Cells under Low-Oxygen Coculture Conditions That Reflect the <i>In Vivo</i> Environment. <i>Infection and Immunity</i> , 2012, 80, 1690-1698.	2.2	34
33	<i>Campylobacter jejuni</i> Outer Membrane Vesicles Play an Important Role in Bacterial Interactions with Human Intestinal Epithelial Cells. <i>Infection and Immunity</i> , 2012, 80, 4089-4098.	2.2	138
34	Aberrant response to commensal <i>Bacteroides thetaiotaomicron</i> in Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1201-1208.	1.9	20
35	Bacterial-Epithelial Contact Is a Key Determinant of Host Innate Immune Responses to Enteropathogenic and Enteroaggregative <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2011, 6, e27030.	2.5	40
36	Delineation of the Innate and Adaptive T-Cell Immune Outcome in the Human Host in Response to <i>Campylobacter jejuni</i> Infection. <i>PLoS ONE</i> , 2010, 5, e15398.	2.5	61

#	ARTICLE	IF	CITATIONS
37	Th17 plasticity in human autoimmune arthritis is driven by the inflammatory environment. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 14751-14756.	7.1	380
38	Human Intestinal Epithelial Response(s) to Clostridium difficile. Methods in Molecular Biology, 2010, 646, 135-146.	0.9	5
39	Interferon- γ -mediated activation of enterocytes in immunological control of <i>Encephalitozoon intestinalis</i> infection. Parasite Immunology, 2009, 31, 2-9.	1.5	12
40	Differential effects of <i>Staphylococcal</i> enterotoxin B-mediated immune activation on intestinal defensins. Clinical and Experimental Immunology, 2009, 156, 263-270.	2.6	11
41	Dysregulation of interferon- γ -mediated signalling pathway in intestinal epithelial cells by <i>Cryptosporidium parvum</i> infection. Cellular Microbiology, 2009, 11, 1354-1364.	2.1	46
42	W1637 Campylobacter Jejuni-Mediated Effects On Dendritic Cell IL-12/IL-23 Axis: Impact On T Cell Mediated Immunity. Gastroenterology, 2009, 136, A-707.	1.3	0
43	Campylobacter jejuni-mediated disease pathogenesis: an update. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 123-129.	1.8	121
44	The Role of Mannose-Binding Lectin in Susceptibility to Infection in Preterm Neonates. Pediatric Research, 2008, 63, 680-685.	2.3	78
45	The Terminal Sialic Acid of Glycoconjugates on the Surface of Intestinal Epithelial Cells Activates Excystation of <i>Cryptosporidium parvum</i> . Infection and Immunity, 2008, 76, 3735-3741.	2.2	20
46	A major role for intestinal epithelial nucleotide oligomerization domain 1 (NOD1) in eliciting host bactericidal immune responses to Campylobacter jejuni. Cellular Microbiology, 2007, 9, 2404-2416.	2.1	95
47	A major role for intestinal epithelial nucleotide oligomerization domain 1 (NOD1) in eliciting host bactericidal immune responses to Campylobacter jejuni. Cellular Microbiology, 2007, 9, 2541-2541.	2.1	11
48	A potential role for interleukin-18 in inhibition of the development of Cryptosporidium parvum. Clinical and Experimental Immunology, 2006, 145, 555-562.	2.6	40
49	Mucosal Immunization with a Urease B DNA Vaccine Induces Innate and Cellular Immune Responses Against Helicobacter pylori. Helicobacter, 2006, 11, 113-122.	3.5	29
50	Helicobacter pylori regulates the expression of inhibitors of DNA binding (Id) proteins by gastric epithelial cells. Microbes and Infection, 2006, 8, 1064-1074.	1.9	16
51	Reduced Gene Expression of Intestinal α -Defensins Predicts Diarrhea in a Cohort of African Adults. Journal of Infectious Diseases, 2006, 193, 1464-1470.	4.0	35
52	Nucleotide-binding Oligomerization Domain-1 and Epidermal Growth Factor Receptor. Journal of Biological Chemistry, 2006, 281, 11637-11648.	3.4	158
53	Influence of Mannose Binding Lectin (MBL) Gene Polymorphisms on Infectious Complications during Treatment for Childhood Malignancy.. Blood, 2006, 108, 1260-1260.	1.4	4
54	Mannose-Binding Lectin in Susceptibility and Progression of HIV-1 Infection in Children. Antiviral Therapy, 2006, 11, 499-505.	1.0	24

#	ARTICLE	IF	CITATIONS
55	Susceptibility to infection in patients with neutropenia: the role of the innate immune system. <i>British Journal of Haematology</i> , 2005, 129, 713-722.	2.5	47
56	Intestinal Innate Immunity to <i>Campylobacter jejuni</i> Results in Induction of Bactericidal Human Beta-Defensins 2 and 3. <i>Infection and Immunity</i> , 2005, 73, 7281-7289.	2.2	81
57	Innate immunity in health and disease. <i>Molecular Immunology</i> , 2005, 42, 857-858.	2.2	1
58	Innate immune defence in the human gastrointestinal tract. <i>Molecular Immunology</i> , 2005, 42, 903-912.	2.2	84
59	Differential Regulation of β -Defensin Gene Expression during <i>Cryptosporidium parvum</i> Infection. <i>Infection and Immunity</i> , 2004, 72, 2772-2779.	2.2	96
60	Protection against the Early Acute Phase of <i>Cryptosporidium parvum</i> Infection Conferred by Interleukin-4-Induced Expression of T Helper 1 Cytokines. <i>Journal of Infectious Diseases</i> , 2004, 190, 1019-1025.	4.0	40
61	A plasmid immunization construct encoding urease B of <i>Helicobacter pylori</i> induces an antigen-specific antibody response and upregulates the expression of β -defensins and IL-10 in the stomachs of immunized mice. <i>Vaccine</i> , 2004, 22, 2651-2659.	3.8	15
62	Induction of Cyclooxygenase 2 by <i>Escherichia coli</i> but not <i>Helicobacter pylori</i> lipopolysaccharide in gastric epithelial cells in vitro. <i>Helicobacter</i> , 2003, 8, 513-520.	3.5	9
63	<i>Helicobacter pylori</i> regulates expression of ID-1 and ID-3 but not ID-2. <i>Gastroenterology</i> , 2003, 124, A590-A591.	1.3	0
64	Intestinal defensin gene expression in human populations. <i>Molecular Immunology</i> , 2003, 40, 469-475.	2.2	35
65	Host anti-microbial response to <i>Helicobacter pylori</i> infection. <i>Molecular Immunology</i> , 2003, 40, 451-456.	2.2	44
66	Trypsin and host defence: a new role for an old enzyme. <i>Gut</i> , 2003, 52, 166-167.	12.1	9
67	Interleukin-4 and Transforming Growth Factor β Have Opposing Regulatory Effects on Gamma Interferon-Mediated Inhibition of <i>Cryptosporidium parvum</i> Reproduction. <i>Infection and Immunity</i> , 2003, 71, 4580-4585.	2.2	37
68	Modulation of host antimicrobial peptide (beta-defensins 1 and 2) expression during gastritis. <i>Gut</i> , 2002, 51, 356-361.	12.1	92
69	Interleukin 18 and associated markers of T helper cell type 1 activity in coeliac disease. <i>Gut</i> , 2002, 50, 186-190.	12.1	118
70	Impaired Resistance and Enhanced Pathology During Infection with a Noninvasive, Attaching-Effacing Enteric Bacterial Pathogen, <i>Citrobacter rodentium</i> , in Mice Lacking IL-12 or IFN- γ . <i>Journal of Immunology</i> , 2002, 168, 1804-1812.	0.8	152
71	Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants. <i>Gut</i> , 2002, 50, 451-459.	12.1	229
72	Interferon gamma induces enterocyte resistance against infection by the intracellular pathogen <i>Cryptosporidium parvum</i> . <i>Gastroenterology</i> , 2001, 120, 99-107.	1.3	114

#	ARTICLE	IF	CITATIONS
73	Alpha-defensin expression in human jejunum varies in HIV infection and tropical enteropathy. <i>Gastroenterology</i> , 2001, 120, A152.	1.3	0
74	The reduction in insulin-like growth factor-1 and linear growth in a rat model of colitis is mediated by the combined inhibitory effects of interleukin-6 and undernutrition. <i>Gastroenterology</i> , 2001, 120, A210.	1.3	1
75	Epithelial growth factors in Coeliac Disease. <i>Gastroenterology</i> , 2001, 120, A395.	1.3	0
76	Basic RT-PCR for Measurement of Cytokine Expression. , 2001, , 049-058.		1
77	Keratinocyte growth factor and coeliac disease. <i>Gut</i> , 2001, 49, 176-181.	12.1	34
78	ELISPOT Technique for Assaying Interleukins. , 2001, , 017-028.		0
79	Human Peyer's Patch T Cells Are Sensitized to Dietary Antigen and Display a Th Cell Type 1 Cytokine Profile. <i>Journal of Immunology</i> , 2000, 165, 5315-5321.	0.8	86
80	Imbalance of stromelysin-1 and TIMP-1 in the mucosal lesions of children with inflammatory bowel disease. <i>Gut</i> , 2000, 47, 57-62.	12.1	135
81	Characterisation of Acute Murine Dextran Sodium Sulphate Colitis: Cytokine Profile and Dose Dependency. <i>Digestion</i> , 2000, 62, 240-248.	2.3	342
82	Effect of helicobacter pylori on the expression of the E-cadherin-catenin complex in gastric epithelial cells. <i>Gastroenterology</i> , 2000, 118, A760-A761.	1.3	0
83	Cellular mechanisms of interferon- γ mediated inhibition of cryptosporidium parvum infection. <i>Gastroenterology</i> , 2000, 118, A817.	1.3	2
84	Induction of human B2 defensin (hBD2) mRNA expression by H.pylori in human gastric epithelial cell lines. <i>Gastroenterology</i> , 2000, 118, A1213.	1.3	0
85	Distinct cytokine patterns in Barrett's oesophagus and associated adenocarcinoma: Evidence for a shift towards a Th2 response. <i>Gastroenterology</i> , 2000, 118, A37.	1.3	3
86	T cells orchestrate intestinal mucosal shape and integrity. <i>Trends in Immunology</i> , 1999, 20, 505-510.	7.5	116
87	Upregulation of Keratinocyte Growth Factor during T-Cell Immunity in the Gut Mucosa. <i>Annals of the New York Academy of Sciences</i> , 1998, 859, 184-187.	3.8	4
88	AN ANALYSIS OF INTERFERON γ , IL-4, IL-5 AND IL-10 PRODUCTION BY ELISPOT AND QUANTITATIVE REVERSE TRANSCRIPTASE-PCR IN HUMAN PEYER'S PATCHES. <i>Cytokine</i> , 1998, 10, 627-634.	3.2	35
89	Interactions between stromal cell-derived keratinocyte growth factor and epithelial transforming growth factor in immune-mediated crypt cell hyperplasia. <i>Journal of Clinical Investigation</i> , 1998, 102, 1473-1480.	8.2	71