

# J A GarcÃ-a-SÃ;inz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4901868/publications.pdf>

Version: 2024-02-01

238  
papers

5,634  
citations

93792

39  
h-index

134545

62  
g-index

239  
all docs

239  
docs citations

239  
times ranked

2231  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutation of putative phosphorylation sites in the free fatty acid receptor 1: Effects on signaling, receptor phosphorylation, and internalization. <i>Molecular and Cellular Endocrinology</i> , 2022, 545, 111573.	1.6	2
2	Roles of Receptor Phosphorylation and Rab Proteins in G Protein-Coupled Receptor Function and Trafficking. <i>Molecular Pharmacology</i> , 2022, 101, 144-153.	1.0	6
3	Cell Trafficking and Function of G Protein-coupled Receptors. <i>Archives of Medical Research</i> , 2022, 53, 451-460.	1.5	2
4	The LPA3 Receptor: Regulation and Activation of Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6704.	1.8	6
5	Roles of the G protein-coupled receptor kinase 2 and Rab5 in $\hat{1}B$ -adrenergic receptor function and internalization. <i>European Journal of Pharmacology</i> , 2020, 867, 172846.	1.7	3
6	Effect of docosahexaenoic acid, phorbol myristate acetate, and insulin on the interaction of the FFA4 (short isoform) receptor with Rab proteins. <i>European Journal of Pharmacology</i> , 2020, 889, 173595.	1.7	3
7	Effects of agonists and phorbol esters on $\hat{1}A$ -adrenergic receptor-Rab protein interactions. <i>European Journal of Pharmacology</i> , 2020, 885, 173423.	1.7	3
8	Glycogen Synthase Kinase-3 modulates $\hat{1}A$ -adrenergic receptor action and regulation. <i>European Journal of Cell Biology</i> , 2020, 99, 151072.	1.6	4
9	Canonical and non-canonical Wnt signaling are simultaneously activated by Wnts in colon cancer cells. <i>Cellular Signalling</i> , 2020, 72, 109636.	1.7	59
10	Sites phosphorylated in human $\hat{1}B$ -adrenoceptors in response to noradrenaline and phorbol myristate acetate. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 1509-1519.	1.9	8
11	Receptor tyrosine kinase activation induces free fatty acid 4 receptor phosphorylation, $\hat{2}$ -arrestin interaction, and internalization. <i>European Journal of Pharmacology</i> , 2019, 855, 267-275.	1.7	5
12	Updates in the function and regulation of $\hat{1}$ -adrenoceptors. <i>British Journal of Pharmacology</i> , 2019, 176, 2343-2357.	2.7	49
13	The $\hat{1}$ -adrenoceptor-mediated human hyperplastic prostate cells proliferation is impaired by EGF receptor inhibition. <i>Life Sciences</i> , 2019, 239, 117048.	2.0	5
14	Distinct phosphorylation sites/clusters in the carboxyl terminus regulate $\hat{1}D$ -adrenergic receptor subcellular localization and signaling. <i>Cellular Signalling</i> , 2019, 53, 374-389.	1.7	10
15	Different phosphorylation patterns regulate $\hat{1}D$ -adrenoceptor signaling and desensitization. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 842-854.	1.9	14
16	S1P1 receptor phosphorylation, internalization, and interaction with Rab proteins: effects of sphingosine 1-phosphate, FTY720-P, phorbol esters, and paroxetine. <i>Bioscience Reports</i> , 2018, 38, .	1.1	17
17	Free fatty acid receptor 4 agonists induce lysophosphatidic acid receptor 1 ( $\hat{1}$ ) desensitization independent of $\hat{1}$ internalization and heterodimerization. <i>FEBS Letters</i> , 2018, 592, 2612-2623.	1.3	11
18	Effects of arachidonic acid on FFA4 receptor: Signaling, phosphorylation and internalization. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2017, 117, 1-10.	1.0	22

#	ARTICLE	IF	CITATIONS
19	Protein Kinase C Activation Promotes $\beta$ -Adrenoceptor Internalization and Late Endosome Trafficking through Rab9 Interaction. Role in Heterologous Desensitization. <i>Molecular Pharmacology</i> , 2017, 91, 296-306.	1.0	14
20	Cardiac hyporesponsiveness in severe sepsis is associated with nitric oxide-dependent activation of G protein receptor kinase. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 313, H149-H163.	1.5	22
21	A549 cells as a model to study endogenous LPA 1 receptor signaling and regulation. <i>European Journal of Pharmacology</i> , 2017, 815, 258-265.	1.7	4
22	Noradrenaline, oxymetazoline and phorbol myristate acetate induce distinct functional actions and phosphorylation patterns of $\beta$ -adrenergic receptors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 2378-2388.	1.9	14
23	Novel Structural Approaches to Study GPCR Regulation. <i>International Journal of Molecular Sciences</i> , 2017, 18, 27.	1.8	21
24	A Latin American Perspective on G Protein-Coupled Receptors. <i>Molecular Pharmacology</i> , 2016, 90, 570-572.	1.0	0
25	Carboxyl terminus-truncated $\beta$ -adrenoceptors inhibit the ERK pathway. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 911-920.	1.4	4
26	Phosphorylation and Internalization of Lysophosphatidic Acid Receptors LPA1, LPA2, and LPA3. <i>PLoS ONE</i> , 2015, 10, e0140583.	1.1	17
27	New Multi-target Antagonists of $\beta$ -Adrenoceptors and 5-HT <sub>1A</sub> Receptors Reduce Human Hyperplastic Prostate Cell Growth and the Increase of Intraurethral Pressure. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 356, 212-222.	1.3	14
28	Agonists and protein kinase C-activation induce phosphorylation and internalization of FFA1 receptors. <i>European Journal of Pharmacology</i> , 2015, 768, 108-115.	1.7	5
29	$\beta$ -Adrenergic Receptors Differentially Associate with Rab Proteins during Homologous and Heterologous Desensitization. <i>PLoS ONE</i> , 2015, 10, e0121165.	1.1	23
30	Visualizing G Protein-coupled Receptors in Action through Confocal Microscopy Techniques. <i>Archives of Medical Research</i> , 2014, 45, 283-293.	1.5	5
31	Isoforms of protein kinase C involved in phorbol ester-induced sphingosine 1-phosphate receptor 1 phosphorylation and desensitization. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 327-334.	1.9	11
32	The phosphoinositide-dependent protein kinase 1 inhibitor, UCN-01, induces fragmentation: Possible role of metalloproteinases. <i>European Journal of Pharmacology</i> , 2014, 740, 88-96.	1.7	4
33	Free fatty acids and protein kinase C activation induce GPR120 (free fatty acid receptor 4) phosphorylation. <i>European Journal of Pharmacology</i> , 2014, 723, 368-374.	1.7	27
34	Conventional protein kinase C isoforms mediate phorbol ester-induced lysophosphatidic acid LPA1 receptor phosphorylation. <i>European Journal of Pharmacology</i> , 2014, 723, 124-130.	1.7	12
35	Differential Phosphorylation, Desensitization, and Internalization of $\beta$ -Adrenoceptors Activated by Norepinephrine and Oxymetazoline. <i>Molecular Pharmacology</i> , 2013, 83, 870-881.	1.0	47
36	S1P 1 Receptor Regulation by Phosphorylation. <i>FASEB Journal</i> , 2013, 27, 1040.2.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Phosphorylation and internalization of short splicing variant of the omega 3 fatty acid sensor, GPR120. <i>FASEB Journal</i> , 2013, 27, 1173.5.	0.2	1
38	Roles of phosphoinositide-dependent kinase-1 in $\beta$ 1B-adrenoceptor phosphorylation and desensitization. <i>European Journal of Pharmacology</i> , 2012, 674, 179-187.	1.7	2
39	Sphingosine 1-phosphate-mediated $\beta$ 1B-adrenoceptor desensitization and phosphorylation. Direct and paracrine/autocrine actions. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 245-254.	1.9	7
40	EGF and angiotensin II modulate lysophosphatidic acid LPA1 receptor function and phosphorylation state. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2011, 1810, 1170-1177.	1.1	15
41	Mechanisms involved in $\beta$ 1B-adrenoceptor desensitization. <i>IUBMB Life</i> , 2011, 63, 811-815.	1.5	16
42	Roles of the $\beta$ 1A-adrenergic receptor carboxyl tail in protein kinase C-induced phosphorylation and desensitization. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010, 382, 499-510.	1.4	11
43	Dissecting how receptor tyrosine kinases modulate G protein-coupled receptor function. <i>European Journal of Pharmacology</i> , 2010, 648, 1-5.	1.7	19
44	$\beta$ 1D-Adrenergic Receptors. <i>Methods in Enzymology</i> , 2010, 484, 109-125.	0.4	11
45	Signaling properties of human $\beta$ 1D-adrenoceptors lacking the carboxyl terminus: intrinsic activity, agonist-mediated activation, and desensitization. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009, 380, 99-107.	1.4	8
46	Effect of inhibitors of mitogen-activated protein kinase kinase on $\beta$ 1B-adrenoceptor phosphorylation. <i>Autonomic and Autacoid Pharmacology</i> , 2009, 29, 13-23.	0.5	1
47	Receptor tyrosine kinases regulate $\beta$ 1D-adrenoceptor signaling properties: Phosphorylation and desensitization. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 1276-1283.	1.2	10
48	Roles of c-Src in $\beta$ 1B-adrenoceptor phosphorylation and desensitization. <i>Autonomic and Autacoid Pharmacology</i> , 2008, 28, 29-39.	0.5	9
49	Regulation of LPA receptor function by estrogens. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 253-262.	1.9	17
50	Phosphorylation, desensitization and internalization of human $\beta$ 1B-adrenoceptors induced by insulin-like growth factor-I. <i>European Journal of Pharmacology</i> , 2008, 578, 1-10.	1.7	12
51	G Protein-Coupled Receptor-Receptor Tyrosine Kinase Receptor Crosstalk: Regulation of Receptor Sensitivity and Roles of Autocrine Feedback Loops and Signal Integration. <i>Current Signal Transduction Therapy</i> , 2008, 3, 174-182.	0.3	10
52	Complex interactions of sibutramine with $\beta$ 1D-adrenoceptors. <i>FASEB Journal</i> , 2008, 22, 726.1.	0.2	0
53	Lysophosphatidic acid LPA <sub>1</sub> receptor close-up. <i>Signal Transduction</i> , 2007, 7, 351-363.	0.7	7
54	Editorial: Signal transduction in Mexico. <i>Signal Transduction</i> , 2007, 7, 349-350.	0.7	1

#	ARTICLE	IF	CITATIONS
55	Î±1-Adrenoceptors in proximal segments of tail arteries from control and reserpinised rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2007, 376, 117-126.	1.4	8
56	Role of epidermal growth factor receptor transactivation in Î±1B-adrenoceptor phosphorylation. <i>European Journal of Pharmacology</i> , 2006, 542, 31-36.	1.7	19
57	Insulin-Like Growth Factor-I Induces Î±1B-Adrenergic Receptor Phosphorylation through GÎ²Î³ and Epidermal Growth Factor Receptor Transactivation. <i>Molecular Endocrinology</i> , 2006, 20, 2773-2783.	3.7	17
58	Estrogens Cross-Talk to Î±1b-Adrenergic Receptors. <i>Molecular Pharmacology</i> , 2006, 70, 154-162.	1.0	19
59	Phosphorylation and desensitization of the lysophosphatidic acid receptor LPA1. <i>Biochemical Journal</i> , 2005, 385, 677-684.	1.7	44
60	Okadaic acid increases the phosphorylation state of Î±1A-adrenoceptors and induces receptor desensitization. <i>European Journal of Pharmacology</i> , 2005, 525, 18-23.	1.7	7
61	Agonist-Induced Interactions between Angiotensin AT1 and Epidermal Growth Factor Receptors. <i>Molecular Pharmacology</i> , 2005, 68, 356-364.	1.0	72
62	Peroxovanadate induces Î±1B-adrenoceptor phosphorylation and association with protein kinase C. <i>European Journal of Pharmacology</i> , 2004, 485, 61-67.	1.7	2
63	The elusive Î±1D-adrenoceptor: molecular and cellular characteristics and integrative roles. <i>European Journal of Pharmacology</i> , 2004, 500, 113-120.	1.7	37
64	Human Î±1D-adrenoceptor phosphorylation and desensitization. <i>Biochemical Pharmacology</i> , 2004, 67, 1853-1858.	2.0	21
65	Insulin induces Î±1B-adrenergic receptor phosphorylation and desensitization. <i>Life Sciences</i> , 2004, 75, 1937-1947.	2.0	15
66	G protein-coupled receptor cross-talk: pivotal roles of protein phosphorylation and protein-protein interactions. <i>Cellular Signalling</i> , 2003, 15, 549-557.	1.7	80
67	Lysophosphatidic acid induces Î±1B-adrenergic receptor phosphorylation through GÎ²Î³, phosphoinositide 3-kinase, protein kinase C and epidermal growth factor receptor transactivation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2003, 1633, 75-83.	1.2	29
68	Lysophosphatidic acid induces Î±1B-adrenergic receptor phosphorylation through G beta gamma, phosphoinositide 3-kinase, protein kinase C and epidermal growth factor receptor transactivation. <i>Biochimica Et Biophysica Acta</i> , 2003, 1633, 75-83.	1.3	5
69	Î±1B-Adrenergic receptor phosphorylation and desensitization induced by transforming growth factor-Î². <i>Biochemical Journal</i> , 2002, 368, 581-587.	1.7	13
70	Angiotensin AT <sub>1</sub> Receptor Phosphorylation and Desensitization in a Hepatic Cell Line. Roles of Protein Kinase C and Phosphoinositide 3-Kinase. <i>Molecular Pharmacology</i> , 2001, 59, 576-585.	1.0	36
71	Phosphorylation and desensitization of Î±1d-adrenergic receptors. <i>Biochemical Journal</i> , 2001, 353, 603-610.	1.7	47
72	Phosphorylation and desensitization of Î±1d-adrenergic receptors. <i>Biochemical Journal</i> , 2001, 353, 603.	1.7	31

#	ARTICLE	IF	CITATIONS
73	Protein kinase C- $\beta$ -adrenoceptor coimmunoprecipitation: effect of hormones and phorbol myristate acetate. <i>European Journal of Pharmacology</i> , 2001, 419, 9-13.	1.7	13
74	Molecular cloning and functional expression of the guinea pig $\beta$ 1a-adrenoceptor. <i>European Journal of Pharmacology</i> , 2001, 426, 147-155.	1.7	6
75	Cross-talk between receptors with intrinsic tyrosine kinase activity and $\beta$ 1b-adrenoceptors. <i>Biochemical Journal</i> , 2000, 350, 413.	1.7	27
76	Cross-talk between receptors with intrinsic tyrosine kinase activity and $\beta$ 1b-adrenoceptors. <i>Biochemical Journal</i> , 2000, 350, 413-419.	1.7	35
77	Protein phosphatase-protein kinase interplay modulates $\beta$ 1b -adrenoceptor phosphorylation: effects of okadaic acid. <i>British Journal of Pharmacology</i> , 2000, 129, 724-730.	2.7	21
78	$\beta$ 1-Adrenoceptors: function and phosphorylation. <i>European Journal of Pharmacology</i> , 2000, 389, 1-12.	1.7	119
79	Norepinephrine- and Phorbol Ester-induced Phosphorylation of $\beta$ 1a-Adrenergic Receptors. <i>Journal of Biological Chemistry</i> , 2000, 275, 6553-6559.	1.6	56
80	Lysophosphatidic acid modulates alpha(1b)-adrenoceptor phosphorylation and function: roles of Gi and phosphoinositide 3-kinase. <i>Molecular Pharmacology</i> , 2000, 57, 1027-33.	1.0	16
81	Activation of bradykinin B2 receptors increases calcium entry and intracellular mobilization in C9 liver cells. <i>IUBMB Life</i> , 1999, 47, 927-933.	1.5	2
82	Intracellular Calcium and $\beta$ 1b-Adrenoceptor Phosphorylation. <i>Archives of Medical Research</i> , 1999, 30, 353-357.	1.5	1
83	$\beta$ 1-Adrenoceptors. <i>Archives of Medical Research</i> , 1999, 30, 449-458.	1.5	91
84	Protein kinase C-mediated phosphorylation and desensitization of human $\beta$ 1b-adrenoceptors. <i>European Journal of Pharmacology</i> , 1999, 385, 263-271.	1.7	12
85	Inverse $\beta$ 1A and $\beta$ 1D adrenoceptor mRNA expression during isolation of hepatocytes. <i>European Journal of Pharmacology</i> , 1999, 384, 231-237.	1.7	6
86	Modulation of basal intracellular calcium by inverse agonists and phorbol myristate acetate in rat-1 fibroblasts stably expressing $\beta$ 1d-adrenoceptors. <i>FEBS Letters</i> , 1999, 443, 277-281.	1.3	50
87	Angiotensin AT1 receptors in Clone 9 rat liver cells: Ca <sup>2+</sup> signaling and c-fos expression. <i>European Journal of Pharmacology</i> , 1998, 362, 235-243.	1.7	12
88	Crosstalk: phosphorylation of $\beta$ 1b-adrenoceptors induced through activation of bradykinin B2 receptors. <i>FEBS Letters</i> , 1998, 422, 141-145.	1.3	28
89	$\beta$ 1-Adrenoceptor subtype activation increases proto-oncogene mRNA levels. Role of protein kinase C. <i>European Journal of Pharmacology</i> , 1998, 342, 311-317.	1.7	18
90	Chloroquine inhibits $\beta$ 1B-adrenergic action in hepatocytes. <i>European Journal of Pharmacology</i> , 1998, 342, 333-338.	1.7	1

#	ARTICLE	IF	CITATIONS
91	Activation of Endothelin ETA Receptors Induces Phosphorylation of $\hat{1}\pm 1\text{b}$ -Adrenoreceptors in Rat-1 Fibroblasts. <i>Journal of Biological Chemistry</i> , 1997, 272, 27330-27337.	1.6	61
92	Characterization of the AT1 angiotensin II receptor expressed in guinea pig liver. <i>Journal of Endocrinology</i> , 1997, 154, 133-138.	1.2	19
93	Purification and Characterization of Receptors for Activated Protein Kinase C from Rat Hepatocytes. <i>Protein Expression and Purification</i> , 1997, 10, 32-37.	0.6	3
94	Chloroethylclonidine is a partial $\hat{1}\pm 1\text{A}$ -adrenoceptor agonist in cells expressing recombinant $\hat{1}\pm 1$ -adrenoceptor subtypes. <i>Life Sciences</i> , 1997, 61, PL391-PL395.	2.0	9
95	Atypical angiotensin II receptors coupled to phosphoinositide turnover/calcium signalling in catfish hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1997, 1357, 201-208.	1.9	6
96	Hormonal Responsiveness of Hepatocytes After Hypothermic Preservation in University of Wisconsin Solution. <i>Cellular Signalling</i> , 1997, 9, 277-281.	1.7	4
97	Hormonal modulation of c-fos expression in isolated hepatocytes. Effects of angiotensin II and phorbol myristate acetate on transcription and mRNA degradation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1996, 1310, 217-222.	1.9	13
98	Characterization of the $\hat{1}\pm 1$ -adrenoceptors of cat liver. Predominance of the $\hat{1}\pm 1\text{A}$ -adrenergic subtype. <i>Life Sciences</i> , 1996, 59, 235-242.	2.0	9
99	Coexpression of $\hat{1}\pm 1\text{A}$ - and $\hat{1}\pm 1\text{B}$ -adrenoceptors in the liver of the rhesus monkey ( <i>Macaca mulatta</i> ). <i>European Journal of Pharmacology</i> , 1996, 311, 277-283.	1.7	4
100	Characterization of the $\hat{1}\pm 2$ adrenoceptors of dog liver. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 1996, 115, 61-65.	0.5	2
101	Effect of phorbol myristate acetate on alpha 1-adrenergic action in cells expressing recombinant alpha 1-adrenoceptor subtypes. <i>Molecular Pharmacology</i> , 1996, 50, 17-22.	1.0	34
102	Cross-talk between glucagon- and adenosine-mediated signalling systems in rat hepatocytes: effects on cyclic AMP-phosphodiesterase activity. <i>Biochemical Journal</i> , 1995, 312, 763-767.	1.7	19
103	$\hat{1}\pm 1$ -Adrenoceptor subtype selectivity of tamsulosin: Studies using livers from different species. <i>European Journal of Pharmacology</i> , 1995, 289, 1-7.	2.7	23
104	Characterization of the human liver $\hat{1}\pm 1$ -adrenoceptors: predominance of the $\hat{1}\pm 1\text{A}$ subtype. <i>European Journal of Pharmacology</i> , 1995, 289, 81-86.	2.7	29
105	Characterization of the $\hat{1}\pm 1\text{B}$ -Adrenoceptors of Catfish Hepatocytes: Functional and Binding Studies. <i>General and Comparative Endocrinology</i> , 1995, 97, 111-120.	0.8	15
106	Glycyl-histidyl-lysine interacts with the angiotensin II AT1 receptor. <i>Peptides</i> , 1995, 16, 1203-1207.	1.2	7
107	Characterization of the $\hat{1}\pm 1$ -adrenoceptors of dog liver: predominance of the $\hat{1}\pm 1\text{A}$ -subtype. <i>European Journal of Pharmacology</i> , 1995, 272, 139-143.	1.7	6
108	Protein kinases and phosphatases modulate c-fos expression in rat hepatocytes. effects of angiotensin II and phorbol myristate acetate. <i>Life Sciences</i> , 1995, 56, 723-728.	2.0	12

#	ARTICLE	IF	CITATIONS
109	Adrenaline and its receptors: one hundred years of research. <i>Archives of Medical Research</i> , 1995, 26, 205-12.	1.5	7
110	Inhibition of hormone-stimulated inositol phosphate production and disruption of cytoskeletal structure. Effects of okadaic acid, microcystin, chlorpromazine, W7 and nystatin. <i>Toxicol</i> , 1994, 32, 105-112.	0.8	22
111	Characterization of the hepatic $\alpha$ 1B-adrenoceptors of rats, mice and hamsters. <i>Life Sciences</i> , 1994, 54, 1995-2003.	2.0	15
112	$\alpha$ 1-adrenergic action: Receptor subtypes, signal transduction and regulation. <i>Cellular Signalling</i> , 1993, 5, 539-547.	1.7	41
113	Hepatocyte homologous $\alpha$ 2-adrenergic desensitization is associated with a decrease in number of plasma membrane $\alpha$ 2-adrenoceptors. <i>European Journal of Pharmacology</i> , 1993, 244, 145-151.	2.7	4
114	Characterization of the $\alpha$ 1B-adrenergic receptors of chicken hepatocytes. Signal transduction and actions. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 1993, 106, 797-803.	0.5	0
115	Activated protein kinase C binds to intracellular receptors in rat hepatocytes. <i>Biochemical Journal</i> , 1993, 296, 467-472.	1.7	22
116	Characterization of the alpha 1A-adrenoceptors of guinea pig liver membranes: studies using 5-[3H]methylurapidil. <i>Molecular Pharmacology</i> , 1993, 44, 589-94.	1.0	11
117	Angiotensin II and active phorbol esters induce proto-oncogene expression in isolated rat hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1992, 1136, 309-314.	1.9	25
118	Modulation by protein kinase C of the hormonal responsiveness of hepatocytes from lean (Fa/fa?) and obese (fa/fa) Zucker rats. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1992, 1135, 221-225.	1.9	5
119	Characterization and detoxification of an easily prepared acellular pertussis vaccine. Antigenic role of the A protomer of pertussis toxin. <i>Vaccine</i> , 1992, 10, 341-344.	1.7	13
120	Species heterogeneity of hepatic $\alpha$ 1-adrenoceptors: $\alpha$ 1A-, $\alpha$ 1B- and $\alpha$ 1C-subtypes. <i>Biochemical and Biophysical Research Communications</i> , 1992, 186, 760-767.	1.0	53
121	Guinea pig hepatocyte $\alpha$ 1A-adrenoceptors: characterization, signal transduction and regulation. <i>European Journal of Pharmacology</i> , 1992, 227, 239-245.	2.7	14
122	Histamine activates phosphorylase and inositol phosphate production in guinea pig hepatocytes. <i>European Journal of Pharmacology</i> , 1992, 227, 325-331.	2.7	7
123	Effect of okadaic acid on hormone- and mastoparan-stimulated phosphoinositide turnover in isolated rat hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1991, 179, 852-858.	1.0	19
124	Activation of protein kinase C inhibits hormonal stimulation of the GTPase activity of Gi in human platelets. <i>FEBS Letters</i> , 1991, 279, 316-318.	1.3	6
125	Differences in phorbol ester-induced decrease of the activity of protein kinase C isozymes in rat hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991, 1094, 77-84.	1.9	26
126	Modulation of Gs activity by phorbol myristate acetate in rat hepatocytes. <i>American Journal of Physiology - Cell Physiology</i> , 1991, 260, C259-C265.	2.1	17



#	ARTICLE	IF	CITATIONS
127	Î±1-Adrenoceptor subtypes in aorta (Î±1A) and liver (Î±1B). European Journal of Pharmacology, 1991, 206, 199-202.	2.7	19
128	Melittin stimulates liver glycogenolysis and the release of prostaglandin D2 and thromboxane B2. Biochemical Journal, 1990, 269, 273-275.	1.7	7
129	Modulation of glucagon actions by phorbol myristate acetate in isolated hepatocytes. Effect of hypothyroidism. Cellular Signalling, 1990, 2, 235-243.	1.7	5
130	Angiotensin II stimulates phosphoinositide turnover and phosphorylase through All-1 receptors in isolated rat hepatocytes. Biochemical and Biophysical Research Communications, 1990, 172, 780-785.	1.0	53
131	Contrasting effects of phorbol dibutyrate and phorbol myristate acetate in rabbit aorta. Biochemical and Biophysical Research Communications, 1990, 171, 618-624.	1.0	8
132	Hepatocyte beta-adrenergic responsiveness and guanine nucleotide-binding regulatory proteins. American Journal of Physiology - Cell Physiology, 1989, 256, C384-C389.	2.1	32
133	Intercellular communication within the liver has clinical implications. Trends in Pharmacological Sciences, 1989, 10, 10-11.	4.0	13
134	Activation of protein kinase C alters the interaction of Î±2 -adrenoceptors and the inhibitory GTP-binding protein (Gi) in human platelets. FEBS Letters, 1989, 257, 427-430.	1.3	18
135	Beta1-adrenoceptors in rat hepatoma. Desensitization by isoproterenol and phorbol-myristate-acetate. Life Sciences, 1989, 44, 1767-1775.	2.0	10
136	Effect of phorbol esters on the hormonal responsiveness of isolated white fat cells. European Journal of Pharmacology, 1988, 146, 193-199.	1.7	3
137	â€œInhibitoryâ€™ receptors and ion channel effectors. Trends in Pharmacological Sciences, 1988, 9, 271-272.	4.0	4
138	Phorbol esters and calcium-mobilizing hormones increase membrane-associated protein kinase C activity in rat hepatocytes. Biochimica Et Biophysica Acta - Molecular Cell Research, 1988, 968, 138-141.	1.9	22
139	Homologous and heterologous Î²2-adrenergic desensitization in hepatocytes. Additivity and effect of pertussis toxin. Biochimica Et Biophysica Acta - Molecular Cell Research, 1988, 972, 311-319.	1.9	8
140	Homologous and heterologous Î²2-adrenergic desensitization in hepatocytes. Additivity and effect of pertussis toxin. Biochimica Et Biophysica Acta - Bioenergetics, 1988, 972, 311-319.	0.5	0
141	Multiple species and isoforms of Bordetella pertussis toxin substrates. Biochemical and Biophysical Research Communications, 1988, 152, 1185-1192.	1.0	19
142	Homologous Î²2-adrenergic desensitization in isolated rat hepatocytes. Biochemical Journal, 1987, 246, 331-336.	1.7	12
143	Pertussis toxin induces fatty liver, hyperlipemia and ketosis in hamsters. Toxicol, 1987, 25, 603-609.	0.8	5
144	Angiotensin II receptors: one type coupled to two signals or receptor subtypes?. Trends in Pharmacological Sciences, 1987, 8, 48-49.	4.0	23

#	ARTICLE	IF	CITATIONS
145	Inhibitors of protein kinase C block the alpha1-adrenergic refractoriness induced by phorbol 12-myristate 13-acetate, vasopressin and angiotensin II. FEBS Journal, 1987, 163, 417-421.	0.2	18
146	Pathways of $\alpha_1$ -Adrenergic Action: Comparison With V <sub>1</sub> -Vasopressin and A <sub>1</sub> -Angiotensin. Circulation Research, 1987, 61, .	2.0	4
147	Effects of histamine on the metabolism of isolated rat hepatocytes: roles of H1- and H2-histamine receptors. Molecular Pharmacology, 1987, 31, 253-8.	1.0	8
148	Guanine nucleotide-induced positive cooperativity in muscarinic-cholinergic antagonist binding. Biochemical and Biophysical Research Communications, 1986, 134, 172-177.	1.0	28
149	Pertussis toxin effects on adenylate cyclase activity, cyclic AMP accumulation and lipolysis in adipocytes from hypothyroid, euthyroid and hyperthyroid rats. Lipids and Lipid Metabolism, 1986, 876, 619-630.	2.6	32
150	Possible existence of two mechanisms involved in $\beta_1$ -adrenergic action: Effect of Sgd 101/75. European Journal of Pharmacology, 1986, 125, 103-110.	1.7	7
151	Effect of pertussis toxin on the heart acetylcholine muscarinic receptor affinity. European Journal of Pharmacology, 1986, 127, 49-56.	1.7	4
152	Effect of pertussis toxin on the heart muscarinic-cholinergic receptors and their function. Life Sciences, 1986, 39, 603-610.	2.0	12
153	Pertussis toxin enhances the beta-adrenergic and blocks the alpha-adrenergic regulation of renin secretion in renal cortical slices. Life Sciences, 1986, 38, 1005-1011.	2.0	7
154	Effect of pertussis toxin on water metabolism in the rat. Life Sciences, 1986, 38, 15-19.	2.0	1
155	Pertussis toxin and the heart. Trends in Pharmacological Sciences, 1986, 7, 429-430.	4.0	3
156	Hormonal responsiveness of liver cells during the liver regeneration process induced by carbon tetrachloride administration. Biochimica Et Biophysica Acta - Molecular Cell Research, 1986, 885, 102-109.	1.9	9
157	Insulin-like effect of epidermal growth factor in isolated rat hepatocytes. Biochimica Et Biophysica Acta - Molecular Cell Research, 1986, 889, 266-269.	1.9	9
158	Phorbol esters, vasopressin and angiotensin II block $\beta_1$ -adrenergic action in rat hepatocytes. Possible role of protein kinase C. Biochimica Et Biophysica Acta - Molecular Cell Research, 1986, 887, 69-72.	1.9	11
159	Homologous and heterologous desensitization of one of the pathways of the $\beta_1$ -adrenergic action. Effects of epinephrine, vasopressin, angiotensin II and phorbol 12-myristate 13-acetate. Biochimica Et Biophysica Acta - Molecular Cell Research, 1986, 887, 73-79.	1.9	10
160	Effects of [1-N <sup>1</sup> -trinitrophenylhistidine, 12-homoarginine]glucagon on cyclic AMP levels and free fatty acid release in isolated rat adipocytes. Biochimica Et Biophysica Acta - Molecular Cell Research, 1986, 886, 310-315.	1.9	5
161	Pertussis toxin prevents homologous desensitization of adenylate cyclase in cultured renal epithelial cells.. Journal of Biological Chemistry, 1986, 261, 1503-1506.	1.6	32
162	Phorbol esters inhibit alpha 1-adrenergic effects and decrease the affinity of liver cell alpha 1-adrenergic receptors for (-)-epinephrine.. Journal of Biological Chemistry, 1986, 261, 520-526.	1.6	100

#	ARTICLE	IF	CITATIONS
163	Phorbol esters inhibit alpha 1-adrenergic effects and decrease the affinity of liver cell alpha 1-adrenergic receptors for (-)-epinephrine. <i>Journal of Biological Chemistry</i> , 1986, 261, 520-6.	1.6	92
164	Pertussis toxin prevents homologous desensitization of adenylate cyclase in cultured renal epithelial cells. <i>Journal of Biological Chemistry</i> , 1986, 261, 1503-6.	1.6	27
165	Effects of phorbol esters on $\hat{1}\pm$ 1-adrenergic-mediated and glucagon-mediated actions in isolated rat hepatocytes. <i>Biochemical Journal</i> , 1985, 228, 277-280.	1.7	58
166	Rat fat-cells have three types of adenosine receptors (Ra, Ri and P). Differential effects of pertussis toxin. <i>Biochemical Journal</i> , 1985, 232, 439-443.	1.7	43
167	Adrenergic regulation of gluconeogenesis: possible involvement of two mechanisms of signal transduction in alpha 1-adrenergic action.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 6727-6730.	3.3	36
168	Possible involvement of two mechanisms of signal transduction in $\hat{1}\pm$ 1-adrenergic action. Selective effect of cycloheximide. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1985, 845, 131-137.	1.9	13
169	Transmodulation, receptor phosphorylation and protein kinases. <i>Trends in Pharmacological Sciences</i> , 1985, 6, 191-192.	4.0	0
170	$\hat{1}\pm$ 1-Adrenergic and M1-muscarinic actions and signal propagation. <i>Trends in Pharmacological Sciences</i> , 1985, 6, 349-350.	4.0	6
171	Stimulation of hepatic glycogenolysis by 12-O-tetradecanoyl-phorbol-13-acetate (TPA) via cyclooxygenase products. <i>Biochemical and Biophysical Research Communications</i> , 1985, 132, 204-209.	1.0	34
172	Pertussis toxin potentiates anesthesia-induced renin secretion. <i>European Journal of Pharmacology</i> , 1985, 112, 115-117.	1.7	4
173	Differential effects of adrenergic agonists and phorbol esters on the $\hat{1}\pm$ 1-adrenoceptors of hepatocytes and aorta. <i>European Journal of Pharmacology</i> , 1985, 112, 393-397.	1.7	23
174	EFFECT OF PERTUSSIS TOXIN ON THE HORMONAL RESPONSIVENESS OF DIFFERENT TISSUES. , 1985, , 205-223.		1
175	Effect of pertussis toxin on the adrenergic regulation of plasma renin activity. <i>Life Sciences</i> , 1984, 35, 1683-1689.	2.0	17
176	Phorbol esters inhibit alpha1 adrenergic stimulation of glycogenolysis in isolated rat hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1984, 119, 1128-1133.	1.0	115
177	Modulation by thyroid status of cyclic AMP-dependent and Ca <sup>2+</sup> -dependent mechanisms of hormone action in rat liver cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1984, 803, 95-105.	1.9	28
178	Activation of lipolysis and cyclic AMP accumulation in rabbit adipocytes by isoproterenol in the presence of forskolin or pertussis toxin. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1984, 798, 382-389.	1.1	7
179	Metabolic effects and cyclic AMP levels produced by glucagon, (1-N $\hat{1}\pm$ -trinitrophenylhistidine,12-homoarginine)glucagon and forskolin in isolated rat hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1984, 804, 434-441.	1.9	53
180	Adrenergic regulation of ureogenesis in hepatocytes from adrenalectomized rats. <i>FEBS Letters</i> , 1984, 166, 385-388.	1.3	17

#	ARTICLE	IF	CITATIONS
181	Effect of pertussis toxin on $\hat{\pm}2$ -adrenoceptors: decreased formation of the high-affinity state for agonists. FEBS Letters, 1984, 172, 95-98.	1.3	19
182	Pertussis toxin catalyzes the ADP-ribosylation of two distinct peptides, 40 and 41 kDa, in rat fat cell membranes. FEBS Letters, 1984, 176, 301-306.	1.3	48
183	Pertussis toxin blocks the action of morphine, norepinephrine and clonidine on isolated guinea-pig ileum. European Journal of Pharmacology, 1984, 100, 377-380.	1.7	39
184	RX781094 a potent and selective $\hat{\pm}2$ -adrenergic antagonist. Effects in adipocytes and hepatocytes. European Journal of Pharmacology, 1984, 99, 337-339.	1.7	6
185	Direct action of pertussis toxin in isolated hamster fat cells. European Journal of Pharmacology, 1984, 99, 115-118.	1.7	11
186	Forskolin effects on the beta-adrenergic responsiveness of rat hepatocytes. Biochemical Pharmacology, 1984, 33, 3099-3101.	2.0	2
187	Effects of adenosine on liver cell damage induced by carbon tetrachloride. Biochemical Pharmacology, 1984, 33, 2599-2604.	2.0	37
188	Possible involvement of cyclooxygenase products in the actions of platelet-activating factor and of lipoxygenase products in the vascular effects of epinephrine in perfused rat liver. Biochemical and Biophysical Research Communications, 1984, 123, 507-514.	1.0	45
189	Effect of insulin on alpha1-adrenergic actions in hepatocytes from euthyroid and hypothyroid rats. Biochemical and Biophysical Research Communications, 1984, 118, 451-459.	1.0	12
190	Effect of inositol and tri-iodothyronine on the hormonal responsiveness of hepatocytes obtained from partially hepatectomized rats. Biochemical Journal, 1984, 223, 925-928.	1.7	4
191	Differential effect of pertussis toxin on the affinity state for agonists of renal alpha 1- and alpha 2-adrenoceptors.. Journal of Biological Chemistry, 1984, 259, 8076-8079.	1.6	79
192	Differential effect of pertussis toxin on the affinity state for agonists of renal alpha 1- and alpha 2-adrenoceptors. Journal of Biological Chemistry, 1984, 259, 8076-9.	1.6	52
193	Inositol administration restores the sensitivity of liver cells formed during liver regeneration to alpha1-adrenergic amines, vasopressin and angiotensin II. Biochimica Et Biophysica Acta - Molecular Cell Research, 1983, 763, 125-128.	1.9	11
194	Roles of alpha1- and beta-adrenergic receptors in adrenergic responsiveness of liver cells formed after partial hepatectomy. Biochimica Et Biophysica Acta - Molecular Cell Research, 1983, 763, 112-119.	1.9	52
195	Sensitivity of liver cells formed after partial hepatectomy to glucagon, vasopressin and angiotensin II. Biochimica Et Biophysica Acta - Molecular Cell Research, 1983, 763, 120-124.	1.9	15
196	Effect of pertussis toxin on the hormonal regulation of cyclic AMP levels in hamster fat cells. Biochimica Et Biophysica Acta - General Subjects, 1983, 760, 215-220.	1.1	29
197	Pertussis toxin induces tachycardia and impairs the increase in blood pressure produced by alpha2-adrenergic agonists. Life Sciences, 1983, 33, 2627-2633.	2.0	47
198	Bordetella pertussis toxin and adenylate cyclase. Trends in Pharmacological Sciences, 1983, 4, 289-290.	4.0	2

#	ARTICLE	IF	CITATIONS
199	Î±1-Adrenergic action: only calcium?. Trends in Pharmacological Sciences, 1983, 4, 489.	4.0	3
200	Pertussis toxin reverses Gpp(NH)p inhibition of basal and forskolin activated adipocyte adenylate cyclase. Biochemical and Biophysical Research Communications, 1983, 116, 651-656.	1.0	19
201	Hypothyroidism abolishes the glycogenolytic effect of vasopressin, angiotensin II and A23187 but not that of Î±1 -adrenergic amines in rat hepatocytes. FEBS Letters, 1983, 153, 366-368.	1.3	27
202	Effect of pertussis toxin on hormonal responsiveness of rat hepatocytes. FEBS Letters, 1983, 160, 198-202.	1.3	21
203	Characterization of the Î±1-adrenoceptors of rat white fat cells. European Journal of Pharmacology, 1983, 87, 159-161.	1.7	14
204	H1-histaminergic activation stimulates phosphatidylinositol labeling in rabbit aorta. European Journal of Pharmacology, 1983, 90, 457-459.	1.7	19
205	Hormonal stimulation of mitochondrial glutaminase. Effects of vasopressin, angiotensin II, adrenaline and glucagon. Biochemical Journal, 1983, 210, 957-960.	1.7	45
206	Effects of pertussis toxin treatment on the metabolism of rat adipocytes.. Journal of Biological Chemistry, 1983, 258, 10938-10943.	1.6	106
207	Adrenergic regulation of adipocyte metabolism.. Journal of Lipid Research, 1983, 24, 945-966.	2.0	225
208	Trifluoperazine and chlorpromazine antagonize alpha 1- but not alpha2- adrenergic effects. Molecular Pharmacology, 1983, 23, 67-70.	1.0	14
209	Adrenergic regulation of adipocyte metabolism. Journal of Lipid Research, 1983, 24, 945-66.	2.0	167
210	Effects of pertussis toxin treatment on the metabolism of rat adipocytes. Journal of Biological Chemistry, 1983, 258, 10938-43.	1.6	77
211	Two types of alpha adrenoceptors in liver cells. Trends in Pharmacological Sciences, 1982, 3, 138-139.	4.0	1
212	Regulation of adipose tissue metabolism by catecholamines: roles of alpha1, alpha2 and beta-adrenoceptors. Trends in Pharmacological Sciences, 1982, 3, 201-203.	4.0	24
213	Cycloheximide: An adrenergic agent. Life Sciences, 1982, 30, 1757-1762.	2.0	13
214	Vasopressin and angiotensin II stimulate ureogenesis through increased mitochondrial citrulline production.. Life Sciences, 1982, 31, 2493-2498.	2.0	33
215	Effect of pertussis vaccine on Î±-adrenoceptors of the circulatory system of the rat. European Journal of Pharmacology, 1982, 83, 123-126.	1.7	11
216	Stimulation of ureogenesis through Î±1- and Î±2-adrenoceptors in juvenile rat hepatocytes. European Journal of Pharmacology, 1982, 82, 89-91.	1.7	6

#	ARTICLE	IF	CITATIONS
217	Angiotensin II inhibits the accumulation of cyclic AMP produced by glucagon but not its metabolic effects. <i>FEBS Letters</i> , 1982, 143, 1-4.	1.3	28
218	Alpha-Adrenergic Stimulation of Phosphatidylinositol Synthesis in Human Platelets as an Alpha-2 Effect Secondary to Platelet Aggregation. <i>Journal of Cellular Biochemistry</i> , 1982, 18, 213-220.	1.2	16
219	Correlation between phosphatidylinositol labeling and contraction in rabbit aorta: effect of alpha-1 adrenergic activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1982, 222, 258-61.	1.3	53
220	$\hat{1}\pm$ 1-adrenoceptor activation stimulates ureogenesis in rat hepatocytes. <i>European Journal of Pharmacology</i> , 1981, 72, 387-390.	1.7	26
221	Decreased sensitivity to $\hat{1}\pm$ 2 adrenergic amines, adenosine and prostaglandins in white fat cells from hamsters treated with pertussis vaccine. <i>FEBS Letters</i> , 1981, 126, 306-308.	1.3	50
222	Alpha2 adrenergic amines, adenosine and prostaglandis inhibit lipolysis and cyclic AMP accumulation in hamster adipocytes in the absence of extracellular sodium.. <i>Life Sciences</i> , 1981, 28, 401-406.	2.0	18
223	Effects of pertussis vaccine on the lipid metabolism of hamsters. <i>Life Sciences</i> , 1981, 29, 1021-1026.	2.0	4
224	Effect of thyroid status on $\hat{1}\pm$ - and $\hat{1}\pm$ 2-catecholamine responsiveness of hamster adipocytes. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1981, 678, 334-341.	1.1	19
225	Pharmacological Characterizations of Adrenergic Receptors in Human Adipocytes. <i>Journal of Clinical Investigation</i> , 1981, 67, 467-475.	3.9	100
226	Effect of insulin, catecholamines and calcium ions on phospholipid metabolism in isolated white fat-cells. <i>Biochemical Journal</i> , 1980, 186, 781-789.	1.7	109
227	Role of phosphatidylinositol turnover in alpha1 and of adenylate cyclase inhibition in alpha2 effects of catecholamines. <i>Life Sciences</i> , 1980, 26, 1183-1194.	2.0	292
228	Role of alpha1 adrenoceptors in the turnover of phosphatidylinositol and of alpha2 adrenoceptors in the regulation of cyclic AMP accumulation in hamster adipocytes. <i>Life Sciences</i> , 1980, 27, 953-961.	2.0	86
229	Effects of adenosine on ethanol-induced modifications of liver metabolism. <i>Biochemical Pharmacology</i> , 1980, 29, 1709-1714.	2.0	10
230	Alpha1-adrenergic activation of phosphatidylinositol labeling in isolated brown fat cells. <i>Biochemical Pharmacology</i> , 1980, 29, 3330-3333.	2.0	34
231	Effect of adrenergic amines on phosphatidylinositol labeling and glycogen synthase activity in fat cells from euthyroid and hypothyroid rats. <i>Molecular Pharmacology</i> , 1980, 18, 72-7.	1.0	17
232	Mechanism of the fatty liver induced by cycloheximide and its reversibility by adenosine. <i>Biochemical Pharmacology</i> , 1979, 28, 1409-1413.	2.0	14
233	Importance of the esterification process in adipose tissue metabolism as evidenced by cycloheximide. <i>Biochemical Pharmacology</i> , 1978, 27, 1577-1579.	2.0	2
234	On the mechanism of ethanol-induced fatty liver and its reversibility by adenosine. <i>Archives of Biochemistry and Biophysics</i> , 1978, 190, 155-162.	1.4	40

#	ARTICLE	IF	CITATIONS
235	Stimulatory action of cycloheximide on glucose metabolism in the rat epididymal fat pad. Journal of Lipid Research, 1977, 18, 93-98.	2.0	6
236	Stimulatory action of cycloheximide on glucose metabolism in the rat epididymal fat pad. Journal of Lipid Research, 1977, 18, 93-8.	2.0	4
237	Lipogenic action of cycloheximide on the rat epididymal fat pad. Biochemical Pharmacology, 1975, 24, 891-897.	2.0	7
238	El receptor S1P1 de la esfingosina1-fosfato: avances en el conocimiento de su estructura, función e importancia biomédica. TIP Revista Especializada En Ciencias Químico-Biológicas, 0, 24, .	0.3	0