

Andrea O Y Luk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4906512/publications.pdf>

Version: 2024-02-01

127
papers

4,666
citations

172457

29
h-index

123424

61
g-index

130
all docs

130
docs citations

130
times ranked

6228
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening diabetic patients for non-alcoholic fatty liver disease with controlled attenuation parameter and liver stiffness measurements: a prospective cohort study. <i>Gut</i> , 2016, 65, 1359-1368.	12.1	386
2	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. <i>Lancet</i> , The, 2020, 396, 2019-2082.	13.7	327
3	Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020, 582, 240-245.	27.8	282
4	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572.	21.4	250
5	Metabolic profiles and treatment gaps in young-onset type 2 diabetes in Asia (the JADE programme): a cross-sectional study of a prospective cohort. <i>Lancet Diabetes and Endocrinology</i> , the, 2014, 2, 935-943.	11.4	210
6	Metabolic Syndrome Predicts New Onset of Chronic Kidney Disease in 5,829 Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2357-2361.	8.6	160
7	Impact of age at type 2 diabetes mellitus diagnosis on mortality and vascular complications: systematic review and meta-analyses. <i>Diabetologia</i> , 2021, 64, 275-287.	6.3	140
8	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1414-1427.	0.6	136
9	Risk association of HbA _{1c} variability with chronic kidney disease and cardiovascular disease in type 2 diabetes: prospective analysis of the Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 384-390.	4.0	118
10	Premature Mortality and Comorbidities in Young-onset Diabetes: A 7-Year Prospective Analysis. <i>American Journal of Medicine</i> , 2014, 127, 616-624.	1.5	110
11	Progression of diabetic kidney disease and trajectory of kidney function decline in Chinese patients with Type 2 diabetes. <i>Kidney International</i> , 2019, 95, 178-187.	5.2	105
12	Prospective Study on the Incidences of Cardiovascular-Renal Complications in Chinese Patients With Young-Onset Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2014, 37, 149-157.	8.6	87
13	Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. <i>Lancet Diabetes and Endocrinology</i> , the, 2021, 9, 203-211.	11.4	85
14	Depression in Chinese patients with type 2 diabetes: associations with hyperglycemia, hypoglycemia, and poor treatment adherence. <i>Journal of Diabetes</i> , 2015, 7, 800-808.	1.8	81
15	Declining Trends of Cardiovascular-Renal Complications and Mortality in Type 2 Diabetes: The Hong Kong Diabetes Database. <i>Diabetes Care</i> , 2017, 40, 928-935.	8.6	80
16	Secular trends in all-cause and cause-specific mortality rates in people with diabetes in Hong Kong, 2001-2016: a retrospective cohort study. <i>Diabetologia</i> , 2020, 63, 757-766.	6.3	80
17	Measuring depression with CES-D in Chinese patients with type 2 diabetes: the validity and its comparison to PHQ-9. <i>BMC Psychiatry</i> , 2015, 15, 198.	2.6	79
18	From Hong Kong Diabetes Register to JADE Program to RAMP-DM for Data-Driven Actions. <i>Diabetes Care</i> , 2019, 42, 2022-2031.	8.6	79

#	ARTICLE	IF	CITATIONS
19	Testosterone level in men with type 2 diabetes mellitus and related metabolic effects: A review of current evidence. <i>Journal of Diabetes Investigation</i> , 2015, 6, 112-123.	2.4	73
20	Advanced liver fibrosis but not steatosis is independently associated with albuminuria in Chinese patients with type 2 diabetes. <i>Journal of Hepatology</i> , 2018, 68, 147-156.	3.7	72
21	Severe Hypoglycemia Identifies Vulnerable Patients With Type 2 Diabetes at Risk for Premature Death and All-Site Cancer: The Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2014, 37, 1024-1031.	8.6	61
22	Serial Transient Elastography Examinations to Monitor Patients With Type 2 Diabetes: A Prospective Cohort Study. <i>Hepatology</i> , 2020, 72, 1230-1241.	7.3	59
23	Genetic Variants of the Protein Kinase C- β 1 Gene and Development of End-Stage Renal Disease in Patients With Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 881.	7.4	58
24	Effects of Providing Peer Support on Diabetes Management in People With Type 2 Diabetes. <i>Annals of Family Medicine</i> , 2015, 13, S42-S49.	1.9	56
25	Short-term association between ambient temperature and acute myocardial infarction hospitalizations for diabetes mellitus patients: A time series study. <i>PLoS Medicine</i> , 2018, 15, e1002612.	8.4	54
26	Excess Burden of Mental Illness and Hospitalization in Young-Onset Type 2 Diabetes. <i>Annals of Internal Medicine</i> , 2019, 170, 145.	3.9	53
27	Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003052.	8.4	49
28	Progression of glucose intolerance and cardiometabolic risk factors over a decade in Chinese women with polycystic ovary syndrome: A case-control study. <i>PLoS Medicine</i> , 2019, 16, e1002953.	8.4	38
29	Shortened Leukocyte Telomere Length Is Associated With Glycemic Progression in Type 2 Diabetes: A Prospective and Mendelian Randomization Analysis. <i>Diabetes Care</i> , 2022, 45, 701-709.	8.6	37
30	Trends in all-cause mortality among people with diagnosed diabetes in high-income settings: a multicountry analysis of aggregate data. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 112-119.	11.4	37
31	Worldwide estimates of incidence of type 2 diabetes in children and adolescents in 2021. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109785.	2.8	37
32	Shortened Relative Leukocyte Telomere Length Is Associated With Prevalent and Incident Cardiovascular Complications in Type 2 Diabetes: Analysis From the Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2020, 43, 2257-2265.	8.6	31
33	Obesity, clinical, and genetic predictors for glycemic progression in Chinese patients with type 2 diabetes: A cohort study using the Hong Kong Diabetes Register and Hong Kong Diabetes Biobank. <i>PLoS Medicine</i> , 2020, 17, e1003209.	8.4	31
34	Use of SGLT-2 Inhibitors in Patients with Type 2 Diabetes Mellitus and Abdominal Obesity: An Asian Perspective and Expert Recommendations. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 11.	4.7	30
35	Sex differences in the association between socioeconomic status and diabetes prevalence and incidence in China: cross-sectional and prospective studies of 0.5 million adults. <i>Diabetologia</i> , 2019, 62, 1420-1429.	6.3	29
36	Trends in Glucose-Lowering Drug Use, Glycemic Control, and Severe Hypoglycemia in Adults With Diabetes in Hong Kong, 2002-2016. <i>Diabetes Care</i> , 2020, 43, 2967-2974.	8.6	29

#	ARTICLE	IF	CITATIONS
37	International comparison of glycaemic control in people with type 1 diabetes: an update and extension. <i>Diabetic Medicine</i> , 2022, 39, e14766.	2.3	28
38	Diabetic nephropathy—What are the unmet needs?. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, S15-S20.	2.8	27
39	MicroRNA and Diabetic Complications: A Clinical Perspective. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 1041-1063.	5.4	27
40	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study. <i>PLoS Medicine</i> , 2020, 17, e1003316.	8.4	27
41	Cardiovascular outcomes trials in type 2 diabetes: Time to include young adults. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 3-5.	4.4	25
42	The Clinical Utility of SUDOSCAN in Chronic Kidney Disease in Chinese Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0134981.	2.5	25
43	Diabetes-Related Complications and Mortality in Patients With Young-Onset Latent Autoimmune Diabetes: A 14-Year Analysis of the Prospective Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2019, 42, 1042-1050.	8.6	24
44	Association of technologically assisted integrated care with clinical outcomes in type 2 diabetes in Hong Kong using the prospective JADE Program: A retrospective cohort analysis. <i>PLoS Medicine</i> , 2020, 17, e1003367.	8.4	24
45	Trends in diabetes-related complications in Hong Kong, 2001–2016: a retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 60.	6.8	24
46	Temporal trends in rates of infection-related hospitalisations in Hong Kong people with and without diabetes, 2001–2016: a retrospective study. <i>Diabetologia</i> , 2021, 64, 109-118.	6.3	24
47	The NCEP–ATPIII but not the IDF criteria for the metabolic syndrome identify Type 2 diabetic patients at increased risk of chronic kidney disease. <i>Diabetic Medicine</i> , 2008, 25, 1419-1425.	2.3	23
48	Gender, diabetes education, and psychosocial factors are associated with persistent poor glycemic control in patients with type 2 diabetes in the JADE program. <i>Journal of Diabetes</i> , 2016, 8, 109-119.	1.8	23
49	Glycaemia control and the risk of hospitalisation for infection in patients with type 2 diabetes: Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2923.	4.0	23
50	Delivery of integrated diabetes care using logistics and information technology – The Joint Asia Diabetes Evaluation (JADE) program. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S295-S304.	2.8	22
51	Genetic and clinical variables identify predictors for chronic kidney disease in type 2 diabetes. <i>Kidney International</i> , 2016, 89, 411-420.	5.2	22
52	Use of sodium–glucose cotransporter-2 inhibitors in patients with type 2 diabetes mellitus and multiple cardiovascular risk factors: An Asian perspective and expert recommendations. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2354-2367.	4.4	22
53	Young age at diabetes diagnosis amplifies the effect of diabetes duration on risk of chronic kidney disease: a prospective cohort study. <i>Diabetologia</i> , 2021, 64, 1990-2000.	6.3	22
54	Depressive Symptoms, Co-Morbidities, and Glycemic Control in Hong Kong Chinese Elderly Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2018, 9, 261.	3.5	21

#	ARTICLE	IF	CITATIONS
55	Interactome-transcriptome analysis discovers signatures complementary to GWAS Loci of Type 2 Diabetes. <i>Scientific Reports</i> , 2016, 6, 35228.	3.3	20
56	Circulating branched-chain amino acids and incident heart failure in type 2 diabetes: The Hong Kong Diabetes Register. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3253.	4.0	20
57	Use of sodium-glucose co-transporter ² inhibitors in Asian patients with type 2 diabetes and kidney disease: An Asian perspective and expert recommendations. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 299-317.	4.4	20
58	Data Resource Profile: The Hong Kong Diabetes Surveillance Database (HKDSD). <i>International Journal of Epidemiology</i> , 2022, 51, e9-e17.	1.9	20
59	Association of statin use and development of renal dysfunction in type 2 diabetes – The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 227-233.	2.8	19
60	Maternal history of diabetes is associated with increased cardiometabolic risk in Chinese. <i>Nutrition and Diabetes</i> , 2014, 4, e112-e112.	3.2	19
61	Development of genome-wide polygenic risk scores for lipid traits and clinical applications for dyslipidemia, subclinical atherosclerosis, and diabetes cardiovascular complications among East Asians. <i>Genome Medicine</i> , 2021, 13, 29.	8.2	18
62	Retinal Information is Independently Associated with Cardiovascular Disease in Patients with Type 2 diabetes. <i>Scientific Reports</i> , 2016, 6, 19053.	3.3	17
63	Low testosterone and clinical outcomes in Chinese men with type 2 diabetes mellitus – Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2017, 123, 97-105.	2.8	17
64	High risk of conversion to diabetes in first-degree relatives of individuals with young-onset type 2 diabetes: a 12-year follow-up analysis. <i>Diabetic Medicine</i> , 2017, 34, 1701-1709.	2.3	17
65	Familial Young-Onset Diabetes, Pre-Diabetes and Cardiovascular Disease Are Associated with Genetic Variants of DACH1 in Chinese. <i>PLoS ONE</i> , 2014, 9, e84770.	2.5	16
66	Association between educational level and cardiovascular disease and all-cause mortality in patients with type 2 diabetes: a prospective study in the Joint Asia Diabetes Evaluation Program. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1561-1571.	3.0	15
67	Effects of a Technology-Assisted Integrated Diabetes Care Program on Cardiometabolic Risk Factors Among Patients With Type 2 Diabetes in the Asia-Pacific Region. <i>JAMA Network Open</i> , 2021, 4, e217557.	5.9	15
68	Association of self-reported recurrent mild hypoglycemia with incident cardiovascular disease and all-cause mortality in patients with type 2 diabetes. <i>Medicine (United States)</i> , 2016, 95, e5183.	1.0	14
69	Secular trends in rates of hospitalisation for lower extremity amputation and 1-year mortality in people with diabetes in Hong Kong, 2001 – 2016: a retrospective cohort study. <i>Diabetologia</i> , 2020, 63, 2689-2698.	6.3	14
70	Determinants of hospitalization in Chinese patients with type 2 diabetes receiving a peer support intervention and JADE integrated care: the PEARL randomised controlled trial. <i>Clinical Diabetes and Endocrinology</i> , 2018, 4, 5.	2.7	13
71	Development and validation of algorithms to classify type 1 and 2 diabetes according to age at diagnosis using electronic health records. <i>BMC Medical Research Methodology</i> , 2020, 20, 35.	3.1	13
72	Long-term metformin use and risk of pneumonia and related death in type 2 diabetes: a registry-based cohort study. <i>Diabetologia</i> , 2021, 64, 1760-1765.	6.3	13

#	ARTICLE	IF	CITATIONS
73	Risk associations of long-term HbA1c variability and obesity on cancer events and cancer-specific death in 15,286 patients with diabetes - A prospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 18, 100315.	2.9	13
74	Risk Associations of Glycemic Burden and Obesity With Liver Cancerâ€”A 10â€”Year Analysis of 15,280 Patients With Type 2 Diabetes. <i>Hepatology Communications</i> , 2022, 6, 1350-1360.	4.3	13
75	Effect of a Web-Based Management Guide on Risk Factors in Patients With Type 2 Diabetes and Diabetic Kidney Disease. <i>JAMA Network Open</i> , 2022, 5, e223862.	5.9	13
76	Detection of increased serum miR-122-5p and miR-455-3p levels before the clinical diagnosis of liver cancer in people with type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 23756.	3.3	13
77	The Relationship of Quantitative Retinal Capillary Network to Kidney Function in Type 2 Diabetes. <i>American Journal of Kidney Diseases</i> , 2018, 71, 916-918.	1.9	12
78	Nonalbuminuric Diabetic Kidney Disease and Risk of All-Cause Mortality and Cardiovascular and Kidney Outcomes in Type 2 Diabetes: Findings From the Hong Kong Diabetes Biobank. <i>American Journal of Kidney Diseases</i> , 2022, 80, 196-206.e1.	1.9	12
79	Associations of the HOMA2â€”B and HOMA2â€”R with progression to diabetes and glycaemic deterioration in young and middleâ€”aged Chinese. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3525.	4.0	12
80	Glucose-lowering drug use, glycemic outcomes, and severe hypoglycemia: 18-Year trends in 0.9 million adults with Diabetes in Hong Kong (2002â€”2019). <i>The Lancet Regional Health - Western Pacific</i> , 2022, 26, 100509.	2.9	12
81	Natural history and outcome in chinese patients with gastroenteropancreatic neuroendocrine tumours: - a 17-year retrospective analysis. <i>BMC Endocrine Disorders</i> , 2016, 16, 12.	2.2	11
82	Regular mailing of personalized feedback reports improves glycemic control in diabetes: <sc>A</sc> randomized controlled trial. <i>Journal of Diabetes</i> , 2017, 9, 536-538.	1.8	11
83	Trends in kidney failure and kidney replacement therapy in people with diabetes in Hong Kong, 2002-2015: A retrospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 11, 100165.	2.9	11
84	Skin autofluorescence is associated with progression of kidney disease in type 2 diabetes: A prospective cohort study from the Hong Kong diabetes biobank. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 436-446.	2.6	11
85	Relative leucocyte telomere length is associated with incident end-stage kidney disease and rapid decline of kidney function in type 2 diabetes: analysis from the Hong Kong Diabetes Register. <i>Diabetologia</i> , 2022, 65, 375-386.	6.3	11
86	Shortened relative leukocyte telomere length is associated with all-cause mortality in type 2 diabetes-analysis from the Hong Kong Diabetes Register. <i>Diabetes Research and Clinical Practice</i> , 2021, 173, 108649.	2.8	10
87	Impact of diabetes on COVIDâ€”19 and other infection: Report from the 22nd Hong Kong Diabetes and Cardiovascular Risk Factorsâ€”East Meets West Symposium. <i>Diabetic Medicine</i> , 2021, 38, e14547.	2.3	9
88	Early geneâ€”diet interaction between glucokinase regulatory protein (GCKR) polymorphism, vegetable and fish intakes in modulating triglyceride levels in healthy adolescents. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 951-958.	2.6	8
89	Gender differences in the associations between insomnia and glycemic control in patients with type 2 diabetes: a cross-sectional study. <i>Sleep</i> , 2019, 42, .	1.1	8
90	Interactive effects of testosterone and the androgen receptor CAG repeat length polymorphism on cardiovascularâ€”renal events and mortality in men with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3081.	4.0	8

#	ARTICLE	IF	CITATIONS
91	Health-Related Quality of Life after Bariatric Surgery and its Correlation with Glycaemic Status in Hong Kong Chinese Adults. <i>Obesity Surgery</i> , 2016, 26, 538-545.	2.1	7
92	Curvilinear associations of sleep patterns during weekdays and weekends with glycemic control in type 2 diabetes: the Hong Kong Diabetes Registry. <i>Acta Diabetologica</i> , 2017, 54, 151-162.	2.5	7
93	Temporal changes in obesity and sleep habits in Hong Kong Chinese school children: a prospective study. <i>Scientific Reports</i> , 2019, 9, 5881.	3.3	6
94	Sudomotor dysfunction independently predicts incident cardiovascular and renal events and all-cause death in type 2 diabetes: the Joint Asia Diabetes Evaluation register. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1320-1328.	0.7	6
95	Clinical Predictors and Long-term Impact of Acute Kidney Injury on Progression of Diabetic Kidney Disease in Chinese Patients With Type 2 Diabetes. <i>Diabetes</i> , 2022, 71, 520-529.	0.6	6
96	Time-varying risk associations of renin angiotensin system inhibitors with pneumonia and related deaths in a cohort of 252,616 patients with diabetes (2002-2019). <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109233.	2.8	6
97	A 21-Year-Old Pregnant Woman with Hypertension and Proteinuria. <i>PLoS Medicine</i> , 2009, 6, e1000037.	8.4	5
98	Diabetes: A Cinderella Subject We Can't Afford to Ignore. <i>PLoS Medicine</i> , 2016, 13, e1002068.	8.4	5
99	Progression to treatment failure among Chinese patients with type 2 diabetes initiated on metformin versus sulphonylurea monotherapy: The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2016, 112, 57-64.	2.8	5
100	Modifying Effect of Body Mass Index on Survival in Elderly Type 2 Diabetic Patients: Hong Kong Diabetes Registry. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 276.e15-276.e22.	2.5	5
101	Insulin glargine compared to neutral protamine Hagedorn (NPH) insulin in patients with type-2 diabetes uncontrolled with oral anti-diabetic agents alone in Hong Kong: a cost-effectiveness analysis. <i>Cost Effectiveness and Resource Allocation</i> , 2019, 17, 13.	1.5	5
102	Cardiovascular disease management in people with diabetes outside North America and Western Europe in 2006 and 2015. <i>Diabetic Medicine</i> , 2019, 36, 878-887.	2.3	5
103	Glycemic Variability and Time in Range During Self-titration of Once Daily Insulin Glargine 300 U/ml Versus Neutral Protamine Hagedorn Insulin in Insulin-naïve Chinese Type 2 Diabetes Patients. <i>Diabetes Therapy</i> , 2021, 12, 1399-1413.	2.5	5
104	Perinatal famine is associated with excess risk of proliferative retinopathy in patients with type 2 diabetes. <i>Acta Ophthalmologica</i> , 2022, 100, .	1.1	5
105	CYP2C19 Loss-of-function Polymorphisms are Associated with Reduced Risk of Sulfonylurea Treatment Failure in Chinese Patients with Type 2 Diabetes. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 461-469.	4.7	5
106	Diabetes management and treatment approaches outside of North America and West Europe in 2006 and 2015. <i>Acta Diabetologica</i> , 2019, 56, 889-897.	2.5	4
107	Excess Burden of Mental Illness and Hospitalization in Young-Onset Type 2 Diabetes. <i>Annals of Internal Medicine</i> , 2019, 171, 78.	3.9	4
108	Migration and diabetes incidence among Chinese adults in Canada, China, Hong Kong, and Taiwan: An international population-based comparative study from 2000 to 2017. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109062.	2.8	4

#	ARTICLE	IF	CITATIONS
109	Cross-sectional survey of biosimilar insulin utilization in Asia: The Joint Asia Diabetes Evaluation Program. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1312-1322.	2.4	3
110	What next after basal insulin? Treatment intensification with lixisenatide in Asian patients with type 2 diabetes mellitus. <i>Journal of Diabetes</i> , 2017, 9, 562-574.	1.8	2
111	A proof-of-concept study to evaluate the efficacy and safety of BT1320 on post-prandial hyperglycaemia in Chinese subjects with pre-diabetes. <i>BMC Endocrine Disorders</i> , 2018, 18, 59.	2.2	2
112	Combined associations of family history and self-management with age at diagnosis and cardiometabolic risk in 86,931 patients with type 2 diabetes: Joint Asia Diabetes Evaluation (JADE) Register from 11 countries. <i>BMC Medicine</i> , 2022, 20, .	5.5	2
113	Variable selection and prediction of clinical outcome with multiply-imputed data via Bayesian model averaging. , 2016, , .		1
114	Neuronal Dysfunction Is Linked to the Famine-Associated Risk of Proliferative Retinopathy in Patients With Type 2 Diabetes. <i>Frontiers in Neuroscience</i> , 2022, 16, .	2.8	1
115	Young-onset diabetes, nutritional therapy and novel insulin delivery systems: a report from the 21 st Hong Kong Diabetes and Cardiovascular Risk Factors "East Meets West Symposium. <i>Diabetic Medicine</i> , 2020, 37, 1234-1243.	2.3	0
116	Detection of Increased Serum miR-122-5p and miR-455-3p Levels Before the Clinical Diagnosis of Liver Cancer in People With Type 2 Diabetes. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
117	Association of hip fractures with cardiometabolic-renal risk factors in Southern Chinese patients with type 2 diabetes – the Hong Kong Diabetes Register. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1739-1748.	2.4	0
118	Effect of CYP2C19 *2 and *3 variants on sulphonylurea monotherapy treatment failure in Chinese patients with Type 2 diabetes. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-14-18.	0.0	0
119	Title is missing!. , 2020, 17, e1003316.		0
120	Title is missing!. , 2020, 17, e1003316.		0
121	Title is missing!. , 2020, 17, e1003316.		0
122	Title is missing!. , 2020, 17, e1003316.		0
123	Title is missing!. , 2020, 17, e1003052.		0
124	Title is missing!. , 2020, 17, e1003052.		0
125	Title is missing!. , 2020, 17, e1003052.		0
126	Title is missing!. , 2020, 17, e1003052.		0

#	ARTICLE	IF	CITATIONS
127	Title is missing!. , 2020, 17, e1003052.		0