Eric Yu-Hai Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4907787/publications.pdf

Version: 2024-02-01

282 papers 10,813 citations

44069 48 h-index 89 g-index

283 all docs 283 docs citations

times ranked

283

11048 citing authors

#	Article	IF	CITATIONS
1	How mental health care should change as a consequence of the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 813-824.	7.4	1,101
2	Assessment of executive functions: Review of instruments and identification of critical issues. Archives of Clinical Neuropsychology, 2008, 23, 201-216.	0.5	979
3	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. JAMA Psychiatry, 2018, 75, 555.	11.0	516
4	Intervention in Individuals at Ultra-High Risk for Psychosis. Journal of Clinical Psychiatry, 2009, 70, 1206-1212.	2.2	258
5	Clozapine Alone versus Clozapine and Risperidone with Refractory Schizophrenia. New England Journal of Medicine, 2006, 354, 472-482.	27.0	249
6	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
7	Effect of ω-3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. JAMA Psychiatry, 2017, 74, 19.	11.0	216
8	The Cambridge Neurological Inventory: A clinical instrument for assessment of soft neurological signs in psychiatric patients. Psychiatry Research, 1995, 56, 183-204.	3.3	175
9	Cerebral grey, white matter and csf in never-medicated, first-episode schizophrenia. Schizophrenia Research, 2007, 89, 12-21.	2.0	170
10	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1379-1388.	3.1	147
11	Maintenance treatment with quetiapine versus discontinuation after one year of treatment in patients with remitted first episode psychosis: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c4024-c4024.	2.3	125
12	The effects of a celebrity suicide on suicide rates in Hong Kong. Journal of Affective Disorders, 2006, 93, 245-252.	4.1	117
13	Schizophrenic Patients and Their Unaffected Siblings Share Increased Resting-State Connectivity in the Task-Negative Network but Not Its Anticorrelated Task-Positive Network. Schizophrenia Bulletin, 2012, 38, 285-294.	4.3	116
14	Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. Schizophrenia Research, 2011, 133, 22-28.	2.0	109
15	A prospective 3-year longitudinal study of cognitive predictors of relapse in first-episode schizophrenic patients. Schizophrenia Research, 2005, 77, 99-104.	2.0	106
16	Specific executive dysfunction in patients with first-episode medication-naÃ-ve schizophrenia. Schizophrenia Research, 2006, 82, 51-64.	2.0	104
17	Suicide in Hong Kong: a case-control psychological autopsy study. Psychological Medicine, 2006, 36, 815-825.	4.5	97
18	Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. Lancet Psychiatry,the, 2018, 5, 432-442.	7.4	97

#	Article	IF	CITATIONS
19	University Students' Attitudes Towards Mental Patients and Psychiatric Treatment. International Journal of Social Psychiatry, 2001, 47, 63-72.	3.1	84
20	Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. Australian and New Zealand Journal of Psychiatry, 2012, 46, 100-108.	2.3	84
21	Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. NPJ Schizophrenia, 2015, 1, 15047.	3.6	84
22	A 3-year prospective study of neurological soft signs in first-episode schizophrenia. Schizophrenia Research, 2005, 75, 45-54.	2.0	83
23	What Does Recovery From Schizophrenia Mean? Perceptions of Long-Term Patients. International Journal of Social Psychiatry, 2008, 54, 118-130.	3.1	80
24	What does recovery from psychosis mean? Perceptions of young first-episode patients. International Journal of Social Psychiatry, 2011, 57, 580-587.	3.1	80
25	A systematic review on definitions and assessments of psychoticâ€like experiences. Microbial Biotechnology, 2016, 10, 3-16.	1.7	78
26	Different outcomes of never-treated and treated patients with schizophrenia: 14-year follow-up study in rural China. British Journal of Psychiatry, 2015, 207, 495-500.	2.8	68
27	Mortality in people with schizophrenia in rural China. British Journal of Psychiatry, 2007, 190, 237-242.	2.8	67
28	A randomized controlled trial on the psychophysiological effects of physical exercise and Tai-chi in patients with chronic schizophrenia. Schizophrenia Research, 2016, 171, 42-49.	2.0	66
29	Three-year outcome of phase-specific early intervention for first-episode psychosis: a cohort study in Hong Kong. Microbial Biotechnology, 2011, 5, 315-323.	1.7	64
30	The impact of family experience on the duration of untreated psychosis (DUP) in Hong Kong. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 350-356.	3.1	63
31	The contribution of a cognitive bias against disconfirmatory evidence (BADE) to delusions: A study in an Asian sample with first episode schizophrenia spectrum disorders. Schizophrenia Research, 2006, 83, 297-298.	2.0	63
32	Neurological Soft Signs and Their Relationships to Neurocognitive Functions: A Re-Visit with the Structural Equation Modeling Design. PLoS ONE, 2009, 4, e8469.	2.5	63
33	Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. British Journal of Psychiatry, 2015, 206, 492-500.	2.8	63
34	Suicide among adults aged 30–49: A psychological autopsy study in Hong Kong. BMC Public Health, 2008, 8, 147.	2.9	62
35	Early intervention for psychosis in Hong Kong – the EASY programme. Microbial Biotechnology, 2010, 4, 214-219.	1.7	62
36	Progressive deterioration of soft neurological signs in chronic schizophrenic patients. Acta Psychiatrica Scandinavica, 2000, 102, 342-349.	4.5	59

#	Article	IF	CITATIONS
37	Efficacy of valproate versus lithium in mania or mixed mania: a randomized, open 12-week trial. International Clinical Psychopharmacology, 2010, 25, 60-67.	1.7	59
38	Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. JAMA Psychiatry, 2018, 75, 458.	11.0	57
39	Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. Psychological Medicine, 2013, 43, 1883-1893.	4.5	56
40	The components of executive functioning in a cohort of patients with chronic schizophrenia: A multiple single-case study design. Schizophrenia Research, 2006, 81, 173-189.	2.0	55
41	Neurocognitive deficits in first-episode schizophrenic patients and their first-degree relatives. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 407-416.	1.7	55
42	NEURAPROâ€E study protocol: a multicentre randomized controlled trial of omegaâ€3 fatty acids and cognitiveâ€behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. Microbial Biotechnology, 2017, 11, 418-428.	1.7	55
43	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. Schizophrenia Bulletin, 2017, 43, 1280-1290.	4.3	55
44	Impact of Untreated Psychosis on Quality of Life in Patients with First-episode Schizophrenia. Quality of Life Research, 2005, 14, 1803-1811.	3.1	54
45	The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: A prospective three-year follow-up study. Psychiatry Research, 2013, 209, 353-360.	3.3	54
46	Clinical trajectories in the ultra-high risk for psychosis population. Schizophrenia Research, 2018, 197, 550-556.	2.0	54
47	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: A first-episode psychosis study. Schizophrenia Research, 2014, 153, 1-8.	2.0	53
48	10-year outcome study of an early intervention program for psychosis compared with standard care service. Psychological Medicine, 2015, 45, 1181-1193.	4.5	53
49	A naturalistic study of grey matter volume increase after early treatment in anti-psychotic naÃ-ve, newly diagnosed schizophrenia. Psychopharmacology, 2009, 206, 437-446.	3.1	52
50	Duration of untreated psychosis: Relationship with baseline characteristics and three-year outcome in first-episode psychosis. Psychiatry Research, 2012, 198, 360-365.	3.3	50
51	Common Variants on Xq28 Conferring Risk of Schizophrenia in Han Chinese. Schizophrenia Bulletin, 2014, 40, 777-786.	4.3	49
52	Gender differences in outcomes in people with schizophrenia in rural China: 14-year follow-up study. British Journal of Psychiatry, 2015, 206, 283-288.	2.8	49
53	Verbal Fluency in Schizophrenia: Reduction in Semantic Store. Australian and New Zealand Journal of Psychiatry, 2000, 34, 43-48.	2.3	46
54	Family Burdens, Chinese Health Beliefs, and the Mental Health of Chinese Caregivers in Hong Kong. Transcultural Psychiatry, 2004, 41, 497-513.	1.6	46

#	Article	IF	Citations
55	Aberrant functional connectivity for diagnosis of major depressive disorder: A discriminant analysis. Psychiatry and Clinical Neurosciences, 2014, 68, 110-119.	1.8	46
56	The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. Schizophrenia Research, 2014, 157, 12-18.	2.0	46
57	Early intervention services in psychosis: from evidence to wide implementation. Microbial Biotechnology, 2016, 10, 540-546.	1.7	44
58	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. Schizophrenia Research, 2016, 170, 318-321.	2.0	44
59	Socio-economic and psychological correlates of suicidality among Hong Kong working-age adults: results from a population-based survey. Psychological Medicine, 2006, 36, 1759-1767.	4.5	43
60	Associations Among Suicidal Ideation, White Matter Integrity and Cognitive Deficit in First-Episode Schizophrenia. Frontiers in Psychiatry, 2018, 9, 391.	2.6	43
61	Gender Differences in Patients Presenting with First-Episode Psychosis in Hong Kong: A Three-Year Follow Up Study. Australian and New Zealand Journal of Psychiatry, 2011, 45, 199-205.	2.3	42
62	A Sports-Based Youth Development Program, Teen Mental Health, and Physical Fitness: An RCT. Pediatrics, 2017, 140, .	2.1	42
63	Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. Schizophrenia Bulletin, 2021, 47, 485-494.	4.3	42
64	Anti-psychotics adherence among out-patients with schizophrenia in Hong Kong. Keio Journal of Medicine, 2006, 55, 9-14.	1.1	41
65	Effective connectivity of the posterior cingulate and medial prefrontal cortices relates to working memory impairment in schizophrenic and bipolar patients. Schizophrenia Research, 2014, 158, 85-90.	2.0	41
66	Self-stigma and affiliate stigma in first-episode psychosis patients and their caregivers. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1225-1231.	3.1	40
67	Stroop interference and facilitation effects in first-episode schizophrenic patients. Schizophrenia Research, 2001, 48, 29-44.	2.0	39
68	Association Between Acute Neuropsychiatric Events and <i>Helicobacter pylori </i> Clarithromycin. JAMA Internal Medicine, 2016, 176, 828.	5.1	39
69	A Cluster Analysis of the Circumstances of Death in Suicides in Hong Kong. Suicide and Life-Threatening Behavior, 2007, 37, 576-584.	1.9	38
70	Early intervention and evaluation for adultâ€onset psychosis: the <scp>JCEP</scp> study rationale and design. Microbial Biotechnology, 2014, 8, 261-268.	1.7	38
71	Public Stigma in China Associated With Schizophrenia, Depression, Attenuated Psychosis Syndrome, and Psychosis-Like Experiences. Psychiatric Services, 2016, 67, 766-770.	2.0	38
72	Early-Stage Negative Symptom Trajectories and Relationships With 13-Year Outcomes in First-Episode Nonaffective Psychosis. Schizophrenia Bulletin, 2019, 45, 610-619.	4.3	38

#	Article	IF	Citations
73	Differences in mortality and suicidal behaviour between treated and never-treated people with schizophrenia in rural China. British Journal of Psychiatry, 2009, 195, 126-131.	2.8	37
74	Suicide and Unemployment: What are the Missing Links?. Archives of Suicide Research, 2007, 11, 327-335.	2.3	35
75	A 3-year retrospective cohort study of predictors of relapse in first-episode psychosis in Hong Kong. Australian and New Zealand Journal of Psychiatry, 2013, 47, 746-753.	2.3	35
76	Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. British Journal of Psychiatry, 2017, 211, 37-44.	2.8	35
77	Self-Administered Instrument to Measure the Patient's Experience of Recovery After First-Episode Psychosis: Development and Validation of the Psychosis Recovery Inventory. Australian and New Zealand Journal of Psychiatry, 2005, 39, 493-499.	2.3	34
78	Detection of Non-Adherent Behaviour in Early Psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 446-451.	2.3	33
79	An association study of RGS4 polymorphisms with clinical phenotypes of schizophrenia in a Chinese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 77-85.	1.7	32
80	Relationship of amotivation to neurocognition, self-efficacy and functioning in first-episode psychosis: a structural equation modeling approach. Psychological Medicine, 2017, 47, 755-765.	4.5	32
81	The predictive power of expressed emotion and its components in relapse of schizophrenia: a meta-analysis and meta-regression. Psychological Medicine, 2021, 51, 365-375.	4.5	32
82	HT1001, A Proprietary North American Ginseng Extract, Improves Working Memory in Schizophrenia: A Doubleâ€blind, Placeboâ€Controlled Study. Phytotherapy Research, 2012, 26, 1166-1172.	5.8	31
83	Clinical and social correlates of duration of untreated psychosis among adultâ€onset psychosis in <scp>H</scp> ong <scp>K</scp> ong <scp>C</scp> hinese: the <scp>JCEP</scp> study. Microbial Biotechnology, 2015, 9, 118-125.	1.7	31
84	Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. Schizophrenia Research, 2018, 197, 131-137.	2.0	31
85	Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. European Neuropsychopharmacology, 2019, 29, 629-642.	0.7	31
86	Executive function in first-episode schizophrenia: A three-year longitudinal study of an ecologically valid test. Schizophrenia Research, 2011, 126, 87-92.	2.0	30
87	Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. Schizophrenia Research, 2016, 174, 144-149.	2.0	30
88	Understandings of spirituality and its role in illness recovery in persons with schizophrenia and mental-health professionals: a qualitative study. BMC Psychiatry, 2016, 16, 86.	2.6	30
89	Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. Schizophrenia Research, 2016, 173, 79-83.	2.0	29
90	Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. Schizophrenia Research, 2019, 204, 65-71.	2.0	29

#	Article	IF	Citations
91	Population-Attributable Risk of Suicide Conferred by Axis I Psychiatric Diagnoses in a Hong Kong Chinese Population. Psychiatric Services, 2009, 60, 1135-1138.	2.0	28
92	The concurrent and predictive validity of symptomatic remission criteria in first-episode schizophrenia. Schizophrenia Research, 2013, 143, 107-115.	2.0	28
93	Executive function as predictors of persistent thought disorder in first-episode schizophrenia: A one-year follow-up study. Schizophrenia Research, 2014, 159, 465-470.	2.0	28
94	The Latent Structure of Negative Symptoms in Individuals With Attenuated Psychosis Syndrome and Early Psychosis: Support for the 5 Consensus Domains. Schizophrenia Bulletin, 2021, 47, 386-394.	4.3	28
95	An instrument to assess mental patients? capacity to appraise and report subjective quality of life. Quality of Life Research, 2005, 14, 687-694.	3.1	27
96	Criminal behavior among persons with schizophrenia in rural China. Schizophrenia Research, 2010, 122, 213-218.	2.0	27
97	Screening and assessing ideas and delusions of reference using a semi-structured interview scale: A validation study of the Ideas of Reference Interview Scale (IRIS) in early psychosis patients. Schizophrenia Research, 2012, 135, 158-163.	2.0	27
98	Prevalence and risk factors for suicidal behavior in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 219-226.	3.1	27
99	A systematic review of clinical guidelines on choice, dose, and duration of antipsychotics treatment in first- and multi-episode schizophrenia. International Review of Psychiatry, 2019, 31, 441-459.	2.8	27
100	Gender differences in correlates of cognition in first-episode psychosis. Psychiatry Research, 2019, 271, 412-420.	3.3	27
101	Connectomic Underpinnings of Working Memory Deficits in Schizophrenia: Evidence From a replication fMRI study. Schizophrenia Bulletin, 2020, 46, 916-926.	4.3	27
102	Symptomatic Remission and Cognitive Impairment in First-Episode Schizophrenia. Journal of Clinical Psychiatry, 2013, 74, e1046-e1053.	2.2	27
103	Psychiatric history modifies the gender ratio of suicide: an East and West comparison. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 130-134.	3.1	26
104	Clinical and cognitive correlates of insight in first-episode schizophrenia. Schizophrenia Research, 2012, 135, 40-45.	2.0	26
105	Mild Reinforcement Learning Deficits in Patients With First-Episode Psychosis. Schizophrenia Bulletin, 2016, 42, 1476-1485.	4.3	26
106	Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. Schizophrenia Research, 2018, 195, 463-468.	2.0	26
107	Late-onset psychosis and very-late-onset-schizophrenia-like-psychosis: an updated systematic review. International Review of Psychiatry, 2019, 31, 523-542.	2.8	26
108	Life expectancy and years of potential life lost in bipolar disorder: systematic review and meta-analysis. British Journal of Psychiatry, 2022, 221, 567-576.	2.8	26

#	Article	IF	CITATIONS
109	How are Psychotic Symptoms Perceived? A Comparison between Patients, Relatives and the General Public. Australian and New Zealand Journal of Psychiatry, 1997, 31, 756-761.	2.3	25
110	Impact of physical activity on functioning of patients with first-episode psychosis — A 6months prospective longitudinal study. Schizophrenia Research, 2013, 150, 538-541.	2.0	25
111	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: A prospective 3 year follow-up study. Psychiatry Research, 2014, 220, 834-839.	3.3	25
112	Grey matter morphological anomalies in the caudate head in first-episode psychosis patients with delusions of reference. Psychiatry Research - Neuroimaging, 2015, 233, 57-63.	1.8	25
113	Excess Mortality and Life-Years Lost in People With Schizophrenia and Other Non-affective Psychoses: An 11-Year Population-Based Cohort Study. Schizophrenia Bulletin, 2021, 47, 474-484.	4.3	25
114	A Neural Network Model of Cortical Information Processing in Schizophrenia II - Role of Hippocampal-Cortical Interaction: A Review and a Model. Canadian Journal of Psychiatry, 1995, 40, 21-26.	1.9	24
115	Neurological Abnormalities in Chinese Schizophrenic Patients. Behavioural Neurology, 2007, 18, 171-181.	2.1	24
116	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. Schizophrenia Research, 2013, 150, 297-302.	2.0	24
117	Comparing illness presentation, treatment and functioning between patients with adolescent- and adult-onset psychosis. Psychiatry Research, 2014, 220, 797-802.	3.3	24
118	Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. Schizophrenia Research, 2015, 168, 99-105.	2.0	24
119	Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. Psychiatry Research, 2016, 242, 144-149.	3.3	24
120	Insight Changes in Acute Psychotic Episodes. Journal of Nervous and Mental Disease, 2001, 189, 24-30.	1.0	24
121	Mental Health Risks after Repeated Exposure to Multiple Stressful Events during Ongoing Social Unrest and Pandemic in Hong Kong: The Role of Rumination: Risques pour la santé mentale aprÃ's une exposition répétée à de multiples événements stressants d'agitation sociale durable et de pandéHong Kong: le rÃ1e de la rumination. Canadian lournal of Psychiatry, 2021, 66, 577-585.	1.9 Dmie Ã	24
122	Medication Adherence, Knowledge About Psychosis, and Insight Among Patients With a Schizophrenia-Spectrum Disorder. Journal of Nervous and Mental Disease, 2014, 202, 25-29.	1.0	23
123	Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. Australian and New Zealand Journal of Psychiatry, 2015, 49, 914-922.	2.3	23
124	A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. International Journal of Social Psychiatry, 2016, 62, 205-213.	3.1	23
125	A systematic review of long-term outcomes of patients with psychosis who received early intervention services. International Review of Psychiatry, 2019, 31, 425-440.	2.8	23
126	Mortality, Revascularization, and Cardioprotective Pharmacotherapy After Acute Coronary Syndrome in Patients With Psychotic Disorders: A Population-Based Cohort Study. Schizophrenia Bulletin, 2020, 46, 774-784.	4.3	23

#	Article	IF	CITATIONS
127	Neurological signs and sustained attention impairment in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 1-5.	3.2	22
128	Delusional disorder and schizophrenia: a comparison of the neurocognitive and clinical characteristics in first-episode patients. Psychological Medicine, 2015, 45, 3085-3095.	4.5	22
129	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. Frontiers in Psychiatry, 2019, 10, 393.	2.6	22
130	Predicting first-episode psychosis patients who will never relapse over 10 years. Psychological Medicine, 2019, 49, 2206-2214.	4.5	22
131	The role of dopamine dysregulation and evidence for the transdiagnostic nature of elevated dopamine synthesis in psychosis: a positron emission tomography (PET) study comparing schizophrenia, delusional disorder, and other psychotic disorders. Neuropsychopharmacology, 2020, 45, 1870-1876.	5.4	22
132	Naming psychosis: the Hong Kong experience. Microbial Biotechnology, 2010, 4, 270-274.	1.7	21
133	Web-Based Psychoeducation Program for Caregivers of First-Episode of Psychosis: An Experience of Chinese Population in Hong Kong. Frontiers in Psychology, 2016, 07, 2006.	2.1	21
134	A Lowâ€Intensity Mindfulnessâ€Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. Clinical Psychology and Psychotherapy, 2016, 23, 550-560.	2.7	21
135	Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. Journal of Mental Health, 2019, 28, 583-588.	1.9	21
136	Risk of mortality and complications in patients with schizophrenia and diabetes mellitus: population-based cohort study. British Journal of Psychiatry, 2021, 219, 375-382.	2.8	21
137	Prospective prediction of PTSD and depressive symptoms during social unrest and COVID-19 using a brief online tool. Psychiatry Research, 2021, 298, 113773.	3.3	21
138	Identification of neuroglycan C and interacting partners as potential susceptibility genes for schizophrenia in a Southern Chinese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 103-113.	1.7	20
139	Cost-Effectiveness of An Early Assessment Service for Young People with Early Psychosis in Hong Kong. Australian and New Zealand Journal of Psychiatry, 2011, 45, 673-680.	2.3	20
140	Theory of mind and paranoia in schizophrenia: A game theoretical investigation framework. Cognitive Neuropsychiatry, 2011, 16, 505-529.	1.3	20
141	Executive function in first-episode schizophrenia: A three-year prospective study of the Hayling Sentence Completion Test. Schizophrenia Research, 2012, 135, 62-67.	2.0	20
142	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. International Psychogeriatrics, 2017, 29, 259-267.	1.0	20
143	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. Psychotherapy and Psychosomatics, 2017, 86, 292-299.	8.8	20
144	Perceptions on Remission and Recovery in Schizophrenia. Psychopathology, 2007, 40, 469-469.	1.5	19

#	Article	IF	CITATIONS
145	Examining gender difference in adultâ€onset psychosis in Hong Kong. Microbial Biotechnology, 2016, 10, 324-333.	1.7	19
146	The differential clinical and neurocognitive profiles of COMT SNP rs165599 genotypes in schizophrenia. Journal of the International Neuropsychological Society, 2005, 11, 202-4.	1.8	18
147	Mortality of Geriatric and Younger Patients with Schizophrenia in the Community. Suicide and Life-Threatening Behavior, 2008, 38, 143-151.	1.9	18
148	MRI Predicts Remission at 1 Year in First-Episode Schizophrenia in Females with Larger Striato-Thalamic Volumes. Neuropsychobiology, 2014, 69, 243-248.	1.9	18
149	Reducing mental illness stigma and fostering empathic citizenship: Community arts collaborative approach. Social Work in Mental Health, 2017, 15, 469-485.	1.0	18
150	Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. Journal of Affective Disorders, 2016, 200, 1-5.	4.1	17
151	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. Schizophrenia Research, 2017, 184, 141-142.	2.0	17
152	Prevalence and correlates of antipsychotic polypharmacy in Hong Kong. Asian Journal of Psychiatry, 2018, 33, 113-120.	2.0	17
153	The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. Schizophrenia Research, 2019, 206, 251-256.	2.0	17
154	A Neural Network Model of Cortical Information Processing in Schizophrenia. I: Interaction between Biological and Social Factors in Symptom Formation. Canadian Journal of Psychiatry, 1994, 39, 362-367.	1.9	16
155	The psychophysiological effects of Tai-chi and exercise in residential Schizophrenic patients: a 3-arm randomized controlled trial. BMC Complementary and Alternative Medicine, 2014, 14, 364.	3.7	16
156	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: A prospective three-year follow-up study. Schizophrenia Research, 2014, 152, 146-151.	2.0	16
157	Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: The Subjective Cognitive Impairment Scale. Comprehensive Psychiatry, 2015, 56, 42-50.	3.1	16
158	Visual working memory deterioration preceding relapse in psychosis. Psychological Medicine, 2016, 46, 2435-2444.	4.5	16
159	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1194-1201.	2.3	16
160	Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and metaâ€analysis of randomized controlled trials. Journal of Psychiatric and Mental Health Nursing, 2020, 27, 128-139.	2.1	16
161	Mortality in patients with schizophrenia admitted for incident ischemic stroke: A population-based cohort study. European Neuropsychopharmacology, 2020, 31, 152-157.	0.7	16
162	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. Behaviour Research and Therapy, 2020, 124, 103527.	3.1	16

#	Article	IF	CITATIONS
163	Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. Schizophrenia Research, 2020, 220, 85-91.	2.0	16
164	Perceived risk of relapse and role of medication: comparison between patients with psychosis and their caregivers. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 307-315.	3.1	15
165	Associations between diurnal cortisol patterns and lifestyle factors, psychotic symptoms, and neurological deficits: A longitudinal study on patients with chronic schizophrenia. Journal of Psychiatric Research, 2016, 81, 16-22.	3.1	15
166	Newspaper coverage of mental illness in <scp>H</scp> ong <scp>K</scp> ong between 2002 and 2012: impact of introduction of a new <scp>C</scp> hinese name of psychosis. Microbial Biotechnology, 2017, 11, 342-345.	1.7	15
167	10Kin1day: A Bottom-Up Neuroimaging Initiative. Frontiers in Neurology, 2019, 10, 425.	2.4	15
168	Mortality Risk Associated with Haloperidol Use Compared with Other Antipsychotics: An 11-Year Population-Based Propensity-Score-Matched Cohort Study. CNS Drugs, 2020, 34, 197-206.	5.9	15
169	Psychometric properties of a Chinese version of the Stigma Scale: examining the complex experience of stigma and its relationship with self-esteem and depression among people living with mental illness in Hong Kong. Comprehensive Psychiatry, 2015, 56, 198-205.	3.1	14
170	Mortality and suicide in schizophrenia: 21-year follow-up in rural China. BJPsych Open, 2020, 6, e121.	0.7	14
171	The impact of social unrest and pandemic on mental health of young people in Hong Kong: The transdiagnostic role of event-based rumination. Australian and New Zealand Journal of Psychiatry, 2022, 56, 376-384.	2.3	14
172	Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1819-1828.	3.1	13
173	Psychosis patients' knowledge, adherence and attitudes towards the naming of antipsychotic medication in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2015, 9, 422-427.	1.7	13
174	Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. Psychiatry Research, 2017, 249, 39-45.	3.3	13
175	Induced ideas of reference during social unrest and pandemic in Hong Kong. Schizophrenia Research, 2021, 229, 46-52.	2.0	13
176	What does recovery from schizophrenia mean? Perceptions of psychiatrists. International Journal of Culture and Mental Health, 2008, 1, 73-84.	0.6	12
177	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. Asian Journal of Psychiatry, 2012, 5, 68-72.	2.0	12
178	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. Psychiatry Research, 2014, 216, 177-184.	3.3	12
179	Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong Kong. Schizophrenia Research, 2014, 153, 204-208.	2.0	12
180	Prevalence and predictors of medication non-adherence among Chinese patients with first-episode psychosis. Psychiatry Research, 2015, 228, 680-687.	3.3	12

#	Article	IF	CITATIONS
181	Gender effect on public stigma changes towards psychosis in the Hong Kong Chinese population: a comparison between population surveys of 2009 and 2014. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 259-267.	3.1	12
182	Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong's Chinese population. BMC Psychiatry, 2021, 21, 274.	2.6	12
183	Insight and General Public Attitude on Psychotic Experiences in Hong Kong. International Journal of Social Psychiatry, 1996, 42, 10-17.	3.1	11
184	What Does Psychological Autopsy Study Tell Us About Charcoal Burning Suicide—A New and Contagious Method in Asia?. Suicide and Life-Threatening Behavior, 2009, 39, 633-638.	1.9	11
185	Coupling physical exercise with dietary glucose supplement for treating cognitive impairment in schizophrenia: a theoretical model and future directions. Microbial Biotechnology, 2014, 8, 209-220.	1.7	11
186	Prediction of motivational impairment: 12-month follow-up of the randomized-controlled trial on extended early intervention for first-episode psychosis. European Psychiatry, 2017, 41, 37-41.	0.2	11
187	Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2018, 12, 331-338.	1.7	11
188	Destigmatizing psychosis: Investigating the effectiveness of a schoolâ€based programme in Hong Kong secondary school students. Microbial Biotechnology, 2019, 13, 882-887.	1.7	11
189	Prediction of clinical outcomes beyond psychosis in the ultraâ€high risk for psychosis population. Microbial Biotechnology, 2021, 15, 642-651.	1.7	11
190	Rates and predictors of disengagement of patients with firstâ€episode psychosis from the early intervention service for sychosis service (EASY) covering 15 to 64 years of age in Hong Kong. Microbial Biotechnology, 2019, 13, 398-404.	1.7	11
191	Random Number Generation Deficit in Early Schizophrenia. Perceptual and Motor Skills, 2011, 112, 91-103.	1.3	10
192	The Effect of Paternal Age on Relapse in First-Episode Schizophrenia. Canadian Journal of Psychiatry, 2015, 60, 346-353.	1.9	10
193	Psychiatrists' opinion towards medication discontinuation in remitted firstâ€episode psychosis: A multiâ€site study of the Asian Network for Early Psychosis. Microbial Biotechnology, 2019, 13, 1329-1337.	1.7	10
194	Omegaâ€3 fatty acids and neurocognitive ability in young people at ultraâ€high risk for psychosis. Microbial Biotechnology, 2021, 15, 874-881.	1.7	10
195	Diabetes complication burden and patterns and risk of mortality in people with schizophrenia and diabetes: A population-based cohort study with 16-year follow-up. European Neuropsychopharmacology, 2021, 53, 79-88.	0.7	10
196	Real-world implementation of early intervention in psychosis: resources, funding models and evidence-based practice. World Psychiatry, 2008, 7, 163-164.	10.4	9
197	Impaired facilitation of self-control cognition by glucose in patients with schizophrenia: A randomized controlled study. Schizophrenia Research, 2014, 156, 38-45.	2.0	9
198	Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: comparison of early intervention and standard care services. British Journal of Psychiatry, 2020, 217, 491-497.	2.8	9

#	Article	IF	CITATIONS
199	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. Psychological Medicine, 2021, 51, 2501-2508.	4.5	9
200	Effect of high-endurance exercise intervention on sleep-dependent procedural memory consolidation in individuals with schizophrenia: a randomized controlled trial. Psychological Medicine, 2023, 53, 1708-1720.	4.5	9
201	Psychotropic drug utilization patterns in pregnant women with bipolar disorder: A 16-year population-based cohort study. European Neuropsychopharmacology, 2022, 57, 75-85.	0.7	9
202	Recent advances in pharmacological treatment of psychosis in late life. Current Opinion in Psychiatry, 2011, 24, 455-460.	6.3	8
203	Psychometric properties of translated outcome measures of cognitive behavioural therapy for psychosis in the Chinese context. Asian Journal of Psychiatry, 2015, 13, 62-65.	2.0	8
204	Perception towards relapse and its predictors in psychosis patients: A qualitative study. Microbial Biotechnology, 2018, 12, 856-862.	1.7	8
205	Risk perception in paranoia and anxiety: Two investigations across clinical and non-clinical populations. Schizophrenia Research: Cognition, 2020, 21, 100176.	1.3	8
206	Effect of brief social contact video compared with expert information video in changing knowledge and attitude towards psychosis patients among medical students. Microbial Biotechnology, 2021, 15, 278-285.	1.7	8
207	Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. Schizophrenia Research, 2021, 237, 103-114.	2.0	8
208	The Psychiatry Major: A Curricular Innovation to Improve Undergraduate Psychiatry Education in China. Academic Psychiatry, 2018, 42, 376-381.	0.9	8
209	Youth mental health care in a context of largeâ€scale collective stress. World Psychiatry, 2022, 21, 85-86.	10.4	8
210	Prevalence and correlates of suicidal behaviours in a representative epidemiological youth sample in Hong Kong: the significance of suicide-related rumination, family functioning, and ongoing population-level stressors. Psychological Medicine, 2023, 53, 4603-4613.	4.5	8
211	Longitudinal changes in semantic categorization performance after symptomatic remission from first-episode psychosis: A 3-year follow-up study. Schizophrenia Research, 2012, 137, 118-123.	2.0	7
212	Hong Kong: recent development of mental health services. BJ Psych Advances, 2015, 21, 71-72.	0.7	7
213	Systematic review (meta-aggregation) of qualitative studies on the experiences of family members caring for individuals with early psychosis. International Review of Psychiatry, 2019, 31, 491-509.	2.8	7
214	Letter to the Editor: Comparison of cognitive functions, pre-morbid conditions and clinical characteristics between brief psychotic disorder and schizophrenia. Psychological Medicine, 2016, 46, 2011-2013.	4.5	7
215	The role of knowledge and motivation in symptom identification accuracy among schizophrenic patients: Application of signal detection theory. British Journal of Clinical Psychology, 2006, 45, 427-436.	3.5	6
216	Phenotyping psychosis: Room for neurocomputational and content-dependent cognitive endophenotypes?. Cognitive Neuropsychiatry, 2009, 14, 451-472.	1.3	6

#	Article	IF	Citations
217	Biased cognition in East Asian and Western cultures. PLoS ONE, 2019, 14, e0223358.	2.5	6
218	High level of pattern glare in major depressive disorder. BMC Psychiatry, 2019, 19, 415.	2.6	6
219	Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis. JAMA Psychiatry, 2019, 76, 217.	11.0	6
220	Relationship between stressful life events, stigma and life satisfaction with the willingness of disclosure of psychotic illness: A community study in Hong Kong. Microbial Biotechnology, 2021, 15, 686-696.	1.7	6
221	Correlates of Lifetime Suicide Attempts Among Individuals with Affective Disorders in a Chinese Rural Community. Archives of Suicide Research, 2007, 11, 119-127.	2.3	5
222	Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. American Journal of Psychiatry, 2018, 175, 285-286.	7.2	5
223	Verbal working memory in schizophrenia: The role of syntax in facilitating serial recall. Schizophrenia Research, 2018, 192, 294-299.	2.0	5
224	Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 887-896.	3.2	5
225	Perspective on medication decisions following remission from first-episode psychosis. Schizophrenia Research, 2020, 225, 82-89.	2.0	5
226	Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. Australian and New Zealand Journal of Psychiatry, 2021, 55, 983-992.	2.3	5
227	Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1561-1569.	3.2	5
228	The association between migrant status and transition in an ultra-high risk for psychosis population. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 943-952.	3.1	5
229	Psychiatric comorbidity in individuals atâ€risk for psychosis: Relationships with symptoms, cognition and psychosocial functioning. Microbial Biotechnology, 2021, 15, 616-623.	1.7	5
230	Seasonal affective disorder Clinical Psychology: Science and Practice, 1998, 5, 275-290.	0.9	4
231	Reliability and validity of the life functioning assessment inventory (L-FAI) for patients with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1687-1695.	3.1	4
232	Early Medication Discontinuation on Long-term Recovery Outcome in First-Episode Psychosis. JAMA Psychiatry, 2014, 71, 207.	11.0	4
233	Quality of life and functioning in firstâ €e pisode psychosis <scp>C</scp> hinese patients with different antipsychotic medications. Microbial Biotechnology, 2016, 10, 535-539.	1.7	4
234	Psychosocial factors associated with physical activity behavior among patients with psychosis. Schizophrenia Research, 2018, 195, 130-135.	2.0	4

#	Article	IF	CITATIONS
235	Clinical and functional correlates of financially deprived women with firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 639-645.	1.7	4
236	Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. Journal of Mental Health, 2022, 31, 29-38.	1.9	4
237	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. Schizophrenia Research, 2021, 228, 288-294.	2.0	4
238	<scp>ReMind</scp> , a smartphone application for psychotic relapse prediction: A longitudinal study protocol. Microbial Biotechnology, 2021, 15, 1659-1666.	1.7	4
239	Striatal dopamine synthesis capacity and its association with negative symptoms upon resolution of positive symptoms in first-episode schizophrenia and delusional disorder. Psychopharmacology, 2022, 239, 2133-2141.	3.1	4
240	Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study. Asian Journal of Psychiatry, 2022, 71, 103087.	2.0	4
241	<scp>LevelMind</scp> @ <scp>JC</scp> : Development and evaluation of a community early intervention program for young people in Hong Kong. Microbial Biotechnology, 2022, 16, 920-925.	1.7	4
242	Impact of restrictive COVID-19 measures on daily momentary affect in an epidemiological youth sample in Hong Kong: An experience sampling study. Current Psychology, 2023, 42, 20804-20813.	2.8	4
243	Therapeutic potentials of mind–body interventions for psychosis. Clinical Practice (London, England), 2014, 11, 677-688.	0.1	3
244	Admission Rates and Psychiatric Beds in Hong Kong, 1999–2014: A Population-Based Study. Psychiatric Services, 2016, 67, 579-579.	2.0	3
245	Chinese label for people at risk for psychosis. Microbial Biotechnology, 2017, 11, 224-228.	1.7	3
246	Metabolic screening for patients with second-generation antipsychotic medication: A population-based study from 2004 to 2016. Schizophrenia Research, 2018, 197, 618-619.	2.0	3
247	Demographic correlates of medication knowledge in Hong Kong early psychosis patients. Microbial Biotechnology, 2018, 12, 107-112.	1.7	3
248	Sex differences in symptom severity, cognition and psychosocial functioning among individuals with atâ€risk mental state for psychosis. Microbial Biotechnology, 2022, 16, 61-68.	1.7	3
249	Aberrant Learned Irrelevance in Patients with First-Episode Schizophrenia-Spectrum Disorder. Brain Sciences, 2021, 11, 1370.	2.3	3
250	Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2022, 56, 1277-1286.	2.3	3
251	Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models. European Archives of Psychiatry and Clinical Neuroscience, 2022, , $1.$	3.2	3
252	Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial. Psychological Medicine, 2022, , 1-13.	4.5	3

#	Article	IF	CITATIONS
253	Correlates and predictors of perceived stigma and selfâ€stigma in Chinese patients with psychosis. Microbial Biotechnology, 2022, 16, 1075-1084.	1.7	3
254	Guidelines for Discontinuation of Antipsychotics in Patients Who Recover From First-Episode Schizophrenia Spectrum Disorders: Derived From the Aggregated Opinions of Asian Network of Early Psychosis Experts and Literature Review. International Journal of Neuropsychopharmacology, 2022, 25, 737-758.	2.1	3
255	Verbal fluency and semantic memory in schizophrenia. British Journal of Psychiatry, 1994, 164, 704-704.	2.8	2
256	No NRG1 V266L in Chinese patients with schizophrenia. Psychiatric Genetics, 2011, 21, 47-49.	1.1	2
257	Perceptions of relapse risks following first-episode psychosis and attitudes towards maintenance medication: a comparison between nursing and social work professionals. Microbial Biotechnology, 2011, 5, 324-334.	1.7	2
258	Sexual dysfunction in Chinese patients with first-episode psychosis: prevalence, clinical correlates and functioning. Schizophrenia Research, 2013, 148, 181-182.	2.0	2
259	Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. American Journal of Psychiatry, 2016, 173, 939-940.	7.2	2
260	Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. Microbial Biotechnology, 2021, 15, 1686-1695.	1.7	2
261	Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. Asian Journal of Psychiatry, 2021, 57, 102578.	2.0	2
262	Clinical and psychological correlates of insight dimensions in patients with early psychosis. Microbial Biotechnology, 2021, , .	1.7	2
263	Detection of non-adherent behaviour in early psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 446-451.	2.3	2
264	Stressful events as correlates of depressive and PTSD symptoms in Hong Kong women during social unrest and COVID-19 pandemic. Journal of Affective Disorders, 2022, 300, 263-268.	4.1	2
265	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. Schizophrenia Bulletin Open, 2022, 3, .	1.7	2
266	First episode psychosis with extrapyramidal signs prior to antipsychotic drug treatment. Science Bulletin, 2011, 56, 3361-3371.	1.7	1
267	Activity intervention for first-episode psychosis. , 2016, , 41-65.		1
268	Incidence of hospitalization and its associated factors in firstâ€episode psychosis in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2016, 10, 263-266.	1.7	1
269	Concepts of â€~self' in delusion resolution. Schizophrenia Research: Cognition, 2016, 3, 8-10.	1.3	1
270	Early intervention for incipient insanity: early notions from the 19 th century English literature. Microbial Biotechnology, 2018, 12, 708-714.	1.7	1

#	Article	IF	CITATIONS
271	Predictors of functioning in people suffering from firstâ€episode psychosis 1 year into entering early intervention service in Hong Kong. Microbial Biotechnology, 2018, 12, 828-838.	1.7	1
272	Early intervention for psychosis: current issues and emerging perspectives. International Review of Psychiatry, 2019, 31, 411-412.	2.8	1
273	Recovering the Context in Psychopathology. Theory and History in the Human and Social Sciences, 2020, , 65-72.	0.4	1
274	Altered Risk-Taking Behavior in Early-Stage Bipolar Disorder With a History of Psychosis. Frontiers in Psychiatry, 2021, 12, 763545.	2.6	1
275	Dynamic Patterns of Symptoms and Functioning in Predicting Deliberate Self-harm in Patients with First-Episode Schizophrenia-Spectrum Disorders Over 3 Years. Schizophrenia Bulletin, 2022, 48, 1043-1052.	4.3	1
276	Question structure impacts efficiency and performance in an interactive guessing game: Implications for strategy engagement and executive functioning. Psychiatry Research, 2012, 200, 1026-1027.	3.3	0
277	Increased distractibility to own name in psychotic patients with ideas and delusions of reference. Cognitive Neuropsychiatry, 2016, 21, 107-115.	1.3	0
278	Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. Schizophrenia Research, 2019, 209, 275-277.	2.0	0
279	International services for assessing and treating psychosis risk. , 2020, , 383-398.		0
280	Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 509-518.	3.2	0
281	LevelMind @ JC hubs–a novel communityâ€based youth mental wellness early intervention in Hong Kong: An evaluation of stakeholders' perceptions and experiences. Microbial Biotechnology, 2021, , .	1.7	0
282	A multifaceted approach in promoting positive mental health culture in Hong Kong secondary schools: The Mindshift educational networking programme. Microbial Biotechnology, 2021, , .	1.7	0