## Eric Yu-Hai Chen

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4907787/publications.pdf

Version: 2024-02-01

282 papers 10,813 citations

44069 48 h-index 89 g-index

283 all docs 283 docs citations

times ranked

283

11048 citing authors

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 1  | Effect of high-endurance exercise intervention on sleep-dependent procedural memory consolidation in individuals with schizophrenia: a randomized controlled trial. Psychological Medicine, 2023, 53, 1708-1720.   | 4.5  | 9         |
| 2  | Impact of restrictive COVID-19 measures on daily momentary affect in an epidemiological youth sample in Hong Kong: An experience sampling study. Current Psychology, 2023, 42, 20804-20813.  | 2.8  | 4         |
| 3  | Prevalence and correlates of suicidal behaviours in a representative epidemiological youth sample in Hong Kong: the significance of suicide-related rumination, family functioning, and ongoing population-level stressors. Psychological Medicine, 2023, 53, 4603-4613. | 4.5  | 8         |
| 4  | Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. Journal of Mental Health, 2022, 31, 29-38.   | 1.9  | 4         |
| 5  | Sex differences in symptom severity, cognition and psychosocial functioning among individuals with atâ€risk mental state for psychosis. Microbial Biotechnology, 2022, 16, 61-68.  | 1.7  | 3         |
| 6  | Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 509-518.                                      | 3.2  | 0         |
| 7  | The impact of social unrest and pandemic on mental health of young people in Hong Kong: The transdiagnostic role of event-based rumination. Australian and New Zealand Journal of Psychiatry, 2022, 56, 376-384.   | 2.3  | 14        |
| 8  | Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2022, 56, 1277-1286.   | 2.3  | 3         |
| 9  | Stressful events as correlates of depressive and PTSD symptoms in Hong Kong women during social unrest and COVID-19 pandemic. Journal of Affective Disorders, 2022, 300, 263-268.  | 4.1  | 2         |
| 10 | Youth mental health care in a context of largeâ€scale collective stress. World Psychiatry, 2022, 21, 85-86.  | 10.4 | 8         |
| 11 | Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class<br>Analysis. Schizophrenia Bulletin Open, 2022, 3, .   | 1.7  | 2         |
| 12 | Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models. European Archives of Psychiatry and Clinical Neuroscience, 2022, , 1.               | 3.2  | 3         |
| 13 | Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial. Psychological Medicine, 2022, , $1$ - $13$ .   | 4.5  | 3         |
| 14 | Striatal dopamine synthesis capacity and its association with negative symptoms upon resolution of positive symptoms in first-episode schizophrenia and delusional disorder. Psychopharmacology, 2022, 239, 2133-2141.   | 3.1  | 4         |
| 15 | Life expectancy and years of potential life lost in bipolar disorder: systematic review and meta-analysis. British Journal of Psychiatry, 2022, 221, 567-576.  | 2.8  | 26        |
| 16 | Psychotropic drug utilization patterns in pregnant women with bipolar disorder: A 16-year population-based cohort study. European Neuropsychopharmacology, 2022, 57, 75-85.  | 0.7  | 9         |
| 17 | Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study. Asian Journal of Psychiatry, 2022, 71, 103087.  | 2.0  | 4         |
| 18 | Correlates and predictors of perceived stigma and selfâ€stigma in Chinese patients with psychosis. Microbial Biotechnology, 2022, 16, 1075-1084.   | 1.7  | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | <scp>LevelMind</scp> @ <scp>JC</scp> : Development and evaluation of a community early intervention program for young people in Hong Kong. Microbial Biotechnology, 2022, 16, 920-925.   | 1.7 | 4         |
| 20 | Guidelines for Discontinuation of Antipsychotics in Patients Who Recover From First-Episode Schizophrenia Spectrum Disorders: Derived From the Aggregated Opinions of Asian Network of Early Psychosis Experts and Literature Review. International Journal of Neuropsychopharmacology, 2022, 25, 737-758. | 2.1 | 3         |
| 21 | Dynamic Patterns of Symptoms and Functioning in Predicting Deliberate Self-harm in Patients with First-Episode Schizophrenia-Spectrum Disorders Over 3 Years. Schizophrenia Bulletin, 2022, 48, 1043-1052.   | 4.3 | 1         |
| 22 | Omegaâ€3 fatty acids and neurocognitive ability in young people at ultraâ€high risk for psychosis. Microbial Biotechnology, 2021, 15, 874-881.   | 1.7 | 10        |
| 23 | The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. Psychological Medicine, 2021, 51, 2501-2508.  | 4.5 | 9         |
| 24 | Effect of brief social contact video compared with expert information video in changing knowledge and attitude towards psychosis patients among medical students. Microbial Biotechnology, 2021, 15, 278-285.  | 1.7 | 8         |
| 25 | Prediction of clinical outcomes beyond psychosis in the ultraâ€high risk for psychosis population.<br>Microbial Biotechnology, 2021, 15, 642-651.  | 1.7 | 11        |
| 26 | Excess Mortality and Life-Years Lost in People With Schizophrenia and Other Non-affective Psychoses: An 11-Year Population-Based Cohort Study. Schizophrenia Bulletin, 2021, 47, 474-484.  | 4.3 | 25        |
| 27 | Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. Schizophrenia Bulletin, 2021, 47, 485-494.   | 4.3 | 42        |
| 28 | The Latent Structure of Negative Symptoms in Individuals With Attenuated Psychosis Syndrome and Early Psychosis: Support for the 5 Consensus Domains. Schizophrenia Bulletin, 2021, 47, 386-394.   | 4.3 | 28        |
| 29 | Relationship between stressful life events, stigma and life satisfaction with the willingness of disclosure of psychotic illness: A community study in Hong Kong. Microbial Biotechnology, 2021, 15, 686-696.  | 1.7 | 6         |
| 30 | Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. Microbial Biotechnology, 2021, 15, 1686-1695.  | 1.7 | 2         |
| 31 | Risk of mortality and complications in patients with schizophrenia and diabetes mellitus: population-based cohort study. British Journal of Psychiatry, 2021, 219, 375-382.  | 2.8 | 21        |
| 32 | The predictive power of expressed emotion and its components in relapse of schizophrenia: a meta-analysis and meta-regression. Psychological Medicine, 2021, 51, 365-375.  | 4.5 | 32        |
| 33 | Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. Schizophrenia Research, 2021, 228, 288-294.  | 2.0 | 4         |
| 34 | Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. Asian Journal of Psychiatry, 2021, 57, 102578.  | 2.0 | 2         |
| 35 | Induced ideas of reference during social unrest and pandemic in Hong Kong. Schizophrenia Research, 2021, 229, 46-52.   | 2.0 | 13        |
| 36 | Prospective prediction of PTSD and depressive symptoms during social unrest and COVID-19 using a brief online tool. Psychiatry Research, 2021, 298, 113773.  | 3.3 | 21        |

| #  | Article   | IF     | CITATIONS |
|----|---|--------|-----------|
| 37 | Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong's Chinese population. BMC Psychiatry, 2021, 21, 274.   | 2.6    | 12        |
| 38 | Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. Australian and New Zealand Journal of Psychiatry, 2021, 55, 983-992.   | 2.3    | 5         |
| 39 | LevelMind @ JC hubs–a novel communityâ€based youth mental wellness early intervention in Hong Kong: An evaluation of stakeholders' perceptions and experiences. Microbial Biotechnology, 2021, , .  | 1.7    | 0         |
| 40 | Clinical and psychological correlates of insight dimensions in patients with early psychosis. Microbial Biotechnology, 2021, , .  | 1.7    | 2         |
| 41 | Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1561-1569.  | 3.2    | 5         |
| 42 | Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. Schizophrenia Research, 2021, 237, 103-114.  | 2.0    | 8         |
| 43 | Diabetes complication burden and patterns and risk of mortality in people with schizophrenia and diabetes: A population-based cohort study with 16-year follow-up. European Neuropsychopharmacology, 2021, 53, 79-88.   | 0.7    | 10        |
| 44 | The association between migrant status and transition in an ultra-high risk for psychosis population. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 943-952.  | 3.1    | 5         |
| 45 | Mental Health Risks after Repeated Exposure to Multiple Stressful Events during Ongoing Social Unrest and Pandemic in Hong Kong: The Role of Rumination: Risques pour la santé mentale aprÃ's une exposition répétée à de multiples événements stressants d'agitation sociale durable et de pandÀ Hong Kong: le rÃ1e de la rumination. Canadian lournal of Psychiatry. 2021. 66. 577-585. | omie Ã | 24        |
| 46 | Aberrant Learned Irrelevance in Patients with First-Episode Schizophrenia-Spectrum Disorder. Brain Sciences, 2021, 11, 1370.  | 2.3    | 3         |
| 47 | Psychiatric comorbidity in individuals atâ€risk for psychosis: Relationships with symptoms, cognition and psychosocial functioning. Microbial Biotechnology, 2021, 15, 616-623.   | 1.7    | 5         |
| 48 | <scp>ReMind</scp> , a smartphone application for psychotic relapse prediction: A longitudinal study protocol. Microbial Biotechnology, 2021, 15, 1659-1666.   | 1.7    | 4         |
| 49 | Altered Risk-Taking Behavior in Early-Stage Bipolar Disorder With a History of Psychosis. Frontiers in Psychiatry, 2021, 12, 763545.  | 2.6    | 1         |
| 50 | A multifaceted approach in promoting positive mental health culture in Hong Kong secondary schools: The Mindshift educational networking programme. Microbial Biotechnology, 2021, , .  | 1.7    | 0         |
| 51 | Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: comparison of early intervention and standard care services. British Journal of Psychiatry, 2020, 217, 491-497.   | 2.8    | 9         |
| 52 | Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and metaâ€analysis of randomized controlled trials. Journal of Psychiatric and Mental Health Nursing, 2020, 27, 128-139.  | 2.1    | 16        |
| 53 | Mortality in patients with schizophrenia admitted for incident ischemic stroke: A population-based cohort study. European Neuropsychopharmacology, 2020, 31, 152-157.   | 0.7    | 16        |
| 54 | Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. Behaviour Research and Therapy, 2020, 124, 103527.   | 3.1    | 16        |

| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 55 | Mortality and suicide in schizophrenia: 21-year follow-up in rural China. BJPsych Open, 2020, 6, e121.  | 0.7         | 14        |
| 56 | How mental health care should change as a consequence of the COVID-19 pandemic. Lancet Psychiatry, the, 2020, 7, 813-824.   | 7.4         | 1,101     |
| 57 | Risk perception in paranoia and anxiety: Two investigations across clinical and non-clinical populations. Schizophrenia Research: Cognition, 2020, 21, 100176.  | 1.3         | 8         |
| 58 | The role of dopamine dysregulation and evidence for the transdiagnostic nature of elevated dopamine synthesis in psychosis: a positron emission tomography (PET) study comparing schizophrenia, delusional disorder, and other psychotic disorders. Neuropsychopharmacology, 2020, 45, 1870-1876. | 5.4         | 22        |
| 59 | Perspective on medication decisions following remission from first-episode psychosis. Schizophrenia Research, 2020, 225, 82-89.   | 2.0         | 5         |
| 60 | Connectomic Underpinnings of Working Memory Deficits in Schizophrenia: Evidence From a replication fMRI study. Schizophrenia Bulletin, 2020, 46, 916-926.   | 4.3         | 27        |
| 61 | Mortality, Revascularization, and Cardioprotective Pharmacotherapy After Acute Coronary Syndrome in Patients With Psychotic Disorders: A Population-Based Cohort Study. Schizophrenia Bulletin, 2020, 46, 774-784.  | 4.3         | 23        |
| 62 | International services for assessing and treating psychosis risk. , 2020, , 383-398.  |             | 0         |
| 63 | Mortality Risk Associated with Haloperidol Use Compared with Other Antipsychotics: An 11-Year<br>Population-Based Propensity-Score-Matched Cohort Study. CNS Drugs, 2020, 34, 197-206.  | 5.9         | 15        |
| 64 | Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. Schizophrenia Research, 2020, 220, 85-91.  | 2.0         | 16        |
| 65 | Recovering the Context in Psychopathology. Theory and History in the Human and Social Sciences, 2020, , 65-72.  | 0.4         | 1         |
| 66 | Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 887-896.  | <b>3.</b> 2 | 5         |
| 67 | Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. Schizophrenia Research, 2019, 204, 65-71.   | 2.0         | 29        |
| 68 | Early-Stage Negative Symptom Trajectories and Relationships With 13-Year Outcomes in First-Episode Nonaffective Psychosis. Schizophrenia Bulletin, 2019, 45, 610-619.   | 4.3         | 38        |
| 69 | Destigmatizing psychosis: Investigating the effectiveness of a schoolâ€based programme in Hong Kong secondary school students. Microbial Biotechnology, 2019, 13, 882-887.  | 1.7         | 11        |
| 70 | Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. Frontiers in Psychiatry, 2019, 10, 393.  | 2.6         | 22        |
| 71 | Early intervention for psychosis: current issues and emerging perspectives. International Review of Psychiatry, 2019, 31, 411-412.  | 2.8         | 1         |
| 72 | Biased cognition in East Asian and Western cultures. PLoS ONE, 2019, 14, e0223358.  | 2.5         | 6         |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Late-onset psychosis and very-late-onset-schizophrenia-like-psychosis: an updated systematic review. International Review of Psychiatry, 2019, 31, 523-542.  | 2.8  | 26        |
| 74 | A systematic review of long-term outcomes of patients with psychosis who received early intervention services. International Review of Psychiatry, 2019, 31, 425-440.  | 2.8  | 23        |
| 75 | Systematic review (meta-aggregation) of qualitative studies on the experiences of family members caring for individuals with early psychosis. International Review of Psychiatry, 2019, 31, 491-509.   | 2.8  | 7         |
| 76 | A systematic review of clinical guidelines on choice, dose, and duration of antipsychotics treatment in first- and multi-episode schizophrenia. International Review of Psychiatry, 2019, 31, 441-459.                                       | 2.8  | 27        |
| 77 | 10Kin1day: A Bottom-Up Neuroimaging Initiative. Frontiers in Neurology, 2019, 10, 425.   | 2.4  | 15        |
| 78 | Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. Schizophrenia Research, 2019, 209, 275-277.  | 2.0  | 0         |
| 79 | Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. European Neuropsychopharmacology, 2019, 29, 629-642.              | 0.7  | 31        |
| 80 | High level of pattern glare in major depressive disorder. BMC Psychiatry, 2019, 19, 415.   | 2.6  | 6         |
| 81 | Gender differences in correlates of cognition in first-episode psychosis. Psychiatry Research, 2019, 271, 412-420.   | 3.3  | 27        |
| 82 | Psychiatrists' opinion towards medication discontinuation in remitted firstâ€episode psychosis: A multiâ€site study of the Asian Network for Early Psychosis. Microbial Biotechnology, 2019, 13, 1329-1337.                                  | 1.7  | 10        |
| 83 | The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. Schizophrenia Research, 2019, 206, 251-256.  | 2.0  | 17        |
| 84 | Predicting first-episode psychosis patients who will never relapse over 10 years. Psychological Medicine, 2019, 49, 2206-2214.   | 4.5  | 22        |
| 85 | Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis. JAMA Psychiatry, 2019, 76, 217.  | 11.0 | 6         |
| 86 | Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. Journal of Mental Health, 2019, 28, 583-588.  | 1.9  | 21        |
| 87 | Clinical and functional correlates of financially deprived women with firstâ€episode psychosis.<br>Microbial Biotechnology, 2019, 13, 639-645.   | 1.7  | 4         |
| 88 | Rates and predictors of disengagement of patients with firstâ€episode psychosis from the early intervention service for sychosis service (EASY) covering 15 to 64 years of age in Hong Kong. Microbial Biotechnology, 2019, 13, 398-404.     | 1.7  | 11        |
| 89 | Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1194-1201. | 2.3  | 16        |
| 90 | Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. American Journal of Psychiatry, 2018, 175, 285-286.  | 7.2  | 5         |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 91  | Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. JAMA Psychiatry, 2018, 75, 458.   | 11.0 | 57        |
| 92  | Clinical trajectories in the ultra-high risk for psychosis population. Schizophrenia Research, 2018, 197, 550-556.   | 2.0  | 54        |
| 93  | Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. Schizophrenia Research, 2018, 197, 131-137.   | 2.0  | 31        |
| 94  | Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. JAMA Psychiatry, 2018, 75, 555.   | 11.0 | 516       |
| 95  | Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. Lancet Psychiatry,the, 2018, 5, 432-442.                                   | 7.4  | 97        |
| 96  | Prevalence and correlates of antipsychotic polypharmacy in Hong Kong. Asian Journal of Psychiatry, 2018, 33, 113-120.  | 2.0  | 17        |
| 97  | Metabolic screening for patients with second-generation antipsychotic medication: A population-based study from 2004 to 2016. Schizophrenia Research, 2018, 197, 618-619.  | 2.0  | 3         |
| 98  | Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2018, 12, 331-338.  | 1.7  | 11        |
| 99  | Demographic correlates of medication knowledge in Hong Kong early psychosis patients. Microbial Biotechnology, 2018, 12, 107-112.  | 1.7  | 3         |
| 100 | Early intervention for incipient insanity: early notions from the 19 <sup>th</sup> century English literature. Microbial Biotechnology, 2018, 12, 708-714.   | 1.7  | 1         |
| 101 | Predictors of functioning in people suffering from firstâ€episode psychosis 1 year into entering early intervention service in Hong Kong. Microbial Biotechnology, 2018, 12, 828-838.  | 1.7  | 1         |
| 102 | Perception towards relapse and its predictors in psychosis patients: A qualitative study. Microbial Biotechnology, 2018, 12, 856-862.  | 1.7  | 8         |
| 103 | Verbal working memory in schizophrenia: The role of syntax in facilitating serial recall.<br>Schizophrenia Research, 2018, 192, 294-299.   | 2.0  | 5         |
| 104 | Psychosocial factors associated with physical activity behavior among patients with psychosis. Schizophrenia Research, 2018, 195, 130-135.   | 2.0  | 4         |
| 105 | Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. Schizophrenia Research, 2018, 195, 463-468.  | 2.0  | 26        |
| 106 | Associations Among Suicidal Ideation, White Matter Integrity and Cognitive Deficit in First-Episode Schizophrenia. Frontiers in Psychiatry, 2018, 9, 391.  | 2.6  | 43        |
| 107 | The Psychiatry Major: A Curricular Innovation to Improve Undergraduate Psychiatry Education in China. Academic Psychiatry, 2018, 42, 376-381.  | 0.9  | 8         |
| 108 | NEURAPROâ€E study protocol: a multicentre randomized controlled trial of omegaâ€3 fatty acids and cognitiveâ€behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. Microbial Biotechnology, 2017, 11, 418-428. | 1.7  | 55        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Chinese label for people at risk for psychosis. Microbial Biotechnology, 2017, 11, 224-228.   | 1.7  | 3         |
| 110 | Newspaper coverage of mental illness in <scp>H</scp> ong <scp>K</scp> ong between 2002 and 2012: impact of introduction of a new <scp>C</scp> hinese name of psychosis. Microbial Biotechnology, 2017, 11, 342-345.                 | 1.7  | 15        |
| 111 | Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. Psychiatry Research, 2017, 249, 39-45.  | 3.3  | 13        |
| 112 | Relationship of amotivation to neurocognition, self-efficacy and functioning in first-episode psychosis: a structural equation modeling approach. Psychological Medicine, 2017, 47, 755-765.  | 4.5  | 32        |
| 113 | Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. Schizophrenia Research, 2017, 184, 141-142.   | 2.0  | 17        |
| 114 | Effect of ω-3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. JAMA Psychiatry, 2017, 74, 19.   | 11.0 | 216       |
| 115 | Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. Schizophrenia Bulletin, 2017, 43, 1280-1290.                                  | 4.3  | 55        |
| 116 | Prediction of motivational impairment: 12-month follow-up of the randomized-controlled trial on extended early intervention for first-episode psychosis. European Psychiatry, 2017, 41, 37-41.                                      | 0.2  | 11        |
| 117 | Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. British Journal of Psychiatry, 2017, 211, 37-44.   | 2.8  | 35        |
| 118 | Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. International Psychogeriatrics, 2017, 29, 259-267.   | 1.0  | 20        |
| 119 | A Sports-Based Youth Development Program, Teen Mental Health, and Physical Fitness: An RCT.<br>Pediatrics, 2017, 140, .   | 2.1  | 42        |
| 120 | Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. Psychotherapy and Psychosomatics, 2017, 86, 292-299.  | 8.8  | 20        |
| 121 | Gender effect on public stigma changes towards psychosis in the Hong Kong Chinese population: a comparison between population surveys of 2009 and 2014. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 259-267.          | 3.1  | 12        |
| 122 | Reducing mental illness stigma and fostering empathic citizenship: Community arts collaborative approach. Social Work in Mental Health, 2017, 15, 469-485.  | 1.0  | 18        |
| 123 | Web-Based Psychoeducation Program for Caregivers of First-Episode of Psychosis: An Experience of Chinese Population in Hong Kong. Frontiers in Psychology, 2016, 07, 2006.  | 2.1  | 21        |
| 124 | Activity intervention for first-episode psychosis. , 2016, , 41-65.   |      | 1         |
| 125 | Associations between diurnal cortisol patterns and lifestyle factors, psychotic symptoms, and neurological deficits: A longitudinal study on patients with chronic schizophrenia. Journal of Psychiatric Research, 2016, 81, 16-22. | 3.1  | 15        |
| 126 | A Lowâ€Intensity Mindfulnessâ€Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. Clinical Psychology and Psychotherapy, 2016, 23, 550-560.                                      | 2.7  | 21        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Examining gender difference in adultâ€onset psychosis in Hong Kong. Microbial Biotechnology, 2016, 10, 324-333.   | 1.7 | 19        |
| 128 | Increased distractibility to own name in psychotic patients with ideas and delusions of reference. Cognitive Neuropsychiatry, 2016, 21, 107-115.  | 1.3 | 0         |
| 129 | Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. Schizophrenia Research, 2016, 173, 79-83. | 2.0 | 29        |
| 130 | Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. Schizophrenia Research, 2016, 174, 144-149.   | 2.0 | 30        |
| 131 | Association Between Acute Neuropsychiatric Events and <i>Helicobacter pylori </i> Clarithromycin. JAMA Internal Medicine, 2016, 176, 828.   | 5.1 | 39        |
| 132 | Self-stigma and affiliate stigma in first-episode psychosis patients and their caregivers. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1225-1231.   | 3.1 | 40        |
| 133 | Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. Journal of Affective Disorders, 2016, 200, 1-5.                  | 4.1 | 17        |
| 134 | Mild Reinforcement Learning Deficits in Patients With First-Episode Psychosis. Schizophrenia Bulletin, 2016, 42, 1476-1485.   | 4.3 | 26        |
| 135 | Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. American Journal of Psychiatry, 2016, 173, 939-940.  | 7.2 | 2         |
| 136 | Admission Rates and Psychiatric Beds in Hong Kong, 1999–2014: A Population-Based Study. Psychiatric Services, 2016, 67, 579-579.  | 2.0 | 3         |
| 137 | Incidence of hospitalization and its associated factors in firstâ€episode psychosis in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2016, 10, 263-266.                                       | 1.7 | 1         |
| 138 | Visual working memory deterioration preceding relapse in psychosis. Psychological Medicine, 2016, 46, 2435-2444.  | 4.5 | 16        |
| 139 | Understandings of spirituality and its role in illness recovery in persons with schizophrenia and mental-health professionals: a qualitative study. BMC Psychiatry, 2016, 16, 86.                           | 2.6 | 30        |
| 140 | Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. Psychiatry Research, 2016, 242, 144-149.  | 3.3 | 24        |
| 141 | Public Stigma in China Associated With Schizophrenia, Depression, Attenuated Psychosis Syndrome, and Psychosis-Like Experiences. Psychiatric Services, 2016, 67, 766-770.                                   | 2.0 | 38        |
| 142 | Quality of life and functioning in firstâ€episode psychosis <scp>C</scp> hinese patients with different antipsychotic medications. Microbial Biotechnology, 2016, 10, 535-539.                              | 1.7 | 4         |
| 143 | Early intervention services in psychosis: from evidence to wide implementation. Microbial Biotechnology, 2016, 10, 540-546.   | 1.7 | 44        |
| 144 | Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. Schizophrenia Research, 2016, 170, 318-321.    | 2.0 | 44        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | A systematic review on definitions and assessments of psychoticâ€like experiences. Microbial Biotechnology, 2016, 10, 3-16.   | 1.7 | 78        |
| 146 | A randomized controlled trial on the psychophysiological effects of physical exercise and Tai-chi in patients with chronic schizophrenia. Schizophrenia Research, 2016, 171, 42-49.   | 2.0 | 66        |
| 147 | A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. International Journal of Social Psychiatry, 2016, 62, 205-213.  | 3.1 | 23        |
| 148 | Concepts of â€~self' in delusion resolution. Schizophrenia Research: Cognition, 2016, 3, 8-10.  | 1.3 | 1         |
| 149 | Letter to the Editor: Comparison of cognitive functions, pre-morbid conditions and clinical characteristics between brief psychotic disorder and schizophrenia. Psychological Medicine, 2016, 46, 2011-2013.                      | 4.5 | 7         |
| 150 | Delusional disorder and schizophrenia: a comparison of the neurocognitive and clinical characteristics in first-episode patients. Psychological Medicine, 2015, 45, 3085-3095.  | 4.5 | 22        |
| 151 | The Effect of Paternal Age on Relapse in First-Episode Schizophrenia. Canadian Journal of Psychiatry, 2015, 60, 346-353.  | 1.9 | 10        |
| 152 | Hong Kong: recent development of mental health services. BJ Psych Advances, 2015, 21, 71-72.  | 0.7 | 7         |
| 153 | Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. NPJ Schizophrenia, 2015, 1, 15047.   | 3.6 | 84        |
| 154 | Grey matter morphological anomalies in the caudate head in first-episode psychosis patients with delusions of reference. Psychiatry Research - Neuroimaging, 2015, 233, 57-63.  | 1.8 | 25        |
| 155 | Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. British Journal of Psychiatry, 2015, 206, 492-500.  | 2.8 | 63        |
| 156 | Psychosis patients' knowledge, adherence and attitudes towards the naming of antipsychotic medication in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2015, 9, 422-427.  | 1.7 | 13        |
| 157 | Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1379-1388. | 3.1 | 147       |
| 158 | Prevalence and predictors of medication non-adherence among Chinese patients with first-episode psychosis. Psychiatry Research, 2015, 228, 680-687.   | 3.3 | 12        |
| 159 | Gender differences in outcomes in people with schizophrenia in rural China: 14-year follow-up study.<br>British Journal of Psychiatry, 2015, 206, 283-288.  | 2.8 | 49        |
| 160 | 10-year outcome study of an early intervention program for psychosis compared with standard care service. Psychological Medicine, 2015, 45, 1181-1193.  | 4.5 | 53        |
| 161 | Perceived risk of relapse and role of medication: comparison between patients with psychosis and their caregivers. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 307-315.   | 3.1 | 15        |
| 162 | Prevalence and risk factors for suicidal behavior in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 219-226.              | 3.1 | 27        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. Australian and New Zealand Journal of Psychiatry, 2015, 49, 914-922.  | 2.3  | 23        |
| 164 | Different outcomes of never-treated and treated patients with schizophrenia: 14-year follow-up study in rural China. British Journal of Psychiatry, 2015, 207, 495-500.  | 2.8  | 68        |
| 165 | Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. Schizophrenia Research, 2015, 168, 99-105.  | 2.0  | 24        |
| 166 | Psychometric properties of a Chinese version of the Stigma Scale: examining the complex experience of stigma and its relationship with self-esteem and depression among people living with mental illness in Hong Kong. Comprehensive Psychiatry, 2015, 56, 198-205. | 3.1  | 14        |
| 167 | Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: The Subjective Cognitive Impairment Scale. Comprehensive Psychiatry, 2015, 56, 42-50.   | 3.1  | 16        |
| 168 | Clinical and social correlates of duration of untreated psychosis among adultâ€onset psychosis in<br><scp>H</scp> ong <scp>K</scp> ong <scp>C</scp> hinese: the <scp>JCEP</scp> study. Microbial<br>Biotechnology, 2015, 9, 118-125.                                 | 1.7  | 31        |
| 169 | Psychometric properties of translated outcome measures of cognitive behavioural therapy for psychosis in the Chinese context. Asian Journal of Psychiatry, 2015, 13, 62-65.  | 2.0  | 8         |
| 170 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.   | 4.3  | 229       |
| 171 | The psychophysiological effects of Tai-chi and exercise in residential Schizophrenic patients: a 3-arm randomized controlled trial. BMC Complementary and Alternative Medicine, 2014, 14, 364.   | 3.7  | 16        |
| 172 | Early Medication Discontinuation on Long-term Recovery Outcome in First-Episode Psychosis. JAMA Psychiatry, 2014, 71, 207.   | 11.0 | 4         |
| 173 | Early intervention and evaluation for adultâ€onset psychosis: the <scp>JCEP</scp> study rationale and design. Microbial Biotechnology, 2014, 8, 261-268.   | 1.7  | 38        |
| 174 | Aberrant functional connectivity for diagnosis of major depressive disorder: A discriminant analysis. Psychiatry and Clinical Neurosciences, 2014, 68, 110-119.  | 1.8  | 46        |
| 175 | Coupling physical exercise with dietary glucose supplement for treating cognitive impairment in schizophrenia: a theoretical model and future directions. Microbial Biotechnology, 2014, 8, 209-220.   | 1.7  | 11        |
| 176 | Comparing illness presentation, treatment and functioning between patients with adolescent- and adult-onset psychosis. Psychiatry Research, 2014, 220, 797-802.  | 3.3  | 24        |
| 177 | Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: A prospective 3 year follow-up study. Psychiatry Research, 2014, 220, 834-839.   | 3.3  | 25        |
| 178 | MRI Predicts Remission at 1 Year in First-Episode Schizophrenia in Females with Larger Striato-Thalamic Volumes. Neuropsychobiology, 2014, 69, 243-248.  | 1,9  | 18        |
| 179 | Medication Adherence, Knowledge About Psychosis, and Insight Among Patients With a Schizophrenia-Spectrum Disorder. Journal of Nervous and Mental Disease, 2014, 202, 25-29.   | 1.0  | 23        |
| 180 | Therapeutic potentials of mind–body interventions for psychosis. Clinical Practice (London, England), 2014, 11, 677-688.   | 0.1  | 3         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 181 | Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. Psychiatry Research, 2014, 216, 177-184.            | 3.3 | 12        |
| 182 | Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: A first-episode psychosis study. Schizophrenia Research, 2014, 153, 1-8.  | 2.0 | 53        |
| 183 | Executive function as predictors of persistent thought disorder in first-episode schizophrenia: A one-year follow-up study. Schizophrenia Research, 2014, 159, 465-470.  | 2.0 | 28        |
| 184 | The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. Schizophrenia Research, 2014, 157, 12-18.                     | 2.0 | 46        |
| 185 | Effective connectivity of the posterior cingulate and medial prefrontal cortices relates to working memory impairment in schizophrenic and bipolar patients. Schizophrenia Research, 2014, 158, 85-90.           | 2.0 | 41        |
| 186 | Common Variants on Xq28 Conferring Risk of Schizophrenia in Han Chinese. Schizophrenia Bulletin, 2014, 40, 777-786.  | 4.3 | 49        |
| 187 | Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: A prospective three-year follow-up study. Schizophrenia Research, 2014, 152, 146-151.                        | 2.0 | 16        |
| 188 | Impaired facilitation of self-control cognition by glucose in patients with schizophrenia: A randomized controlled study. Schizophrenia Research, 2014, 156, 38-45.  | 2.0 | 9         |
| 189 | Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong<br>Kong. Schizophrenia Research, 2014, 153, 204-208.   | 2.0 | 12        |
| 190 | Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1819-1828.  | 3.1 | 13        |
| 191 | Reliability and validity of the life functioning assessment inventory (L-FAI) for patients with psychosis.<br>Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1687-1695.                               | 3.1 | 4         |
| 192 | The concurrent and predictive validity of symptomatic remission criteria in first-episode schizophrenia. Schizophrenia Research, 2013, 143, 107-115.   | 2.0 | 28        |
| 193 | Sexual dysfunction in Chinese patients with first-episode psychosis: prevalence, clinical correlates and functioning. Schizophrenia Research, 2013, 148, 181-182.  | 2.0 | 2         |
| 194 | Impact of physical activity on functioning of patients with first-episode psychosis — A 6months prospective longitudinal study. Schizophrenia Research, 2013, 150, 538-541.                                      | 2.0 | 25        |
| 195 | Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. Schizophrenia Research, 2013, 150, 297-302.                           | 2.0 | 24        |
| 196 | The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: A prospective three-year follow-up study. Psychiatry Research, 2013, 209, 353-360. | 3.3 | 54        |
| 197 | A 3-year retrospective cohort study of predictors of relapse in first-episode psychosis in Hong Kong.<br>Australian and New Zealand Journal of Psychiatry, 2013, 47, 746-753.                                    | 2.3 | 35        |
| 198 | Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. Psychological Medicine, 2013, 43, 1883-1893.                 | 4.5 | 56        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Symptomatic Remission and Cognitive Impairment in First-Episode Schizophrenia. Journal of Clinical Psychiatry, 2013, 74, e1046-e1053.  | 2.2 | 27        |
| 200 | Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. Australian and New Zealand Journal of Psychiatry, 2012, 46, 100-108.                                      | 2.3 | 84        |
| 201 | Schizophrenic Patients and Their Unaffected Siblings Share Increased Resting-State Connectivity in the Task-Negative Network but Not Its Anticorrelated Task-Positive Network. Schizophrenia Bulletin, 2012, 38, 285-294.                      | 4.3 | 116       |
| 202 | Duration of untreated psychosis: Relationship with baseline characteristics and three-year outcome in first-episode psychosis. Psychiatry Research, 2012, 198, 360-365.  | 3.3 | 50        |
| 203 | Question structure impacts efficiency and performance in an interactive guessing game: Implications for strategy engagement and executive functioning. Psychiatry Research, 2012, 200, 1026-1027.  | 3.3 | 0         |
| 204 | Early intervention for psychotic disorders: Real-life implementation in Hong Kong. Asian Journal of Psychiatry, 2012, 5, 68-72.  | 2.0 | 12        |
| 205 | Screening and assessing ideas and delusions of reference using a semi-structured interview scale: A validation study of the Ideas of Reference Interview Scale (IRIS) in early psychosis patients. Schizophrenia Research, 2012, 135, 158-163. | 2.0 | 27        |
| 206 | Clinical and cognitive correlates of insight in first-episode schizophrenia. Schizophrenia Research, 2012, 135, 40-45.   | 2.0 | 26        |
| 207 | Executive function in first-episode schizophrenia: A three-year prospective study of the Hayling Sentence Completion Test. Schizophrenia Research, 2012, 135, 62-67.   | 2.0 | 20        |
| 208 | Longitudinal changes in semantic categorization performance after symptomatic remission from first-episode psychosis: A 3-year follow-up study. Schizophrenia Research, 2012, 137, 118-123.  | 2.0 | 7         |
| 209 | HT1001, A Proprietary North American Ginseng Extract, Improves Working Memory in Schizophrenia: A Doubleâ€blind, Placeboâ€Controlled Study. Phytotherapy Research, 2012, 26, 1166-1172.  | 5.8 | 31        |
| 210 | Gender Differences in Patients Presenting with First-Episode Psychosis in Hong Kong: A Three-Year Follow Up Study. Australian and New Zealand Journal of Psychiatry, 2011, 45, 199-205.  | 2.3 | 42        |
| 211 | Random Number Generation Deficit in Early Schizophrenia. Perceptual and Motor Skills, 2011, 112, 91-103.   | 1.3 | 10        |
| 212 | Executive function in first-episode schizophrenia: A three-year longitudinal study of an ecologically valid test. Schizophrenia Research, 2011, 126, 87-92.  | 2.0 | 30        |
| 213 | Cost-Effectiveness of An Early Assessment Service for Young People with Early Psychosis in Hong Kong. Australian and New Zealand Journal of Psychiatry, 2011, 45, 673-680.   | 2.3 | 20        |
| 214 | Theory of mind and paranoia in schizophrenia: A game theoretical investigation framework. Cognitive Neuropsychiatry, 2011, 16, 505-529.  | 1.3 | 20        |
| 215 | Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. Schizophrenia Research, 2011, 133, 22-28.   | 2.0 | 109       |
| 216 | Recent advances in pharmacological treatment of psychosis in late life. Current Opinion in Psychiatry, 2011, 24, 455-460.  | 6.3 | 8         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 217 | No NRG1 V266L in Chinese patients with schizophrenia. Psychiatric Genetics, 2011, 21, 47-49.  | 1.1 | 2         |
| 218 | Perceptions of relapse risks following first-episode psychosis and attitudes towards maintenance medication: a comparison between nursing and social work professionals. Microbial Biotechnology, 2011, 5, 324-334.                         | 1.7 | 2         |
| 219 | Three-year outcome of phase-specific early intervention for first-episode psychosis: a cohort study in Hong Kong. Microbial Biotechnology, 2011, 5, 315-323.  | 1.7 | 64        |
| 220 | First episode psychosis with extrapyramidal signs prior to antipsychotic drug treatment. Science Bulletin, 2011, 56, 3361-3371.   | 1.7 | 1         |
| 221 | What does recovery from psychosis mean? Perceptions of young first-episode patients. International Journal of Social Psychiatry, 2011, 57, 580-587.   | 3.1 | 80        |
| 222 | Identification of neuroglycan C and interacting partners as potential susceptibility genes for schizophrenia in a Southern Chinese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 103-113. | 1.7 | 20        |
| 223 | Efficacy of valproate versus lithium in mania or mixed mania: a randomized, open 12-week trial. International Clinical Psychopharmacology, 2010, 25, 60-67.   | 1.7 | 59        |
| 224 | Early intervention for psychosis in Hong Kong – the EASY programme. Microbial Biotechnology, 2010, 4, 214-219.  | 1.7 | 62        |
| 225 | Naming psychosis: the Hong Kong experience. Microbial Biotechnology, 2010, 4, 270-274.  | 1.7 | 21        |
| 226 | Maintenance treatment with quetiapine versus discontinuation after one year of treatment in patients with remitted first episode psychosis: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c4024-c4024.              | 2.3 | 125       |
| 227 | Criminal behavior among persons with schizophrenia in rural China. Schizophrenia Research, 2010, 122, 213-218.  | 2.0 | 27        |
| 228 | Neurological Soft Signs and Their Relationships to Neurocognitive Functions: A Re-Visit with the Structural Equation Modeling Design. PLoS ONE, 2009, 4, e8469.   | 2.5 | 63        |
| 229 | Phenotyping psychosis: Room for neurocomputational and content-dependent cognitive endophenotypes?. Cognitive Neuropsychiatry, 2009, 14, 451-472.   | 1.3 | 6         |
| 230 | A naturalistic study of grey matter volume increase after early treatment in anti-psychotic na $\tilde{A}$ -ve, newly diagnosed schizophrenia. Psychopharmacology, 2009, 206, 437-446.  | 3.1 | 52        |
| 231 | Psychiatric history modifies the gender ratio of suicide: an East and West comparison. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 130-134.   | 3.1 | 26        |
| 232 | What Does Psychological Autopsy Study Tell Us About Charcoal Burning Suicide—A New and Contagious Method in Asia?. Suicide and Life-Threatening Behavior, 2009, 39, 633-638.  | 1.9 | 11        |
| 233 | Population-Attributable Risk of Suicide Conferred by Axis I Psychiatric Diagnoses in a Hong Kong Chinese Population. Psychiatric Services, 2009, 60, 1135-1138.   | 2.0 | 28        |
| 234 | Differences in mortality and suicidal behaviour between treated and never-treated people with schizophrenia in rural China. British Journal of Psychiatry, 2009, 195, 126-131.  | 2.8 | 37        |

| #   | Article  | lF   | Citations |
|-----|--|------|-----------|
| 235 | Intervention in Individuals at Ultra-High Risk for Psychosis. Journal of Clinical Psychiatry, 2009, 70, 1206-1212.   | 2.2  | 258       |
| 236 | An association study of RGS4 polymorphisms with clinical phenotypes of schizophrenia in a Chinese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 77-85. | 1.7  | 32        |
| 237 | Suicide among adults aged 30–49: A psychological autopsy study in Hong Kong. BMC Public Health, 2008, 8, 147.  | 2.9  | 62        |
| 238 | Assessment of executive functions: Review of instruments and identification of critical issues. Archives of Clinical Neuropsychology, 2008, 23, 201-216.   | 0.5  | 979       |
| 239 | Mortality of Geriatric and Younger Patients with Schizophrenia in the Community. Suicide and Life-Threatening Behavior, 2008, 38, 143-151.   | 1.9  | 18        |
| 240 | What does recovery from schizophrenia mean? Perceptions of psychiatrists. International Journal of Culture and Mental Health, 2008, 1, 73-84.  | 0.6  | 12        |
| 241 | What Does Recovery From Schizophrenia Mean? Perceptions of Long-Term Patients. International Journal of Social Psychiatry, 2008, 54, 118-130.  | 3.1  | 80        |
| 242 | Real-world implementation of early intervention in psychosis: resources, funding models and evidence-based practice. World Psychiatry, 2008, 7, 163-164.   | 10.4 | 9         |
| 243 | Suicide and Unemployment: What are the Missing Links?. Archives of Suicide Research, 2007, 11, 327-335.  | 2.3  | 35        |
| 244 | Perceptions on Remission and Recovery in Schizophrenia. Psychopathology, 2007, 40, 469-469.  | 1.5  | 19        |
| 245 | Correlates of Lifetime Suicide Attempts Among Individuals with Affective Disorders in a Chinese Rural Community. Archives of Suicide Research, 2007, 11, 119-127.  | 2.3  | 5         |
| 246 | Mortality in people with schizophrenia in rural China. British Journal of Psychiatry, 2007, 190, 237-242.  | 2.8  | 67        |
| 247 | A Cluster Analysis of the Circumstances of Death in Suicides in Hong Kong. Suicide and Life-Threatening Behavior, 2007, 37, 576-584.   | 1.9  | 38        |
| 248 | Cerebral grey, white matter and csf in never-medicated, first-episode schizophrenia. Schizophrenia Research, 2007, 89, 12-21.  | 2.0  | 170       |
| 249 | Neurological Abnormalities in Chinese Schizophrenic Patients. Behavioural Neurology, 2007, 18, 171-181.  | 2.1  | 24        |
| 250 | Neurocognitive deficits in first-episode schizophrenic patients and their first-degree relatives.<br>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 407-416.        | 1.7  | 55        |
| 251 | The components of executive functioning in a cohort of patients with chronic schizophrenia: A multiple single-case study design. Schizophrenia Research, 2006, 81, 173-189.                              | 2.0  | 55        |
| 252 | Specific executive dysfunction in patients with first-episode medication-naÃ-ve schizophrenia. Schizophrenia Research, 2006, 82, 51-64.  | 2.0  | 104       |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 253 | The contribution of a cognitive bias against disconfirmatory evidence (BADE) to delusions: A study in an Asian sample with first episode schizophrenia spectrum disorders. Schizophrenia Research, 2006, 83, 297-298.                            | 2.0  | 63        |
| 254 | Anti-psychotics adherence among out-patients with schizophrenia in Hong Kong. Keio Journal of Medicine, 2006, 55, 9-14.  | 1.1  | 41        |
| 255 | Suicide in Hong Kong: a case-control psychological autopsy study. Psychological Medicine, 2006, 36, 815-825.   | 4.5  | 97        |
| 256 | Socio-economic and psychological correlates of suicidality among Hong Kong working-age adults: results from a population-based survey. Psychological Medicine, 2006, 36, 1759-1767.  | 4.5  | 43        |
| 257 | The role of knowledge and motivation in symptom identification accuracy among schizophrenic patients: Application of signal detection theory. British Journal of Clinical Psychology, 2006, 45, 427-436.   | 3.5  | 6         |
| 258 | The effects of a celebrity suicide on suicide rates in Hong Kong. Journal of Affective Disorders, 2006, 93, 245-252.   | 4.1  | 117       |
| 259 | Clozapine Alone versus Clozapine and Risperidone with Refractory Schizophrenia. New England Journal of Medicine, 2006, 354, 472-482.   | 27.0 | 249       |
| 260 | Detection of Non-Adherent Behaviour in Early Psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 446-451.   | 2.3  | 33        |
| 261 | Detection of non-adherent behaviour in early psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 446-451.   | 2.3  | 2         |
| 262 | The differential clinical and neurocognitive profiles of COMT SNP rs165599 genotypes in schizophrenia. Journal of the International Neuropsychological Society, 2005, 11, 202-4.   | 1.8  | 18        |
| 263 | The impact of family experience on the duration of untreated psychosis (DUP) in Hong Kong. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 350-356.  | 3.1  | 63        |
| 264 | An instrument to assess mental patients? capacity to appraise and report subjective quality of life. Quality of Life Research, 2005, 14, 687-694.  | 3.1  | 27        |
| 265 | Impact of Untreated Psychosis on Quality of Life in Patients with First-episode Schizophrenia. Quality of Life Research, 2005, 14, 1803-1811.  | 3.1  | 54        |
| 266 | Self-Administered Instrument to Measure the Patient's Experience of Recovery After First-Episode Psychosis: Development and Validation of the Psychosis Recovery Inventory. Australian and New Zealand Journal of Psychiatry, 2005, 39, 493-499. | 2.3  | 34        |
| 267 | A 3-year prospective study of neurological soft signs in first-episode schizophrenia. Schizophrenia Research, 2005, 75, 45-54.   | 2.0  | 83        |
| 268 | A prospective 3-year longitudinal study of cognitive predictors of relapse in first-episode schizophrenic patients. Schizophrenia Research, 2005, 77, 99-104.  | 2.0  | 106       |
| 269 | Family Burdens, Chinese Health Beliefs, and the Mental Health of Chinese Caregivers in Hong Kong.<br>Transcultural Psychiatry, 2004, 41, 497-513.  | 1.6  | 46        |
| 270 | Stroop interference and facilitation effects in first-episode schizophrenic patients. Schizophrenia Research, 2001, 48, 29-44.   | 2.0  | 39        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Neurological signs and sustained attention impairment in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 1-5.  | 3.2 | 22        |
| 272 | University Students' Attitudes Towards Mental Patients and Psychiatric Treatment. International Journal of Social Psychiatry, 2001, 47, 63-72.  | 3.1 | 84        |
| 273 | Insight Changes in Acute Psychotic Episodes. Journal of Nervous and Mental Disease, 2001, 189, 24-30.   | 1.0 | 24        |
| 274 | Verbal Fluency in Schizophrenia: Reduction in Semantic Store. Australian and New Zealand Journal of Psychiatry, 2000, 34, 43-48.  | 2.3 | 46        |
| 275 | Progressive deterioration of soft neurological signs in chronic schizophrenic patients. Acta Psychiatrica Scandinavica, 2000, 102, 342-349.   | 4.5 | 59        |
| 276 | Seasonal affective disorder Clinical Psychology: Science and Practice, 1998, 5, 275-290.  | 0.9 | 4         |
| 277 | How are Psychotic Symptoms Perceived? A Comparison between Patients, Relatives and the General Public. Australian and New Zealand Journal of Psychiatry, 1997, 31, 756-761.                               | 2.3 | 25        |
| 278 | Insight and General Public Attitude on Psychotic Experiences in Hong Kong. International Journal of Social Psychiatry, 1996, 42, 10-17.   | 3.1 | 11        |
| 279 | A Neural Network Model of Cortical Information Processing in Schizophrenia II - Role of Hippocampal-Cortical Interaction: A Review and a Model. Canadian Journal of Psychiatry, 1995, 40, 21-26.          | 1.9 | 24        |
| 280 | The Cambridge Neurological Inventory: A clinical instrument for assessment of soft neurological signs in psychiatric patients. Psychiatry Research, 1995, 56, 183-204.                                    | 3.3 | 175       |
| 281 | Verbal fluency and semantic memory in schizophrenia. British Journal of Psychiatry, 1994, 164, 704-704.   | 2.8 | 2         |
| 282 | A Neural Network Model of Cortical Information Processing in Schizophrenia. I: Interaction between Biological and Social Factors in Symptom Formation. Canadian Journal of Psychiatry, 1994, 39, 362-367. | 1.9 | 16        |