Jesus Yamamoto-Furusho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4907898/publications.pdf

Version: 2024-02-01

143 papers 3,393 citations

30 h-index 51 g-index

154 all docs

154 docs citations

154 times ranked 5018 citing authors

#	Article	IF	Citations
1	Role of cytokines in inflammatory bowel disease. World Journal of Gastroenterology, 2008, 14, 4280.	3.3	552
2	Immunoregulatory Pathways Involved in Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2015, 21, 2188-2193.	1.9	83
3	Rheumatic manifestations of inï¬,ammatory bowel disease. World Journal of Gastroenterology, 2009, 15, 5517.	3 . 3	80
4	Tumor necrosis factor- \hat{l}_{\pm} promoter polymorphisms in Mexican patients with systemic lupus erythematosus (SLE). Genes and Immunity, 2001, 2, 363-366.	4.1	74
5	Intestinal Protozoa Infections among Patients with Ulcerative Colitis: Prevalence and Impact on Clinical Disease Course. Digestion, 2010, 82, 18-23.	2.3	73
6	Centaurin \hat{l}^21 Down-regulates Nucleotide-binding Oligomerization Domains 1- and 2-dependent NF- \hat{l}^e B Activation. Journal of Biological Chemistry, 2006, 281, 36060-36070.	3 . 4	69
7	Interleukin 35 (IL-35) and IL-37: Intestinal and peripheral expression by T and B regulatory cells in patients with Inflammatory Bowel Disease. Cytokine, 2015, 75, 389-402.	3.2	66
8	Further evidence of the role of HLA-DR4 in the genetic susceptibility to actinic prurigo. Journal of the American Academy of Dermatology, 1997, 36, 935-937.	1.2	63
9	Innate immunity in inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 5577.	3. 3	63
10	Canonical and non-canonical Wnt signaling are simultaneously activated by Wnts in colon cancer cells. Cellular Signalling, 2020, 72, 109636.	3.6	59
11	Transcript levels of Toll-Like receptors 5, 8 and 9 correlate with inflammatory activity in Ulcerative Colitis. BMC Gastroenterology, 2011, 11, 138.	2.0	58
12	IL-10â€" and IL-20â€"Expressing Epithelial and Inflammatory Cells are Increased in Patients with Ulcerative Colitis. Journal of Clinical Immunology, 2013, 33, 640-648.	3.8	58
13	Expression of interleukin (IL)-19 and IL-24 in inflammatory bowel disease patients: a cross-sectional study. Clinical and Experimental Immunology, 2014, 177, 64-75.	2.6	58
14	Novel genetic markers in inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 5560.	3.3	55
15	Association of HLA-DR4 (DRB1*0404) With Human Papillomavirus Infection in Patients With Focal Epithelial Hyperplasia. Archives of Dermatology, 2004, 140, 1227-31.	1.4	54
16	HLA-DRB1 alleles encoding the "shared epitope―are associated with susceptibility to developing rheumatoid arthritis whereas HLA-DRB1 alleles encoding an aspartic acid at position 70 of the β-chain are protective in Mexican mestizos. Human Immunology, 2004, 65, 262-269.	2.4	50
17	Inflammatory bowel disease therapy. Current Opinion in Gastroenterology, 2018, 34, 187-193.	2.3	49
18	Clinical and genetic heterogeneity in Mexican patients with ulcerative colitis. Human Immunology, 2003, 64, 119-123.	2.4	48

#	Article	IF	CITATIONS
19	Basic and clinical aspects of osteoporosis in inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 6156.	3.3	48
20	Interleukin $1\hat{l}^2$ (IL-1B) and IL-1 Antagonist Receptor (IL-1RN) Gene Polymorphisms are Associated With the Genetic Susceptibility and Steroid Dependence in Patients With Ulcerative Colitis. Journal of Clinical Gastroenterology, 2011, 45, 531-535.	2.2	48
21	Differential Expression of IL-36 Family Members and IL-38 by Immune and Nonimmune Cells in Patients with Active Inflammatory Bowel Disease. BioMed Research International, 2018, 2018, 1-12.	1.9	47
22	Basic and clinical aspects of osteoporosis in inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 6156.	3.3	46
23	Clinical Epidemiology of Ulcerative Colitis in Mexico. Journal of Clinical Gastroenterology, 2009, 43, 221-224.	2.2	42
24	Peroxisome proliferator-activated receptor-gamma (PPAR- \hat{l}^3) expression is downregulated in patients with active ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, 680-681.	1.9	40
25	Role of biological therapy for inflammatory bowel disease in developing countries. Gut, 2012, 61, 706-712.	12.1	39
26	Haplotype Distribution of Class II MHC Genes in Mexican Patients with Systemic Lupus Erythematosus. Scandinavian Journal of Rheumatology, 1998, 27, 373-376.	1.1	36
27	Incidence and prevalence of inflammatory bowel disease in Mexico from a nationwide cohort study in a period of 15 years (2000–2017). Medicine (United States), 2019, 98, e16291.	1.0	35
28	Polymorphisms in the promoter region of tumor necrosis factor alpha (TNF- $\hat{1}\pm$) and the HLA-DRB1 locus in Mexican Mestizo patients with ulcerative colitis. Immunology Letters, 2004, 95, 31-35.	2.5	34
29	Protective role of interleukin-19 gene polymorphisms in patients with ulcerative colitis. Human Immunology, 2011, 72, 1029-1032.	2.4	33
30	Genetic factors associated with the development of inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 5594.	3.3	31
31	Association of HLA-DRB1*16 with chronic discoid lupus erythematosus in Mexican mestizo patients. Clinical and Experimental Dermatology, 2007, 32, 435-438.	1.3	31
32	Crohn's disease: Innate immunodeficiency?. World Journal of Gastroenterology, 2006, 12, 6751.	3.3	31
33	Differential expression of occludin in patients with ulcerative colitis and healthy controls. Inflammatory Bowel Diseases, 2012, 18, E1999.	1.9	30
34	Innovative therapeutics for inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 1893.	3.3	30
35	MDP-NOD2 stimulation induces HNP-1 secretion, which contributes to NOD2 antibacterial function. Inflammatory Bowel Diseases, 2010, 16, 736-742.	1.9	29
36	Differential Expression of MUC12, MUC16, and MUC20 in Patients with Active and Remission Ulcerative Colitis. Mediators of Inflammation, 2015, 2015, 1-8.	3.0	29

#	Article	IF	CITATIONS
37	Prevalence and factors associated with the presence of Abnormal Function Liver Tests in patients with ulcerative colitis. Annals of Hepatology, 2010, 9, 397-401.	1.5	28
38	HLA-DR6 (possibly DRB1*1301) is associated with susceptibility to Takayasu arteritis in Mexicans. Heart and Vessels, 1996, 11 , $277-280$.	1.2	27
39	Immunologic, genetic and social human risk factors associated to histoplasmosis: studies in the State of Guerrero, Mexico. Mycopathologia, 1997, 138, 137-141.	3.1	27
40	Escala de Ansiedad y Depresión Hospitalaria (HADS): Validación en pacientes mexicanos con enfermedad inflamatoria intestinal. GastroenterologÃa Y HepatologÃa, 2018, 41, 477-482.	0.5	27
41	Interleukin 17 gene and protein expression are increased in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, E135-E136.	1.9	26
42	Colonic epithelial upregulation of interleukin 22 (IL-22) in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2010, 16, 1823.	1.9	25
43	Protective role of Interleukin 27 (IL-27) gene polymorphisms in patients with ulcerative colitis. Immunology Letters, 2016, 172, 79-83.	2.5	24
44	Interleukin 27 is up-regulated in patients with active inflammatory bowel disease. Immunologic Research, 2016, 64, 901-907.	2.9	23
45	Gene Expression Profiling of Mediators Associated with the Inflammatory Pathways in the Intestinal Tissue from Patients with Ulcerative Colitis. Mediators of Inflammation, 2020, 2020, 1-11.	3.0	23
46	Peroxisome Proliferator-Activated Receptors Family Is Involved in the Response to Treatment and Mild Clinical Course in Patients with Ulcerative Colitis. Disease Markers, 2014, 2014, 1-7.	1.3	22
47	Diagnóstico y tratamiento de la enfermedad inflamatoria intestinal: Primer Consenso Latinoamericano de la Pan American Crohn's and Colitis Organisation. Revista De GastroenterologÃa De México, 2017, 82, 46-84.	0.2	22
48	Consenso mexicano para el diagnóstico y tratamiento de la colitis ulcerosa crónica idiopática. Revista De GastroenterologÃa De México, 2018, 83, 144-167.	0.2	22
49	Infliximab as a Rescue Therapy for Hospitalized Patients with Severe Ulcerative Colitis Refractory to Systemic Corticosteroids. Digestive Surgery, 2008, 25, 383-386.	1.2	20
50	Antinuclear antibodies: A marker associated with steroid dependence in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2009, 15, 1039-1043.	1.9	20
51	Consenso mexicano sobre probióticos en gastroenterologÃa. Revista De GastroenterologÃa De México, 2017, 82, 156-178.	0.2	20
52	HLA-DR7 in Association with Chlorpromazine-induced Lupus Anticoagulant (LA). Journal of Autoimmunity, 1997, 10, 579-583.	6.5	19
53	Caspase recruitment domain (CARD) family (CARD9, CARD10, CARD11, CARD14 and CARD15) are increased during active inflammation in patients with inflammatory bowel disease. Journal of Inflammation, 2018, 15, 13.	3.4	19
54	HLA class II genotypes in Mexican Mestizo patients with myasthenia gravis. European Journal of Neurology, 2003, 10, 707-710.	3.3	17

#	Article	IF	Citations
55	Association of HLA-DR3 and HLA-DR4 with Sinonasal Polyposis in Mexican Mestizos. Otolaryngology - Head and Neck Surgery, 2006, 135, 90-93.	1.9	17
56	Association of GIST and Somatostatinoma in a Patient With Type-1 Neurofibromatosis: Is There a Common Pathway?. American Journal of Gastroenterology, 2009, 104, 797-799.	0.4	17
57	Indoleamine 2,3-Dioxygenase: Expressing Cells in Inflammatory Bowel Disease—A Cross-Sectional Study. Clinical and Developmental Immunology, 2013, 2013, 1-14.	3.3	17
58	Consensus recommendations for patient-centered therapy in mild-to-moderate ulcerative colitis: the i Support Therapy–Access to Rapid Treatment (iSTART) approach. Intestinal Research, 2018, 16, 522-528.	2.6	17
59	Interleukin 21 Expression is Increased in Rectal Biopsies from Patients with Ulcerative Colitis. Inflammatory Bowel Diseases, 2010, 16, 1090.	1.9	16
60	TLR9 mRNA expression is upregulated in patients with active ulcerative colitis. Inflammatory Bowel Diseases, 2010, 16, 1267-1268.	1.9	16
61	HLA-DRB1*0101 is associated with the genetic susceptibility to develop lichen planus in the Mexican Mestizo population. Archives of Dermatological Research, 2007, 299, 405-407.	1.9	15
62	Diagnostic utility of the neutrophil-platelet ratio as a novel marker of activity in patients with Ulcerative Colitis. PLoS ONE, 2020, 15, e0231988.	2.5	15
63	Complotype SC30 Is Associated With Susceptibility to Develop Ulcerative Colitis in Mexicans. Journal of Clinical Gastroenterology, 1998, 27, 178-179.	2.2	15
64	Genetic Markers Associated with Clinical Outcomes in Patients with Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2015, 21, 2683-2695.	1.9	14
65	TRPV Subfamily (TRPV2, TRPV3, TRPV4, TRPV5, and TRPV6) Gene and Protein Expression in Patients with Ulcerative Colitis. Journal of Immunology Research, 2020, 2020, 1-11.	2.2	14
66	Gene expression profiling of inflammatory cytokines in esophageal biopsies of different phenotypes of gastroesophageal reflux disease: a cross-sectional study. BMC Gastroenterology, 2021, 21, 201.	2.0	14
67	HLA-DRB1â^—04 is associated with the genetic susceptibility to develop vitiligo in Mexican patients with autoimmune thyroid disease. Journal of the American Academy of Dermatology, 2005, 52, 182-183.	1.2	13
68	Genetic polymorphisms of interleukin 20 (IL-20) in patients with ulcerative colitis. Immunology Letters, 2013, 149, 50-53.	2.5	13
69	Association of the interleukin 15 (IL-15) gene polymorphisms with the risk of developing ulcerative colitis in Mexican individuals. Molecular Biology Reports, 2014, 41, 2171-2176.	2.3	13
70	The Transient Receptor Potential Vanilloid 1 Is Associated with Active Inflammation in Ulcerative Colitis. Mediators of Inflammation, 2018, 2018, 1-7.	3.0	13
71	Effect of Cis-palmitoleic acid supplementation on inflammation and expression of HNF4 \hat{l}^3 , HNF4 \hat{l}^{\pm} and IL6 in patients with ulcerative colitis. Minerva Gastroenterology, 2017, 63, 257-263.	0.5	13
72	Hospital Anxiety and Depression Scale (HADS): Validation in Mexican patients with inflammatory bowel disease. GastroenterologÃa Y HepatologÃa (English Edition), 2018, 41, 477-482.	0.1	12

#	Article	IF	Citations
73	Increased expression of extracellular matrix metalloproteinase inducer (EMMPRIN) and MMP10, MMP23 in inflammatory bowel disease: Crossâ€sectional study. Scandinavian Journal of Immunology, 2021, 93, e12962.	2.7	12
74	Emerging therapeutic options in inflammatory bowel disease. World Journal of Gastroenterology, 2021, 27, 8242-8261.	3.3	12
75	Cytomegalovirus Infection in Patients Who Required Colectomy for Toxic Megacolon or Severe Steroid-Refractory Ulcerative Colitis. Digestive Diseases and Sciences, 2010, 55, 867-868.	2.3	11
76	High Gene Expression of MDR1 (ABCB1) is Associated with Medical Treatment Response and Long-Term Remission in Patients with Ulcerative Colitis. Inflammatory Bowel Diseases, 2010, 16, 541-542.	1.9	11
77	Gene expression of carnitine organic cation transporters 1 and 2 (OCTN) is downregulated in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, 2205-2206.	1.9	11
78	Evaluation of diet pattern related to the symptoms of mexican patients with Ulcerative Colitis (UC): through the validity of a questionnaire. Nutrition Journal, 2015, 14, 25.	3.4	11
79	Incidence of suboptimal response to tumor necrosis factor antagonist therapy in inflammatory bowel disease in newly industrialised countries: The EXPLORE study. Digestive and Liver Disease, 2020, 52, 869-877.	0.9	11
80	Expression of TOB/BTG family members in patients with inflammatory bowel disease. Scandinavian Journal of Immunology, 2021, 93, e13004.	2.7	11
81	HLA Study on Two Mexican Mestizo Families with Autoimmune Thyroid Disease. Autoimmunity, 2002, 35, 265-269.	2.6	10
82	New treatment options in the management of IBD – focus on colony stimulating factors. Biologics: Targets and Therapy, 2008, 2, 501.	3.2	10
83	Growth factors as treatment for inflammatory bowel disease: A concise review of the evidence toward their potential clinical utility. Saudi Journal of Gastroenterology, 2009, 15, 208.	1.1	10
84	ValidaciÃ ³ n de un nuevo Ãndice integral de enfermedad para evaluar el grado de actividad en pacientes mexicanos con colitis ulcerosa: un estudio de cohorte prospectivo. Revista De GastroenterologÃa De México, 2019, 84, 317-325.	0.2	10
85	Prevalence of mental disorder and impact on quality of life in inflammatory bowel disease. GastroenterologÃa Y HepatologÃa, 2021, 44, 206-213.	0.5	10
86	HLAâ€DRB1 alleles are associated with the clinical course of disease and steroid dependence in Mexican patients with ulcerative colitis. Colorectal Disease, 2010, 12, 1231-1235.	1.4	9
87	Gene expression of solute carrier family 9 (Sodium/Hydrogen Exchanger) 3, (SLC9A3) is downregulated in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2012, 18, 1197-1198.	1.9	9
88	Reduced expression of mucin 9 (MUC9) in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2012, 18, E601.	1.9	9
89	Pharmacogenetics in inflammatory bowel disease: understanding treatment response and personalizing therapeutic strategies. Pharmacogenomics and Personalized Medicine, 2017, Volume 10, 197-204.	0.7	9
90	Role of the HLA-DQ locus in the development of chronic gastritis and gastric carcinoma in Mexican patients. World Journal of Gastroenterology, 2006, 12, 7762.	3.3	9

#	Article	IF	CITATIONS
91	IOIBD Recommendations for Clinical Trials in Ulcerative Proctitis: The PROCTRIAL Consensus. Clinical Gastroenterology and Hepatology, 2022, 20, 2619-2627.e1.	4.4	9
92	Distinguishing Between Anti-Neutrophil Cytoplasmic Antibody Patterns in Inflammatory Bowel Disease: Is the "Atypical Pattern―Adding More Information?. American Journal of Gastroenterology, 2009, 104, 1854-1855.	0.4	8
93	Factors that influence outcome in non-invasive and invasive treatment in polycystic liver disease patients. World Journal of Gastroenterology, 2008, 14, 3195.	3.3	8
94	HLA-DRB1 * 08 allele may help to distinguish between type 1 diabetes mellitus and type 2 diabetes mellitus in Mexican children. Pediatric Diabetes, 2007, 8, 5-10.	2.9	7
95	Role of the interleukin 24 in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, 2209-2210.	1.9	7
96	Quantification of low expressed SCD1 gene in colonic mucosa from patients with active ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, E155.	1.9	7
97	Leiden V Factor and Spastic Cerebral Palsy in Mexican Children. Genetic Testing and Molecular Biomarkers, 2012, 16, 978-980.	0.7	7
98	Frequency, Clinical Features and Factors Associated with Pouchitis after Proctocolectomy with lleo-Pouch-Anal Anastomosis in Patients with Ulcerative Colitis: A Latin-American Country Retrospective-Cohort Study. Digestive Surgery, 2015, 32, 489-495.	1.2	7
99	Association of the HLA-DRB1*0701 allele with perinuclear anti-neutrophil cytoplasmatic antibodies in Mexican patients with severe ulcerative colitis. World Journal of Gastroenterology, 2006, 12, 1617.	3.3	7
100	Perinuclear anti-neutrophil cytoplasmic antibodies (p-anca) in chronic ulcerative colitis: Experience in a Mexican institution. World Journal of Gastroenterology, 2006, 12, 3406.	3.3	7
101	Expression of HNF4 \hat{I}^3 is downregulated in patients with active ulcerative colitis (UC) compared to UC patients in remission and healthy controls. Inflammatory Bowel Diseases, 2011, 17, E91.	1.9	6
102	High Gene Expression of CXCL8 Is Associated with the Presence of Extraintestinal Manifestations and Long-term Disease in Patients with Ulcerative Colitis. Inflammatory Bowel Diseases, 2013, 19, E22-E23.	1.9	6
103	Joint involvement in Mexican patients with ulcerative colitis: a hospital-based retrospective study. Clinical Rheumatology, 2018, 37, 677-682.	2.2	6
104	Intestinal production of secreted protein acidic and rich in cysteine (SPARC) in patients with ulcerative colitis. Immunobiology, 2021, 226, 152095.	1.9	6
105	Differential Cytokine Expression in the Duodenum and Rectum of Children with Non-Immunoglobulin E-Mediated Cow's Milk Protein Allergy. Digestive Diseases and Sciences, 2021, 66, 3769-3775.	2.3	6
106	Mild Clinical Behaviour of Crohn Disease in Elderly Patients in a Latin American Country: A Case-Control Study. Canadian Journal of Gastroenterology and Hepatology, 2015, 29, 435-439.	1.9	5
107	Histopathologic Parameters at Diagnosis as Early Predictors of Histologic Remission along the Course of Ulcerative Colitis. Gastroenterology Research and Practice, 2020, 2020, 1-5.	1.5	5
108	Prevalence and factors associated with the presence of abnormal function liver tests in patients with ulcerative colitis. Annals of Hepatology, 2010, 9, 397-401.	1.5	5

#	Article	lF	CITATIONS
109	Interleukin-18 upregulation is associated with the use of steroids in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, E50-E51.	1.9	4
110	Situaciones especiales en la enfermedad inflamatoria intestinal: primer consenso latinoamericano de la Pan American Crohn's and Colitis Organisation (PANCCO) (Segunda parte). Revista De GastroenterologÃa De México, 2017, 82, 134-155.	0.2	4
111	Actualización sobre los medicamentos biocomparables en la enfermedad inflamatoria intestinal: posición y recomendación en México. Revista De GastroenterologÃa De México, 2018, 83, 414-423.	0.2	4
112	Synthesis of Interleukin-10 in Patients with Ulcerative Colitis and $\langle i \rangle$ Helicobacter pylori $\langle i \rangle$ Infection. Gastroenterology Research and Practice, 2020, 2020, 1-7.	1.5	4
113	Interleukins Involved in Inflammatory Bowel Disease as New Therapeutic Targets. Current Immunology Reviews, 2013, 9, 86-92.	1.2	4
114	Diagnostic Delay of Inflammatory Bowel Disease Is Significantly Higher in Public versus Private Health Care System in Mexican Patients. Inflammatory Intestinal Diseases, 2022, 7, 72-80.	1.9	4
115	Gene and protein expression of centaurin beta 1 (CENTB1) are up-regulated in patients with ulcerative colitis. Journal of Crohn's and Colitis, 2013, 7, e238-e239.	1.3	3
116	Polimorfismos genéticos de interleucina-22 en pacientes con colitis ulcerosa. Revista De GastroenterologÃa De México, 2016, 81, 86-90.	0.2	3
117	Validity and reliability of the health-related questionnaire IBDQ-32 in Mexican patients with inflammatory bowel disease. GastroenterologÃa Y HepatologÃa, 2021, 44, 711-718.	0.5	3
118	AKAP12/Gravin is over-expressed in patients with ulcerative colitis. Immunologic Research, 2021, 69, 429-435.	2.9	3
119	Rheumatoid Arthritis Associated With Pemphigus Foliaceus in a Patient Not Taking Penicillamine. Skinmed, 2007, 6, 252-254.	0.0	2
120	Increased expression of discs large homolog 5 gene (DLG5) in ulcerative colitis patients compared to healthy individuals. Inflammatory Bowel Diseases, 2011, 17, 1639.	1.9	2
121	Mortality and Hospitalizations in Mexican Patients with Inflammatory Bowel Disease: Results from a Nationwide Health Registry. Canadian Journal of Gastroenterology and Hepatology, 2020, 2020, 1-8.	1.9	2
122	Factors Associated with the Presence of Extraintestinal Manifestations in Patients with Ulcerative Colitis in a Latin American Country. Inflammatory Intestinal Diseases, 2020, 5, 200-204.	1.9	2
123	ABCC7/CFTR Expression Is Associated with the Clinical Course of Ulcerative Colitis Patients. Gastroenterology Research and Practice, 2021, 2021, 1-7.	1.5	2
124	Depression and Anxiety Disorders Impact in the Quality of Life of Patients with Inflammatory Bowel Disease. Psychiatry Journal, 2021, 2021, 1-7.	1.5	2
125	Sul 257 The Gene Expression of SPARC in the Colonic Mucosa Is Associated With Histological Activity in Patients With Ulcerative Colitis. Gastroenterology, 2015, 148, S-453.	1.3	1
126	Mo1712 Role of Interleukin 27 (IL-27) in the Colonic Mucosa of Patients With Inflammatory Bowel Disease. Gastroenterology, 2015, 148, S-692.	1.3	1

#	Article	IF	CITATIONS
127	Role of IL-38 and its Antagonist in Patients with Inflammatory Bowel Disease. Gastroenterology, 2017, 152, S762.	1.3	1
128	Evaluación del esquema de vacunación y cuidados con relación al seguimiento y tratamiento de los pacientes con enfermedad inflamatoria intestinal. Revista De GastroenterologÃa De México, 2019, 84, 11-17.	0.2	1
129	Mental Health Factors Associated With Fatigue in Mexican Patients With Inflammatory Bowel Disease. Journal of Clinical Gastroenterology, 2020, Publish Ahead of Print, 609-614.	2.2	1
130	Independent Associations of the HLA-B27 Antigen and the Complement Haplotype SC21 in Chronic Anterior Uveitis. Ocular Immunology and Inflammation, 1996, 4, 203-206.	1.8	O
131	Genetic Susceptibility in Inflammatory Bowel Disease. Clinical Reviews in Bone and Mineral Metabolism, 2010, 8, 149-159.	0.8	0
132	Differential Expression of Disc Large Homologue 5 (DLG5) and Carnitine Organic Cation Transporter (OCTN) Genes in Patients With Ulcerative Colitis. Gastroenterology, 2011, 140, S-422.	1.3	0
133	Factors Associated With Use of Azathioprine in Patients With Ulcerative Colitis. Gastroenterology, 2011, 140, S-791.	1.3	O
134	Sa1848 IL34 and IL36 Family Expressing Cytotoxic T cells and Plasmacytoid Dendritic Cells are Increased in Patients With Active Inflammatory Bowel Disease. Gastroenterology, 2016, 150, S379-S380.	1.3	0
135	Mo1930 Transcriptome Analysis of Immune Innate Response Genes in the Colonic Mucosa from Patients With Ulcerative Colitis. Gastroenterology, 2016, 150, S819.	1.3	O
136	Tu1981 The Oxido-reductases Enzymes (TDO2 and SOD2) in Colonic Mucosa are Markers Associated with Histological Activity and Clinical Course in Ulcerative Colitis. Gastroenterology, 2016, 150, S996.	1.3	O
137	Expression of Genes Associated with Inflammation in Biopsies of Esophageal Mucosa of different Phenotypes of Gastroesophageal Reflux Disease. Gastroenterology, 2017, 152, S237.	1.3	O
138	Prevalence of mental disorder and impact on quality of life in inflammatory bowel disease. GastroenterologÃa Y HepatologÃa (English Edition), 2021, 44, 206-213.	0.1	0
139	Changes in chronic idiopathic ulcerative colitis epidemiological pattern in Mexico in a tertiary care hospital. Gaceta Medica De Mexico, 2023, 157, 147-153.	0.3	O
140	ValidaciÃ ³ n de Belief Medicines Questionnaire y Self-efficacy for Appropriate Medication Use Scale para medir adherencia al tratamiento farmacolÃ ³ gico en pacientes con enfermedad inflamatoria intestinal. Gaceta Medica De Mexico, 2019, 155, 124-129.	0.3	0
141	813 Incidence and Indicators of Suboptimal Response to Tumor Necrosis Factor Antagonist Therapy in Inflammatory Bowel Disease in Newly Industrialized Countries: Results From the EXPLORE Study. American Journal of Gastroenterology, 2019, 114, S470-S470.	0.4	0
142	Association of dietary fiber consumption with disease activity in ulcerative colitis: An exploratory study in the Mexican population. Gaceta Medica De Mexico, 2022, 158, 41-47.	0.3	0
143	Validity and reliability of the health-related questionnaire IBDQ-32 in Mexican patients with inflammatory bowel disease. GastroenterologÃa Y HepatologÃa (English Edition), 2021, 44, 711-718.	0.1	0