

Michel Tsimaratos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/491502/publications.pdf>

Version: 2024-02-01

73
papers

2,665
citations

201674

27
h-index

189892

50
g-index

97
all docs

97
docs citations

97
times ranked

3512
citing authors

#	ARTICLE	IF	CITATIONS
1	Copeptin assays in children for the differential diagnosis of polyuria–polydipsia syndrome and reference levels in hospitalized children. <i>Clinical Endocrinology</i> , 2022, 96, 47-53.	2.4	18
2	Social Deprivation Is Associated With Lower Access to Pre-emptive Kidney Transplantation and More Urgent-Start Dialysis in the Pediatric Population. <i>Kidney International Reports</i> , 2022, 7, 741-751.	0.8	15
3	<i>Anaerococcus urinimassiliensis</i> sp. nov., a new bacterium isolated from human urine. <i>Scientific Reports</i> , 2021, 11, 2684.	3.3	7
4	Dilatation of the aorta in children with advanced chronic kidney disease. <i>Pediatric Nephrology</i> , 2021, 36, 1825-1831.	1.7	2
5	Association of kidney biopsy findings with short- and medium-term outcomes in children with moderate-to-severe IgA vasculitis nephritis. <i>European Journal of Pediatrics</i> , 2021, 180, 3209-3218.	2.7	7
6	Clinical Utility of Biochemical Markers for the Prediction of COVID-19–Related Mortality in Kidney Transplant Recipients. <i>Kidney International Reports</i> , 2021, 6, 2689-2693.	0.8	8
7	Ten-year trends in epidemiology and outcomes of pediatric kidney replacement therapy in Europe: data from the ESPN/ERA-EDTA Registry. <i>Pediatric Nephrology</i> , 2021, 36, 2337-2348.	1.7	31
8	School level of children carrying a HNF1B variant or a deletion. <i>European Journal of Human Genetics</i> , 2020, 28, 56-63.	2.8	9
9	Deciphering the Urinary Microbiota Repertoire by Culturomics Reveals Mostly Anaerobic Bacteria From the Gut. <i>Frontiers in Microbiology</i> , 2020, 11, 513305.	3.5	41
10	An initial report from the French SOT COVID Registry suggests high mortality due to COVID-19 in recipients of kidney transplants. <i>Kidney International</i> , 2020, 98, 1549-1558.	5.2	213
11	IMPact of the COVID-19 epidemic on the moRTality of kidney transplant recipients and candidates in a French Nationwide registry sTudy (IMPORTANT). <i>Kidney International</i> , 2020, 98, 1568-1577.	5.2	85
12	Bernard–Soulie syndrome: first human case due to a homozygous deletion of GP9 gene. <i>British Journal of Haematology</i> , 2020, 188, e87-e90.	2.5	1
13	<i>COQ6</i> mutation in patients with nephrotic syndrome, sensorineural deafness, and optic atrophy. <i>JIMD Reports</i> , 2020, 54, 37-44.	1.5	9
14	Acute tubulointerstitial nephritis in children and chronic kidney disease. <i>Archives De Pediatrie</i> , 2019, 26, 290-294.	1.0	18
15	Quality of life in adolescents with chronic kidney disease who initiate haemodialysis treatment. <i>BMC Nephrology</i> , 2019, 20, 163.	1.8	30
16	Human papillomavirus type 7–associated anal condyloma after renal transplantation in a child. <i>Pediatric Transplantation</i> , 2019, 23, e13470.	1.0	1
17	Adverse events associated with currently used medical treatments for cystinuria and treatment goals: results from a series of 442 patients in France. <i>BJU International</i> , 2019, 124, 849-861.	2.5	30
18	The Invisible Threat of Non-steroidal Anti-inflammatory Drugs for Kidneys. <i>Frontiers in Pediatrics</i> , 2019, 7, 520.	1.9	34

#	ARTICLE	IF	CITATIONS
19	Human Bacterial Repertoire of the Urinary Tract: a Potential Paradigm Shift. <i>Journal of Clinical Microbiology</i> , 2019, 57, .	3.9	44
20	Patient and transplant outcome in infants starting renal replacement therapy before 2 years of age. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1459-1465.	0.7	15
21	Clinical and genetic heterogeneity in familial steroid-sensitive nephrotic syndrome. <i>Pediatric Nephrology</i> , 2018, 33, 473-483.	1.7	34
22	Rapid differential diagnosis of diabetes insipidus in a 7-month-old infant: The copeptin approach. <i>Archives De Pediatrie</i> , 2018, 25, 45-47.	1.0	10
23	First isolation of <i>Akkermansia muciniphila</i> in a blood-culture sample. <i>Clinical Microbiology and Infection</i> , 2017, 23, 682-683.	6.0	13
24	Impact of a pharmacist-led medication review on hospital readmission in a pediatric and elderly population: study protocol for a randomized open-label controlled trial. <i>Trials</i> , 2017, 18, 65.	1.6	13
25	Trends in the number and the quality of trial protocols involving children submitted to a French Institutional Review Board. <i>BMC Medical Research Methodology</i> , 2017, 17, 130.	3.1	2
26	Differential diagnosis of thrombotic microangiopathy in nephrology. <i>BMC Nephrology</i> , 2017, 18, 324.	1.8	3
27	<i>Actinomyces urinae</i> sp. nov., isolated from 13-year-old girl affected by nephritic syndrome. <i>New Microbes and New Infections</i> , 2016, 13, 1-2.	1.6	9
28	<i>Anaerococcus urinomassiliensis</i> sp. nov., isolated from a urine sample of a 17-year-old boy affected by autoimmune hepatitis and membranoproliferative glomerulonephritis. <i>New Microbes and New Infections</i> , 2016, 13, 56-58.	1.6	9
29	“ <i>Urinacoccus massiliensis</i> ” gen. nov. sp. nov., identified in urine sample of a 7-year-old boy hospitalized for dental care under general anaesthesia. <i>New Microbes and New Infections</i> , 2016, 14, 36-37.	1.6	0
30	The magnitude of nephron number reduction mediates intrauterine growth-restriction-induced long term chronic renal disease in the rat. A comparative study in two experimental models. <i>Journal of Translational Medicine</i> , 2016, 14, 331.	4.4	25
31	CKD and Its Risk Factors among Patients with Cystinuria. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 842-851.	4.5	71
32	Lack of IL7R α expression in T cells is a hallmark of T-cell immunodeficiency in Schimke immuno-osseous dysplasia (SIOD). <i>Clinical Immunology</i> , 2015, 161, 355-365.	3.2	22
33	Loss-of-Function Mutations in <i>WDR73</i> Are Responsible for Microcephaly and Steroid-Resistant Nephrotic Syndrome: Galloway-Mowat Syndrome. <i>American Journal of Human Genetics</i> , 2014, 95, 637-648.	6.2	108
34	Increased systemic blood pressure and arterial stiffness in young adults born prematurely. <i>Journal of Developmental Origins of Health and Disease</i> , 2014, 5, 448-452.	1.4	28
35	Rituximab fails where eculizumab restores renal function in C3nef-related DDD. <i>Pediatric Nephrology</i> , 2014, 29, 1107-1111.	1.7	59
36	SFRP CO-09 “La qualit� des essais cliniques p�diatriques randomis�s contr�l�s : une �tude m�ta-�pid�miologique. <i>Archives De Pediatrie</i> , 2014, 21, 987.	1.0	0

#	ARTICLE	IF	CITATIONS
37	Recruitment in pediatric clinical research was influenced by study characteristics and pediatricians' perceptions: a multicenter survey. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1151-1157.	5.0	20
38	Population Pharmacokinetics and Pharmacogenetics of Mycophenolic Acid Following Administration of Mycophenolate Mofetil in De Novo Pediatric Renal Transplant Patients. <i>Journal of Clinical Pharmacology</i> , 2010, 50, 1280-1291.	2.0	61
39	Genotype-phenotype correlation in primary hyperoxaluria type 1: the p.Gly170Arg AGXT mutation is associated with a better outcome. <i>Kidney International</i> , 2010, 77, 443-449.	5.2	117
40	Effect of conservative treatment on the renal outcome of children with primary hyperoxaluria type 1. <i>Kidney International</i> , 2009, 76, 767-773.	5.2	57
41	Early postnatal overfeeding induces early chronic renal dysfunction in adult male rats. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F943-F951.	2.7	74
42	Enteric-coated mycophenolate sodium in de novo pediatric renal transplant patients. <i>Pediatric Nephrology</i> , 2009, 24, 395-402.	1.7	8
43	Safety and Efficacy of Enzyme Replacement Therapy with Agalsidase Beta: An International, Open-label Study in Pediatric Patients with Fabry Disease. <i>Journal of Pediatrics</i> , 2008, 152, 563-570.e1.	1.8	126
44	Etat des lieux des centres de Nephrologie Pediatrique en France Metropolitaine. <i>Nephrologie Et Therapeutique</i> , 2008, 4, 203-209.	0.5	0
45	La HAS vient de reconnaître l'A2SN comme OA pour l'EPP. Qu'est ce que cela signifie pour les néphrologues?. <i>Nephrologie Et Therapeutique</i> , 2008, 4, 378-384.	0.5	0
46	C-Peptide Effects on Renal Physiology and Diabetes. <i>Experimental Diabetes Research</i> , 2008, 2008, 1-5.	3.8	15
47	Differential Impact of Complement Mutations on Clinical Characteristics in Atypical Hemolytic Uremic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2392-2400.	6.1	366
48	Effects of early postnatal hypernutrition on nephron number and long-term renal function and structure in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, F1944-F1949.	2.7	92
49	Fabrazyme® therapy in pediatric patients with Fabry disease: Improvements in quality-of-life measures. <i>Clinical Therapeutics</i> , 2007, 29, S31-S32.	2.5	0
50	Schimke immunosseous dysplasia: suggestions of genetic diversity. <i>Human Mutation</i> , 2007, 28, 273-283.	2.5	49
51	Le Syndrome De Goodpasture : Une Cause Rare De Fièvre inexpliquée Chez l'enfant. <i>Revue Francophone Des Laboratoires</i> , 2007, 2007, 73-76.	0.0	0
52	Darbepoetin, effective treatment of anaemia in paediatric patients with chronic renal failure. <i>Pediatric Nephrology</i> , 2007, 22, 708-714.	1.7	16
53	C-peptide replacement improves weight gain and renal function in diabetic rats. <i>Diabetes and Metabolism</i> , 2006, 32, 223-228.	2.9	38
54	Anakinra is safe and effective in controlling hyperimmunoglobulinaemia D syndrome-associated febrile crisis. <i>Journal of Inherited Metabolic Disease</i> , 2006, 29, 763-763.	3.6	93

#	ARTICLE	IF	CITATIONS
55	Crescentic glomerulonephritis is part of hyperimmunoglobulinemia D syndrome. <i>Pediatric Nephrology</i> , 2006, 21, 1917-1918.	1.7	5
56	Association of reduced red blood cell deformability and diabetic nephropathy. <i>Kidney International</i> , 2005, 67, 2066.	5.2	5
57	C-peptide, Na^+ , K^+ -ATPase, and Diabetes. <i>Experimental Diabetes Research</i> , 2004, 5, 37-50.	1.0	112
58	36 Effects of Intrauterine Growth Restriction (Iugr) and Postnatal Catch-Up Growth on Arterial Blood Pressure (Bp), Glucose Tolerance (Gt) and Renal Function in Adult Rats. <i>Pediatric Research</i> , 2004, 56, 470-470.	2.3	1
59	C-Peptide stimulates Na^+ , K^+ -ATPase activity via PKC alpha in rat medullary thick ascending limb. <i>Diabetologia</i> , 2003, 46, 124-131.	6.3	74
60	$\hat{\beta}$ -Linolenic Acid Restores Renal Medullary Thick Ascending Limb Na^+ , K^+ -ATPase Activity in Diabetic Rats. <i>Journal of Nutrition</i> , 2001, 131, 3160-3165.	2.9	16
61	Mevalonic aciduria and hyper-IgD syndrome: Two sides of the same coin?. <i>Journal of Inherited Metabolic Disease</i> , 2001, 24, 413-414.	3.6	13
62	Chronic renal failure and portal hypertension - is portosystemic shunt indicated?. <i>Pediatric Nephrology</i> , 2000, 14, 856-858.	1.7	21
63	The effects ex vivo and in vitro of insulin and C-peptide on Na/K adenosine triphosphatase activity in red blood cell membranes of type 1 diabetic patients. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 868-872.	3.4	36
64	KIDNEY FUNCTION IN CYCLOSPORINE-TREATED PAEDIATRIC PULMONARY TRANSPLANT RECIPIENTS1. <i>Transplantation</i> , 2000, 69, 2055-2059.	1.0	23
65	Characterization of Renal Chloride Channel (CLCN5) Mutations in Dent's Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1460-1468.	6.1	46
66	Crescentic glomerulonephritis in hyper IgD syndrome. <i>Pediatric Nephrology</i> , 1999, 13, 132-134.	1.7	18
67	NH_4^+ as a substrate for apical and basolateral Na^+ - H^+ -exchangers of thick ascending limbs of rat kidney: evidence from isolated membranes. <i>Journal of Physiology</i> , 1998, 506, 689-698.	2.9	31
68	About familial interstitial nephritis and retinitis pigmentosa.. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 522-522.	0.7	1
69	About familial interstitial nephritis and retinis pigmentosa. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 520a-520.	0.7	0
70	Clinical quiz. Diagnosis of pseudomembranous colitis secondary to C. difficile toxin. <i>Pediatric Nephrology</i> , 1998, 12, 81-2.	1.7	0
71	Syndrome hémolytique et urémique après vaccination par le ROR. Association fortuite ?. <i>Archives De Pédiatrie</i> , 1997, 4, 1261-1262.	1.0	1
72	Kostmann's Syndrome and IgA Nephropathy: An Unknown Association. <i>Nephron</i> , 1996, 74, 478-478.	0.6	2

#	ARTICLE	IF	CITATIONS
73	Isolation and characterization of luminal and basolateral plasma membrane vesicles from the medullary thick ascending loop of Henle. <i>Kidney International</i> , 1996, 50, 1051-1057.	5.2	34