Kerenza Hood

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4918178/publications.pdf

Version: 2024-02-01

260 papers 10,828 citations

52 h-index 91 g-index

265 all docs $\begin{array}{c} 265 \\ \text{docs citations} \end{array}$

265 times ranked

14024 citing authors

#	Article	IF	CITATIONS
1	Is There Evidence That Palliative Care Teams Alter End-of-Life Experiences of Patients and Their Caregivers?. Journal of Pain and Symptom Management, 2003, 25, 150-168.	0.6	447
2	Effect of point of care testing for C reactive protein and training in communication skills on antibiotic use in lower respiratory tract infections: cluster randomised trial. BMJ: British Medical Journal, 2009, 338, b1374-b1374.	2.4	374
3	Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. Lancet, The, 2013, 382, 1175-1182.	6.3	329
4	Do Hospital-Based Palliative Teams Improve Care for Patients or Families at the End of Life?. Journal of Pain and Symptom Management, 2002, 23, 96-106.	0.6	314
5	A Multicenter Randomized Controlled Trial of Motivational Interviewing in Teenagers With Diabetes. Diabetes Care, 2007, 30, 1390-1395.	4.3	287
6	Effectiveness of multifaceted educational programme to reduce antibiotic dispensing in primary care: practice based randomised controlled trial. BMJ: British Medical Journal, 2012, 344, d8173-d8173.	2.4	239
7	Effectiveness of a nurse-led intensive home-visitation programme for first-time teenage mothers (Building Blocks): a pragmatic randomised controlled trial. Lancet, The, 2016, 387, 146-155.	6.3	217
8	Measuring adaptations of motivational interviewing: the development and validation of the behavior change counseling index (BECCI). Patient Education and Counseling, 2005, 56, 166-173.	1.0	212
9	Effect of using an interactive booklet about childhood respiratory tract infections in primary care consultations on reconsulting and antibiotic prescribing: a cluster randomised controlled trial. BMJ: British Medical Journal, 2009, 339, b2885-b2885.	2.4	205
10	Amoxicillin for acute lower-respiratory-tract infection in primary care when pneumonia is not suspected: a 12-country, randomised, placebo-controlled trial. Lancet Infectious Diseases, The, 2013, 13, 123-129.	4.6	187
11	Personalised risk communication for informed decision making about taking screening tests. The Cochrane Library, 2013, , CD001865.	1.5	180
12	Using dietetic assistants to improve the outcome of hip fracture: a randomised controlled trial of nutritional support in an acute trauma ward. Age and Ageing, 2006, 35, 148-153.	0.7	173
13	C-Reactive Protein Testing to Guide Antibiotic Prescribing for COPD Exacerbations. New England Journal of Medicine, 2019, 381, 111-120.	13.9	168
14	Oral vitamin B12 versus intramuscular vitamin B12 for vitamin B12 deficiency. The Cochrane Library, 2005, , CD004655.	1.5	151
15	The Effectiveness of One-to-one Risk-communication Interventions in Health Care. Medical Decision Making, 2000, 20, 290-297.	1.2	150
16	Oral vitamin B12 versus intramuscular vitamin B12 for vitamin B12 deficiency: a systematic review of randomized controlled trials. Family Practice, 2006, 23, 279-285.	0.8	149
17	The development of COMRADEâ€"a patient-based outcome measure to evaluate the effectiveness of risk communication and treatment decision making in consultations. Patient Education and Counseling, 2003, 50, 311-322.	1.0	140
18	Interventions before consultations to help patients address their information needs by encouraging question asking: systematic review. BMJ: British Medical Journal, 2008, 337, a485-a485.	2.4	138

#	Article	IF	CITATIONS
19	Randomized Phase III Trial of Standard Therapy Plus Low Molecular Weight Heparin in Patients With Lung Cancer: FRAGMATIC Trial. Journal of Clinical Oncology, 2016, 34, 488-494.	0.8	138
20	Targeting the affective brainâ€"a randomized controlled trial of real-time fMRI neurofeedback in patients with depression. Neuropsychopharmacology, 2018, 43, 2578-2585.	2.8	129
21	Unrecognised bipolar disorder in primary care patients with depression. British Journal of Psychiatry, 2011, 199, 49-56.	1.7	127
22	Interventions before consultations for helping patients address their information needs. The Cochrane Library, 2010, 2010, CD004565.	1.5	117
23	Oral ibandronic acid versus intravenous zoledronic acid in treatment of bone metastases from breast cancer: a randomised, open label, non-inferiority phase 3 trial. Lancet Oncology, The, 2014, 15, 114-122.	5.1	109
24	Training practitioners to deliver opportunistic multiple behaviour change counselling in primary care: a cluster randomised trial. BMJ, The, 2013, 346, f1191-f1191.	3.0	106
25	Effects of communicating individual risks in screening programmes: Cochrane systematic review. BMJ: British Medical Journal, 2003, 327, 703-709.	2.4	105
26	Antibiotic prescription strategies for acute sore throat: a prospective observational cohort study. Lancet Infectious Diseases, The, 2014, 14, 213-219.	4.6	100
27	Facial attractiveness: A longitudinal study. American Journal of Orthodontics and Dentofacial Orthopedics, 2005, 127, 676-682.	0.8	98
28	Are Patient Views about Antibiotics Related to Clinician Perceptions, Management and Outcome? A Multi-Country Study in Outpatients with Acute Cough. PLoS ONE, 2013, 8, e76691.	1.1	97
29	Group-based cognitive–behavioural anger management for people with mild to moderate intellectual disabilities: cluster randomised controlled trial. British Journal of Psychiatry, 2013, 203, 288-296.	1.7	94
30	Anxiety, depression and quality of life after cancer diagnosis: what psychosocial variables best predict how patients adjust?. Psycho-Oncology, 2012, 21, 857-867.	1.0	93
31	Enhanced Communication Skills and C-reactive Protein Point-of-Care Testing for Respiratory Tract Infection: 3.5-year Follow-up of a Cluster Randomized Trial. Annals of Family Medicine, 2013, 11, 157-164.	0.9	93
32	Balance algorithm for cluster randomized trials. BMC Medical Research Methodology, 2008, 8, 65.	1.4	91
33	Mindfulness-based therapy for inflammatory bowel disease patients with functional abdominal symptoms or high perceived stress levels. Journal of Crohn's and Colitis, 2014, 8, 945-955.	0.6	88
34	Associations between organizational and incident factors and emotional distress in emergency ambulance personnel. British Journal of Clinical Psychology, 2005, 44, 215-226.	1.7	86
35	†The Body Gets Used to Them': Patients' Interpretations of Antibiotic Resistance and the Implications for Containment Strategies. Journal of General Internal Medicine, 2012, 27, 766-772.	1.3	84
36	Predictors of suppurative complications for acute sore throat in primary care: prospective clinical cohort study. BMJ, The, 2013, 347, f6867-f6867.	3.0	84

#	Article	IF	Citations
37	Personalised risk communication for informed decision making about taking screening tests. , 2006, , CD001865.		82
38	<i>Beating Bipolar</i> : exploratory trial of a novel internetâ€based psychoeducational treatment for bipolar disorder. Bipolar Disorders, 2011, 13, 571-577.	1.1	81
39	Diagnosing pneumonia in patients with acute cough: clinical judgment compared to chest radiography. European Respiratory Journal, 2013, 42, 1076-1082.	3.1	80
40	Differences in sexual risk behaviour between young men and women travelling abroad from the UK. Lancet, The, 1998, 352, 1664-1668.	6.3	79
41	C-reactive protein point of care testing and physician communication skills training for lower respiratory tract infections in general practice: economic evaluation of a cluster randomized trial. Journal of Evaluation in Clinical Practice, 2011, 17, 1059-1069.	0.9	76
42	Teaching motivational interviewing: using role play is as effective as using simulated patients. Medical Education, 2008, 42, 637-644.	1.1	74
43	C-reactive protein point-of-care testing for lower respiratory tract infections: a qualitative evaluation of experiences by GPs. Family Practice, 2010, 27, 212-218.	0.8	68
44	Influence of CRP testing and clinical findings on antibiotic prescribing in adults presenting with acute cough in primary care. Scandinavian Journal of Primary Health Care, 2010, 28, 229-236.	0.6	65
45	Discrepancies between qualitative and quantitative evaluation of randomised controlled trial results: achieving clarity through mixed methods triangulation. Implementation Science, 2015, 11, 66.	2.5	65
46	Magnesium sulphate in acute severe asthma in children (MAGNETIC): a randomised, placebo-controlled trial. Lancet Respiratory Medicine, the, 2013, 1, 301-308.	5.2	64
47	Complementary and alternative medicine use by patients with cancer in Wales: a cross sectional survey. Complementary Therapies in Medicine, 2003, 11, 249-253.	1.3	62
48	Validity and effectiveness of paediatric early warning systems and track and trigger tools for identifying and reducing clinical deterioration in hospitalised children: a systematic review. BMJ Open, 2019, 9, e022105.	0.8	60
49	The effect of the Talking Diabetes consulting skills intervention on glycaemic control and quality of life in children with type 1 diabetes: cluster randomised controlled trial (DEPICTED study). BMJ, The, 2012, 344, e2359-e2359.	3.0	59
50	Variations in presentation, management, and patient outcomes of urinary tract infection: a prospective four-country primary care observational cohort study. British Journal of General Practice, 2017, 67, e830-e841.	0.7	59
51	A multi-country qualitative study of clinicians' and patients' views on point of care tests for lower respiratory tract infection. Family Practice, 2011, 28, 661-669.	0.8	58
52	The Diagnosis of Urinary Tract infection in Young children (DUTY): a diagnostic prospective observational study to derive and validate a clinical algorithm for the diagnosis of urinary tract infection in children presenting to primary care with an acute illness. Health Technology Assessment, 2016, 20, 1-294.	1.3	56
53	Understanding variation in primary medical care: a nine-country qualitative study of clinicians' accounts of the non-clinical factors that shape antibiotic prescribing decisions for lower respiratory tract infection. BMJ Open, 2012, 2, e000796.	0.8	54
54	Protection by exclusion? The (lack of) inclusion of adults who lack capacity to consent to research in clinical trials in the UK. Trials, 2019, 20, 474.	0.7	54

#	Article	IF	CITATIONS
55	Delayed antibiotic prescribing and associated antibiotic consumption in adults with acute cough. British Journal of General Practice, 2012, 62, e639-e646.	0.7	53
56	Parents' and clinicians' views of an interactive booklet about respiratory tract infections in children: a qualitative process evaluation of the EQUIP randomised controlled trial. BMC Family Practice, 2013, 14, 182.	2.9	51
57	Primary care clinicians' perceptions of antibiotic resistance: a multi-country qualitative interview study. Journal of Antimicrobial Chemotherapy, 2013, 68, 237-243.	1.3	51
58	Developing an †interactive†Mooklet on respiratory tract infections in children for use in primary care consultations. Patient Education and Counseling, 2008, 73, 286-293.	1.0	50
59	Antibiotics for acute cough: an international observational study of patient adherence in primary care. British Journal of General Practice, 2012, 62, e429-e437.	0.7	50
60	Judging the †weight of evidence†in systematic reviews:introducing rigour into the qualitative overview stage by assessing Signal and Noise. Journal of Evaluation in Clinical Practice, 2000, 6, 177-184.	0.9	47
61	Prevalence of urinary tract infection in acutely unwell children in general practice: a prospective study with systematic urine sampling. British Journal of General Practice, 2013, 63, e156-e164.	0.7	47
62	Clinical influences on antibiotic prescribing decisions for lower respiratory tract infection: a nine country qualitative study of variation in care. BMJ Open, 2012, 2, e000795.	0.8	46
63	Improving management of patients with acute cough by C-reactive protein point of care testing and communication training (IMPAC3T): study protocol of a cluster randomised controlled trial. BMC Family Practice, 2007, 8, 15.	2.9	45
64	A randomized controlled trial of a brief self-help coping intervention designed to reduce distress when awaiting genetic risk information. Journal of Psychosomatic Research, 2007, 63, 59-64.	1.2	44
65	Interventions for hidradenitis suppurativa. The Cochrane Library, 2017, 2017, CD010081.	1.5	44
66	Involving patients in primary care consultations: assessing preferences using discrete choice experiments. British Journal of General Practice, 2006, 56, 35-42.	0.7	44
67	Efficient literature searching in diffuse topics: lessons from a systematic review of research on communicating risk to patients in primary care. Health Libraries Review, 1999, 16, 112-120.	0.3	42
68	Efficiency of Searching the Grey Literature in Palliative Care. Journal of Pain and Symptom Management, 2001, 22, 797-801.	0.6	42
69	Oral and Topical Antibiotics for Clinically Infected Eczema in Children: A Pragmatic Randomized Controlled Trial in Ambulatory Care. Annals of Family Medicine, 2017, 15, 124-130.	0.9	42
70	Enhancing the quality of antibiotic prescribing in Primary Care: Qualitative evaluation of a blended learning intervention. BMC Family Practice, 2010, 11, 34.	2.9	40
71	A feasibility randomised controlled trial of a motivational interviewing-based intervention for weight loss maintenance in adults. Health Technology Assessment, 2015, 19, 1-378.	1.3	40
72	Antibiotic Prescribing for Acute Respiratory Tract Infections 12 Months After Communication and CRP Training: A Randomized Trial. Annals of Family Medicine, 2019, 17, 125-132.	0.9	38

#	Article	IF	Citations
73	Seal or Varnish? A randomised controlled trial to determine the relative cost and effectiveness of pit and fissure sealant and fluoride varnish in preventing dental decay. Health Technology Assessment, 2017, 21, 1-256.	1.3	38
74	A qualitative evaluation of implementing a randomized controlled trial in general practice. Family Practice, 2003, 20, 675-681.	0.8	37
75	When smokers are resistant to change: experimental analysis of the effect of patient resistance on practitioner behaviour. Addiction, 2005, 100, 1175-1182.	1.7	37
76	Rapid overview of systematic reviews of nocebo effects reported by patients taking placebos in clinical trials. Trials, 2018, 19, 674.	0.7	37
77	The effectiveness and cost-effectiveness of the Family Nurse Partnership home visiting programme for first time teenage mothers in England: a protocol for the Building Blocks randomised controlled trial. BMC Pediatrics, 2013, 13, 114.	0.7	36
78	Trust, openness and continuity of care influence acceptance of antibiotics for children with respiratory tract infections: a four country qualitative study. Family Practice, 2014, 31, 102-110.	0.8	36
79	Identification of clinical and urine biomarkers for uncomplicated urinary tract infection using machine learning algorithms. Scientific Reports, 2019, 9, 19694.	1.6	36
80	Evidence based management of acute bronchitis; sustained competence of enhanced communication skills acquisition in general practice. Patient Education and Counseling, 2007, 68, 270-278.	1.0	35
81	Continuity of care in the transition from child to adult diabetes services: A realistic evaluation study. Journal of Health Services Research and Policy, 2012, 17, 140-148.	0.8	34
82	Setting up a clinical trial in care homes: challenges encountered and recommendations for future research practice. BMC Research Notes, 2015, 8, 306.	0.6	34
83	Treatment of acute cough/lower respiratory tract infection by antibiotic class and associated outcomes: a 13 European country observational study in primary care. Journal of Antimicrobial Chemotherapy, 2010, 65, 2472-2478.	1.3	33
84	Management of suspected acute viral upper respiratory tract infection in children with intranasal sodium cromoglicate: a randomised controlled trial. Lancet, The, 2002, 359, 2153-2158.	6.3	32
85	An Evaluation of Systematic Reviews of Palliative Care Services. Journal of Palliative Care, 2002, 18, 77-83.	0.4	32
86	Clinical course of acute infection of the upper respiratory tract in children: cohort study. BMJ: British Medical Journal, 2003, 327, 1088-1089.	2.4	32
87	The effect of using an interactive booklet on childhood respiratory tract infections in consultations: Study protocol for a cluster randomised controlled trial in primary care. BMC Family Practice, 2008, 9, 23.	2.9	32
88	Antibiotic prescribing and associated diarrhoea: a prospective cohort study of care home residents. Age and Ageing, 2015, 44, 853-860.	0.7	32
89	Antibiotics for lower respiratory tract infection in children presenting in primary care in England (ARTIC PC): a double-blind, randomised, placebo-controlled trial. Lancet, The, 2021, 398, 1417-1426.	6.3	32
90	Prevalence of urinary tract infection (UTI) in sequential acutely unwell children presenting in primary care: exploratory study. Scandinavian Journal of Primary Health Care, 2011, 29, 19-22.	0.6	32

#	Article	IF	Citations
91	Fibrinogen concentrate versus placebo for treatment of postpartum haemorrhage: study protocol for a randomised controlled trial. Trials, 2015, 16, 169.	0.7	31
92	Oral steroids for resolution of otitis media with effusion in children (OSTRICH): a double-blinded, placebo-controlled randomised trial. Lancet, The, 2018, 392, 557-568.	6.3	31
93	Clinical predictors of antibiotic prescribing for acutely ill children in primary care: an observational study. British Journal of General Practice, 2015, 65, e585-e592.	0.7	30
94	Key stakeholder perceptions about consent to participate in acute illness research: a rapid, systematic review to inform epi/pandemic research preparedness. Trials, 2015, 16, 591.	0.7	29
95	Improving the Diagnosis and Treatment of Urinary Tract Infection in Young Children in Primary Care: Results from the DUTY Prospective Diagnostic Cohort Study. Annals of Family Medicine, 2016, 14, 325-336.	0.9	29
96	Trial Forge Guidance 2: how to decide if a further Study Within A Trial (SWAT) is needed. Trials, 2020, 21, 33.	0.7	29
97	Predicting the clinical course of suspected acute viral upper respiratory tract infection in children. Family Practice, 2004, 22, 92-95.	0.8	28
98	Resource use and costs of treating acute cough/lower respiratory tract infections in 13 European countries: results and challenges. European Journal of Health Economics, 2011, 12, 319-329.	1.4	28
99	Patient-reported measurement of time to diagnosis in cancer: development of the Cancer Symptom Interval Measure (C-SIM) and randomised controlled trial of method of delivery. BMC Health Services Research, 2014, 14, 3.	0.9	28
100	An application of Extended Normalisation Process Theory in a randomised controlled trial of a complex social intervention: Process evaluation of the Strengthening Families Programme (10–14) in Wales, UK. SSM - Population Health, 2017, 3, 255-265.	1.3	27
101	Probiotics for Antibiotic-Associated Diarrhoea (PAAD): a prospective observational study of antibiotic-associated diarrhoea (including Clostridium difficile-associated diarrhoea) in care homes. Health Technology Assessment, 2014, 18, 1-84.	1.3	27
102	An observational study of empirical antibiotics for adult women with uncomplicated UTI in general practice. Journal of Antimicrobial Chemotherapy, 2007, 59, 1200-1203.	1.3	26
103	Stemming the Tide of Antibiotic Resistance (STAR): A protocol for a trial of a complex intervention addressing the 'why' and 'how' of appropriate antibiotic prescribing in general practice. BMC Family Practice, 2009, 10, 20.	2.9	26
104	The diagnosis of urinary tract infections in young children (DUTY): protocol for a diagnostic and prospective observational study to derive and validate a clinical algorithm for the diagnosis of UTI in children presenting to primary care with an acute illness. BMC Infectious Diseases, 2012, 12, 158.	1.3	26
105	A feasibility study to inform the design of a randomised controlled trial to identify the most clinically effective and cost-effective length of Anticoagulation with Low-molecular-weight heparin In the treatment of Cancer-Associated Thrombosis (ALICAT). Health Technology Assessment, 2015, 19, 1-94	1.3	26
106	A randomised placebo-controlled trial of oral and topical antibiotics for children with clinically infected eczema in the community: the ChildRen with Eczema, Antibiotic Management (CREAM) study. Health Technology Assessment, 2016, 20, 1-84.	1.3	26
107	C-reactive protein point-of-care testing for safely reducing antibiotics for acute exacerbations of chronic obstructive pulmonary disease: the PACE RCT. Health Technology Assessment, 2020, 24, 1-108.	1.3	26
108	General Practitioners' Use of Magnetic Resonance Imaging: An Open Randomized Trial Comparing Telephone and Written Requests and an Open Randomized Controlled Trial of Different Methods of Local Guideline Dissemination. Clinical Radiology, 2002, 57, 402-407.	0.5	25

#	Article	IF	CITATIONS
109	Developing an online psychoeducation package for bipolar disorder. Journal of Mental Health, 2011, 20, 21-31.	1.0	25
110	Towards clinical definitions of lower respiratory tract infection (LRTI) for research and primary care practice in Europe: an international consensus study. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2011, 20, 299-306.	2.5	25
111	Point of care testing for urinary tract infection in primary care (POETIC): protocol for a randomised controlled trial of the clinical and cost effectiveness of FLEXICULTâ,,¢ informed management of uncomplicated UTI in primary care. BMC Family Practice, 2014, 15, 187.	2.9	25
112	Neurofeedback training for alcohol dependence versus treatment as usual: study protocol for a randomized controlled trial. Trials, 2016, 17, 480.	0.7	25
113	Face and content validity of the virtual reality simulator â€~ScanTrainer®'. Gynecological Surgery, 2017, 14, 18.	0.9	25
114	Point-of-care urine culture for managing urinary tract infection in primary care: a randomised controlled trial of clinical and cost-effectiveness. British Journal of General Practice, 2018, 68, e268-e278.	0.7	25
115	Seasonality, negative life events and social support in a community sample. British Journal of Psychiatry, 2003, 182, 434-438.	1.7	24
116	Improving response rates using a monetary incentive for patient completion of questionnaires: an observational study. BMC Medical Research Methodology, 2007, 7, 12.	1.4	24
117	The Bipolar Interactive Psychoeducation (BIPED) study: trial design and protocol. BMC Psychiatry, 2009, 9, 50.	1.1	24
118	Development and Delivery of a Physical Activity Intervention for People With Huntington Disease. Journal of Neurologic Physical Therapy, 2016, 40, 71-80.	0.7	24
119	Understanding students' and clinicians' experiences of informal interprofessional workplace learning: an Australian qualitative study. BMJ Open, 2018, 8, e021238.	0.8	24
120	Talking to the people that really matter about their participation in pandemic clinical research: A qualitative study in four European countries. Health Expectations, 2018, 21, 387-395.	1.1	24
121	Applying an extended theoretical framework for data collection mode to health services research. BMC Health Services Research, 2010, 10, 180.	0.9	23
122	Delays in response and triage times reduce patient satisfaction and enablement after using out-of-hours services. Family Practice, 2010, 27, 652-663.	0.8	23
123	Understanding flucloxacillin prescribing trends and treatment non-response in UK primary care: a Clinical Practice Research Datalink (CPRD) study. Journal of Antimicrobial Chemotherapy, 2016, 71, 2037-2046.	1.3	23
124	Early impact of COVID-19 social distancing measures on reported sexual behaviour of HIV pre-exposure prophylaxis users in Wales. Sexually Transmitted Infections, 2021, 97, 85-87.	0.8	23
125	The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. BMC Health Services Research, 2006, 6, 133.	0.9	22
126	Determining patient and primary care delay in the diagnosis of cancer $\hat{a}\in$ lessons from a pilot study of patients referred for suspected cancer. BMC Family Practice, 2008, 9, 9.	2.9	22

#	Article	IF	CITATIONS
127	One-year investigator-blind randomized multicenter trial comparing asacol 2.4 g once daily with 800 mg three times daily for maintenance of remission in ulcerative colitis. Inflammatory Bowel Diseases, 2012, 18, 1885-1893.	0.9	22
128	Consent, including advanced consent, of older adults to research in care homes: a qualitative study of stakeholders' views in South Wales. Trials, 2013, 14, 247.	0.7	22
129	Physical Activity Self-Management and Coaching Compared to Social Interaction in Huntington Disease: Results From the ENGAGE-HD Randomized, Controlled Pilot Feasibility Trial. Physical Therapy, 2017, 97, 625-639.	1.1	22
130	Engaging high-risk groups in early lung cancer diagnosis: a qualitative study of symptom presentation and intervention preferences among the UK's most deprived communities. BMJ Open, 2019, 9, e025902.	0.8	22
131	Effect of Probiotic Use on Antibiotic Administration Among Care Home Residents. JAMA - Journal of the American Medical Association, 2020, 324, 47.	3.8	22
132	Development and Evaluation of a Psychosocial Intervention for Children and Teenagers Experiencing Diabetes (DEPICTED): a protocol for a cluster randomised controlled trial of the effectiveness of a communication skills training programme for healthcare professionals working with young people with type 1 diabetes. BMC Health Services Research, 2010, 10, 36.	0.9	21
133	Healthcare professionals' understanding of the legislation governing research involving adults lacking mental capacity in England and Wales: a national survey. Journal of Medical Ethics, 2018, 44, 632-637.	1.0	21
134	Preventing disease through opportunistic, rapid engagement by primary care teams using behaviour change counselling (PRE-EMPT): protocol for a general practice-based cluster randomised trial. BMC Family Practice, 2010, 11, 69.	2.9	20
135	Does taking probiotics routinely with antibiotics prevent antibiotic associated diarrhoea?. BMJ: British Medical Journal, 2012, 344, e682-e682.	2.4	20
136	Activity Increase Despite Arthritis (AÃĐA): phase II randomised controlled trial of an active management booklet for hip and knee osteoarthritis in primary care. British Journal of General Practice, 2011, 61, e452-e458.	0.7	19
137	Effectiveness of Active Support for adults with intellectual disability in residential settings: Systematic review and metaâ€analysis. Journal of Applied Research in Intellectual Disabilities, 2018, 31, 983-998.	1.3	19
138	Research involving adults lacking capacity to consent: a content analysis of participant information sheets for consultees and legal representatives in England and Wales. Trials, 2019, 20, 233.	0.7	19
139	Study protocol: azithromycin therapy for chronic lung disease of prematurity (AZTEC) - a randomised, placebo-controlled trial of azithromycin for the prevention of chronic lung disease of prematurity in preterm infants. BMJ Open, 2020, 10, e041528.	0.8	19
140	Challenges in accessing routinely collected data from multiple providers in the UK for primary studies: Managing the morass International Journal of Population Data Science, 2018, 3, 432.	0.1	19
141	Electronic Monitoring of Medication Adherence in a 1-year Clinical Study of 2 Dosing Regimens of Mesalazine for Adults in Remission with Ulcerative Colitis. Inflammatory Bowel Diseases, 2014, 20, 82-91.	0.9	18
142	Ethical understandings of proxy decision making for research involving adults lacking capacity: A systematic review (framework synthesis) of empirical research. AJOB Empirical Bioethics, 2018, 9, 267-286.	0.8	18
143	Seasonal and nonseasonal depression: how do they differ?. Journal of Affective Disorders, 2002, 69, 185-192.	2.0	17
144	Development of a scale to measure fidelity to manualized group-based cognitive behavioural interventions for people with intellectual disabilities. Research in Developmental Disabilities, 2013, 34, 4210-4221.	1,2	17

#	Article	IF	CITATIONS
145	Costâ€effectiveness of the Family Nurse Partnership (FNP) programme in England: Evidence from the building blocks trial. Journal of Evaluation in Clinical Practice, 2017, 23, 1367-1374.	0.9	17
146	Resource effects of training general practitioners in risk communication skills and shared decision making competences. Journal of Evaluation in Clinical Practice, 2004, 10, 439-445.	0.9	16
147	Severity assessment for lower respiratory tract infections: potential use and validity of the CRB-65 in primary care. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2011, 21, 65-70.	2.5	16
148	The impact of using different tariffs to value EQ-5D health state descriptions: an example from a study of acute cough/lower respiratory tract infections in seven countries. European Journal of Health Economics, 2013, 14, 197-209.	1.4	16
149	Supporting physical activity engagement in people with Huntington's disease (ENGAGE-HD): study protocol for a randomized controlled feasibility trial. Trials, 2014, 15, 487.	0.7	16
150	Childhood urinary tract infection in primary care: a prospective observational study of prevalence, diagnosis, treatment, and recovery. British Journal of General Practice, 2015, 65, e217-e223.	0.7	16
151	Establishing a set of research priorities in care homes for older people in the UK: a modified Delphi consensus study with care home staff. Age and Ageing, 2017, 46, 284-290.	0.7	16
152	General practitioner use of a C-reactive protein point-of-care test to help target antibiotic prescribing in patients with acute exacerbations of chronic obstructive pulmonary disease (the PACE study): study protocol for a randomised controlled trial. Trials, 2017, 18, 442.	0.7	16
153	A prospective, mixed-methods, before and after study to identify the evidence base for the core components of an effective Paediatric Early Warning System and the development of an implementation package containing those core recommendations for use in the UK: Paediatric early warning system – utilisation and mortality avoidance– the PUMA study protocol. BMC Pediatrics,	0.7	16
154	Asymptotic Information and Variance-covariance Matrices for the Linear Structural Model. Journal of the Royal Statistical Society: Series D (the Statistician), 1999, 48, 477-493.	0.2	15
155	Excision of malignant melanomas in North Wales: effect of location and surgeon on time to diagnosis and quality of excision. Family Practice, 2008, 25, 221-227.	0.8	15
156	Predictors of patient-initiated reconsultation for lower respiratory tract infections in general practice. British Journal of General Practice, 2009, 59, 761-764.	0.7	15
157	Delivering early care in diabetes evaluation (DECIDE): a protocol for a randomised controlled trial to assess hospital versus home management at diagnosis in childhood diabetes. BMC Pediatrics, 2011, 11, 7.	0.7	15
158	Different Factors Influence Selfâ€Reports and Thirdâ€Party Reports of Anger by Adults with Intellectual Disabilities. Journal of Applied Research in Intellectual Disabilities, 2013, 26, 410-419.	1.3	15
159	Cultural adaptation and intervention integrity: a response to Skarstrand, Sundell and Andreasson. European Journal of Public Health, 2014, 24, 354-355.	0.1	15
160	Immediate chest X-ray for patients at risk of lung cancer presenting in primary care: randomised controlled feasibility trial. British Journal of Cancer, 2017, 116, 293-302.	2.9	15
161	Prevalence and risk factors for depression in a rural setting. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 567-571.	1.6	14
162	Putting double marking to the test: a framework to assess if it is worth the trouble. Medical Education, 2005, 39, 299-308.	1.1	14

#	Article	IF	Citations
163	Building an international network for a primary care research program: reflections on challenges and solutions in the set-up and delivery of a prospective observational study of acute cough in 13 European countries. BMC Family Practice, 2011, 12, 78.	2.9	14
164	Protocol for "Seal or Varnish?―(SoV) trial: a randomised controlled trial to measure the relative cost and effectiveness of pit and fissure sealants and fluoride varnish in preventing dental decay. BMC Oral Health, 2012, 12, 51.	0.8	14
165	A selfâ€help coping intervention can reduce anxiety and avoidant health behaviours whilst waiting for cancer genetic risk information: results of a phase III randomised trial. Psycho-Oncology, 2013, 22, 837-844.	1.0	14
166	QUALZICE: A QUALitative exploration of the experiences of the participants from the ZICE clinical trial (metastatic breast cancer) receiving intravenous or oral bisphosphonates. Trials, 2013, 14, 325.	0.7	14
167	Amoxicillin for clinically unsuspected pneumonia in primary care: subgroup analysis. European Respiratory Journal, 2016, 47, 327-330.	3.1	14
168	Anger management for people with mild to moderate learning disabilities: Study protocol for a multi-centre cluster randomized controlled trial of a manualized intervention delivered by day-service staff. Trials, 2011, 12, 36.	0.7	13
169	Incidental Chest Radiographic Findings in Adult Patients With Acute Cough. Annals of Family Medicine, 2012, 10, 510-515.	0.9	13
170	Oral steroids for the resolution of otitis media with effusion (OME) in children (OSTRICH): study protocol for a randomised controlled trial. Trials, 2016, 17, 115.	0.7	13
171	Symptom response to antibiotic prescribing strategies in acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. British Journal of General Practice, 2017, 67, e634-e642.	0.7	13
172	Unpacking the †black box of horrendousness': a qualitative exploration of the barriers and facilitators to conducting trials involving adults lacking capacity to consent. Trials, 2022, 23, .	0.7	13
173	Streamline triage and manage user expectations: lessons from a qualitative study of GP out-of-hours services. British Journal of General Practice, 2010, 60, e83-e97.	0.7	12
174	The Experiences of Staff Taking on the Role of Lay Therapist in a Groupâ€Based Cognitive Behavioural Therapy Anger Management Intervention for People with Intellectual Disabilities. Journal of Applied Research in Intellectual Disabilities, 2013, 26, 63-70.	1.3	12
175	Preventing substance misuse: study protocol for a randomised controlled trial of the Strengthening Families Programme 10–14 UK (SFP 10–14 UK). BMC Public Health, 2014, 14, 49.	1.2	12
176	Validity of a clinical model to predict influenza in patients presenting with symptoms of lower respiratory tract infection in primary care. Family Practice, 2015, 32, cmv039.	0.8	12
177	Empiric antibiotic treatment for urinary tract infection in preschool children: susceptibilities of urine sample isolates. Family Practice, 2016, 33, 127-132.	0.8	12
178	Use of co-primary outcomes for trials of antimicrobial stewardship interventions. Lancet Infectious Diseases, The, 2018, 18, 595-597.	4.6	12
179	Protocol for a double-blind placebo-controlled trial to evaluate the efficacy of probiotics in reducing antibiotics for infection in care home residents: the Probiotics to Reduce Infections iN CarE home reSidentS (PRINCESS) trial. BMJ Open, 2019, 9, e027513.	0.8	12
180	<p>Clinical Features and C-Reactive Protein as Predictors of Bacterial Exacerbations of COPD</p> . International Journal of COPD, 2020, Volume 15, 3147-3158.	0.9	12

#	Article	lF	Citations
181	Does Experience Predict Knowledge and Behavior With Respect to Cutaneous Melanoma, Moles, and Sun Exposure? Possible Outcome Measures. Behavioral Medicine, 2000, 26, 74-79.	1.0	11
182	A feasibility study to inform the design of a randomized controlled trial to identify the most clinically and cost effective Anticoagulation Length with low molecular weight heparin In the treatment of Cancer Associated Thrombosis (ALICAT): study protocol for a mixed-methods study. Trials, 2014, 15, 122.	0.7	11
183	Comparison between treatment effects in a randomised controlled trial and an observational study using propensity scores in primary care. British Journal of General Practice, 2017, 67, e643-e649.	0.7	11
184	Treatment compliance in light therapy: Do patients do as they say they do?. Journal of Affective Disorders, 2002, 68, 341-342.	2.0	10
185	Eligibility for interventions, co-occurrence and risk factors for unhealthy behaviours in patients consulting for routine primary care: results from the Pre-Empt study. BMC Family Practice, 2015, 16, 133.	2.9	10
186	Illness perception and related behaviour in lower respiratory tract infections—a European study. Family Practice, 2015, 32, 152-158.	0.8	10
187	The effectiveness of an intervention to reduce alcoholâ€related violence in premises licensed for the sale and onâ€site consumption of alcohol: a randomized controlled trial. Addiction, 2017, 112, 1898-1906.	1.7	10
188	Matching diagnostics development to clinical need: Target product profile development for a point of care test for community-acquired lower respiratory tract infection. PLoS ONE, 2018, 13, e0200531.	1.1	10
189	Optimising paediatric afferent component early warning systems: a hermeneutic systematic literature review and model development. BMJ Open, 2019, 9, e028796.	0.8	10
190	Participants' preference for type of leaflet used to feed back the results of a randomised trial: a survey. Trials, 2010, 11, 116.	0.7	9
191	The need to improve the interface between in-hours and out-of-hours GP care, and between out-of-hours care and self-care. Family Practice, 2010, 27, 664-672.	0.8	9
192	Presentation, antibiotic management and associated outcome in Polish adults presenting with acute cough/LRTI. Family Practice, 2011, 28, 608-614.	0.8	9
193	A feasibility study examining the effect on lung cancer diagnosis of offering a chest X-ray to higher-risk patients with chest symptoms: protocol for a randomized controlled trial. Trials, 2013, 14, 405.	0.7	9
194	Motivational interviewing competencies among UK family nurse partnership nurses: a process evaluation component of the building blocks trial. BMC Nursing, 2016, 15, 55.	0.9	9
195	Clinicians' interpretations of point of care urine culture versus laboratory culture results: analysis from the four-country POETIC trial of diagnosis of uncomplicated urinary tract infection in primary care. Family Practice, 2017, 34, 392-399.	0.8	9
196	Assessing the medium-term impact of a home-visiting programme on child maltreatment in England: protocol for a routine data linkage study. BMJ Open, 2017, 7, e015728.	0.8	9
197	Patient understanding and acceptability of an early lung cancer diagnosis trial: a qualitative study. Trials, 2018, 19, 419.	0.7	9
198	All-Wales licensed premises intervention (AWLPI): a randomised controlled trial to reduce alcohol-related violence. BMC Public Health, 2014, 14, 21.	1.2	8

#	Article	IF	Citations
199	Systematic review of the economic evidence on home visitation programmes for vulnerable pregnant women. British Medical Bulletin, 2015, 115, 19-44.	2.7	8
200	Using postal randomization to replace telephone randomization had no significant effect on recruitment of patients. Journal of Clinical Epidemiology, 2007, 60, 1046-1051.	2.4	7
201	Assessment of the Construct Validity of the EQ-5D in Patients with Acute Cough/Lower Respiratory Tract Infections. Applied Research in Quality of Life, 2011, 6, 411-423.	1.4	7
202	Airway Obstruction and Bronchodilator Responsiveness in Adults With Acute Cough. Annals of Family Medicine, 2012, 10, 523-529.	0.9	7
203	ECONOMIC EVALUATION OF NEBULIZED MAGNESIUM SULPHATE IN ACUTE SEVERE ASTHMA IN CHILDREN. International Journal of Technology Assessment in Health Care, 2014, 30, 354-360.	0.2	7
204	Measuring clinical skills in agenda-mapping (EAGL-I). Patient Education and Counseling, 2015, 98, 1214-1221.	1.0	7
205	Further results of the FRAGMATIC trial of thromboprophylaxis in lung cancer. Translational Lung Cancer Research, 2016, 5, 347-349.	1.3	7
206	Influence of the duration of penicillin prescriptions on outcomes for acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. British Journal of General Practice, 2017, 67, e623-e633.	0.7	7
207	Effectiveness of home or hospital initiation of treatment at diagnosis for children with type 1 diabetes (DECIDE trial): a multicentre individually randomised controlled trial. BMJ Open, 2019, 9, e032317.	0.8	7
208	Neurofeedback Training versus Treatment-as-Usual for Alcohol Dependence: Results of an Early-Phase Randomized Controlled Trial and Neuroimaging Correlates. European Addiction Research, 2021, 27, 381-394.	1.3	7
209	The Family Nurse Partnership to reduce maltreatment and improve child health and development in young children: the BB:2–6 routine data-linkage follow-up to earlier RCT. Public Health Research, 2021, 9, 1-160.	0.5	7
210	What is usual care for teenagers expecting their first child in England? A process evaluation using key informant mapping and participant survey as part of the Building Blocks randomised controlled trial of specialist home visiting. BMJ Open, 2018, 8, e020152.	0.8	7
211	Challenges in managing urinary tract infection and the potential of a point-of-care test guided care in primary care: an international qualitative study. BJGP Open, 2019, 3, bjgpopen18X101630.	0.9	7
212	Development, implementation and evaluation of an evidence-based paediatric early warning system improvement programme: the PUMA mixed methods study. BMC Health Services Research, 2022, 22, 9.	0.9	7
213	Activity Increase Despite Arthritis (AÃDA): design of a Phase II randomised controlled trial evaluating an active management booklet for hip and knee osteoarthritis [ISRCTN24554946]. BMC Family Practice, 2009, 10, 62.	2.9	6
214	Once Daily Mesalazine as Maintenance Therapy for Ulcerative Colitis (UC): A One-Year Single-Blind Randomised Trial. Gastroenterology, 2011, 140, S-65.	0.6	6
215	Paediatric pneumonia or empyema and prior antibiotic use in primary care: a case–control study. Journal of Antimicrobial Chemotherapy, 2012, 67, 478-487.	1.3	6
216	Why some children hospitalized for pneumonia do not consult with a general practitioner before the day of hospitalization. European Journal of General Practice, 2013, 19, 213-220.	0.9	6

#	Article	IF	CITATIONS
217	Adherence-adjusted estimates of benefits and harms from treatment with amoxicillin for LRTI: secondary analysis of a 12-country randomised placebo-controlled trial using randomisation-based efficacy estimators. BMJ Open, 2015, 5, e006160-e006160.	0.8	6
218	Nappy pad urine samples for investigation and treatment of UTI in young children: the  DUTY' prospective diagnostic cohort study. British Journal of General Practice, 2016, 66, e516-e524.	0.7	6
219	Integrating technology into complex intervention trial processes: a case study. Trials, 2016, 17, 551.	0.7	6
220	Comparison of microbiological diagnosis of urinary tract infection in young children by routine health service laboratories and a research laboratory: Diagnostic cohort study. PLoS ONE, 2017, 12, e0171113.	1.1	6
221	Determinants of initiation, implementation, and discontinuation of amoxicillin by adults with acute cough in primary care. Patient Preference and Adherence, 2017, Volume 11, 561-569.	0.8	6
222	Associations with antibiotic prescribing for acute exacerbation of COPD in primary care: secondary analysis of a randomised controlled trial. British Journal of General Practice, 2021, 71, e266-e272.	0.7	6
223	Biomarker-guided duration of Antibiotic Treatment in Children Hospitalised with confirmed or suspected bacterial infection (BATCH): protocol for a randomised controlled trial. BMJ Open, 2022, 12, e047490.	0.8	6
224	A case study of nurse management of upper respiratory tract infections in general practice. Journal of Advanced Nursing, 2001, 33, 328-333.	1.5	5
225	Identifying key parent-reported symptoms for detecting depression in high risk adolescents. Psychiatry Research, 2016, 242, 210-217.	1.7	5
226	The use of randomisation-based efficacy estimators in non-inferiority trials. Trials, 2017, 18, 117.	0.7	5
227	C-reactive protein-guided antibiotic prescribing for COPD exacerbations: a qualitative evaluation. British Journal of General Practice, 2020, 70, e505-e513.	0.7	5
228	Nurse-led home-visitation programme for first-time mothers in reducing maltreatment and improving child health and development (BB:2-6): longer-term outcomes from a randomised cohort using data linkage. BMJ Open, 2022, 12, e049960.	0.8	5
229	Changing sexual behaviours amongst MSM during the COVID-19 restrictions in Wales: a mixed methods study. BMC Public Health, 2022, 22, 396.	1.2	5
230	Experiences of men who have sex with men when initiating, implementing and persisting with HIV preâ€exposure prophylaxis. Health Expectations, 2022, 25, 1332-1341.	1.1	5
231	Treatment of Hidradenitis Suppurativa Evaluation Study (THESEUS): protocol for a prospective cohort study. BMJ Open, 2022, 12, e060815.	0.8	5
232	PROcalcitonin and NEWS2 evaluation for Timely identification of sepsis and Optimal use of antibiotics in the emergency department (PRONTO): protocol for a multicentre, open-label, randomised controlled trial. BMJ Open, 2022, 12, e063424.	0.8	5
233	Learning to mark: a qualitative study of the experiences and concerns of medical markers. BMC Medical Education, 2006, 6, 25.	1.0	4
234	Costs and consequences of the Family Nurse Partnership (FNP) programme in England: evidence from the Building Blocks trial. F1000Research, 2019, 8, 1640.	0.8	4

#	Article	IF	CITATIONS
235	Oral steroids for hearing loss associated with otitis media with effusion in children aged 2–8 years: the OSTRICH RCT. Health Technology Assessment, 2018, 22, 1-114.	1.3	4
236	A systematic review investigating the use of microbiology outcome measures in randomized controlled trials evaluating antimicrobial stewardship interventions published between 2011 and 2021. JAC-Antimicrobial Resistance, 2022, 4, dlac013.	0.9	4
237	Medicine and self-image in literature. Lancet, The, 2002, 359, 981.	6.3	3
238	Optional screening for DMD: reasons given by mothers for opting in or out. British Journal of Midwifery, 2006, 14, 710-714.	0.1	3
239	Long-term outcomes of urinary tract infection (UTI) in Childhood (LUCI): protocol for an electronic record-linked cohort study. BMJ Open, 2019, 9, e024210.	0.8	3
240	Antibiotics for lower respiratory tract infection in children presenting in primary care (ARTIC-PC): the predictive value of molecular testing. Clinical Microbiology and Infection, 2022, 28, 1238-1244.	2.8	3
241	Can peer review help the marking experience?. Medical Education, 2005, 39, 1156-1157.	1.1	2
242	Carers' perspectives on the presentation of community-acquired pneumonia and empyema in children: a case series. BMJ Open, 2012, 2, e001500.	0.8	2
243	Priority Needs for Conducting Pandemic-relevant Clinical Research With Children in Europe. Pediatric Infectious Disease Journal, 2019, 38, e82-e86.	1.1	2
244	Effectiveness of the Strengthening Families Programme in the UK at preventing substance misuse in 10–14 year-olds: a pragmatic randomised controlled trial. BMJ Open, 2022, 12, e049647.	0.8	2
245	The Presence of Exophiala dermatitidis in the Respiratory Tract of Cystic Fibrosis Patients Accelerates Lung Function Decline: A Retrospective Review of Lung Function. Journal of Fungi (Basel,) Tj ETQq1 1 0.784314 r	gBII\$Overl	ock 10 Tf 50
246	Rasch analysis of the PedsQL 3.0 diabetes module. Trials, 2013, 14, .	0.7	1
247	Impact of a deferred recruitment model in a randomised controlled trial in primary care (CREAM) Tj ETQq1 1 0.78	4314 rgBT 0.7	「/Qverlock 1
248	Probiotics to reduce antibiotic administration in care home residents aged 65 years and older: the PRINCESS RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-128.	0.9	1
249	All-Wales Licensed Premises Intervention (AWLPI): a randomised controlled trial of an intervention to reduce alcohol-related violence. Public Health Research, 2015, 3, 1-152.	0.5	1
250	Effect of 2-Week Treatment With Pirenzepine on Fasting and Postprandial Glucose Concentrations in Individuals With Type 2 Diabetes. Diabetes Care, 2003, 26, 1636-1637.	4.3	0
251	Measuring illness and exercise beliefs in osteoarthritis of the hip or knee: psychometric properties of the â€~Hip and Knee Beliefs Questionnaire' and the â€~Exercise Attitude Questionnaire'. International Musculoskeletal Medicine, 2012, 34, 13-20.	0.1	O
252	Previous general practitioner consulting behaviour as a predictor of pneumonia in children. European Respiratory Journal, 2013, 41, 1233-1234.	3.1	0

#	Article	IF	CITATIONS
253	Influence of lung function on course of disease and response to antibiotic therapy in adult primary care patients with acute cough: a post hoc analysis of patients enrolled in a prospective multicentre study. Npj Primary Care Respiratory Medicine, 2014, 24, 14067.	1.1	0
254	Site visits to initiate recruitment in a clinical trial: does it matter who conducts the visit? Protocol for implementation in trials. Journal of Evidence-Based Medicine, 2016, 9, 225-227.	0.7	0
255	Assessing predictors of respiratory tract infections in infants born to teenage mothers: secondary analysis of the Building Blocks trial data. Family Practice, 2020, 37, 623-630.	0.8	O
256	Health professionals' perspectives on delivering home and hospital management at diagnosis for children with type 1 diabetes: A qualitative study from the Delivering Early Care in Diabetes Evaluation trial. Pediatric Diabetes, 2020, 21, 824-831.	1.2	0
257	A Discrete-Choice Experiment to capture public preferences on the benefits of home-visiting programme for teenage mothers. F1000Research, 0, 9, 677.	0.8	0
258	Development, implementation and evaluation of an early warning system improvement programme for children in hospital: the PUMA mixed-methods study., 2022, 10, 1-308.		0
259	Associations with Post-Consultation Health-Status in Primary Care Managed Acute Exacerbation of COPD. International Journal of COPD, 2022, Volume 17, 383-394.	0.9	0
260	Attitudes towards the collection and linkage of maltreatment data for research: A qualitative study International Journal of Population Data Science, 2022, 7, 1693.	0.1	0