

Kerenza Hood

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4918178/publications.pdf>

Version: 2024-02-01

260
papers

10,828
citations

39113

52
h-index

49824

91
g-index

265
all docs

265
docs citations

265
times ranked

14024
citing authors

#	ARTICLE	IF	CITATIONS
1	Development, implementation and evaluation of an evidence-based paediatric early warning system improvement programme: the PUMA mixed methods study. BMC Health Services Research, 2022, 22, 9.	0.9	7
2	Development, implementation and evaluation of an early warning system improvement programme for children in hospital: the PUMA mixed-methods study. , 2022, 10, 1-308.		0
3	A systematic review investigating the use of microbiology outcome measures in randomized controlled trials evaluating antimicrobial stewardship interventions published between 2011 and 2021. JAC-Antimicrobial Resistance, 2022, 4, dlac013.	0.9	4
4	Biomarker-guided duration of Antibiotic Treatment in Children Hospitalised with confirmed or suspected bacterial infection (BATCH): protocol for a randomised controlled trial. BMJ Open, 2022, 12, e047490.	0.8	6
5	Nurse-led home-visitation programme for first-time mothers in reducing maltreatment and improving child health and development (BB:2-6): longer-term outcomes from a randomised cohort using data linkage. BMJ Open, 2022, 12, e049960.	0.8	5
6	Associations with Post-Consultation Health-Status in Primary Care Managed Acute Exacerbation of COPD. International Journal of COPD, 2022, Volume 17, 383-394.	0.9	0
7	Changing sexual behaviours amongst MSM during the COVID-19 restrictions in Wales: a mixed methods study. BMC Public Health, 2022, 22, 396.	1.2	5
8	Effectiveness of the Strengthening Families Programme in the UK at preventing substance misuse in 10-14 year-olds: a pragmatic randomised controlled trial. BMJ Open, 2022, 12, e049647.	0.8	2
9	Antibiotics for lower respiratory tract infection in children presenting in primary care (ARTIC-PC): the predictive value of molecular testing. Clinical Microbiology and Infection, 2022, 28, 1238-1244.	2.8	3
10	The Presence of Exophiala dermatitidis in the Respiratory Tract of Cystic Fibrosis Patients Accelerates Lung Function Decline: A Retrospective Review of Lung Function. Journal of Fungi (Basel,) Tj ETQq0 0 0 rgBT /Overlapp 10 Tf 50 377 Td (
11	Experiences of men who have sex with men when initiating, implementing and persisting with HIV pre-exposure prophylaxis. Health Expectations, 2022, 25, 1332-1341.	1.1	5
12	Treatment of Hidradenitis Suppurativa Evaluation Study (THESEUS): protocol for a prospective cohort study. BMJ Open, 2022, 12, e060815.	0.8	5
13	Attitudes towards the collection and linkage of maltreatment data for research: A qualitative study.. International Journal of Population Data Science, 2022, 7, 1693.	0.1	0
14	Unpacking the "black box of horrendousness": a qualitative exploration of the barriers and facilitators to conducting trials involving adults lacking capacity to consent. Trials, 2022, 23, .	0.7	13
15	PROcalcitonin and NEWS2 evaluation for Timely identification of sepsis and Optimal use of antibiotics in the emergency department (PRONTO): protocol for a multicentre, open-label, randomised controlled trial. BMJ Open, 2022, 12, e063424.	0.8	5
16	Early impact of COVID-19 social distancing measures on reported sexual behaviour of HIV pre-exposure prophylaxis users in Wales. Sexually Transmitted Infections, 2021, 97, 85-87.	0.8	23
17	Neurofeedback Training versus Treatment-as-Usual for Alcohol Dependence: Results of an Early-Phase Randomized Controlled Trial and Neuroimaging Correlates. European Addiction Research, 2021, 27, 381-394.	1.3	7
18	The Family Nurse Partnership to reduce maltreatment and improve child health and development in young children: the BB:2-6 routine data-linkage follow-up to earlier RCT. Public Health Research, 2021, 9, 1-160.	0.5	7

#	ARTICLE	IF	CITATIONS
19	Associations with antibiotic prescribing for acute exacerbation of COPD in primary care: secondary analysis of a randomised controlled trial. <i>British Journal of General Practice</i> , 2021, 71, e266-e272.	0.7	6
20	Probiotics to reduce antibiotic administration in care home residents aged 65 years and older: the PRINCESS RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-128.	0.9	1
21	Antibiotics for lower respiratory tract infection in children presenting in primary care in England (ARTIC PC): a double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2021, 398, 1417-1426.	6.3	32
22	Trial Forge Guidance 2: how to decide if a further Study Within A Trial (SWAT) is needed. <i>Trials</i> , 2020, 21, 33.	0.7	29
23	Study protocol: azithromycin therapy for chronic lung disease of prematurity (AZTEC) - a randomised, placebo-controlled trial of azithromycin for the prevention of chronic lung disease of prematurity in preterm infants. <i>BMJ Open</i> , 2020, 10, e041528.	0.8	19
24	Effect of Probiotic Use on Antibiotic Administration Among Care Home Residents. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 47.	3.8	22
25	<p>Clinical Features and C-Reactive Protein as Predictors of Bacterial Exacerbations of COPD</p>. <i>International Journal of COPD</i> , 2020, Volume 15, 3147-3158.	0.9	12
26	C-reactive protein-guided antibiotic prescribing for COPD exacerbations: a qualitative evaluation. <i>British Journal of General Practice</i> , 2020, 70, e505-e513.	0.7	5
27	Assessing predictors of respiratory tract infections in infants born to teenage mothers: secondary analysis of the Building Blocks trial data. <i>Family Practice</i> , 2020, 37, 623-630.	0.8	0
28	Health professionals' perspectives on delivering home and hospital management at diagnosis for children with type 1 diabetes: A qualitative study from the Delivering Early Care in Diabetes Evaluation trial. <i>Pediatric Diabetes</i> , 2020, 21, 824-831.	1.2	0
29	C-reactive protein point-of-care testing for safely reducing antibiotics for acute exacerbations of chronic obstructive pulmonary disease: the PACE RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-108.	1.3	26
30	Protection by exclusion? The (lack of) inclusion of adults who lack capacity to consent to research in clinical trials in the UK. <i>Trials</i> , 2019, 20, 474.	0.7	54
31	C-Reactive Protein Testing to Guide Antibiotic Prescribing for COPD Exacerbations. <i>New England Journal of Medicine</i> , 2019, 381, 111-120.	13.9	168
32	Protocol for a double-blind placebo-controlled trial to evaluate the efficacy of probiotics in reducing antibiotics for infection in care home residents: the Probiotics to Reduce Infections iN CarE home reSidentS (PRINCESS) trial. <i>BMJ Open</i> , 2019, 9, e027513.	0.8	12
33	Engaging high-risk groups in early lung cancer diagnosis: a qualitative study of symptom presentation and intervention preferences among the UK’s most deprived communities. <i>BMJ Open</i> , 2019, 9, e025902.	0.8	22
34	Validity and effectiveness of paediatric early warning systems and track and trigger tools for identifying and reducing clinical deterioration in hospitalised children: a systematic review. <i>BMJ Open</i> , 2019, 9, e022105.	0.8	60
35	Research involving adults lacking capacity to consent: a content analysis of participant information sheets for consultees and legal representatives in England and Wales. <i>Trials</i> , 2019, 20, 233.	0.7	19
36	Long-term outcomes of urinary tract infection (UTI) in Childhood (LUCI): protocol for an electronic record-linked cohort study. <i>BMJ Open</i> , 2019, 9, e024210.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Priority Needs for Conducting Pandemic-relevant Clinical Research With Children in Europe. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, e82-e86.	1.1	2
38	Antibiotic Prescribing for Acute Respiratory Tract Infections 12 Months After Communication and CRP Training: A Randomized Trial. <i>Annals of Family Medicine</i> , 2019, 17, 125-132.	0.9	38
39	Effectiveness of home or hospital initiation of treatment at diagnosis for children with type 1 diabetes (DECIDE trial): a multicentre individually randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032317.	0.8	7
40	Identification of clinical and urine biomarkers for uncomplicated urinary tract infection using machine learning algorithms. <i>Scientific Reports</i> , 2019, 9, 19694.	1.6	36
41	Optimising paediatric afferent component early warning systems: a hermeneutic systematic literature review and model development. <i>BMJ Open</i> , 2019, 9, e028796.	0.8	10
42	Costs and consequences of the Family Nurse Partnership (FNP) programme in England: evidence from the Building Blocks trial. <i>F1000Research</i> , 2019, 8, 1640.	0.8	4
43	Challenges in managing urinary tract infection and the potential of a point-of-care test guided care in primary care: an international qualitative study. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101630.	0.9	7
44	Point-of-care urine culture for managing urinary tract infection in primary care: a randomised controlled trial of clinical and cost-effectiveness. <i>British Journal of General Practice</i> , 2018, 68, e268-e278.	0.7	25
45	Understanding students' and clinicians' experiences of informal interprofessional workplace learning: an Australian qualitative study. <i>BMJ Open</i> , 2018, 8, e021238.	0.8	24
46	Talking to the people that really matter about their participation in pandemic clinical research: A qualitative study in four European countries. <i>Health Expectations</i> , 2018, 21, 387-395.	1.1	24
47	Healthcare professionals' understanding of the legislation governing research involving adults lacking mental capacity in England and Wales: a national survey. <i>Journal of Medical Ethics</i> , 2018, 44, 632-637.	1.0	21
48	Rapid overview of systematic reviews of nocebo effects reported by patients taking placebos in clinical trials. <i>Trials</i> , 2018, 19, 674.	0.7	37
49	Matching diagnostics development to clinical need: Target product profile development for a point of care test for community-acquired lower respiratory tract infection. <i>PLoS ONE</i> , 2018, 13, e0200531.	1.1	10
50	Ethical understandings of proxy decision making for research involving adults lacking capacity: A systematic review (framework synthesis) of empirical research. <i>AJOB Empirical Bioethics</i> , 2018, 9, 267-286.	0.8	18
51	Use of co-primary outcomes for trials of antimicrobial stewardship interventions. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 595-597.	4.6	12
52	Targeting the affective brain—a randomized controlled trial of real-time fMRI neurofeedback in patients with depression. <i>Neuropsychopharmacology</i> , 2018, 43, 2578-2585.	2.8	129
53	Patient understanding and acceptability of an early lung cancer diagnosis trial: a qualitative study. <i>Trials</i> , 2018, 19, 419.	0.7	9
54	A prospective, mixed-methods, before and after study to identify the evidence base for the core components of an effective Paediatric Early Warning System and the development of an implementation package containing those core recommendations for use in the UK: Paediatric early warning system 'utilisation and mortality avoidance' the PUMA study protocol. <i>BMC Pediatrics</i> , 2018, 18, 244.	0.7	16

#	ARTICLE	IF	CITATIONS
55	Effectiveness of Active Support for adults with intellectual disability in residential settings: Systematic review and meta-analysis. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2018, 31, 983-998.	1.3	19
56	Oral steroids for resolution of otitis media with effusion in children (OSTRICH): a double-blinded, placebo-controlled randomised trial. <i>Lancet, The</i> , 2018, 392, 557-568.	6.3	31
57	What is usual care for teenagers expecting their first child in England? A process evaluation using key informant mapping and participant survey as part of the Building Blocks randomised controlled trial of specialist home visiting. <i>BMJ Open</i> , 2018, 8, e020152.	0.8	7
58	Challenges in accessing routinely collected data from multiple providers in the UK for primary studies: Managing the morass.. <i>International Journal of Population Data Science</i> , 2018, 3, 432.	0.1	19
59	Oral steroids for hearing loss associated with otitis media with effusion in children aged 2-8 years: the OSTRICH RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-114.	1.3	4
60	Interventions for hidradenitis suppurativa. <i>The Cochrane Library</i> , 2017, 2017, CD010081.	1.5	44
61	Establishing a set of research priorities in care homes for older people in the UK: a modified Delphi consensus study with care home staff. <i>Age and Ageing</i> , 2017, 46, 284-290.	0.7	16
62	Immediate chest X-ray for patients at risk of lung cancer presenting in primary care: randomised controlled feasibility trial. <i>British Journal of Cancer</i> , 2017, 116, 293-302.	2.9	15
63	Oral and Topical Antibiotics for Clinically Infected Eczema in Children: A Pragmatic Randomized Controlled Trial in Ambulatory Care. <i>Annals of Family Medicine</i> , 2017, 15, 124-130.	0.9	42
64	Clinicians' interpretations of point of care urine culture versus laboratory culture results: analysis from the four-country POETIC trial of diagnosis of uncomplicated urinary tract infection in primary care. <i>Family Practice</i> , 2017, 34, 392-399.	0.8	9
65	Physical Activity Self-Management and Coaching Compared to Social Interaction in Huntington Disease: Results From the ENGAGE-HD Randomized, Controlled Pilot Feasibility Trial. <i>Physical Therapy</i> , 2017, 97, 625-639.	1.1	22
66	An application of Extended Normalisation Process Theory in a randomised controlled trial of a complex social intervention: Process evaluation of the Strengthening Families Programme (10-14) in Wales, UK. <i>SSM - Population Health</i> , 2017, 3, 255-265.	1.3	27
67	Assessing the medium-term impact of a home-visiting programme on child maltreatment in England: protocol for a routine data linkage study. <i>BMJ Open</i> , 2017, 7, e015728.	0.8	9
68	Cost-effectiveness of the Family Nurse Partnership (FNP) programme in England: Evidence from the building blocks trial. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 1367-1374.	0.9	17
69	Symptom response to antibiotic prescribing strategies in acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. <i>British Journal of General Practice</i> , 2017, 67, e634-e642.	0.7	13
70	The effectiveness of an intervention to reduce alcohol-related violence in premises licensed for the sale and on-site consumption of alcohol: a randomized controlled trial. <i>Addiction</i> , 2017, 112, 1898-1906.	1.7	10
71	Comparison between treatment effects in a randomised controlled trial and an observational study using propensity scores in primary care. <i>British Journal of General Practice</i> , 2017, 67, e643-e649.	0.7	11
72	Influence of the duration of penicillin prescriptions on outcomes for acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. <i>British Journal of General Practice</i> , 2017, 67, e623-e633.	0.7	7

#	ARTICLE	IF	CITATIONS
73	Variations in presentation, management, and patient outcomes of urinary tract infection: a prospective four-country primary care observational cohort study. <i>British Journal of General Practice</i> , 2017, 67, e830-e841.	0.7	59
74	The use of randomisation-based efficacy estimators in non-inferiority trials. <i>Trials</i> , 2017, 18, 117.	0.7	5
75	Comparison of microbiological diagnosis of urinary tract infection in young children by routine health service laboratories and a research laboratory: Diagnostic cohort study. <i>PLoS ONE</i> , 2017, 12, e0171113.	1.1	6
76	Face and content validity of the virtual reality simulator "ScanTrainer"™. <i>Gynecological Surgery</i> , 2017, 14, 18.	0.9	25
77	General practitioner use of a C-reactive protein point-of-care test to help target antibiotic prescribing in patients with acute exacerbations of chronic obstructive pulmonary disease (the PACE study): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 442.	0.7	16
78	Impact of a deferred recruitment model in a randomised controlled trial in primary care (CREAM) <small>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5</small>	0.7	1
79	Determinants of initiation, implementation, and discontinuation of amoxicillin by adults with acute cough in primary care. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 561-569.	0.8	6
80	Seal or Varnish? A randomised controlled trial to determine the relative cost and effectiveness of pit and fissure sealant and fluoride varnish in preventing dental decay. <i>Health Technology Assessment</i> , 2017, 21, 1-256.	1.3	38
81	Further results of the FRAGMATIC trial of thromboprophylaxis in lung cancer. <i>Translational Lung Cancer Research</i> , 2016, 5, 347-349.	1.3	7
82	Neurofeedback training for alcohol dependence versus treatment as usual: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 480.	0.7	25
83	Development and Delivery of a Physical Activity Intervention for People With Huntington Disease. <i>Journal of Neurologic Physical Therapy</i> , 2016, 40, 71-80.	0.7	24
84	Improving the Diagnosis and Treatment of Urinary Tract Infection in Young Children in Primary Care: Results from the DUTY Prospective Diagnostic Cohort Study. <i>Annals of Family Medicine</i> , 2016, 14, 325-336.	0.9	29
85	Nappy pad urine samples for investigation and treatment of UTI in young children: the "DUTY"™ prospective diagnostic cohort study. <i>British Journal of General Practice</i> , 2016, 66, e516-e524.	0.7	6
86	Identifying key parent-reported symptoms for detecting depression in high risk adolescents. <i>Psychiatry Research</i> , 2016, 242, 210-217.	1.7	5
87	Site visits to initiate recruitment in a clinical trial: does it matter who conducts the visit? Protocol for implementation in trials. <i>Journal of Evidence-Based Medicine</i> , 2016, 9, 225-227.	0.7	0
88	Motivational interviewing competencies among UK family nurse partnership nurses: a process evaluation component of the building blocks trial. <i>BMC Nursing</i> , 2016, 15, 55.	0.9	9
89	Integrating technology into complex intervention trial processes: a case study. <i>Trials</i> , 2016, 17, 551.	0.7	6
90	Understanding flucloxacillin prescribing trends and treatment non-response in UK primary care: a Clinical Practice Research Datalink (CPRD) study. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2037-2046.	1.3	23

#	ARTICLE	IF	CITATIONS
91	Amoxicillin for clinically unsuspected pneumonia in primary care: subgroup analysis. <i>European Respiratory Journal</i> , 2016, 47, 327-330.	3.1	14
92	Empiric antibiotic treatment for urinary tract infection in preschool children: susceptibilities of urine sample isolates. <i>Family Practice</i> , 2016, 33, 127-132.	0.8	12
93	Oral steroids for the resolution of otitis media with effusion (OME) in children (OSTRICH): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 115.	0.7	13
94	Randomized Phase III Trial of Standard Therapy Plus Low Molecular Weight Heparin in Patients With Lung Cancer: FRAGMATIC Trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 488-494.	0.8	138
95	Effectiveness of a nurse-led intensive home-visitation programme for first-time teenage mothers (Building Blocks): a pragmatic randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 146-155.	6.3	217
96	A randomised placebo-controlled trial of oral and topical antibiotics for children with clinically infected eczema in the community: the ChildRen with Eczema, Antibiotic Management (CREAM) study. <i>Health Technology Assessment</i> , 2016, 20, 1-84.	1.3	26
97	The Diagnosis of Urinary Tract infection in Young children (DUTY): a diagnostic prospective observational study to derive and validate a clinical algorithm for the diagnosis of urinary tract infection in children presenting to primary care with an acute illness. <i>Health Technology Assessment</i> , 2016, 20, 1-294.	1.3	56
98	Key stakeholder perceptions about consent to participate in acute illness research: a rapid, systematic review to inform epi/pandemic research preparedness. <i>Trials</i> , 2015, 16, 591.	0.7	29
99	Eligibility for interventions, co-occurrence and risk factors for unhealthy behaviours in patients consulting for routine primary care: results from the Pre-Empt study. <i>BMC Family Practice</i> , 2015, 16, 133.	2.9	10
100	Discrepancies between qualitative and quantitative evaluation of randomised controlled trial results: achieving clarity through mixed methods triangulation. <i>Implementation Science</i> , 2015, 11, 66.	2.5	65
101	Fibrinogen concentrate versus placebo for treatment of postpartum haemorrhage: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 169.	0.7	31
102	Systematic review of the economic evidence on home visitation programmes for vulnerable pregnant women. <i>British Medical Bulletin</i> , 2015, 115, 19-44.	2.7	8
103	Illness perception and related behaviour in lower respiratory tract infections—a European study. <i>Family Practice</i> , 2015, 32, 152-158.	0.8	10
104	Adherence-adjusted estimates of benefits and harms from treatment with amoxicillin for LRTI: secondary analysis of a 12-country randomised placebo-controlled trial using randomisation-based efficacy estimators. <i>BMJ Open</i> , 2015, 5, e006160-e006160.	0.8	6
105	Childhood urinary tract infection in primary care: a prospective observational study of prevalence, diagnosis, treatment, and recovery. <i>British Journal of General Practice</i> , 2015, 65, e217-e223.	0.7	16
106	Setting up a clinical trial in care homes: challenges encountered and recommendations for future research practice. <i>BMC Research Notes</i> , 2015, 8, 306.	0.6	34
107	Validity of a clinical model to predict influenza in patients presenting with symptoms of lower respiratory tract infection in primary care. <i>Family Practice</i> , 2015, 32, cmv039.	0.8	12
108	Antibiotic prescribing and associated diarrhoea: a prospective cohort study of care home residents. <i>Age and Ageing</i> , 2015, 44, 853-860.	0.7	32

#	ARTICLE	IF	CITATIONS
109	Clinical predictors of antibiotic prescribing for acutely ill children in primary care: an observational study. <i>British Journal of General Practice</i> , 2015, 65, e585-e592.	0.7	30
110	Measuring clinical skills in agenda-mapping (EAGL-I). <i>Patient Education and Counseling</i> , 2015, 98, 1214-1221.	1.0	7
111	A feasibility randomised controlled trial of a motivational interviewing-based intervention for weight loss maintenance in adults. <i>Health Technology Assessment</i> , 2015, 19, 1-378.	1.3	40
112	A feasibility study to inform the design of a randomised controlled trial to identify the most clinically effective and cost-effective length of Anticoagulation with Low-molecular-weight heparin In the treatment of Cancer-Associated Thrombosis (ALICAT). <i>Health Technology Assessment</i> , 2015, 19, 1-94.	1.3	26
113	All-Wales Licensed Premises Intervention (AWLPI): a randomised controlled trial of an intervention to reduce alcohol-related violence. <i>Public Health Research</i> , 2015, 3, 1-152.	0.5	1
114	Point of care testing for urinary tract infection in primary care (POETIC): protocol for a randomised controlled trial of the clinical and cost effectiveness of FLEXICULT [™] , [†] informed management of uncomplicated UTI in primary care. <i>BMC Family Practice</i> , 2014, 15, 187.	2.9	25
115	Supporting physical activity engagement in people with Huntington [™] s disease (ENGAGE-HD): study protocol for a randomized controlled feasibility trial. <i>Trials</i> , 2014, 15, 487.	0.7	16
116	ECONOMIC EVALUATION OF NEBULIZED MAGNESIUM SULPHATE IN ACUTE SEVERE ASTHMA IN CHILDREN. <i>International Journal of Technology Assessment in Health Care</i> , 2014, 30, 354-360.	0.2	7
117	Cultural adaptation and intervention integrity: a response to Skarstrand, Sundell and Andreasson. <i>European Journal of Public Health</i> , 2014, 24, 354-355.	0.1	15
118	Patient-reported measurement of time to diagnosis in cancer: development of the Cancer Symptom Interval Measure (C-SIM) and randomised controlled trial of method of delivery. <i>BMC Health Services Research</i> , 2014, 14, 3.	0.9	28
119	Electronic Monitoring of Medication Adherence in a 1-year Clinical Study of 2 Dosing Regimens of Mesalazine for Adults in Remission with Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 82-91.	0.9	18
120	Trust, openness and continuity of care influence acceptance of antibiotics for children with respiratory tract infections: a four country qualitative study. <i>Family Practice</i> , 2014, 31, 102-110.	0.8	36
121	Antibiotic prescription strategies for acute sore throat: a prospective observational cohort study. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 213-219.	4.6	100
122	All-Wales licensed premises intervention (AWLPI): a randomised controlled trial to reduce alcohol-related violence. <i>BMC Public Health</i> , 2014, 14, 21.	1.2	8
123	Preventing substance misuse: study protocol for a randomised controlled trial of the Strengthening Families Programme 10 [™] UK (SFP 10 [™] UK). <i>BMC Public Health</i> , 2014, 14, 49.	1.2	12
124	A feasibility study to inform the design of a randomized controlled trial to identify the most clinically and cost effective Anticoagulation Length with low molecular weight heparin In the treatment of Cancer Associated Thrombosis (ALICAT): study protocol for a mixed-methods study. <i>Trials</i> , 2014, 15, 122.	0.7	11
125	Oral ibandronic acid versus intravenous zoledronic acid in treatment of bone metastases from breast cancer: a randomised, open label, non-inferiority phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 114-122.	5.1	109
126	Mindfulness-based therapy for inflammatory bowel disease patients with functional abdominal symptoms or high perceived stress levels. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 945-955.	0.6	88

#	ARTICLE	IF	CITATIONS
127	Influence of lung function on course of disease and response to antibiotic therapy in adult primary care patients with acute cough: a post hoc analysis of patients enrolled in a prospective multicentre study. <i>Npj Primary Care Respiratory Medicine</i> , 2014, 24, 14067.	1.1	0
128	Probiotics for Antibiotic-Associated Diarrhoea (PAAD): a prospective observational study of antibiotic-associated diarrhoea (including <i>Clostridium difficile</i> -associated diarrhoea) in care homes. <i>Health Technology Assessment</i> , 2014, 18, 1-84.	1.3	27
129	A self-help coping intervention can reduce anxiety and avoidant health behaviours whilst waiting for cancer genetic risk information: results of a phase III randomised trial. <i>Psycho-Oncology</i> , 2013, 22, 837-844.	1.0	14
130	Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. <i>Lancet, The</i> , 2013, 382, 1175-1182.	6.3	329
131	Personalised risk communication for informed decision making about taking screening tests. <i>The Cochrane Library</i> , 2013, , CD001865.	1.5	180
132	QUALZICE: A QUALitative exploration of the experiences of the participants from the ZICE clinical trial (metastatic breast cancer) receiving intravenous or oral bisphosphonates. <i>Trials</i> , 2013, 14, 325.	0.7	14
133	Consent, including advanced consent, of older adults to research in care homes: a qualitative study of stakeholders' views in South Wales. <i>Trials</i> , 2013, 14, 247.	0.7	22
134	The effectiveness and cost-effectiveness of the Family Nurse Partnership home visiting programme for first time teenage mothers in England: a protocol for the Building Blocks randomised controlled trial. <i>BMC Pediatrics</i> , 2013, 13, 114.	0.7	36
135	Parents' and clinicians' views of an interactive booklet about respiratory tract infections in children: a qualitative process evaluation of the EQUIP randomised controlled trial. <i>BMC Family Practice</i> , 2013, 14, 182.	2.9	51
136	Why some children hospitalized for pneumonia do not consult with a general practitioner before the day of hospitalization. <i>European Journal of General Practice</i> , 2013, 19, 213-220.	0.9	6
137	Amoxicillin for acute lower-respiratory-tract infection in primary care when pneumonia is not suspected: a 12-country, randomised, placebo-controlled trial. <i>Lancet Infectious Diseases, The</i> , 2013, 13, 123-129.	4.6	187
138	Magnesium sulphate in acute severe asthma in children (MAGNETIC): a randomised, placebo-controlled trial. <i>Lancet Respiratory Medicine, the</i> , 2013, 1, 301-308.	5.2	64
139	Development of a scale to measure fidelity to manualized group-based cognitive behavioural interventions for people with intellectual disabilities. <i>Research in Developmental Disabilities</i> , 2013, 34, 4210-4221.	1.2	17
140	The Experiences of Staff Taking on the Role of Lay Therapist in a Group-Based Cognitive Behavioural Therapy Anger Management Intervention for People with Intellectual Disabilities. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2013, 26, 63-70.	1.3	12
141	The impact of using different tariffs to value EQ-5D health state descriptions: an example from a study of acute cough/lower respiratory tract infections in seven countries. <i>European Journal of Health Economics</i> , 2013, 14, 197-209.	1.4	16
142	Predictors of suppurative complications for acute sore throat in primary care: prospective clinical cohort study. <i>BMJ, The</i> , 2013, 347, f6867-f6867.	3.0	84
143	A feasibility study examining the effect on lung cancer diagnosis of offering a chest X-ray to higher-risk patients with chest symptoms: protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 405.	0.7	9
144	Rasch analysis of the PedsQL 3.0 diabetes module. <i>Trials</i> , 2013, 14, .	0.7	1

#	ARTICLE	IF	CITATIONS
145	Prevalence of urinary tract infection in acutely unwell children in general practice: a prospective study with systematic urine sampling. <i>British Journal of General Practice</i> , 2013, 63, e156-e164.	0.7	47
146	Enhanced Communication Skills and C-reactive Protein Point-of-Care Testing for Respiratory Tract Infection: 3.5-year Follow-up of a Cluster Randomized Trial. <i>Annals of Family Medicine</i> , 2013, 11, 157-164.	0.9	93
147	Training practitioners to deliver opportunistic multiple behaviour change counselling in primary care: a cluster randomised trial. <i>BMJ, The</i> , 2013, 346, f1191-f1191.	3.0	106
148	Diagnosing pneumonia in patients with acute cough: clinical judgment compared to chest radiography. <i>European Respiratory Journal</i> , 2013, 42, 1076-1082.	3.1	80
149	Previous general practitioner consulting behaviour as a predictor of pneumonia in children. <i>European Respiratory Journal</i> , 2013, 41, 1233-1234.	3.1	0
150	Primary care clinicians' perceptions of antibiotic resistance: a multi-country qualitative interview study. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 237-243.	1.3	51
151	Different Factors Influence Self-Reports and Third-Party Reports of Anger by Adults with Intellectual Disabilities. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2013, 26, 410-419.	1.3	15
152	Group-based cognitive-behavioural anger management for people with mild to moderate intellectual disabilities: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2013, 203, 288-296.	1.7	94
153	Are Patient Views about Antibiotics Related to Clinician Perceptions, Management and Outcome? A Multi-Country Study in Outpatients with Acute Cough. <i>PLoS ONE</i> , 2013, 8, e76691.	1.1	97
154	Incidental Chest Radiographic Findings in Adult Patients With Acute Cough. <i>Annals of Family Medicine</i> , 2012, 10, 510-515.	0.9	13
155	Understanding variation in primary medical care: a nine-country qualitative study of clinicians' accounts of the non-clinical factors that shape antibiotic prescribing decisions for lower respiratory tract infection. <i>BMJ Open</i> , 2012, 2, e000796.	0.8	54
156	Paediatric pneumonia or empyema and prior antibiotic use in primary care: a case-control study. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 478-487.	1.3	6
157	Airway Obstruction and Bronchodilator Responsiveness in Adults With Acute Cough. <i>Annals of Family Medicine</i> , 2012, 10, 523-529.	0.9	7
158	The effect of the Talking Diabetes consulting skills intervention on glycaemic control and quality of life in children with type 1 diabetes: cluster randomised controlled trial (DEPICTED study). <i>BMJ, The</i> , 2012, 344, e2359-e2359.	3.0	59
159	Continuity of care in the transition from child to adult diabetes services: A realistic evaluation study. <i>Journal of Health Services Research and Policy</i> , 2012, 17, 140-148.	0.8	34
160	Does taking probiotics routinely with antibiotics prevent antibiotic associated diarrhoea?. <i>BMJ: British Medical Journal</i> , 2012, 344, e682-e682.	2.4	20
161	Measuring illness and exercise beliefs in osteoarthritis of the hip or knee: psychometric properties of the 'Hip and Knee Beliefs Questionnaire' and the 'Exercise Attitude Questionnaire'. <i>International Musculoskeletal Medicine</i> , 2012, 34, 13-20.	0.1	0
162	Clinical influences on antibiotic prescribing decisions for lower respiratory tract infection: a nine country qualitative study of variation in care. <i>BMJ Open</i> , 2012, 2, e000795.	0.8	46

#	ARTICLE	IF	CITATIONS
163	Carersâ€™ perspectives on the presentation of community-acquired pneumonia and empyema in children: a case series. <i>BMJ Open</i> , 2012, 2, e001500.	0.8	2
164	Antibiotics for acute cough: an international observational study of patient adherence in primary care. <i>British Journal of General Practice</i> , 2012, 62, e429-e437.	0.7	50
165	Effectiveness of multifaceted educational programme to reduce antibiotic dispensing in primary care: practice based randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2012, 344, d8173-d8173.	2.4	239
166	Protocol for â€œSeal or Varnish?â€•(SoV) trial: a randomised controlled trial to measure the relative cost and effectiveness of pit and fissure sealants and fluoride varnish in preventing dental decay. <i>BMC Oral Health</i> , 2012, 12, 51.	0.8	14
167	The diagnosis of urinary tract infections in young children (DUTY): protocol for a diagnostic and prospective observational study to derive and validate a clinical algorithm for the diagnosis of UTI in children presenting to primary care with an acute illness. <i>BMC Infectious Diseases</i> , 2012, 12, 158.	1.3	26
168	Delayed antibiotic prescribing and associated antibiotic consumption in adults with acute cough. <i>British Journal of General Practice</i> , 2012, 62, e639-e646.	0.7	53
169	Anxiety, depression and quality of life after cancer diagnosis: what psychosocial variables best predict how patients adjust?. <i>Psycho-Oncology</i> , 2012, 21, 857-867.	1.0	93
170	One-year investigator-blind randomized multicenter trial comparing asacol 2.4 g once daily with 800 mg three times daily for maintenance of remission in ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2012, 18, 1885-1893.	0.9	22
171	â€œThe Body Gets Used to Themâ€™: Patientsâ€™ Interpretations of Antibiotic Resistance and the Implications for Containment Strategies. <i>Journal of General Internal Medicine</i> , 2012, 27, 766-772.	1.3	84
172	Developing an online psychoeducation package for bipolar disorder. <i>Journal of Mental Health</i> , 2011, 20, 21-31.	1.0	25
173	Once Daily Mesalazine as Maintenance Therapy for Ulcerative Colitis (UC): A One-Year Single-Blind Randomised Trial. <i>Gastroenterology</i> , 2011, 140, S-65.	0.6	6
174	Anger management for people with mild to moderate learning disabilities: Study protocol for a multi-centre cluster randomized controlled trial of a manualized intervention delivered by day-service staff. <i>Trials</i> , 2011, 12, 36.	0.7	13
175	Unrecognised bipolar disorder in primary care patients with depression. <i>British Journal of Psychiatry</i> , 2011, 199, 49-56.	1.7	127
176	Towards clinical definitions of lower respiratory tract infection (LRTI) for research and primary care practice in Europe: an international consensus study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2011, 20, 299-306.	2.5	25
177	Activity Increase Despite Arthritis (AADA): phase II randomised controlled trial of an active management booklet for hip and knee osteoarthritis in primary care. <i>British Journal of General Practice</i> , 2011, 61, e452-e458.	0.7	19
178	Severity assessment for lower respiratory tract infections: potential use and validity of the CRB-65 in primary care. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2011, 21, 65-70.	2.5	16
179	<i>Beating Bipolar</i>: exploratory trial of a novel internetâ€based psychoeducational treatment for bipolar disorder. <i>Bipolar Disorders</i> , 2011, 13, 571-577.	1.1	81
180	C-reactive protein point of care testing and physician communication skills training for lower respiratory tract infections in general practice: economic evaluation of a cluster randomized trial. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 1059-1069.	0.9	76

#	ARTICLE	IF	CITATIONS
181	Resource use and costs of treating acute cough/lower respiratory tract infections in 13 European countries: results and challenges. <i>European Journal of Health Economics</i> , 2011, 12, 319-329.	1.4	28
182	Assessment of the Construct Validity of the EQ-5D in Patients with Acute Cough/Lower Respiratory Tract Infections. <i>Applied Research in Quality of Life</i> , 2011, 6, 411-423.	1.4	7
183	Building an international network for a primary care research program: reflections on challenges and solutions in the set-up and delivery of a prospective observational study of acute cough in 13 European countries. <i>BMC Family Practice</i> , 2011, 12, 78.	2.9	14
184	Delivering early care in diabetes evaluation (DECIDE): a protocol for a randomised controlled trial to assess hospital versus home management at diagnosis in childhood diabetes. <i>BMC Pediatrics</i> , 2011, 11, 7.	0.7	15
185	Presentation, antibiotic management and associated outcome in Polish adults presenting with acute cough/LRTI. <i>Family Practice</i> , 2011, 28, 608-614.	0.8	9
186	A multi-country qualitative study of clinicians' and patients' views on point of care tests for lower respiratory tract infection. <i>Family Practice</i> , 2011, 28, 661-669.	0.8	58
187	Prevalence of urinary tract infection (UTI) in sequential acutely unwell children presenting in primary care: exploratory study. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 19-22.	0.6	32
188	Interventions before consultations for helping patients address their information needs. <i>The Cochrane Library</i> , 2010, 2010, CD004565.	1.5	117
189	Streamline triage and manage user expectations: lessons from a qualitative study of GP out-of-hours services. <i>British Journal of General Practice</i> , 2010, 60, e83-e97.	0.7	12
190	Applying an extended theoretical framework for data collection mode to health services research. <i>BMC Health Services Research</i> , 2010, 10, 180.	0.9	23
191	Development and Evaluation of a Psychosocial Intervention for Children and Teenagers Experiencing Diabetes (DEPICTED): a protocol for a cluster randomised controlled trial of the effectiveness of a communication skills training programme for healthcare professionals working with young people with type 1 diabetes. <i>BMC Health Services Research</i> , 2010, 10, 36.	0.9	21
192	Enhancing the quality of antibiotic prescribing in Primary Care: Qualitative evaluation of a blended learning intervention. <i>BMC Family Practice</i> , 2010, 11, 34.	2.9	40
193	Preventing disease through opportunistic, rapid engagement by primary care teams using behaviour change counselling (PRE-EMPT): protocol for a general practice-based cluster randomised trial. <i>BMC Family Practice</i> , 2010, 11, 69.	2.9	20
194	Participants' preference for type of leaflet used to feed back the results of a randomised trial: a survey. <i>Trials</i> , 2010, 11, 116.	0.7	9
195	Treatment of acute cough/lower respiratory tract infection by antibiotic class and associated outcomes: a 13 European country observational study in primary care. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 2472-2478.	1.3	33
196	The need to improve the interface between in-hours and out-of-hours GP care, and between out-of-hours care and self-care. <i>Family Practice</i> , 2010, 27, 664-672.	0.8	9
197	Delays in response and triage times reduce patient satisfaction and enablement after using out-of-hours services. <i>Family Practice</i> , 2010, 27, 652-663.	0.8	23
198	C-reactive protein point-of-care testing for lower respiratory tract infections: a qualitative evaluation of experiences by GPs. <i>Family Practice</i> , 2010, 27, 212-218.	0.8	68

#	ARTICLE	IF	CITATIONS
199	Influence of CRP testing and clinical findings on antibiotic prescribing in adults presenting with acute cough in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2010, 28, 229-236.	0.6	65
200	Predictors of patient-initiated reconsultation for lower respiratory tract infections in general practice. <i>British Journal of General Practice</i> , 2009, 59, 761-764.	0.7	15
201	Effect of point of care testing for C reactive protein and training in communication skills on antibiotic use in lower respiratory tract infections: cluster randomised trial. <i>BMJ: British Medical Journal</i> , 2009, 338, b1374-b1374.	2.4	374
202	Effect of using an interactive booklet about childhood respiratory tract infections in primary care consultations on reconsulting and antibiotic prescribing: a cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2009, 339, b2885-b2885.	2.4	205
203	Stemming the Tide of Antibiotic Resistance (STAR): A protocol for a trial of a complex intervention addressing the 'why' and 'how' of appropriate antibiotic prescribing in general practice. <i>BMC Family Practice</i> , 2009, 10, 20.	2.9	26
204	Activity Increase Despite Arthritis (AADA): design of a Phase II randomised controlled trial evaluating an active management booklet for hip and knee osteoarthritis [ISRCTN24554946]. <i>BMC Family Practice</i> , 2009, 10, 62.	2.9	6
205	The Bipolar Interactive Psychoeducation (BIPED) study: trial design and protocol. <i>BMC Psychiatry</i> , 2009, 9, 50.	1.1	24
206	The effect of using an interactive booklet on childhood respiratory tract infections in consultations: Study protocol for a cluster randomised controlled trial in primary care. <i>BMC Family Practice</i> , 2008, 9, 23.	2.9	32
207	Determining patient and primary care delay in the diagnosis of cancer – lessons from a pilot study of patients referred for suspected cancer. <i>BMC Family Practice</i> , 2008, 9, 9.	2.9	22
208	Developing an ‘interactive’ booklet on respiratory tract infections in children for use in primary care consultations. <i>Patient Education and Counseling</i> , 2008, 73, 286-293.	1.0	50
209	Teaching motivational interviewing: using role play is as effective as using simulated patients. <i>Medical Education</i> , 2008, 42, 637-644.	1.1	74
210	Balance algorithm for cluster randomized trials. <i>BMC Medical Research Methodology</i> , 2008, 8, 65.	1.4	91
211	Excision of malignant melanomas in North Wales: effect of location and surgeon on time to diagnosis and quality of excision. <i>Family Practice</i> , 2008, 25, 221-227.	0.8	15
212	Interventions before consultations to help patients address their information needs by encouraging question asking: systematic review. <i>BMJ: British Medical Journal</i> , 2008, 337, a485-a485.	2.4	138
213	A Multicenter Randomized Controlled Trial of Motivational Interviewing in Teenagers With Diabetes. <i>Diabetes Care</i> , 2007, 30, 1390-1395.	4.3	287
214	An observational study of empirical antibiotics for adult women with uncomplicated UTI in general practice. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 59, 1200-1203.	1.3	26
215	A randomized controlled trial of a brief self-help coping intervention designed to reduce distress when awaiting genetic risk information. <i>Journal of Psychosomatic Research</i> , 2007, 63, 59-64.	1.2	44
216	Using postal randomization to replace telephone randomization had no significant effect on recruitment of patients. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1046-1051.	2.4	7

#	ARTICLE	IF	CITATIONS
217	Evidence based management of acute bronchitis; sustained competence of enhanced communication skills acquisition in general practice. <i>Patient Education and Counseling</i> , 2007, 68, 270-278.	1.0	35
218	Improving management of patients with acute cough by C-reactive protein point of care testing and communication training (IMPAC3T): study protocol of a cluster randomised controlled trial. <i>BMC Family Practice</i> , 2007, 8, 15.	2.9	45
219	Improving response rates using a monetary incentive for patient completion of questionnaires: an observational study. <i>BMC Medical Research Methodology</i> , 2007, 7, 12.	1.4	24
220	Optional screening for DMD: reasons given by mothers for opting in or out. <i>British Journal of Midwifery</i> , 2006, 14, 710-714.	0.1	3
221	Learning to mark: a qualitative study of the experiences and concerns of medical markers. <i>BMC Medical Education</i> , 2006, 6, 25.	1.0	4
222	The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. <i>BMC Health Services Research</i> , 2006, 6, 133.	0.9	22
223	Personalised risk communication for informed decision making about taking screening tests. , 2006, , CD001865.		82
224	Using dietetic assistants to improve the outcome of hip fracture: a randomised controlled trial of nutritional support in an acute trauma ward. <i>Age and Ageing</i> , 2006, 35, 148-153.	0.7	173
225	Oral vitamin B12 versus intramuscular vitamin B12 for vitamin B12 deficiency: a systematic review of randomized controlled trials. <i>Family Practice</i> , 2006, 23, 279-285.	0.8	149
226	Involving patients in primary care consultations: assessing preferences using discrete choice experiments. <i>British Journal of General Practice</i> , 2006, 56, 35-42.	0.7	44
227	Measuring adaptations of motivational interviewing: the development and validation of the behavior change counseling index (BECCI). <i>Patient Education and Counseling</i> , 2005, 56, 166-173.	1.0	212
228	Associations between organizational and incident factors and emotional distress in emergency ambulance personnel. <i>British Journal of Clinical Psychology</i> , 2005, 44, 215-226.	1.7	86
229	Facial attractiveness: A longitudinal study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005, 127, 676-682.	0.8	98
230	Putting double marking to the test: a framework to assess if it is worth the trouble. <i>Medical Education</i> , 2005, 39, 299-308.	1.1	14
231	Can peer review help the marking experience?. <i>Medical Education</i> , 2005, 39, 1156-1157.	1.1	2
232	When smokers are resistant to change: experimental analysis of the effect of patient resistance on practitioner behaviour. <i>Addiction</i> , 2005, 100, 1175-1182.	1.7	37
233	Oral vitamin B12 versus intramuscular vitamin B12 for vitamin B12 deficiency. <i>The Cochrane Library</i> , 2005, , CD004655.	1.5	151
234	Predicting the clinical course of suspected acute viral upper respiratory tract infection in children. <i>Family Practice</i> , 2004, 22, 92-95.	0.8	28

#	ARTICLE	IF	CITATIONS
235	Resource effects of training general practitioners in risk communication skills and shared decision making competences. <i>Journal of Evaluation in Clinical Practice</i> , 2004, 10, 439-445.	0.9	16
236	Is There Evidence That Palliative Care Teams Alter End-of-Life Experiences of Patients and Their Caregivers?. <i>Journal of Pain and Symptom Management</i> , 2003, 25, 150-168.	0.6	447
237	The development of COMRADE—a patient-based outcome measure to evaluate the effectiveness of risk communication and treatment decision making in consultations. <i>Patient Education and Counseling</i> , 2003, 50, 311-322.	1.0	140
238	Complementary and alternative medicine use by patients with cancer in Wales: a cross sectional survey. <i>Complementary Therapies in Medicine</i> , 2003, 11, 249-253.	1.3	62
239	Clinical course of acute infection of the upper respiratory tract in children: cohort study. <i>BMJ: British Medical Journal</i> , 2003, 327, 1088-1089.	2.4	32
240	Effect of 2-Week Treatment With Pirenzepine on Fasting and Postprandial Glucose Concentrations in Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2003, 26, 1636-1637.	4.3	0
241	Effects of communicating individual risks in screening programmes: Cochrane systematic review. <i>BMJ: British Medical Journal</i> , 2003, 327, 703-709.	2.4	105
242	A qualitative evaluation of implementing a randomized controlled trial in general practice. <i>Family Practice</i> , 2003, 20, 675-681.	0.8	37
243	Seasonality, negative life events and social support in a community sample. <i>British Journal of Psychiatry</i> , 2003, 182, 434-438.	1.7	24
244	Medicine and self-image in literature. <i>Lancet, The</i> , 2002, 359, 981.	6.3	3
245	Management of suspected acute viral upper respiratory tract infection in children with intranasal sodium cromoglicate: a randomised controlled trial. <i>Lancet, The</i> , 2002, 359, 2153-2158.	6.3	32
246	General Practitioners' Use of Magnetic Resonance Imaging: An Open Randomized Trial Comparing Telephone and Written Requests and an Open Randomized Controlled Trial of Different Methods of Local Guideline Dissemination. <i>Clinical Radiology</i> , 2002, 57, 402-407.	0.5	25
247	An Evaluation of Systematic Reviews of Palliative Care Services. <i>Journal of Palliative Care</i> , 2002, 18, 77-83.	0.4	32
248	Treatment compliance in light therapy: Do patients do as they say they do?. <i>Journal of Affective Disorders</i> , 2002, 68, 341-342.	2.0	10
249	Seasonal and nonseasonal depression: how do they differ?. <i>Journal of Affective Disorders</i> , 2002, 69, 185-192.	2.0	17
250	Do Hospital-Based Palliative Teams Improve Care for Patients or Families at the End of Life?. <i>Journal of Pain and Symptom Management</i> , 2002, 23, 96-106.	0.6	314
251	Prevalence and risk factors for depression in a rural setting. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 567-571.	1.6	14
252	A case study of nurse management of upper respiratory tract infections in general practice. <i>Journal of Advanced Nursing</i> , 2001, 33, 328-333.	1.5	5

#	ARTICLE	IF	CITATIONS
253	Efficiency of Searching the Grey Literature in Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2001, 22, 797-801.	0.6	42
254	Judging the "weight of evidence"™ in systematic reviews: introducing rigour into the qualitative overview stage by assessing Signal and Noise. <i>Journal of Evaluation in Clinical Practice</i> , 2000, 6, 177-184.	0.9	47
255	Does Experience Predict Knowledge and Behavior With Respect to Cutaneous Melanoma, Moles, and Sun Exposure? Possible Outcome Measures. <i>Behavioral Medicine</i> , 2000, 26, 74-79.	1.0	11
256	The Effectiveness of One-to-one Risk-communication Interventions in Health Care. <i>Medical Decision Making</i> , 2000, 20, 290-297.	1.2	150
257	Efficient literature searching in diffuse topics: lessons from a systematic review of research on communicating risk to patients in primary care. <i>Health Libraries Review</i> , 1999, 16, 112-120.	0.3	42
258	Asymptotic Information and Variance-covariance Matrices for the Linear Structural Model. <i>Journal of the Royal Statistical Society: Series D (the Statistician)</i> , 1999, 48, 477-493.	0.2	15
259	Differences in sexual risk behaviour between young men and women travelling abroad from the UK. <i>Lancet, The</i> , 1998, 352, 1664-1668.	6.3	79
260	A Discrete-Choice Experiment to capture public preferences on the benefits of home-visiting programme for teenage mothers. <i>F1000Research</i> , 0, 9, 677.	0.8	0