## Jennifer C Davis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4920909/publications.pdf

Version: 2024-02-01

361413 254184 2,120 54 20 43 citations h-index g-index papers 56 56 56 3088 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A Wrinkle in Measuring Time Use for Cognitive Health: How should We Measure Physical Activity, Sedentary Behaviour and Sleep?. American Journal of Lifestyle Medicine, 2023, 17, 258-275.	1.9	14
2	Telehealth Use for Enhancing the Health of Rural Older Adults: A Systematic Mixed Studies Review. Gerontologist, The, 2022, 62, e564-e577.	3.9	10
3	Sex Differences in Subsequent Falls and Falls Risk: A Prospective Cohort Study in Older Adults. Gerontology, 2022, 68, 272-279.	2.8	7
4	Preventing the â€~24-hour Babel': the need for a consensus on a consistent terminology scheme for physical activity, sedentary behaviour and sleep. British Journal of Sports Medicine, 2022, 56, 367-368.	6.7	9
5	Are we failing female and racialized academics? A Canadian national survey examining the impacts of the COVIDâ€19 pandemic on tenure and tenureâ€track faculty. Gender, Work and Organization, 2022, 29, 703-722.	4.7	23
6	Cardiometabolic risk, biological sex, and age do not share an interactive relationship with cognitive function: a cross-sectional analysis of the Canadian Longitudinal Study on Aging. Applied Physiology, Nutrition and Metabolism, 2022, 47, 405-414.	1.9	3
7	Comparing the cost-effectiveness of the Otago Exercise Programme among older women and men: A secondary analysis of a randomized controlled trial. PLoS ONE, 2022, 17, e0267247.	2.5	2
8	Traversing the Challenges Facing Meaningful Interpretation of Randomized Controlled Trials With Concurrent Economic Evaluations. Arthritis Care and Research, 2022, 74, 1950-1952.	3.4	0
9	Effects of exercise training on the cognitive function of older adults with different types of dementia: a systematic review and meta-analysis. British Journal of Sports Medicine, 2022, 56, 933-940.	6.7	17
10	Can exercise training promote better sleep and reduced fatigue in people with chronic stroke? A systematic review. Journal of Sleep Research, 2022, 31, .	3.2	8
11	Baseline health-related quality of life predicts falls: a secondary analysis of a randomized controlled trial. Quality of Life Research, 2022, 31, 3211-3220.	3.1	1
12	Sensorimotor, Cognitive, and Affective Functions Contribute to the Prediction of Falls in Old Age and Neurologic Disorders: An Observational Study. Archives of Physical Medicine and Rehabilitation, 2021, 102, 874-880.	0.9	10
13	Cognitive Function and Functional Mobility Predict Exercise Adherence in Older Adults Who Fall. Gerontology, 2021, 67, 350-356.	2.8	5
14	Shining the Light on the MotionWatch8 Light Sensor for Sleep and Aging Research: What Can We Measure and What Are We Missing?. Journal of Alzheimer's Disease Reports, 2021, 5, 55-63.	2.2	2
15	A  case-mix' approach to understand adherence trajectories for a falls prevention exercise intervention: A longitudinal cohort study. Maturitas, 2021, 147, 1-6.	2.4	3
16	A theoretical framework to improve adherence among older adults to recommendations received at a falls prevention clinic: A narrative review. Applied Nursing Research, 2021, 62, 151493.	2.2	4
17	Exercise training improves cognition in chronic stroke: A 6â€month randomized controlled trial. Alzheimer's and Dementia, 2021, 17, .	0.8	O
18	Patient-Reported Outcome Measures (PROMs) to Support Adherence to Falls Prevention Clinic Recommendations: A Qualitative Study. Patient Preference and Adherence, 2020, Volume 14, 2105-2121.	1.8	1

#	Article	IF	CITATIONS
19	Effect of a Multimodal Lifestyle Intervention on Sleep and Cognitive Function in Older Adults with Probable Mild Cognitive Impairment and Poor Sleep: A Randomized Clinical Trial. Journal of Alzheimer's Disease, 2020, 76, 179-193.	2.6	30
20	Action Seniors! Costâ€Effectiveness Analysis of a Secondary Falls Prevention Strategy Among <scp>Communityâ€Dwelling</scp> Older Fallers. Journal of the American Geriatrics Society, 2020, 68, 1988-1997.	2.6	12
21	A pragmatic randomized controlled trial testing the effects of the international scientific SCI exercise guidelines on SCI chronic pain: protocol for the EPIC-SCI trial. Spinal Cord, 2020, 58, 746-754.	1.9	8
22	Evaluating a falls prevention intervention in older home care recipients: a comparison of SF-6D and EQ-5D. Quality of Life Research, 2019, 28, 3187-3195.	3.1	7
23	Health-related quality of life in home care recipients after a falls prevention intervention: a 6-month follow-up. European Journal of Public Health, 2019, 30, 64-69.	0.3	6
24	Examining the Inter-relations of Depression, Physical Function, and Cognition with Subjective Sleep Parameters among Stroke Survivors: A Cross-sectional Analysis. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 2115-2123.	1.6	24
25	Effect of a Home-Based Exercise Program on Subsequent Falls Among Community-Dwelling High-Risk Older Adults After a Fall. JAMA - Journal of the American Medical Association, 2019, 321, 2092.	7.4	150
26	Impact of exercise training on physical and cognitive function among older adults: a systematic review and meta-analysis. Neurobiology of Aging, 2019, 79, 119-130.	3.1	236
27	Sleep and cognitive function in chronic stroke: a comparative cross-sectional study. Sleep, 2019, 42, .	1.1	36
28	Study protocol for Vitality: a proof-of-concept randomised controlled trial of exercise training or complex mental and social activities to promote cognition in adults with chronic stroke. BMJ Open, 2018, 8, e021490.	1.9	14
29	Aerobic exercise promotes executive functions and impacts functional neural activity among older adults with vascular cognitive impairment. British Journal of Sports Medicine, 2018, 52, 184-191.	6.7	92
30	P3â€560: THE INTERPLAY BETWEEN BASELINE COGNITIVE STATUS AND FALLS HISTORY ON CHANGES IN MEMOR AND PHYSICAL FUNCTION AMONG OLDER ADULTS: A 1‥EAR PROSPECTIVE COHORT STUDY. Alzheimer's and Dementia, 2018, 14, P1338.		0
31	Geriatrician-led evidence-based Falls Prevention Clinic: a prospective 12-month feasibility and acceptability cohort study among older adults. BMJ Open, 2018, 8, e020576.	1.9	13
32	The Independent Associations of Physical Activity and Sleep with Cognitive Function in Older Adults. Journal of Alzheimer's Disease, 2018, 63, 1469-1484.	2.6	30
33	Buying time: a proof-of-concept randomized controlled trial to improve sleep quality and cognitive function among older adults with mild cognitive impairment. Trials, 2018, 19, 445.	1.6	14
34	How much will older adults exercise? A feasibility study of aerobic training combined with resistance training. Pilot and Feasibility Studies, 2017, 3, 2.	1.2	13
35	What is the association between sedentary behaviour and cognitive function? A systematic review. British Journal of Sports Medicine, 2017, 51, 800-811.	6.7	264
36	Sex differences in exercise efficacy to improve cognition: A systematic review and meta-analysis of randomized controlled trials in older humans. Frontiers in Neuroendocrinology, 2017, 46, 71-85.	5.2	275

#	Article	IF	Citations
37	Slow Processing Speed Predicts Falls in Older Adults With a Falls History: 1â€Year Prospective Cohort Study. Journal of the American Geriatrics Society, 2017, 65, 916-923.	2.6	32
38	Sex Difference in Aerobic Exercise Efficacy to Improve Cognition in Older Adults with Vascular Cognitive Impairment: Secondary Analysis of a Randomized Controlled Trial. Journal of Alzheimer's Disease, 2017, 60, 1397-1410.	2.6	55
39	Cross-Sectional Relationships of Physical Activity and Sedentary Behavior With Cognitive Function in Older Adults With Probable Mild Cognitive Impairment. Physical Therapy, 2017, 97, 975-984.	2.4	80
40	Effects of computerized cognitive training on neuroimaging outcomes in older adults: a systematic review. BMC Geriatrics, 2017, 17, 139.	2.7	64
41	Agreement between Patient and Proxy Assessments of Quality of Life among Older Adults with Vascular Cognitive Impairment Using the EQ-5D-3L and ICECAP-O. PLoS ONE, 2016, 11, e0153878.	2.5	13
42	White Matter Volume Mediates the Relationship Between Self-Efficacy and Mobility in Older Women. Experimental Aging Research, 2016, 42, 460-470.	1.2	1
43	Aerobic exercise and vascular cognitive impairment. Neurology, 2016, 87, 2082-2090.	1.1	104
44	Mobility predicts change in older adults' health-related quality of life: evidence from a Vancouver falls prevention prospective cohort study. Health and Quality of Life Outcomes, 2015, 13, 101.	2.4	66
45	Mobility and cognition are associated with wellbeing and health related quality of life among older adults: a cross-sectional analysis of the Vancouver Falls Prevention Cohort. BMC Geriatrics, 2015, 15, 75.	2.7	58
46	Resistance Training and White Matter Lesion Progression in Older Women: Exploratory Analysis of a 12â€Month Randomized Controlled Trial. Journal of the American Geriatrics Society, 2015, 63, 2052-2060.	2.6	78
47	Mobility Is a Key Predictor of Change in Well-Being Among Older Adults Who Experience Falls: Evidence From the Vancouver Falls Prevention Clinic Cohort. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1634-1640.	0.9	24
48	Action Seniors! - secondary falls prevention in community-dwelling senior fallers: study protocol for a randomized controlled trial. Trials, 2015, 16, 144.	1.6	27
49	Examining the Effect of the Relationship Between Falls and Mild Cognitive Impairment on Mobility and Executive Functions in Communityâ€Dwelling Older Adults. Journal of the American Geriatrics Society, 2015, 63, 590-593.	2.6	15
50	Challenges with cost-utility analyses of behavioural interventions among older adults at risk for dementia. British Journal of Sports Medicine, 2015, 49, 1343-1347.	6.7	15
51	Predicting Cognitive Function from Clinical Measures of Physical Function and Health Status in Older Adults. PLoS ONE, 2015, 10, e0119075.	2.5	22
52	A comparison of the ICECAP-O with EQ-5D in a falls prevention clinical setting: are they complements or substitutes?. Quality of Life Research, 2013, 22, 969-977.	3.1	75
53	Focussing both eyes on health outcomes: revisiting cataract surgery. BMC Geriatrics, 2012, 12, 50.	2.7	7
54	Exploration of the association between quality of life, assessed by the EQ-5D and ICECAP-O, and falls risk, cognitive function and daily function, in older adults with mobility impairments. BMC Geriatrics, 2012, 12, 65.	2.7	35