Martin Reck

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4950861/publications.pdf

Version: 2024-02-01

37 papers

41,455 citations

30 h-index 36 g-index

38 all docs 38 docs citations

38 times ranked 27368 citing authors

#	Article	IF	CITATIONS
1	First-Line Nivolumab Plus Ipilimumab in Advanced NSCLC: 4-Year Outcomes From the Randomized, Open-Label, Phase 3 CheckMate 227 Part 1 Trial. Journal of Thoracic Oncology, 2022, 17, 289-308.	0.5	173
2	Design and Rationale for a Phase III, Double-Blind, Placebo-Controlled Study of Neoadjuvant Durvalumabâ€+†Chemotherapy Followed by Adjuvant Durvalumab for the Treatment of Patients With Resectable Stages II and III non-small-cell Lung Cancer: The AEGEAN Trial. Clinical Lung Cancer, 2022, 23, e247-e251.	1.1	47
3	First-Line Immunotherapy for Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2022, 40, 586-597.	0.8	312
4	Five-Year Survival Outcomes From the PACIFIC Trial: Durvalumab After Chemoradiotherapy in Stage III Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2022, 40, 1301-1311.	0.8	445
5	Assessment of hyperprogression versus the natural course of disease development with nivolumab with or without ipilimumab versus placebo in phase III, randomized, controlled trials. , 2022, 10, e004273.		10
6	ANtiangiogenic Second-line Lung cancer Meta-Analysis on individual patient data in non-small cell lung cancer: ANSELMA. European Journal of Cancer, 2022, 166, 112-125.	1.3	4
7	First-line nivolumab plus ipilimumab combined with two cycles of chemotherapy in patients with non-small-cell lung cancer (CheckMate 9LA): an international, randomised, open-label, phase 3 trial. Lancet Oncology, The, 2021, 22, 198-211.	5.1	773
8	Updated Overall Survival and PD-L1 Subgroup Analysis of Patients With Extensive-Stage Small-Cell Lung Cancer Treated With Atezolizumab, Carboplatin, and Etoposide (IMpower133). Journal of Clinical Oncology, 2021, 39, 619-630.	0.8	317
9	Nivolumab and Ipilimumab as Maintenance Therapy in Extensive-Disease Small-Cell Lung Cancer: CheckMate 451. Journal of Clinical Oncology, 2021, 39, 1349-1359.	0.8	147
10	Nivolumab (NIVO) plus ipilimumab (IPI) versus chemotherapy (chemo) as first-line (1L) treatment for advanced non-small cell lung cancer (NSCLC): 4-year update from CheckMate 227 Journal of Clinical Oncology, 2021, 39, 9016-9016.	0.8	25
11	Four-Year Survival With Durvalumab After Chemoradiotherapy in Stage III NSCLC—an Update From the PACIFIC Trial. Journal of Thoracic Oncology, 2021, 16, 860-867.	0.5	323
12	Pembrolizumab Plus Ipilimumab or Placebo for Metastatic Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score ≥ 50%: Randomized, Double-Blind Phase III KEYNOTE-598 Study. Journal of Clinical Oncology, 2021, 39, 2327-2338.	0.8	146
13	Five-Year Outcomes With Pembrolizumab Versus Chemotherapy for Metastatic Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score ≥ 50%. Journal of Clinical Oncology, 2021, 39, 2339-2349.	0.8	468
14	Safety and Patient-Reported Outcomes of Atezolizumab Plus Chemotherapy With or Without Bevacizumab Versus Bevacizumab Plus Chemotherapy in Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2020, 38, 2530-2542.	0.8	47
15	Updated Analysis From KEYNOTE-189: Pembrolizumab or Placebo Plus Pemetrexed and Platinum for Previously Untreated Metastatic Nonsquamous Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2020, 38, 1505-1517.	0.8	710
16	Patient-reported outcomes following pembrolizumab or placebo plus pemetrexed and platinum in patients with previously untreated, metastatic, non-squamous non-small-cell lung cancer (KEYNOTE-189): a multicentre, double-blind, randomised, placebo-controlled, phase 3 trial. Lancet Oncology, The, 2020, 21, 387-397.	5.1	119
17	Nivolumab (NIVO) + ipilimumab (IPI) + 2 cycles of platinum-doublet chemotherapy (chemo) vs 4 cycles chemo as first-line (1L) treatment (tx) for stage IV/recurrent non-small cell lung cancer (NSCLC): CheckMate 9LA Journal of Clinical Oncology, 2020, 38, 9501-9501.	0.8	119
18	Evaluation of blood TMB (bTMB) in KEYNOTE-189: Pembrolizumab (pembro) plus chemotherapy (chemo) with pemetrexed and platinum versus placebo plus chemo as first-line therapy for metastatic nonsquamous NSCLC Journal of Clinical Oncology, 2020, 38, 9521-9521.	0.8	17

#	Article	IF	CITATIONS
19	Nivolumab plus Ipilimumab in Advanced Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2019, 381, 2020-2031.	13.9	1,866
20	Nivolumab plus ipilimumab versus chemotherapy as first-line treatment in advanced non–small-cell lung cancer with high tumour mutational burden: patient-reported outcomes results from the randomised, open-label, phase III CheckMate 227 trial. European Journal of Cancer, 2019, 116, 137-147.	1.3	167
21	First-Line Nivolumab Plus Ipilimumab in Advanced Non–Small-Cell Lung Cancer (CheckMate 568): Outcomes by Programmed Death Ligand 1 and Tumor Mutational Burden as Biomarkers. Journal of Clinical Oncology, 2019, 37, 992-1000.	0.8	457
22	Atezolizumab plus bevacizumab and chemotherapy in non-small-cell lung cancer (IMpower150): key subgroup analyses of patients with EGFR mutations or baseline liver metastases in a randomised, open-label phase 3 trial. Lancet Respiratory Medicine,the, 2019, 7, 387-401.	5.2	704
23	Updated Analysis of KEYNOTE-024: Pembrolizumab Versus Platinum-Based Chemotherapy for Advanced Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score of 50% or Greater. Journal of Clinical Oncology, 2019, 37, 537-546.	0.8	1,144
24	Immune Checkpoint Inhibition in Non-metastatic Non-small Cell Lung Cancer: Chance for Cure?. Drugs, 2019, 79, 1937-1945.	4.9	4
25	Randomized, double-blind, phase 3 trial of first-line pembrolizumab + platinum doublet chemotherapy (chemo) ± lenvatinib in patients (pts) with metastatic nonsquamous non–small-cell lung cancer (NSCLC): LEAP-006 Journal of Clinical Oncology, 2019, 37, TPS9118-TPS9118.	0.8	7
26	Pembrolizumab plus Chemotherapy in Metastatic Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2018, 378, 2078-2092.	13.9	4,701
27	Nivolumab plus Ipilimumab in Lung Cancer with a High Tumor Mutational Burden. New England Journal of Medicine, 2018, 378, 2093-2104.	13.9	2,469
28	First-Line Atezolizumab plus Chemotherapy in Extensive-Stage Small-Cell Lung Cancer. New England Journal of Medicine, 2018, 379, 2220-2229.	13.9	2,228
29	Overall Survival with Durvalumab after Chemoradiotherapy in Stage III NSCLC. New England Journal of Medicine, 2018, 379, 2342-2350.	13.9	2,150
30	Atezolizumab for First-Line Treatment of Metastatic Nonsquamous NSCLC. New England Journal of Medicine, 2018, 378, 2288-2301.	13.9	2,808
31	First-Line Nivolumab in Stage IV or Recurrent Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2017, 376, 2415-2426.	13.9	2,145
32	PLO4a.01: Health-Related Quality of Life for Pembrolizumab vs Chemotherapy in Advanced NSCLC with PD-L1 TPS ≥50%:ÂData from KEYNOTE-024. Journal of Thoracic Oncology, 2017, 12, S8-S9.	0.5	11
33	Health-related quality-of-life results for pembrolizumab versus chemotherapy in advanced, PD-L1-positive NSCLC (KEYNOTE-024): a multicentre, international, randomised, open-label phase 3 trial. Lancet Oncology, The, 2017, 18, 1600-1609.	5.1	282
34	Nivolumab Versus Docetaxel in Previously Treated Patients With Advanced Non–Small-Cell Lung Cancer: Two-Year Outcomes From Two Randomized, Open-Label, Phase III Trials (CheckMate 017 and) Tj ETQq0	O OorgBT /	Ov edo ck 10 Ti
35	Pembrolizumab versus Chemotherapy for PD-L1–Positive Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2016, 375, 1823-1833.	13.9	7,847
36	Nivolumab versus Docetaxel in Advanced Squamous-Cell Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2015, 373, 123-135.	13.9	7,261

#	Article	IF	CITATIONS
37	Randomized Phase III Trial of Amrubicin Versus Topotecan As Second-Line Treatment for Patients With Small-Cell Lung Cancer. Journal of Clinical Oncology, 2014, 32, 4012-4019.	0.8	276