
Martin Reck

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4950861/publications.pdf Version: 2024-02-01



MADTIN RECK

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | First-Line Nivolumab Plus Ipilimumab in Advanced NSCLC: 4-Year Outcomes From the Randomized, Open-Label, Phase 3 CheckMate 227 Part 1 Trial. Journal of Thoracic Oncology, 2022, 17, 289-308. | 1.1 | 173 |
| 2 | Design and Rationale for a Phase III, Double-Blind, Placebo-Controlled Study of Neoadjuvant Durvalumabâ€~+‰Chemotherapy Followed by Adjuvant Durvalumab for the Treatment of Patients With Resectable Stages II and III non-small-cell Lung Cancer: The AEGEAN Trial. Clinical Lung Cancer, 2022, 23, e247-e251. | 2.6 | 47 |
| 3 | First-Line Immunotherapy for Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2022, 40, 586-597. | 1.6 | 312 |
| 4 | Five-Year Survival Outcomes From the PACIFIC Trial: Durvalumab After Chemoradiotherapy in Stage III Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2022, 40, 1301-1311. | 1.6 | 445 |
| 5 | Assessment of hyperprogression versus the natural course of disease development with nivolumab with or without ipilimumab versus placebo in phase III, randomized, controlled trials. , 2022, 10, e004273. | | 10 |
| 6 | ANtiangiogenic Second-line Lung cancer Meta-Analysis on individual patient data in non-small cell lung cancer: ANSELMA. European Journal of Cancer, 2022, 166, 112-125. | 2.8 | 4 |
| 7 | First-line nivolumab plus ipilimumab combined with two cycles of chemotherapy in patients with non-small-cell lung cancer (CheckMate 9LA): an international, randomised, open-label, phase 3 trial. Lancet Oncology, The, 2021, 22, 198-211. | 10.7 | 773 |
| 8 | Updated Overall Survival and PD-L1 Subgroup Analysis of Patients With Extensive-Stage Small-Cell Lung Cancer Treated With Atezolizumab, Carboplatin, and Etoposide (IMpower133). Journal of Clinical Oncology, 2021, 39, 619-630. | 1.6 | 317 |
| 9 | Nivolumab and Ipilimumab as Maintenance Therapy in Extensive-Disease Small-Cell Lung Cancer: CheckMate 451. Journal of Clinical Oncology, 2021, 39, 1349-1359. | 1.6 | 147 |
| 10 | Nivolumab (NIVO) plus ipilimumab (IPI) versus chemotherapy (chemo) as first-line (1L) treatment for advanced non-small cell lung cancer (NSCLC): 4-year update from CheckMate 227 Journal of Clinical Oncology, 2021, 39, 9016-9016. | 1.6 | 25 |
| 11 | Four-Year Survival With Durvalumab After Chemoradiotherapy in Stage III NSCLC—an Update From the PACIFIC Trial. Journal of Thoracic Oncology, 2021, 16, 860-867. | 1.1 | 323 |
| 12 | Pembrolizumab Plus Ipilimumab or Placebo for Metastatic Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score ≥ 50%: Randomized, Double-Blind Phase III KEYNOTE-598 Study. Journal of Clinical Oncology, 2021, 39, 2327-2338. | 1.6 | 146 |
| 13 | Five-Year Outcomes With Pembrolizumab Versus Chemotherapy for Metastatic Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score ≥ 50%. Journal of Clinical Oncology, 2021, 39, 2339-2349. | 1.6 | 468 |
| 14 | Safety and Patient-Reported Outcomes of Atezolizumab Plus Chemotherapy With or Without Bevacizumab Versus Bevacizumab Plus Chemotherapy in Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2020, 38, 2530-2542. | 1.6 | 47 |
| 15 | Updated Analysis From KEYNOTE-189: Pembrolizumab or Placebo Plus Pemetrexed and Platinum for Previously Untreated Metastatic Nonsquamous Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2020, 38, 1505-1517. | 1.6 | 710 |
| 16 | Patient-reported outcomes following pembrolizumab or placebo plus pemetrexed and platinum in patients with previously untreated, metastatic, non-squamous non-small-cell lung cancer (KEYNOTE-189): a multicentre, double-blind, randomised, placebo-controlled, phase 3 trial. Lancet Oncology, The, 2020, 21, 387-397. | 10.7 | 119 |
| 17 | Nivolumab (NIVO) + ipilimumab (IPI) + 2 cycles of platinum-doublet chemotherapy (chemo) vs 4 cycles chemo as first-line (1L) treatment (tx) for stage IV/recurrent non-small cell lung cancer (NSCLC): CheckMate 9LA Journal of Clinical Oncology, 2020, 38, 9501-9501. | 1.6 | 119 |
| 18 | Evaluation of blood TMB (bTMB) in KEYNOTE-189: Pembrolizumab (pembro) plus chemotherapy (chemo) with pemetrexed and platinum versus placebo plus chemo as first-line therapy for metastatic nonsquamous NSCLC Journal of Clinical Oncology, 2020, 38, 9521-9521. | 1.6 | 17 |

MARTIN RECK

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------------------|
| 19 | Nivolumab plus Ipilimumab in Advanced Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2019, 381, 2020-2031. | 27.0 | 1,866 |
| 20 | Nivolumab plus ipilimumab versus chemotherapy as first-line treatment in advanced non–small-cell lung cancer with high tumour mutational burden: patient-reported outcomes results from the randomised, open-label, phase III CheckMate 227 trial. European Journal of Cancer, 2019, 116, 137-147. | 2.8 | 167 |
| 21 | First-Line Nivolumab Plus Ipilimumab in Advanced Non–Small-Cell Lung Cancer (CheckMate 568): Outcomes by Programmed Death Ligand 1 and Tumor Mutational Burden as Biomarkers. Journal of Clinical Oncology, 2019, 37, 992-1000. | 1.6 | 457 |
| 22 | Atezolizumab plus bevacizumab and chemotherapy in non-small-cell lung cancer (IMpower150): key subgroup analyses of patients with EGFR mutations or baseline liver metastases in a randomised, open-label phase 3 trial. Lancet Respiratory Medicine,the, 2019, 7, 387-401. | 10.7 | 704 |
| 23 | Updated Analysis of KEYNOTE-024: Pembrolizumab Versus Platinum-Based Chemotherapy for Advanced Non–Small-Cell Lung Cancer With PD-L1 Tumor Proportion Score of 50% or Greater. Journal of Clinical Oncology, 2019, 37, 537-546. | 1.6 | 1,144 |
| 24 | Immune Checkpoint Inhibition in Non-metastatic Non-small Cell Lung Cancer: Chance for Cure?. Drugs, 2019, 79, 1937-1945. | 10.9 | 4 |
| 25 | Randomized, double-blind, phase 3 trial of first-line pembrolizumab + platinum doublet chemotherapy (chemo) ± lenvatinib in patients (pts) with metastatic nonsquamous non–small-cell lung cancer (NSCLC): LEAP-006 Journal of Clinical Oncology, 2019, 37, TPS9118-TPS9118. | 1.6 | 7 |
| 26 | Pembrolizumab plus Chemotherapy in Metastatic Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2018, 378, 2078-2092. | 27.0 | 4,701 |
| 27 | Nivolumab plus Ipilimumab in Lung Cancer with a High Tumor Mutational Burden. New England Journal of Medicine, 2018, 378, 2093-2104. | 27.0 | 2,469 |
| 28 | First-Line Atezolizumab plus Chemotherapy in Extensive-Stage Small-Cell Lung Cancer. New England Journal of Medicine, 2018, 379, 2220-2229. | 27.0 | 2,228 |
| 29 | Overall Survival with Durvalumab after Chemoradiotherapy in Stage III NSCLC. New England Journal of Medicine, 2018, 379, 2342-2350. | 27.0 | 2,150 |
| 30 | Atezolizumab for First-Line Treatment of Metastatic Nonsquamous NSCLC. New England Journal of Medicine, 2018, 378, 2288-2301. | 27.0 | 2,808 |
| 31 | First-Line Nivolumab in Stage IV or Recurrent Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2017, 376, 2415-2426. | 27.0 | 2,145 |
| 32 | PLO4a.01: Health-Related Quality of Life for Pembrolizumab vs Chemotherapy in Advanced NSCLC with PD-L1 TPS ≥50%:ÂData from KEYNOTE-024. Journal of Thoracic Oncology, 2017, 12, S8-S9. | 1.1 | 11 |
| 33 | Health-related quality-of-life results for pembrolizumab versus chemotherapy in advanced, PD-L1-positive NSCLC (KEYNOTE-024): a multicentre, international, randomised, open-label phase 3 trial. Lancet Oncology, The, 2017, 18, 1600-1609. | 10.7 | 282 |
| 34 | Nivolumab Versus Docetaxel in Previously Treated Patients With Advanced Non–Small-Cell Lung Cancer: Two-Year Outcomes From Two Randomized, Open-Label, Phase III Trials (CheckMate 017 and) Tj ETQq0 (|) OlngBT /(| Dv edo ck 10 T |
| 35 | Pembrolizumab versus Chemotherapy for PD-L1–Positive Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2016, 375, 1823-1833. | 27.0 | 7,847 |

³⁶Nivolumab versus Docetaxel in Advanced Squamous-Cell Nonâ€"Small-Cell Lung Cancer. New England
Journal of Medicine, 2015, 373, 123-135.27.07,261

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Randomized Phase III Trial of Amrubicin Versus Topotecan As Second-Line Treatment for Patients With Small-Cell Lung Cancer. Journal of Clinical Oncology, 2014, 32, 4012-4019. | 1.6 | 276 |