## Hiram S Cody

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4955231/publications.pdf

Version: 2024-02-01

34105 29157 11,026 125 52 104 citations h-index g-index papers 127 127 127 5436 docs citations times ranked citing authors all docs

| #  | Article                                                                                                                                                                                                                                          | IF  | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | Association Between Local Anesthetic Dosing, Postoperative Opioid Requirement, and Pain Scores After Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. Annals of Surgical Oncology, 2022, 29, 1737-1745.                      | 1.5 | 1         |
| 2  | ASO Visual Abstract: Association Between Local Anesthetic Dosing, Postoperative Opioid Requirement, and Pain Scores After Lumpectomy and Sentinel Lymph Node Biopsy With Multimodal Analgesia. Annals of Surgical Oncology, 2022, 29, 1748-1749. | 1.5 | 1         |
| 3  | Salvage of locally recurrent breast cancer with repeat breast conservation using 45ÂGy hyperfractionated partial breast re-irradiation. Breast Cancer Research and Treatment, 2021, 188, 409-414.                                                | 2.5 | 9         |
| 4  | Postdischarge Nonsteroidal Anti-Inflammatory Drugs Are not Associated with Risk of Hematoma after Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. Annals of Surgical Oncology, 2021, 28, 5507-5512.                         | 1.5 | 4         |
| 5  | ASO Visual Abstract: Post-Discharge Non-Steroidal Anti-Inflammatory Drugs Are Not Associated with Risk of Hematoma After Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. Annals of Surgical Oncology, 2021, 28, 635-636.    | 1.5 | O         |
| 6  | Management of ipsilateral breast tumor recurrence following breast conservation surgery: a comparative study of re-conservation vs mastectomy. Breast Cancer Research and Treatment, 2021, 187, 105-112.                                         | 2.5 | 8         |
| 7  | Nodal Recurrence in Patients With Node-Positive Breast Cancer Treated With Sentinel Node Biopsy<br>Alone After Neoadjuvant Chemotherapy—A Rare Event. JAMA Oncology, 2021, 7, 1851.                                                              | 7.1 | 61        |
| 8  | Microscopic Extracapsular Extension in Sentinel Lymph Nodes Does Not Mandate Axillary Dissection in Z0011-Eligible Patients. Annals of Surgical Oncology, 2020, 27, 1617-1624.                                                                   | 1.5 | 20        |
| 9  | Factors Associated with Reoperation in Breast-Conserving Surgery for Cancer: A Prospective Study of American Society of Breast Surgeon Members. Annals of Surgical Oncology, 2019, 26, 3321-3336.                                                | 1.5 | 28        |
| 10 | Comparison of Local Recurrence Risk Estimates After Breast-Conserving Surgery for DCIS: DCIS Nomogram Versus Refined Oncotype DX Breast DCIS Score. Annals of Surgical Oncology, 2019, 26, 3282-3288.                                            | 1.5 | 19        |
| 11 | ASO Author Reflections: Sentinel Lymph Node Biopsy for Ductal Carcinoma In Situ with Suspicion for Microinvasion on Core Needle Biopsy. Annals of Surgical Oncology, 2019, 26, 704-704.                                                          | 1.5 | 1         |
| 12 | Is Sentinel Lymph Node Biopsy Required for a Core Biopsy Diagnosis of Ductal Carcinoma In Situ with Microinvasion?. Annals of Surgical Oncology, 2019, 26, 2738-2746.                                                                            | 1.5 | 13        |
| 13 | Detection and Significance of Axillary Lymph Node Micrometastases. , 2018, , 631-636.e2.                                                                                                                                                         |     | O         |
| 14 | Impact of an In Situ Component on Outcome After In-Breast Tumor Recurrence in Patients Treated with Breast-Conserving Therapy. Annals of Surgical Oncology, 2018, 25, 154-163.                                                                   | 1.5 | 11        |
| 15 | Extending ACOSOG Z0011 to Encompass Mastectomy: What Happens Without RT?. Annals of Surgical Oncology, 2017, 24, 621-623.                                                                                                                        | 1.5 | 2         |
| 16 | How Often Does Neoadjuvant Chemotherapy Avoid Axillary Dissection in Patients With Histologically Confirmed Nodal Metastases? Results of a Prospective Study. Annals of Surgical Oncology, 2016, 23, 3467-3474.                                  | 1.5 | 232       |
| 17 | Age and Receptor Status Do Not Indicate the Need for Axillary Dissection in Patients with Sentinel Lymph Node Metastases. Annals of Surgical Oncology, 2016, 23, 3481-3486.                                                                      | 1.5 | 25        |
| 18 | Late Axillary Recurrence After Negative Sentinel Lymph Node Biopsy is Uncommon. Annals of Surgical Oncology, 2016, 23, 2456-2461.                                                                                                                | 1.5 | 14        |

| #  | Article                                                                                                                                                                                                                         | IF   | Citations |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Contralateral Prophylactic Mastectomy Consensus Statement from the American Society of Breast Surgeons: Additional Considerations and a Framework for Shared Decision Making. Annals of Surgical Oncology, 2016, 23, 3106-3111. | 1.5  | 86        |
| 20 | Contralateral Prophylactic MastectomyÂ(CPM) Consensus Statement from the American Society of Breast Surgeons: Data on CPM Outcomes and Risks. Annals of Surgical Oncology, 2016, 23, 3100-3105.                                 | 1.5  | 125       |
| 21 | Radioguided Sentinel Lymph Node Mapping and Biopsy in Breast Cancer. , 2016, , 115-123.                                                                                                                                         |      | 0         |
| 22 | Reoperative Sentinel Lymph Node Biopsy is Feasible for Locally Recurrent Breast Cancer, But is it Worthwhile?. Annals of Surgical Oncology, 2016, 23, 744-748.                                                                  | 1.5  | 27        |
| 23 | Skin Flap Necrosis After Mastectomy With Reconstruction: A Prospective Study. Annals of Surgical Oncology, 2016, 23, 257-264.                                                                                                   | 1.5  | 121       |
| 24 | Reoperative Sentinel Lymph Node Biopsy: Adding Nuance to the Management of Locally Recurrent Breast Cancer. Annals of Surgical Oncology, 2016, 23, 9012-9014.                                                                   | 1.5  | 5         |
| 25 | Reexcision â€" The Other Breast Cancer Epidemic. New England Journal of Medicine, 2015, 373, 568-569.                                                                                                                           | 27.0 | 33        |
| 26 | Presidential Address: "A Part of the Main― Annals of Surgical Oncology, 2015, 22, 3161-3167.                                                                                                                                    | 1.5  | 3         |
| 27 | Sentinel Node Biopsy After Neoadjuvant Chemotherapy for Node-Positive Breast Cancer: Does Axillary Ultrasound Improve Performance?. Journal of Clinical Oncology, 2015, 33, 3375-3378.                                          | 1.6  | 5         |
| 28 | Toolbox to Reduce Lumpectomy Reoperations and Improve Cosmetic Outcome in Breast Cancer Patients: The American Society of Breast Surgeons Consensus Conference. Annals of Surgical Oncology, 2015, 22, 3174-3183.               | 1.5  | 116       |
| 29 | Extent of Microinvasion in Ductal Carcinoma In Situ is not Associated with Sentinel Lymph Node Metastases. Annals of Surgical Oncology, 2014, 21, 3330-3335.                                                                    | 1.5  | 37        |
| 30 | Axillary Dissection Can Be Avoided in the Majority of Clinically Node-Negative Patients Undergoing Breast-Conserving Therapy. Annals of Surgical Oncology, 2014, 21, 22-27.                                                     | 1.5  | 99        |
| 31 | Sentinel Lymph Node Biopsy for Patients With Early-Stage Breast Cancer: American Society of Clinical Oncology Clinical Practice Guideline Update. Journal of Clinical Oncology, 2014, 32, 1365-1383.                            | 1.6  | 713       |
| 32 | Sentinel node biopsy and neoadjuvant chemotherapy. Lancet Oncology, The, 2013, 14, 567-568.                                                                                                                                     | 10.7 | 2         |
| 33 | Axillary Node Staging for Microinvasive Breast Cancer: Is It Justified?. Annals of Surgical Oncology, 2012, 19, 3416-3421.                                                                                                      | 1.5  | 42        |
| 34 | Characteristics and Outcomes of Sentinel Node–Positive Breast Cancer Patients after Total Mastectomy without Axillary-Specific Treatment. Annals of Surgical Oncology, 2012, 19, 3762-3770.                                     | 1.5  | 56        |
| 35 | Does the Rapid Acceptance of ACOSOG Z0011 Compromise Selection of Systemic Therapy?. Annals of Surgical Oncology, 2012, 19, 3643-3645.                                                                                          | 1.5  | 6         |
| 36 | Preoperative staging of the axilla in women with invasive breast cancer. Breast Cancer Management, 2012, 1, 65-72.                                                                                                              | 0.2  | 2         |

| #  | Article                                                                                                                                                                                                       | IF  | Citations |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | A 10-Year Trend Analysis of Sentinel Lymph Node Frozen Section and Completion Axillary Dissection for Breast Cancer: Are These Procedures Becoming Obsolete?. Annals of Surgical Oncology, 2012, 19, 225-232. | 1.5 | 49        |
| 38 | Radiation field design and regional control in sentinel lymph nodeâ€positive breast cancer patients with omission of axillary dissection. Cancer, 2012, 118, 1994-2003.                                       | 4.1 | 25        |
| 39 | Axillary management in breast cancer: What's new for 2012?. Breast, 2012, 21, 411-415.                                                                                                                        | 2.2 | 34        |
| 40 | Nomograms can predict non-sentinel node status in sentinel node-positive breast cancer, but are they still relevant?. Surgical Oncology, 2012, 21, 57-58.                                                     | 1.6 | 2         |
| 41 | SLN biopsy for large and/or multicentric breast cancers: Should we worry?. European Journal of Surgical Oncology, 2011, 37, 386-387.                                                                          | 1.0 | 2         |
| 42 | Preoperative Ultrasound-Guided Needle Biopsy of Axillary Nodes in Invasive Breast Cancer. Annals of Surgery, 2011, 254, 243-251.                                                                              | 4.2 | 290       |
| 43 | Predictors of Completion Axillary Lymph Node Dissection in Patients With Immunohistochemical Metastases to the Sentinel Lymph Node in Breast Cancer. Annals of Surgical Oncology, 2010, 17, 1063-1068.        | 1.5 | 14        |
| 44 | Number of lymph nodes removed in sentinel lymph nodeâ€negative breast cancer patients is significantly related to patient age and tumor size. Cancer, 2010, 116, 1987-1991.                                   | 4.1 | 21        |
| 45 | The clinical impact and outcomes of immunohistochemistry-only metastasis in breast cancer. American Journal of Surgery, 2010, 200, 368-373.                                                                   | 1.8 | 12        |
| 46 | Clinical Significance and Management of Extra-Axillary Sentinel Lymph Nodes: Worthwhile or Irrelevant?. Surgical Oncology Clinics of North America, 2010, 19, 507-517.                                        | 1.5 | 14        |
| 47 | Sentinel Lymph Node Biopsy Radiotracer Technique at Memorial Sloan-Kettering Cancer Center. , 2010, , 481-488.                                                                                                |     | 0         |
| 48 | How do we evaluate sentinel nodes and interpret the findings?. Current Breast Cancer Reports, 2009, 1, 12-20.                                                                                                 | 1.0 | 1         |
| 49 | Predictors of Completion Axillary Lymph Node Dissection in Patients with Positive Sentinel Lymph Nodes. Annals of Surgical Oncology, 2009, 16, 1952-1958.                                                     | 1.5 | 8         |
| 50 | Surgical management of the axilla: do intramammary nodes matter?. American Journal of Surgery, 2009, 198, 532-537.                                                                                            | 1.8 | 23        |
| 51 | Detection and Significance of Axillary Lymph Node Micrometastases., 2009,, 1007-1015.                                                                                                                         |     | 0         |
| 52 | Experience with 31 sentinel lymph node biopsies for sarcomas and carcinomas in pediatric patients. Cancer, 2008, 112, 2052-2059.                                                                              | 4.1 | 59        |
| 53 | Is the "10% Rule―Equally Valid for All Subsets of Sentinel-Node-Positive Breast Cancer Patients?.<br>Annals of Surgical Oncology, 2008, 15, 2728-2733.                                                        | 1.5 | 28        |
| 54 | Predicting Nonsentinel Node Metastases in Sentinel Node-Positive Breast Cancer: What Have We Learned, Can We Do Better, and Do We Need To?. Annals of Surgical Oncology, 2008, 15, 2998-3002.                 | 1.5 | 10        |

| #  | Article                                                                                                                                                                                                                               | IF  | Citations |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Influence of Frozen-Section Analysis of Sentinel Lymph Node and Lumpectomy Margin Status on Reoperation Rates in Patients Undergoing Breast-Conservation Therapy. Journal of the American College of Surgeons, 2008, 206, 76-82.      | 0.5 | 76        |
| 56 | Sentinel Lymph Node Biopsy Is Successful and Accurate in Male Breast Carcinoma. Journal of the American College of Surgeons, 2008, 206, 616-621.                                                                                      | 0.5 | 87        |
| 57 | Reoperative Sentinel Lymph Node Biopsy after Previous Mastectomy. Journal of the American College of Surgeons, 2008, 207, 543-548.                                                                                                    | 0.5 | 58        |
| 58 | Occult Axillary Node Metastases in Breast Cancer Are Prognostically Significant: Results in 368 Node-Negative Patients With 20-Year Follow-Up. Journal of Clinical Oncology, 2008, 26, 1803-1809.                                     | 1.6 | 140       |
| 59 | Does the Benefit of Sentinel Node Frozen Section Vary Between Patients With Invasive Duct, Invasive Lobular, and Favorable Histologic Subtypes of Breast Cancer?. Annals of Surgery, 2008, 247, 143-149.                              | 4.2 | 27        |
| 60 | Doctor, What Are My Chances of Having a Positive Sentinel Node? A Validated Nomogram for Risk Estimation. Journal of Clinical Oncology, 2007, 25, 3670-3679.                                                                          | 1.6 | 283       |
| 61 | A Declining Rate of Completion Axillary Dissection in Sentinel Lymph Node-positive Breast Cancer<br>Patients Is Associated With the Use of a Multivariate Nomogram. Annals of Surgery, 2007, 245, 462-468.                            | 4.2 | 126       |
| 62 | Sentinel lymph node biopsy for breast cancer: indications, contraindications, and new directions. Journal of Surgical Oncology, 2007, 95, 440-442.                                                                                    | 1.7 | 14        |
| 63 | Reoperative Sentinel Lymph Node Biopsy: A New Frontier in the Management of Ipsilateral Breast Tumor<br>Recurrence. Annals of Surgical Oncology, 2007, 14, 2209-2214.                                                                 | 1.5 | 142       |
| 64 | Sentinel Lymph Node Biopsy for DCIS: Are We Approaching Consensus?. Annals of Surgical Oncology, 2007, 14, 2179-2181.                                                                                                                 | 1.5 | 14        |
| 65 | One-step Surgery for Breast Cancer: Back to the Future?. World Journal of Surgery, 2007, 31, 1155-1156.                                                                                                                               | 1.6 | 46        |
| 66 | The sentinel node concept: A critique of the critique. Breast, 2006, 15, 571-574.                                                                                                                                                     | 2.2 | 3         |
| 67 | The sentinel node concept: A critique of the critique. Breast, 2006, 15, 687-690.                                                                                                                                                     | 2.2 | 0         |
| 68 | Axillary Dissection for Breast Cancer. Operative Techniques in General Surgery, 2006, 8, 66-80.                                                                                                                                       | 0.0 | 4         |
| 69 | The Results of Frozen Section, Touch Preparation, and Cytological Smear Are Comparable for Intraoperative Examination of Sentinel Lymph Nodes: A Study in 133 Breast Cancer Patients. Annals of Surgical Oncology, 2005, 12, 173-180. | 1.5 | 101       |
| 70 | Is the clinically positive axilla in breast cancer really a contraindication to sentinel lymph node biopsy?. Journal of the American College of Surgeons, 2005, 200, 10-14.                                                           | 0.5 | 134       |
| 71 | Can Sentinel Lymph Node Biopsy Be Omitted in Patients With Favorable Breast Cancer Histology?.<br>Annals of Surgical Oncology, 2005, 12, 24-28.                                                                                       | 1.5 | 20        |
| 72 | American Society of Clinical Oncology Guideline Recommendations for Sentinel Lymph Node Biopsy in Early-Stage Breast Cancer. Journal of Clinical Oncology, 2005, 23, 7703-7720.                                                       | 1.6 | 1,674     |

| #  | Article                                                                                                                                                                                                           | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Breast-Conservation Therapy. , 2005, , 41-55.                                                                                                                                                                     |     | 5         |
| 74 | Missed micrometastatic disease in breast cancer. Seminars in Oncology, 2004, 31, 311-317.                                                                                                                         | 2.2 | 11        |
| 75 | A Prospective Analysis of the Effect of Blue-Dye Volume on Sentinel Lymph Node Mapping Success and Incidence of Allergic Reaction in Patients With Breast Cancer. Annals of Surgical Oncology, 2004, 11, 535-541. | 1.5 | 67        |
| 76 | Redefining prognosis in node-negative breast cancer: Can sentinel lymph node biopsy raise the threshold for systemic adjuvant therapy?. Annals of Surgical Oncology, 2004, 11, 227S-230S.                         | 1.5 | 20        |
| 77 | Immunohistochemically detected tumor cells in the sentinel lymph nodes of patients with breast carcinoma. Cancer, 2004, 100, 929-934.                                                                             | 4.1 | 101       |
| 78 | Cytokeratin-positive cells in sentinel lymph nodes in breast cancer are not random events. Cancer, 2004, 101, 926-933.                                                                                            | 4.1 | 52        |
| 79 | E14. Changing concepts in breast cancer surgery. European Journal of Cancer, Supplement, 2004, 2, 30-31.                                                                                                          | 2.2 | 0         |
| 80 | The Risk of Axillary Relapse After Sentinel Lymph Node Biopsy for Breast Cancer Is Comparable With That of Axillary Lymph Node Dissection. Annals of Surgery, 2004, 240, 462-471.                                 | 4.2 | 370       |
| 81 | A Nomogram for Predicting the Likelihood of Additional Nodal Metastases in Breast Cancer Patients With a Positive Sentinel Node Biopsy. Annals of Surgical Oncology, 2003, 10, 1140-1151.                         | 1.5 | 747       |
| 82 | Sentinel Lymph Node Biopsy for Breast Cancer: Does Anybody Not Need One?. Annals of Surgical Oncology, 2003, 10, 1131-1132.                                                                                       | 1.5 | 42        |
| 83 | The Accuracy of Sentinel Lymph Node Biopsy in Multicentric and Multifocal Invasive Breast Cancers.<br>Journal of the American College of Surgeons, 2003, 197, 529-535.                                            | 0.5 | 127       |
| 84 | Obesity influences outcome of sentinel lymph node biopsy in early-stage breast cancer. Journal of the American College of Surgeons, 2003, 197, 896-901.                                                           | 0.5 | 71        |
| 85 | Point: Sentinel Lymph Node Biopsy Is Indicated for Patients With DCIS. Journal of the National Comprehensive Cancer Network: JNCCN, 2003, 1, 199-206.                                                             | 4.9 | 22        |
| 86 | Isosulfan Blue Dye Reactions During Sentinel Lymph Node Mapping for Breast Cancer. Anesthesia and Analgesia, 2002, 95, 385-388.                                                                                   | 2.2 | 94        |
| 87 | Isosulfan Blue Dye Reactions During Sentinel Lymph Node Mapping for Breast Cancer. Anesthesia and Analgesia, 2002, 95, 385-388.                                                                                   | 2.2 | 196       |
| 88 | Current surgical management of breast cancer. Current Opinion in Obstetrics and Gynecology, 2002, 14, 45-52.                                                                                                      | 2.0 | 41        |
| 89 | Reoperative Sentinel Lymph Node Biopsy. Journal of the American College of Surgeons, 2002, 195, 167-172.                                                                                                          | 0.5 | 120       |
| 90 | Sensory morbidity after sentinel lymph node biopsy and axillary dissection: A prospective study of 233 women. Annals of Surgical Oncology, 2002, 9, 654-662.                                                      | 1.5 | 122       |

| #   | Article                                                                                                                                                                                                                                               | IF  | Citations |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91  | Sentinel Lymph Node Drainage in Multicentric Breast Cancers. Breast Journal, 2002, 8, 356-361.                                                                                                                                                        | 1.0 | 43        |
| 92  | Clinical aspects of sentinel node biopsy. Breast Cancer Research, 2001, 3, 104-8.                                                                                                                                                                     | 5.0 | 85        |
| 93  | Intradermal isotope injection is superior to intramammary in sentinel node biopsy for breast cancer.<br>Surgery, 2001, 130, 432-438.                                                                                                                  | 1.9 | 93        |
| 94  | Complementarity of Blue Dye and Isotope in Sentinel Node Localization for Breast Cancer: Univariate and Multivariate Analysis of 966 Procedures. Annals of Surgical Oncology, 2001, 8, 13-19.                                                         | 1.5 | 251       |
| 95  | Intradermal Isotope Injection: A Highly Accurate Method of Lymphatic Mapping in Breast Carcinoma.<br>Annals of Surgical Oncology, 2001, 8, 20-24.                                                                                                     | 1.5 | 90        |
| 96  | Lymphovascular Invasion Enhances the Prediction of Non-Sentinel Node Metastases in Breast Cancer Patients With Positive Sentinel Nodes. Annals of Surgical Oncology, 2001, 8, 145-149.                                                                | 1.5 | 160       |
| 97  | Highest Isotope Count Does Not Predict Sentinel Node Positivity in All Breast Cancer Patients. Annals of Surgical Oncology, 2001, 8, 592-597.                                                                                                         | 1.5 | 67        |
| 98  | Is It Really Duct Carcinoma In Situ?. Annals of Surgical Oncology, 2001, 8, 617-617.                                                                                                                                                                  | 1.5 | 23        |
| 99  | Localization of the Sentinel Node in Breast Cancer: Identical Results With Same-Day and Day-Before Isotope Injection. Annals of Surgical Oncology, 2001, 8, 682-686.                                                                                  | 1.5 | 70        |
| 100 | Sentinel lymph node biopsy in patients with male breast carcinoma. Cancer, 2001, 91, 319-323.                                                                                                                                                         | 4.1 | 83        |
| 101 | Hereditary breast cancer. Current Problems in Surgery, 2001, 38, 387-480.                                                                                                                                                                             | 1.1 | 124       |
| 102 | The breast cancer patient with multiple sentinel nodes: when to stop?1 1No competing interests declared Journal of the American College of Surgeons, 2001, 192, 692-697.                                                                              | 0.5 | 115       |
| 103 | A trend analysis of the relative value of blue dye and isotope localization in 2,000 consecutive cases of sentinel node biopsy for breast cancer 1 1No competing interests declared. Journal of the American College of Surgeons, 2001, 193, 473-478. | 0.5 | 159       |
| 104 | Comprehensive review of the management of internal mammary lymph node metastases in breast cancer 1 1No competing interests declared Journal of the American College of Surgeons, 2001, 193, 547-555.                                                 | 0.5 | 84        |
| 105 | Surgical approach to internal mammary lymph node biopsyl 1No competing interests declared Journal of the American College of Surgeons, 2001, 193, 709-713.                                                                                            | 0.5 | 19        |
| 106 | Percutaneous Biopsy and Sentinel Lymphadenectomy. American Journal of Roentgenology, 2001, 177, 887-891.                                                                                                                                              | 2.2 | 18        |
| 107 | Sentinel lymph node biopsy in patients with male breast carcinoma. Cancer, 2001, 91, 319-323.                                                                                                                                                         | 4.1 | 4         |
| 108 | Intradermal Isotope Injection: A Highly Accurate Method of Lymphatic Mapping in Breast Carcinoma. Annals of Surgical Oncology, 2001, 8, 20-24.                                                                                                        | 1.5 | 6         |

| #   | Article                                                                                                                                                                                          | IF  | Citations |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Lymphovascular Invasion Enhances the Prediction of Non-Sentinel Node Metastases in Breast Cancer Patients With Positive Sentinel Nodes. Annals of Surgical Oncology, 2001, 8, 145-149.           | 1.5 | 4         |
| 110 | Highest Isotope Count Does Not Predict Sentinel Node Positivity in All Breast Cancer Patients. Annals of Surgical Oncology, 2001, 8, 592-597.                                                    | 1.5 | 2         |
| 111 | Sentinel lymphadenectomy accurately predicts nodal status in T2 breast cancer11No competing interests declared Journal of the American College of Surgeons, 2000, 191, 593-599.                  | 0.5 | 72        |
| 112 | Sentinel Lymph Node Biopsy: Is It Indicated in Patients With High-Risk Ductal Carcinoma-In-Situ and Ductal Carcinoma-In-Situ With Microinvasion?. Annals of Surgical Oncology, 2000, 7, 636-642. | 1.5 | 304       |
| 113 | Is Routine Intraoperative Frozen-Section Examination of Sentinel Lymph Nodes in Breast Cancer Worthwhile?. Annals of Surgical Oncology, 2000, 7, 651-655.                                        | 1.5 | 182       |
| 114 | Sentinel Lymph Node Biopsy after Percutaneous Diagnosis of Nonpalpable Breast Cancer. Radiology, 1999, 211, 835-844.                                                                             | 7.3 | 49        |
| 115 | Sentinel lymph node mapping in breast cancer. Breast Cancer, 1999, 6, 13-22.                                                                                                                     | 2.9 | 89        |
| 116 | Intradermal Radiocolloid and Intraparenchymal Blue Dye Injection Optimize Sentinel Node Identification in Breast Cancer Patients. Annals of Surgical Oncology, 1999, 6, 450-454.                 | 1.5 | 233       |
| 117 | State-of-the-art approaches to sentinel node biopsy for breast cancer:. Surgical Oncology, 1999, 8, 85-91.                                                                                       | 1.6 | 112       |
| 118 | Sentinel lymph node biopsy in breast cancer: unfiltered radioisotope is superior to filtered 11No competing interests declared. Journal of the American College of Surgeons, 1999, 188, 377-381. | 0.5 | 89        |
| 119 | Management of the axilla in early stage breast cancer: Will sentinel node biopsy end the debate?. , 1999, 71, 137-139.                                                                           |     | 16        |
| 120 | Lessons Learned From 500 Cases of Lymphatic Mapping for Breast Cancer. Annals of Surgery, 1999, 229, 528-535.                                                                                    | 4.2 | 339       |
| 121 | Credentialing for Breast Lymphatic Mapping: How Many Cases Are Enough?. Annals of Surgery, 1999, 229, 723.                                                                                       | 4.2 | 135       |
| 122 | Mammographic Screening: A Surgeon's Perspective. Breast Journal, 1997, 3, 26-31.                                                                                                                 | 1.0 | 1         |
| 123 | The impact of mammography in 1096 consecutive patients with breast cancer, 1979-1993. Equal value for patients younger and older than age 50 years. Cancer, 1995, 76, 1579-1584.                 | 4.1 | 23        |
| 124 | Internal mammary node status: A major prognosticator in axillary node-negative breast cancer. Annals of Surgical Oncology, 1995, 2, 32-37.                                                       | 1.5 | 170       |
| 125 | Rotter's Node Metastases. Annals of Surgery, 1984, 199, 266-270.                                                                                                                                 | 4.2 | 36        |