

HÃ©ctor A Vargas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4959818/publications.pdf>

Version: 2024-02-01

90
papers

492
citations

933447
10
h-index

996975
15
g-index

98
all docs

98
docs citations

98
times ranked

174
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A new species of <i>Phylloconistis</i> Zeller (Lepidoptera: Gracillariidae) from southern Brazil, with life-history description and genetic comparison to congeneric species. <i>Zootaxa</i> , 2012, 3582, 1. | 0.5 | 24 |
| 2 | A new Brazilian Passiflora leafminer: <i>Spinivalva gaucha</i> , gen. n., sp. n. (Lepidoptera, Gracillariidae). Tj ETQq0 0 0 rgBT _{1.1} /Overlock 10 Tf 50 | | |
| 3 | Prospectación de lepidópteros antárticos asociados a <i>Acacia macracantha</i> Willd. (Fabaceae) en el norte de Chile. <i>Revista Brasileira De Entomología</i> , 2009, 53, 291-293. | 0.4 | 19 |
| 4 | First remarks on the nesting biology of <i>Hypodynerus andeus</i> (Packard) (Hymenoptera, Vespidae). Tj ETQq0 0 0 rgBT _{0.4} /Overlock 10 Tf 50 | | |
| 5 | A new species of <i>Bucculatrix</i> Zeller (Lepidoptera: Bucculatricidae) associated with <i>Baccharis salicifolia</i> (Asteraceae) in northern Chile. <i>Zootaxa</i> , 2012, 3300, 20. | 0.5 | 15 |
| 6 | Genetic divergence of a newly documented population of the cecidogenous micromoth <i>Eugnosta azapaensis</i> Vargas & Moreira (Lepidoptera: Tortricidae) in the Atacama Desert of northern Chile. <i>Revista Brasileira De Entomología</i> , 2017, 61, 266-270. | 0.4 | 15 |
| 7 | Un nuevo género y una nueva especie de <i>Oecophyllembiinae</i> (Lepidoptera: Gracillariidae) de Chile. <i>Neotropical Entomology</i> , 2005, 34, 227-233. | 1.2 | 15 |
| 8 | Prey identification in nests of the potter wasp <i>Hypodynerus andeus</i> (Packard) (Hymenoptera, Vespidae). Tj ETQq0 0 0 rgBT _{0.4} /Overlock 10 | | |
| 9 | A new species of <i>Leurocephala</i> Davis & Mc Kay (Lepidoptera, Gracillariidae) from the Azapa Valley, northern Chilean Atacama Desert, with notes on life-history. <i>Revista Brasileira De Entomología</i> , 2017, 61, 6-15. | 0.4 | 12 |
| 10 | A new cecidogenous species of <i>Eugnosta</i> Hübner (Lepidoptera: Tortricidae) associated with <i>Baccharis salicifolia</i> (Asteraceae) in the northern Chilean Atacama Desert: Life-history description and phylogenetic inferences. <i>Zootaxa</i> , 2015, 3920, 265-80. | 0.5 | 11 |
| 11 | An illustrated catalogue of the Neotropical Gracillariidae (Lepidoptera) with new data on primary types. <i>Zootaxa</i> , 2019, 4575, zootaxa.4575.1.1. | 0.5 | 11 |
| 12 | Lycaenid caterpillars (Lepidoptera, Lycaenidae) eating flowers of <i>Dalea pennellii</i> var. <i>chilensis</i> (Fabaceae) in the northern Chilean Andes. <i>Revista Brasileira De Entomología</i> , 2014, 58, 309-312. | 0.4 | 10 |
| 13 | Left-right asymmetry and morphological consequences of a host shift in the oligophagous Neotropical moth <i>Macaria mirthae</i> (Lepidoptera: Geometridae). <i>Journal of Insect Conservation</i> , 2015, 19, 589-598. | 1.4 | 10 |
| 14 | <i>Macaria mirthae</i> : una nueva especie de Ennominae (Lepidoptera: Geometridae) de Chile. <i>Neotropical Entomology</i> , 2005, 34, 571-576. | 1.2 | 10 |
| 15 | A new genus and species of leaf miner (Lepidoptera, Gracillariidae) for Chile associated to the native tree <i>Lithraea caustica</i> . <i>Revista Brasileira De Entomología</i> , 2013, 57, 157-164. | 0.4 | 9 |
| 16 | Dos nuevas especies de <i>Iridopsis</i> Warren (Lepidoptera, Geometridae) del norte de Chile. <i>Revista Brasileira De Entomología</i> , 2007, 51, 138-141. | 0.4 | 9 |
| 17 | Use of a Native and an Exotic Malvaceae by the Little Known Skipper <i>Pyrsgus bocchoris trisignatus</i> (Mabille) (Hesperiidae) in Northern Chile. <i>Journal of the Lepidopterists' Society</i> , 2013, 67, 225-226. | 0.2 | 8 |
| 18 | <i>Cactivalva nebularia</i>, gen. et sp. nov. (Lepidoptera: Gracillariidae): a new <i>Weinmannia</i> leaf miner from southern Brazil. <i>Austral Entomology</i> , 2018, 57, 62-76. | 1.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | First host plant records for <i>Iridopsis hausmanni</i> Vargas (Lepidoptera, Geometridae) in the coastal valleys of northern Chile. <i>Revista Brasileira De Entomologia</i> , 2014, 58, 95-97. | 0.4 | 8 |
| 20 | External morphology of the immature stages of Neotropical heliconians: IX. <i>Dione glycera</i> (C. Felder & Tj ETQq0 0 0 rgBT /Overlock 10 T | 0.4 | 7 |
| 21 | First Remarks on Genetic Variation of the Little Known Leaf Miner <i>Angelabella tecomae</i> Vargas & Parra (Gracillariidae) in the Atacama Desert of Northern Chile. <i>Journal of the Lepidopterists' Society</i> , 2015, 69, 192-196. | 0.2 | 7 |
| 22 | Description, natural history and genetic variation of <i>< i>Caloptilia guacanivora</i></i> sp. nov. Vargas & Ortiz & Vargas (Lepidoptera: Gracillariidae) in the Atacama Desert, Chile. <i>Austral Entomology</i> , 2019, 58, 171-191. | 1.4 | 7 |
| 23 | A new species of <i>Eccopsis</i> Zeller (Lepidoptera, Tortricidae) from the coastal valleys of northern Chile, with the first continental record of <i>E. galapagana</i> Razowski & Landry. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 216-218. | 0.4 | 7 |
| 24 | Egg laying site selection by a host plant specialist leaf miner moth at two intra-plant levels in the northern Chilean Atacama Desert. <i>Revista Brasileira De Entomologia</i> , 2014, 58, 280-284. | 0.4 | 6 |
| 25 | First Record of an Exotic Host Plant for the Oligophagous Moth <i>Macaria mirthae</i> (Geometridae) in the Coastal Valleys of the Northern Chilean Atacama Desert. <i>Journal of the Lepidopterists' Society</i> , 2014, 68, 292-295. | 0.2 | 6 |
| 26 | Sexual dimorphism and population differentiation in the Chilean Neotropical moth <i>Macaria mirthae</i> (Lepidoptera, Geometridae): a wing geometric morphometric example. <i>Revista Brasileira De Entomologia</i> , 2017, 61, 365-369. | 0.4 | 6 |
| 27 | <i>Lioptilodes friasi</i> (Lepidoptera: Pterophoridae) Niche Breadth in the Chilean Mediterranean Matorral Biome: Trophic and Altitudinal Dimensions. <i>Neotropical Entomology</i> , 2018, 47, 62-68. | 1.2 | 6 |
| 28 | <i>Adenogasteria leguminivora</i> Davis & Vargas gen. et sp. nov. (Lepidoptera: Gracillariidae): a new seed-eating micromoth associated with Fabaceae in Peru and Chile. <i>Austral Entomology</i> , 2020, 59, 37-51. | 1.4 | 6 |
| 29 | Una nueva especie de <i>Eupithecia</i> Curtis (Lepidoptera: Geometridae) del extremo norte de Chile. <i>Revista Chilena De Historia Natural</i> , 2004, 77, 485. | 1.2 | 5 |
| 30 | Imaturos de <i>Chrismopteryx undularia</i> (Blanchard) (Lepidoptera, Geometridae). <i>Revista Brasileira De Entomologia</i> , 2010, 54, 519-528. | 0.4 | 5 |
| 31 | First host plant record for <i>Strymon davara</i> (Hewitson) (Lepidoptera, Lycaenidae) in the highly human-modified coastal valleys of the Atacama Desert. <i>Revista Brasileira De Entomologia</i> , 2016, 60, 352-355. | 0.4 | 5 |
| 32 | Larval Polychromatism in the Neotropical Hairstreak <i>Strymon bubastus</i> (Stoll) (Lycaenidae, Theclinae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Lepidopterists' Society, 2016, 70, 153-157. | 0.2 | 5 |
| 33 | A new leaf-tying <i>Episimus Walsingham</i> (Lepidoptera: Tortricidae) feeding on the vulnerable tree <i>Haplorthus peruviana</i> (Anacardiaceae) in the Atacama Desert of northern Chile. <i>Studies on Neotropical Fauna and Environment</i> , 2018, 53, 113-119. | 1.0 | 5 |
| 34 | A new species of <i>Macaria</i> Curtis (Lepidoptera: Geometridae: Ennominae) from the Andes of northern Chile. <i>Revista Brasileira De Entomologia</i> , 2020, 64, . | 0.4 | 5 |
| 35 | First Record of <i>Pero rodriguezi</i> Vargas, 2007 (Geometridae) in Peru with Description of the Female. <i>Journal of the Lepidopterists' Society</i> , 2019, 73, 129. | 0.2 | 5 |
| 36 | A new species of <i>Ypsolopha Latreille</i> (Lepidoptera, Ypsolophidae) from the Andes of northern Chile. <i>Nota Lepidopterologica</i> , 2018, 41, 199-205. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A new species of <i>Stenoptilia</i> Hübner (Lepidoptera: Pterophoridae) associated with <i>Neobartsia peruviana</i> (Orobanchaceae) in the Andes of northern Chile. <i>Revista Brasileira De Entomologia</i> , 2020, 64, . | 0.4 | 5 |
| 38 | First Record of <i>Cydia tonosticha</i> (Meyrick) (Tortricidae) from Chile and a New Host Plant. <i>Journal of the Lepidopterists' Society</i> , 2015, 69, 331-333. | 0.2 | 4 |
| 39 | First Notes on the Life History of <i>Eupithecia tarapaca</i> Rindge (Geometridae) on the Western Slopes of the Andes of Northern Chile. <i>Journal of the Lepidopterists' Society</i> , 2016, 70, 167-169. | 0.2 | 4 |
| 40 | Genetic divergence of isolated populations of the native micromoth <i>Bucculatrix mirnae</i> (Lepidoptera: Bucculatrigidae) in the arid environments of Northern Chile. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2018, 29, 1139-1147. | 0.7 | 4 |
| 41 | A new species of <i>Strepsicrates</i> Meyrick (Lepidoptera: Tortricidae) from the Atacama Desert of northern Chile previously misidentified as <i>S. smithiana</i> Walsingham. <i>Zootaxa</i> , 2018, 4370, 569-579. | 0.5 | 4 |
| 42 | Identification of sap-feeder instars in <i>Angelabella tecomae</i> Vargas & Parra (Lepidoptera, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 56, 508-510. | 0.4 | 4 |
| 43 | <i>Adaina jobimi</i> sp. nov., a plume moth (Lepidoptera, Pterophoridae) associated with <i>Baccharis alnifolia</i> (Asteraceae) in the Andes of northern Chile. <i>Nota Lepidopterologica</i> , 0, 43, 329-336. | 0.6 | 4 |
| 44 | First host plant record for <i>Pero obtusaria</i> Prout (Lepidoptera: Geometridae). <i>Neotropical Entomology</i> , 2011, 40, 625-7. | 1.2 | 4 |
| 45 | Una nueva especie de <i>Cosmophyla Dognin</i> (Lepidoptera, Geometridae) del norte de Chile. <i>Revista Brasileira De Entomologia</i> , 2008, 52, 362-364. | 0.4 | 3 |
| 46 | A new species of <i>Glena Hulst</i> (Lepidoptera, Geometridae) from northern Chile. <i>Revista Brasileira De Entomologia</i> , 2010, 54, 42-44. | 0.4 | 3 |
| 47 | A new species of <i>Lioptilodes Zimmerman</i> (Lepidoptera, Pterophoridae) from northern Chile. <i>Revista Brasileira De Entomologia</i> , 2010, 54, 428-430. | 0.4 | 3 |
| 48 | <i>Strepsicrates smithiana</i> Walsingham (Lepidoptera, Tortricidae): first record from Chile and a newly documented host plant. <i>Revista Brasileira De Entomologia</i> , 2012, 56, 381-382. | 0.4 | 3 |
| 49 | First Host Plant Record for <i>i>Thaeides muela</i> (Lepidoptera, Lycaenidae: Theclinae: Eumaeini). <i>Florida Entomologist</i> , 2014, 97, 288-290. | 0.5 | 3 |
| 50 | An endangered hemiparasitic shrub is the only host plant of the little-known Neotropical hairstreak <i>Strymon flavaria</i> (Lepidoptera: Lycaenidae) in the arid Andes. <i>Journal of Insect Conservation</i> , 2016, 20, 923-928. | 1.4 | 3 |
| 51 | First high-altitude record of <i>Bucculatrix mirnae</i> Vargas and Moreira (Lepidoptera, Bucculatrigidae) on a newly documented host plant: the importance of host plant distribution for conservation on the western slopes of the Andes mountains of northern Chile. <i>Revista Brasileira De Entomologia</i> , 2016, 60, 356-358. | 0.4 | 3 |
| 52 | Egg and First Instar of the Neotropical Geometrid Moth <i>Pero obtusaria</i> Prout (Geometridae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Tc 0.2 | | |
| 53 | Morphology of the immature stages and notes on the natural history of the little-known plume moth <i>Stenoptilodes juanfernandicus</i> Gielis (Lepidoptera: Pterophoridae). <i>Zootaxa</i> , 2018, 4462, 415. | 0.5 | 3 |
| 54 | Female genitalia of <i>Pero obtusaria</i> Prout, 1928 (Lepidoptera: Geometridae). <i>Revista Brasileira De Entomologia</i> , 2019, 63, 112-114. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | First record of the sedge feeder <i>Bactra verutana</i> Zeller (Lepidoptera: Tortricidae) in Chile based on morphology and DNA barcodes. <i>Revista Brasileira De Entomologia</i> , 2019, 63, 104-107. | 0.4 | 3 |
| 56 | First record of <i>Alucita danunciae</i> (Lepidoptera: Alucitidae) in Peru. <i>Studies on Neotropical Fauna and Environment</i> , 2020, 55, 103-108. | 1.0 | 3 |
| 57 | Cryptic Diversity in the Monotypic Neotropical Micromoth Genus <i>Angelabella</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 TF 52.2 | | |
| 58 | First record of <i>Phoebis argante chincha</i> Lamas (Lepidoptera, Pieridae) in Chile. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 445-446. | 0.4 | 3 |
| 59 | A new species of <i>Crocidosema</i> Zeller (Lepidoptera, Tortricidae) from the Andes of northern Chile. <i>Nota Lepidopterologica</i> , 2019, 42, 129-136. | 0.6 | 3 |
| 60 | A new species of <i>Ithome Chambers</i> (Lepidoptera, Cosmopterigidae, Chrysopeleiinae) from the Atacama Desert revealed by morphology and DNA barcodes. <i>ZooKeys</i> , 2020, 912, 125-138. | 1.1 | 3 |
| 61 | First record of <i>Vanessa braziliensis</i> (Moore) (Lepidoptera: Nymphalidae) in Chile. <i>Gayana</i> , 2013, 77, 171-173. | 0.1 | 3 |
| 62 | Overlooked gall-inducing moths revisited, with the description of <i>Andescecidium parrai</i> gen. et sp. n. and <i>Oliera saizi</i> sp. n. from Chile (Lepidoptera, Cecidosidae). <i>ZooKeys</i> , 2018, 795, 127-157. | 1.1 | 3 |
| 63 | <i>Phyllocnistis furcata</i> sp. nov.: a new species of leaf-miner associated with <i>Baccharis</i> (Asteraceae) from Southern Peru (Lepidoptera, Gracillariidae). <i>ZooKeys</i> , 2020, 996, 121-145. | 1.1 | 3 |
| 64 | »¿The South American moth <i>Rheumaptera mochica</i> (Dognin, 1904) (Lepidoptera, Geometridae, Larentiinae) rediscovered after more than a century of anonymity. <i>ZooKeys</i> , 2022, 1085, 129-143. | 1.1 | 3 |
| 65 | <i>Zerene cesonia limonella</i> Lamas (Pieridae): First Distribution Record in Chile and First Host Plant Record. <i>Journal of the Lepidopterists' Society</i> , 2015, 69, 326-327. | 0.2 | 2 |
| 66 | Genetic Divergence of the Pest Moth <i>Chloridea virescens</i> (Noctuidae: Heliothinae) Feeding on a Newly Documented Host Plant in the Atacama Desert of Northern Chile. <i>Journal of the Lepidopterists' Society</i> , 2017, 71, 274-278. | 0.2 | 2 |
| 67 | Exploring DNA Barcodes of Neotropical and Afrotropical Species of <i>Eccopsis Zeller</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 TF 52.2 | | |
| 68 | External morphology of the leaf-tying larva and pupa of the Neotropical micromoth <i>Eccopsis razowskii</i> (Lepidoptera: Tortricidae). <i>Applied Entomology and Zoology</i> , 2017, 52, 19-27. | 1.2 | 2 |
| 69 | A new species of <i>Scrobipalpula Povolný</i> (Lepidoptera: Gelechiidae) associated with <i>Baccharis salicifolia</i> (Asteraceae) in the Atacama Desert of northern Chile. <i>Studies on Neotropical Fauna and Environment</i> , 2019, 54, 217-224. | 1.0 | 2 |
| 70 | Descripción de la larva de Áltimo instar y de la pupa de <i>Cydia lasso</i> Heppner (Lepidoptera, Tortricidae). <i>Revista Brasileira De Entomologia</i> , 2007, 51, 263-266. | 0.4 | 2 |
| 71 | A new species of <i>Eupithecia</i> Curtis (Lepidoptera, Geometridae) from the Azapa Valley, northern Chile. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 568-570. | 0.4 | 2 |
| 72 | A replacement name for <i>Hualpenia Mundaca</i> , Parra & Vargas (Lepidoptera, Gracillariidae). <i>Revista Brasileira De Entomologia</i> , 2013, 57, 353-353. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Two new native larval host plants of <i>Hyles anneei</i> (Guérin-Méneville, 1839) (Lepidoptera, Sphingidae) in the Atacama Desert of northern Chile following exceptional summer rainfall. Nota Lepidopterologica, 2019, 42, 151-156. | 0.6 | 2 |
| 74 | Immature Stages of <i>Teriocolias zelia andina</i> Forbes (Pieridae: Coliadinae). Journal of the Lepidopterists' Society, 2016, 70, 205-210. | 0.2 | 1 |
| 75 | Seasonal Variation and Sexual Shape Dimorphism in Wings of the Neotropical Hairstreak <i>Strymon davara</i> (Lycaenidae, Theclinae, Eumaeini). Journal of the Lepidopterists' Society, 2018, 72, 81-86. | 0.2 | 1 |
| 76 | Immature stages, phenology, distribution and host plants of the Andean Moon Moth <i>Cercophana frauenfeldii</i> Felder, 1862 (Lepidoptera: Saturniidae). Revista Brasileira De Entomologia, 2021, 65, . | 0.4 | 1 |
| 77 | On the natural history of <i>Cosmophyga cortesi</i> Vargas (Lepidoptera: Geometridae), a little-known geometrid moth of the Atacama Desert. Revista Brasileira De Entomologia, 2021, 65, . | 0.4 | 1 |
| 78 | A New Fruit-Boring Species of <i>Rhectosemia</i> Lederer (Lepidoptera: Crambidae) Feeding on <i>Solanum peruvianum</i> L. (Solanaceae) in the Atacama Desert. Journal of the Lepidopterists' Society, 2021, 75, . | 0.2 | 1 |
| 79 | Systematics of <i>Helioandesia tarregai</i> gen. et sp. nov. (Lepidoptera: Yponomeutoidea: Heliodinidae) from the Andes of Northern Chile. European Journal of Taxonomy, 0, 731, . | 0.6 | 1 |
| 80 | A new species of <i>Eupithecia</i> Curtis (Lepidoptera, Geometridae) from the Andes of northern Chile. Nota Lepidopterologica, 0, 44, 239-247. | 0.6 | 1 |
| 81 | First record of <i>Homoeographa lanceolella</i> Ragonot (Lepidoptera: Pyralidae: Phycitinae) in Chile. Gayana, 2016, 80, 201-203. | 0.1 | 1 |
| 82 | Phylogenetic study of the genera of Trichopterygini from Austral South American (Lepidoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38 | 0.1 | 1 |
| 83 | A New Species of <i>Scrobipalpomima</i> Povolný ½ (Lepidoptera: Gelechiidae) Reared from Stem Galls of <i>Adesmia spinosissima</i> Meyen (Fabaceae) in the Andes of Northern Chile. Transactions of the American Entomological Society, 2020, 146, . | 0.3 | 1 |
| 84 | New distribution records, first host plant record and DNA barcoding of the Neotropical plume moth <i>Oidaematophorus pseudotrichophloeus</i> Gielis (Lepidoptera, Pterophoridae). Biodiversity Data Journal, 2021, 9, e77167. | 0.8 | 1 |
| 85 | DESCRIPCION DE LA HEMBRA Y DE LAS ESTRUCTURAS GENITALES DE CHILESLIA ANGULOI RUIZ (LEPIDOPTERA: Tj ETQq1 1 0 784314 rg | 0.1 | 1 |
| 86 | Larva, pupa and DNA barcodes of the Neotropical geometrid moth <i>Glena mielkei</i> (Lepidoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22 | 0.4 | 1 |
| 87 | Larva and Pupa of the Little-Known Neotropical Moth <i>Melipotis walkeri</i> (Lepidoptera: Erebidae). Journal of the Lepidopterists' Society, 2018, 72, 276-283. | 0.2 | 0 |
| 88 | <i>Ragonotia campodonicoi</i> Cepeda (Lepidoptera: Pyralidae: Phycitinae) in the Andes Highlands of Northern Chile, Expanded Distribution and First Documented Host Plant. Journal of the Lepidopterists' Society, 2020, 74, 189. | 0.2 | 0 |
| 89 | Atacamaptilia ambrosiavora gen. et sp. nov. (Lepidoptera: Gracillariidae), a leaf miner of <i>Ambrosia cumanensis</i> (Asteraceae) in the Atacama Desert. Zootaxa, 2022, 5100, 401-418. | 0.5 | 0 |
| 90 | A contribution to the knowledge of leaf-mining <i>Phyllocnistis</i> Zeller, 1848 associated with <i>Baccharis</i> (Asteraceae), with description of two new species from Peru (Lepidoptera: Gracillariidae). Zootaxa, 2022, 5104, 196-208. | 0.5 | 0 |