

Rachel F Buckley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4960404/publications.pdf>

Version: 2024-02-01

142
papers

5,548
citations

126858

33
h-index

91828

69
g-index

154
all docs

154
docs citations

154
times ranked

6117
citing authors

#	ARTICLE	IF	CITATIONS
1	The characterisation of subjective cognitive decline. <i>Lancet Neurology</i> , The, 2020, 19, 271-278.	4.9	627
2	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease. <i>JAMA Neurology</i> , 2019, 76, 915.	4.5	512
3	Implementation of subjective cognitive decline criteria in research studies. <i>Alzheimer's and Dementia</i> , 2017, 13, 296-311.	0.4	375
4	Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S63-S86.	1.2	317
5	Phases of Hyperconnectivity and Hypoconnectivity in the Default Mode and Salience Networks Track with Amyloid and Tau in Clinically Normal Individuals. <i>Journal of Neuroscience</i> , 2017, 37, 4323-4331.	1.7	237
6	Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 465-476.	0.4	232
7	Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 542.	4.5	201
8	The impact of amyloid- β and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019, 85, 181-193.	2.8	171
9	Sex, amyloid, and <i>APOE</i> ϵ 4 and risk of cognitive decline in preclinical Alzheimer's disease: Findings from three well-characterized cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 1193-1203.	0.4	169
10	Interactive Associations of Vascular Risk and β -Amyloid Burden With Cognitive Decline in Clinically Normal Elderly Individuals. <i>JAMA Neurology</i> , 2018, 75, 1124.	4.5	165
11	Factors affecting subjective memory complaints in the AIBL aging study: biomarkers, memory, affect, and age. <i>International Psychogeriatrics</i> , 2013, 25, 1307-1315.	0.6	142
12	Subjective memory decline predicts greater rates of clinical progression in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2016, 12, 796-804.	0.4	135
13	Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global β -Amyloid Burden. <i>JAMA Neurology</i> , 2017, 74, 1455.	4.5	119
14	Functional network integrity presages cognitive decline in preclinical Alzheimer disease. <i>Neurology</i> , 2017, 89, 29-37.	1.5	106
15	Non-Pharmacologic Interventions for Older Adults with Subjective Cognitive Decline: Systematic Review, Meta-Analysis, and Preliminary Recommendations. <i>Neuropsychology Review</i> , 2017, 27, 245-257.	2.5	97
16	Associations of Physical Activity and β -Amyloid With Longitudinal Cognition and Neurodegeneration in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 1203.	4.5	97
17	PET staging of amyloidosis using striatum. <i>Alzheimer's and Dementia</i> , 2018, 14, 1281-1292.	0.4	93
18	Genetic variants and functional pathways associated with resilience to Alzheimer's disease. <i>Brain</i> , 2020, 143, 2561-2575.	3.7	93

#	ARTICLE	IF	CITATIONS
19	Segmentation of the mouse hippocampal formation in magnetic resonance images. <i>NeuroImage</i> , 2011, 58, 732-740.	2.1	88
20	Vascular Risk and β -Amyloid Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019, 85, 272-279.	2.8	75
21	Longitudinal Association of Depression Symptoms With Cognition and Cortical Amyloid Among Community-Dwelling Older Adults. <i>JAMA Network Open</i> , 2019, 2, e198964.	2.8	72
22	Amyloid- β Related Memory Decline is not Associated with Subjective or Informant Rated Cognitive Impairment in Healthy Adults. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 677-686.	1.2	63
23	Sex Mediates Relationships Between Regional Tau Pathology and Cognitive Decline. <i>Annals of Neurology</i> , 2020, 88, 921-932.	2.8	63
24	Clinical meaningfulness of subtle cognitive decline on longitudinal testing in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020, 16, 552-560.	0.4	55
25	Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2019, 78, 178-185.	1.5	54
26	Amyloid-associated increases in longitudinal report of subjective cognitive complaints. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 444-449.	1.8	51
27	Global White Matter Diffusion Characteristics Predict Longitudinal Cognitive Change Independently of Amyloid Status in Clinically Normal Older Adults. <i>Cerebral Cortex</i> , 2019, 29, 1251-1262.	1.6	47
28	Subjective Memory Complaints in APOE ϵ 4 Carriers are Associated with High Amyloid- β Burden. <i>Journal of Alzheimer's Disease</i> , 2016, 49, 1115-1122.	1.2	45
29	Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. <i>Neurology</i> , 2021, 96, e619-e631.	1.5	45
30	Subjective cognitive concerns are associated with objective memory performance in Caucasian but not African-American persons. <i>Age and Ageing</i> , 2017, 46, 988-993.	0.7	44
31	Phenomenological characterization of memory complaints in preclinical and prodromal Alzheimer's disease. <i>Neuropsychology</i> , 2015, 29, 571-581.	1.0	43
32	Subjective Cognitive Decline from a Phenomenological Perspective: A Review of the Qualitative Literature. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S125-S140.	1.2	42
33	A Conceptualization of the Utility of Subjective Cognitive Decline in Clinical Trials of Preclinical Alzheimer's Disease. <i>Journal of Molecular Neuroscience</i> , 2016, 60, 354-361.	1.1	37
34	Neuroimaging markers associated with maintenance of optimal memory performance in late-life. <i>Neuropsychologia</i> , 2017, 100, 164-170.	0.7	35
35	Unsupervised assessment of cognition in the Healthy Brain Project: Implications for web-based registries of individuals at risk for Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12043.	1.8	34
36	Impact of APOE ϵ 4 carriage on the onset and rates of neocortical A β -amyloid deposition. <i>Neurobiology of Aging</i> , 2020, 95, 46-55.	1.5	32

#	ARTICLE	IF	CITATIONS
37	Lower novelty-related locus coeruleus function is associated with A β -related cognitive decline in clinically healthy individuals. <i>Nature Communications</i> , 2022, 13, 1571.	5.8	32
38	Self and informant memory concerns align in healthy memory complainers and in early stages of mild cognitive impairment but separate with increasing cognitive impairment. <i>Age and Ageing</i> , 2015, 44, 1012-1019.	0.7	31
39	Inferior temporal tau is associated with accelerated prospective cortical thinning in clinically normal older adults. <i>NeuroImage</i> , 2020, 220, 116991.	2.1	31
40	To What Extent Does Age at Death Account for Sex Differences in Rates of Mortality From Alzheimer Disease?. <i>American Journal of Epidemiology</i> , 2019, 188, 1213-1223.	1.6	30
41	Identifying Sensitive Measures of Cognitive Decline at Different Clinical Stages of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 426-438.	1.2	30
42	Menopause Status Moderates Sex Differences in Tau Burden: A Framingham PET Study. <i>Annals of Neurology</i> , 2022, 92, 11-22.	2.8	29
43	Dynamic change of cognitive reserve: associations with changes in brain, cognition, and diagnosis. <i>Neurobiology of Aging</i> , 2019, 83, 95-104.	1.5	28
44	Amyloid-beta burden predicts prospective decline in body mass index in clinically normal adults. <i>Neurobiology of Aging</i> , 2020, 93, 124-130.	1.5	27
45	Sex differences in the genetic architecture of cognitive resilience to Alzheimer's disease. <i>Brain</i> , 2022, 145, 2541-2554.	3.7	26
46	A "Disease Severity Index" to identify individuals with Subjective Memory Decline who will progress to mild cognitive impairment or dementia. <i>Scientific Reports</i> , 2017, 7, 44368.	1.6	23
47	The Healthy Brain Project: An Online Platform for the Recruitment, Assessment, and Monitoring of Middle-Aged Adults at Risk of Developing Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1211-1228.	1.2	23
48	Telomere length associations with cognition depend on Alzheimer's disease biomarkers. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019, 5, 883-890.	1.8	23
49	Resting-state functional connectivity and amyloid burden influence longitudinal cortical thinning in the default mode network in preclinical Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2020, 28, 102407.	1.4	23
50	Characteristics of subjective cognitive decline associated with amyloid positivity. <i>Alzheimer's and Dementia</i> , 2022, 18, 1832-1845.	0.4	22
51	Association of Neighborhood-Level Socioeconomic Measures With Cognition and Dementia Risk in Australian Adults. <i>JAMA Network Open</i> , 2022, 5, e224071.	2.8	20
52	Association of Emerging β -Amyloid and Tau Pathology With Early Cognitive Changes in Clinically Normal Older Adults. <i>Neurology</i> , 2022, 98, .	1.5	20
53	Using subjective cognitive decline to identify high global amyloid in community-based samples: A cross-cohort study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 670-678.	1.2	19
54	Longitudinal degradation of the default/saliency network axis in symptomatic individuals with elevated amyloid burden.. <i>NeuroImage: Clinical</i> , 2020, 26, 102052.	1.4	18

#	ARTICLE	IF	CITATIONS
55	Examining Cognitive Decline Across Black and White Participants in the Harvard Aging Brain Study. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 1437-1446.	1.2	18
56	Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. <i>Neurology</i> , 2021, 96, .	1.5	18
57	The influence of demographic factors on subjective cognitive concerns and beta-amyloid. <i>International Psychogeriatrics</i> , 2017, 29, 645-652.	0.6	17
58	Synergism between fornix microstructure and beta amyloid accelerates memory decline in clinically normal older adults. <i>Neurobiology of Aging</i> , 2019, 81, 38-46.	1.5	17
59	Nonlinear Distributional Mapping (NoDiM) for harmonization across amyloid-PET radiotracers. <i>NeuroImage</i> , 2019, 186, 446-454.	2.1	16
60	Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 138.	3.0	14
61	Examining Sex Differences in Markers of Cognition and Neurodegeneration in Autosomal Dominant Alzheimer's Disease: Preliminary Findings from the Colombian Alzheimer's Prevention Initiative Biomarker Study. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 1743-1753.	1.2	12
62	ITEM-LEVEL INVESTIGATION OF PARTICIPANT AND STUDY PARTNER REPORT ON THE COGNITIVE FUNCTION INDEX FROM THE A4 STUDY SCREENING DATA. <i>Journal of Prevention of Alzheimer's Disease</i> , 2021, 8, 1-6.	1.5	12
63	The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 121-129.	1.2	11
64	Personal Memory Function in Mild Cognitive Impairment and Subjective Memory Complaints: Results from the Australian Imaging, Biomarkers, and Lifestyle (AIBL) Study of Ageing. <i>Journal of Alzheimer's Disease</i> , 2014, 40, 551-561.	1.2	10
65	Age-Related Cognitive Decline Is Indicative of Neuropathology. <i>Annals of Neurology</i> , 2020, 87, 813-815.	2.8	10
66	Elucidating the association between depression, anxiety, and cognition in middle-aged adults: Application of dimensional and categorical approaches. <i>Journal of Affective Disorders</i> , 2022, 296, 559-566.	2.0	10
67	Autobiographical narratives relate to Alzheimer's disease biomarkers in older adults. <i>International Psychogeriatrics</i> , 2014, 26, 1737-1746.	0.6	9
68	Recent Advances in Imaging of Preclinical, Sporadic, and Autosomal Dominant Alzheimer's Disease. <i>Neurotherapeutics</i> , 2021, 18, 709-727.	2.1	9
69	Different Cognitive Complaint Profiles in Memory Clinic and Depressive Patients. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 463-475.	0.6	8
70	Multiple markers contribute to risk of progression from normal to mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2020, 28, 102400.	1.4	8
71	Sleep symptomatology is associated with greater subjective cognitive concerns: findings from the community-based Healthy Brain Project. <i>Sleep</i> , 2021, 44, .	0.6	8
72	Association of β -Amyloid and Vascular Risk on Longitudinal Patterns of Brain Atrophy. <i>Neurology</i> , 2022, 99, .	1.5	8

#	ARTICLE	IF	CITATIONS
73	Functional and Pathological Correlates of Judgments of Learning in Cognitively Unimpaired Older Adults. <i>Cerebral Cortex</i> , 2020, 30, 1974-1983.	1.6	7
74	Longitudinal Trajectories of Participant- and Study Partner-Rated Cognitive Decline, in Relation to Alzheimer's Disease Biomarkers and Mood Symptoms. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 806432.	1.7	7
75	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1161-1170.	1.2	5
76	An Online, Person-Centered, Risk Factor Management Program to Prevent Cognitive Decline: Protocol for A Prospective Behavior-Modification Blinded Endpoint Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1603-1622.	1.2	5
77	Visual Memory Deficits in Middle-Aged APOE ϵ 4 Homozygotes Detected Using Unsupervised Cognitive Assessments. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1563-1573.	1.2	4
78	Assessing Error Awareness as a Mediator of the Relationship between Subjective Concerns and Cognitive Performance in Older Adults. <i>PLoS ONE</i> , 2016, 11, e0166315.	1.1	4
79	Impact of sex and <i>APOE</i> ϵ 4 on the association of cognition and hippocampal volume in clinically normal, amyloid positive adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022, 14, e12271.	1.2	4
80	Comparing the Performance of the HADS and the GDS-15 in the AIBL Study. <i>International Psychogeriatrics</i> , 2015, 27, 1577-1578.	0.6	3
81	Cognitive Complaints in Memory Clinic Patients and in Depressive Patients: An Interpretative Phenomenological Analysis. <i>Gerontologist</i> , The, 2019, 59, 290-302.	2.3	3
82	Cardiovascular Risk Associated with Poorer Memory in Middle-Aged Adults from the Healthy Brain Project. <i>Journal of Alzheimer's Disease</i> , 2022, , 1-11.	1.2	3
83	Harmonizing the preclinical Alzheimer cognitive composite for multi-cohort studies. <i>Alzheimer's and Dementia</i> , 2020, 16, e047423.	0.4	2
84	Deaths with Dementia in Indigenous and Non-Indigenous Australians: A Nationwide Study. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1589-1599.	1.2	2
85	P4-354: Subjective Cognitive Concerns are Associated with Objective Memory Performance in Older Caucasian but not African-American Persons. , 2016, 12, P1173-P1173.		1
86	[P3-376]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1103.	0.4	1
87	[P4-500]: SPATIAL PATTERNS OF FLORTAUCIPIR (FTP) SIGNAL IN COGNITIVELY NORMAL ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1530.	0.4	1
88	ICP-041: LONGITUDINAL CHANGE OF FUNCTIONAL CONNECTIVITY IN PRECLINICAL AD: RESULTS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P41.	0.4	1
89	Where do white matter alterations dovetail with the cascade model of Alzheimer's disease?. <i>Brain</i> , 2018, 141, 2830-2833.	3.7	1
90	Repeated memory-based assessments: Implications for clinical trials and practice. <i>Alzheimer's and Dementia</i> , 2020, 16, e038143.	0.4	1

#	ARTICLE	IF	CITATIONS
91	Trajectories of decline in cognitively complex everyday activities across the Alzheimer's disease continuum. <i>Alzheimer's and Dementia</i> , 2020, 16, e044787.	0.4	1
92	Longitudinal hippocampal atrophy is associated with an amyloid-independent entorhinal tauopathy and an amyloid-independent neocortical tauopathy. <i>Alzheimer's and Dementia</i> , 2020, 16, e045733.	0.4	1
93	Cognitive Heterogeneity in Alzheimer Clinical Trials. <i>Neurology</i> , 2021, 96, 1017-1018.	1.5	1
94	Extraneous neuroimaging factors do not contribute to sex differences in flortaucipir signal: Analysis of skull binding and partial volume effects. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	1
95	Menopause moderates sex differences in tau PET signal: Findings from the Framingham Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	1
96	P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of β -Amyloid Burden in Preclinical ad. , 2016, 12, P1158-P1159.		0
97	[P1-320]: INTERPRETATIVE PHENOMENOLOGICAL ANALYSIS OF COGNITIVE COMPLAINTS REVEALS COMMONALITIES AND DIFFERENCES BETWEEN MEMORY CLINIC PATIENTS, DEPRESSIVE PATIENTS, AND HEALTHY ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P377.	0.4	0
98	[P2-535]: DIFFERENCES IN LONGEVITY AND DEATH CERTIFICATION ACCOUNT FOR SEX DISPARITY IN DEMENTIA MORTALITY RATES. <i>Alzheimer's and Dementia</i> , 2017, 13, P847.	0.4	0
99	[C-108]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS. <i>Alzheimer's and Dementia</i> , 2017, 13, P85.	0.4	0
100	[P1-256]: BASELINE CARDIOVASCULAR RISK AND AMYLOID BURDEN SYNERGISTICALLY PREDICT LONGITUDINAL COGNITIVE DECLINE IN CLINICALLY NORMAL ELDERLY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P347.	0.4	0
101	[P2-298]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS. <i>Alzheimer's and Dementia</i> , 2017, 13, P730.	0.4	0
102	[F1-03-02]: SUBJECTIVE COGNITIVE DECLINE, LONGITUDINAL COGNITIVE PERFORMANCE, AND IMAGING BIOMARKERS IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P176.	0.4	0
103	[O1-13-01]: SUBJECTIVE CONCERNS PREFERENTIALLY ASSOCIATE WITH AMYLOID BURDEN AND MEMORY IN CAUCASIANS, BUT WHITE MATTER HYPERINTENSITIES AND EXECUTIVE FUNCTION IN AFRICAN-AMERICANS. <i>Alzheimer's and Dementia</i> , 2017, 13, P225.	0.4	0
104	[O2-10-03]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P577.	0.4	0
105	[O2-11-04]: COGNITIVE RESERVE RELATES TO GREATER FUNCTIONAL CONNECTIVITY AND STRONGER INTERCONNECTIVITY WITHIN AND BETWEEN NODES, INDEPENDENT OF β -AMYLOID: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P582.	0.4	0
106	P1-327: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P417.	0.4	0
107	P3-370: AN APOE ϵ 4 DERIVED STATISTICAL METHOD FOR OPTIMIZING TARGET AND REFERENCE REGIONS FOR AMYLOID PET IMAGING. <i>Alzheimer's and Dementia</i> , 2018, 14, P1231.	0.4	0
108	O3-04-03: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE TO MALES: FINDINGS FROM TWO INDEPENDENT COHORTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1019.	0.4	0

#	ARTICLE	IF	CITATIONS
109	P3â€Pâ€166: THE HEALTHY BRAIN PROJECT: STUDY METHODOLOGY AND BASELINE CHARACTERISTICS OF AN ONLINE STUDY OF 3,400 MIDDLEâ€AGED ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1298.	0.4	0
110	ICâ€Pâ€159: BRAIN RESILIENCE PROTECTS AGAINST COGNITIVE DECLINE ASSOCIATED WITH ELEVATED AMYLOID BURDEN. <i>Alzheimer's and Dementia</i> , 2018, 14, P134.	0.4	0
111	F4â€O8â€02: AMYLOID BURDEN AND VASCULAR RISK ARE INDEPENDENTLY ASSOCIATED WITH SUBJECTIVE COGNITIVE DECLINE IN CLINICALLY NORMAL OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1394.	0.4	0
112	O1â€10â€03: SEX AND <i>APOE</i> GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P243.	0.4	0
113	ICâ€Pâ€139: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P116.	0.4	0
114	ICâ€Pâ€178: SEX DIFFERENCES IN TAU PATHOLOGY ACROSS CORTICAL AND SUBCORTICAL REGIONS OF INTEREST: FINDINGS ACROSS TWO COHORTS. <i>Alzheimer's and Dementia</i> , 2019, 15, P139.	0.4	0
115	F2â€O3â€01: CLINICAL MEANINGFULNESS OF SHORTâ€TERM COGNITIVE DECLINE ON THE PRECLINICAL ALZHEIMER'S COGNITIVE COMPOSITEâ€5 (PACCâ€5) IN NORMAL OLDER ADULTS WITH ELEVATED Î²â€AMYLOID. <i>Alzheimer's and Dementia</i> , 2019, 15, P518.	0.4	0
116	ICâ€Pâ€008: ANATOMICAL STAGING OF BETAâ€AMYLOID ACCUMULATION BASED ON LONGITUDINAL ASSESSMENT OF GLOBALLY PIB NEGATIVE ADULTS. <i>Alzheimer's and Dementia</i> , 2019, 15, P18.	0.4	0
117	O3â€09â€01: PROTECTIVE EFFECT OF PHYSICAL ACTIVITY ON LONGITUDINAL COGNITIVE DECLINE AND NEURODEGENERATION IN CLINICALLY NORMAL OLDER ADULTS WITH ELEVATED Î²â€AMYLOID BURDEN. <i>Alzheimer's and Dementia</i> , 2019, 15, P903.	0.4	0
118	Association of tau tangle burden with depressive symptoms in communityâ€dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020, 16, e038867.	0.4	0
119	The dynamic interplay between longitudinal subjective and objective cognitive decline along the early AD spectrum in the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020, 16, e040260.	0.4	0
120	Sex differences in genetic predictors of resilience to Alzheimerâ€™s disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e043259.	0.4	0
121	Longitudinal inferior temporal FTPâ€PET signal increase is associated with contemporaneous longitudinal temporal lobe cortical thinning in preclinical Alzheimerâ€™s disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e043419.	0.4	0
122	Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tauâ€PET. <i>Alzheimer's and Dementia</i> , 2020, 16, e043566.	0.4	0
123	Faster rates of tau accumulation in FTPâ€PET in females relative to males, and a crossâ€sectional influence on faster cognitive decline: Preliminary findings from HABS and ADNI. <i>Alzheimer's and Dementia</i> , 2020, 16, e043620.	0.4	0
124	Associations of peak width of skeletonized mean diffusivity with cardiovascular disease risk and cognitive decline in clinically normal older adults. <i>Alzheimer's and Dementia</i> , 2020, 16, e043812.	0.4	0
125	Are amyloid and tau synergistic? How to interpret an amyloid/tau interaction on cognitive decline in clinically normal adults. <i>Alzheimer's and Dementia</i> , 2020, 16, e044310.	0.4	0
126	Optimizing the unsupervised assessment of cognition in webâ€based registries of individuals at risk for Alzheimerâ€™s disease: Results from the Healthy Brain Project. <i>Alzheimer's and Dementia</i> , 2020, 16, e044726.	0.4	0

#	ARTICLE	IF	CITATIONS
127	Multimodal genome-wide meta-analysis of brain amyloidosis reveals heterogeneity across CSF, PET, and pathological amyloid measures. <i>Alzheimer's and Dementia</i> , 2020, 16, e046009.	0.4	0
128	Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020, 16, e046075.	0.4	0
129	Surface-based amyloid and tau correlates of digital clock drawing performance. <i>Alzheimer's and Dementia</i> , 2020, 16, e046461.	0.4	0
130	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020, 16, e046549.	0.4	0
131	Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020, 16, e047321.	0.4	0
132	Association between APOE ϵ 4 allele and CSF amyloid in memory performance differ by sex. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
133	The cumulative effect of cognitive engagement on cognitive function in middle-aged adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
134	Association of neighborhood-level socioeconomic advantage with cognition and dementia risk factors in an Australian cohort. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
135	Cognition and hippocampal volume in amyloid positive clinically normal adults: Results from the A4 study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
136	Self-reported history of estrogen hormone therapy differentiates rates of amyloid accumulation (PiB-PET) relative to males: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
137	Longitudinal trajectories of remote assessment of self and study partner-rated cognitive concerns, mood and Alzheimer's disease biomarkers. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
138	Monthly computerized at-home assessments to detect cognitive change in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
139	Associations Between Brainstem Volume and Alzheimer's Disease Pathology in Middle-Aged Individuals of the Framingham Heart Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1603-1609.	1.2	0
140	Sex-specific genetic predictors of memory performance.. <i>Alzheimer's and Dementia</i> , 2021, 17 Suppl 3, e056083.	0.4	0
141	Predicting Abnormal Amyloid Burden. <i>Neurology</i> , 2022, 98, 999-1000.	1.5	0
142	Physical activity is associated with increased resting-state functional connectivity in networks predictive of cognitive decline in clinically unimpaired older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022, 14, .	1.2	0