

Rachel F Buckley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4960404/publications.pdf>

Version: 2024-02-01

142
papers

5,548
citations

126907
33
h-index

91884
69
g-index

154
all docs

154
docs citations

154
times ranked

6117
citing authors

#	ARTICLE	IF	CITATIONS
1	Elucidating the association between depression, anxiety, and cognition in middle-aged adults: Application of dimensional and categorical approaches. <i>Journal of Affective Disorders</i> , 2022, 296, 559-566.	4.1	10
2	Impact of sex and <i>APOE</i> $\epsilon 4$ on the association of cognition and hippocampal volume in clinically normal, amyloid positive adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022, 14, e12271.	2.4	4
3	Cardiovascular Risk Associated with Poorer Memory in Middle-Aged Adults from the Healthy Brain Project. <i>Journal of Alzheimer's Disease</i> , 2022, , 1-11.	2.6	3
4	Association of Neighborhood-Level Socioeconomic Measures With Cognition and Dementia Risk in Australian Adults. <i>JAMA Network Open</i> , 2022, 5, e224071.	5.9	20
5	Lower novelty-related locus coeruleus function is associated with $A\beta$ -related cognitive decline in clinically healthy individuals. <i>Nature Communications</i> , 2022, 13, 1571.	12.8	32
6	Association of Emerging $A\beta$ -Amyloid and Tau Pathology With Early Cognitive Changes in Clinically Normal Older Adults. <i>Neurology</i> , 2022, 98, .	1.1	20
7	Characteristics of subjective cognitive decline associated with amyloid positivity. <i>Alzheimer's and Dementia</i> , 2022, 18, 1832-1845.	0.8	22
8	Associations Between Brainstem Volume and Alzheimer's Disease Pathology in Middle-Aged Individuals of the Framingham Heart Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1603-1609.	2.6	0
9	Menopause Status Moderates Sex Differences in Tau Burden: A Framingham <i>sc</i> PET Study. <i>Annals of Neurology</i> , 2022, 92, 11-22.	5.3	29
10	Predicting Abnormal Amyloid Burden. <i>Neurology</i> , 2022, 98, 999-1000.	1.1	0
11	Sex differences in the genetic architecture of cognitive resilience to Alzheimer's disease. <i>Brain</i> , 2022, 145, 2541-2554.	7.6	26
12	Association of $A\beta$ -Amyloid and Vascular Risk on Longitudinal Patterns of Brain Atrophy. <i>Neurology</i> , 2022, 99, .	1.1	8
13	Physical activity is associated with increased resting-state functional connectivity in networks predictive of cognitive decline in clinically unimpaired older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022, 14, .	2.4	0
14	Identifying Sensitive Measures of Cognitive Decline at Different Clinical Stages of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 426-438.	1.8	30
15	Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. <i>Neurology</i> , 2021, 96, e619-e631.	1.1	45
16	ITEM-LEVEL INVESTIGATION OF PARTICIPANT AND STUDY PARTNER REPORT ON THE COGNITIVE FUNCTION INDEX FROM THE A4 STUDY SCREENING DATA. <i>Journal of Prevention of Alzheimer's Disease</i> , The, 2021, 8, 1-6.	2.7	12
17	Visual Memory Deficits in Middle-Aged <i>APOE</i> $\epsilon 4$ Homozygotes Detected Using Unsupervised Cognitive Assessments. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1563-1573.	2.6	4
18	Recent Advances in Imaging of Preclinical, Sporadic, and Autosomal Dominant Alzheimer's Disease. <i>Neurotherapeutics</i> , 2021, 18, 709-727.	4.4	9

#	ARTICLE	IF	CITATIONS
19	Sleep symptomatology is associated with greater subjective cognitive concerns: findings from the community-based Healthy Brain Project. <i>Sleep</i> , 2021, 44, .	1.1	8
20	Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. <i>Neurology</i> , 2021, 96, .	1.1	18
21	Cognitive Heterogeneity in Alzheimer Clinical Trials. <i>Neurology</i> , 2021, 96, 1017-1018.	1.1	1
22	Deaths with Dementia in Indigenous and Non-Indigenous Australians: A Nationwide Study. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1589-1599.	2.6	2
23	An Online, Person-Centered, Risk Factor Management Program to Prevent Cognitive Decline: Protocol for A Prospective Behavior-Modification Blinded Endpoint Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1603-1622.	2.6	5
24	Longitudinal Trajectories of Participant- and Study Partner-Rated Cognitive Decline, in Relation to Alzheimer's Disease Biomarkers and Mood Symptoms. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 806432.	3.4	7
25	Association between APOE ϵ 4 allele and CSF amyloid in memory performance differ by sex. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
26	Extraneous neuroimaging factors do not contribute to sex differences in flortaucipir signal: Analysis of skull binding and partial volume effects. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
27	The cumulative effect of cognitive engagement on cognitive function in middle-aged adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
28	Association of neighborhood-level socioeconomic advantage with cognition and dementia risk factors in an Australian cohort. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
29	Cognition and hippocampal volume in amyloid positive clinically normal adults: Results from the A4 study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
30	Self-reported history of estrogen hormone therapy differentiates rates of amyloid accumulation (PiB-PET) relative to males: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
31	Longitudinal trajectories of remote assessment of self- and study partner-rated cognitive concerns, mood and Alzheimer's disease biomarkers. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
32	Monthly computerized at-home assessments to detect cognitive change in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
33	Menopause moderates sex differences in tau PET signal: Findings from the Framingham Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
34	Sex-specific genetic predictors of memory performance.. <i>Alzheimer's and Dementia</i> , 2021, 17 Suppl 3, e056083.	0.8	0
35	Longitudinal degradation of the default/salience network axis in symptomatic individuals with elevated amyloid burden.. <i>NeuroImage: Clinical</i> , 2020, 26, 102052.	2.7	18
36	Functional and Pathological Correlates of Judgments of Learning in Cognitively Unimpaired Older Adults. <i>Cerebral Cortex</i> , 2020, 30, 1974-1983.	2.9	7

#	ARTICLE	IF	CITATIONS
37	Clinical meaningfulness of subtle cognitive decline on longitudinal testing in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020, 16, 552-560.	0.8	55
38	Resting-state functional connectivity and amyloid burden influence longitudinal cortical thinning in the default mode network in preclinical Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2020, 28, 102407.	2.7	23
39	Multiple markers contribute to risk of progression from normal to mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2020, 28, 102400.	2.7	8
40	Sex Mediates Relationships Between Regional Tau Pathology and Cognitive Decline. <i>Annals of Neurology</i> , 2020, 88, 921-932.	5.3	63
41	Examining Sex Differences in Markers of Cognition and Neurodegeneration in Autosomal Dominant Alzheimer's Disease: Preliminary Findings from the Colombian Alzheimer's Prevention Initiative Biomarker Study. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 1743-1753.	2.6	12
42	Genetic variants and functional pathways associated with resilience to Alzheimer's disease. <i>Brain</i> , 2020, 143, 2561-2575.	7.6	93
43	Unsupervised assessment of cognition in the Healthy Brain Project: Implications for web-based registries of individuals at risk for Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12043.	3.7	34
44	Repeated memory-based assessments: Implications for clinical trials and practice. <i>Alzheimer's and Dementia</i> , 2020, 16, e038143.	0.8	1
45	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020, 16, e038867.	0.8	0
46	The dynamic interplay between longitudinal subjective and objective cognitive decline along the early AD spectrum in the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020, 16, e040260.	0.8	0
47	Sex differences in genetic predictors of resilience to Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e043259.	0.8	0
48	Longitudinal inferior temporal FTP-PET signal increase is associated with contemporaneous longitudinal temporal lobe cortical thinning in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e043419.	0.8	0
49	Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tau-PET. <i>Alzheimer's and Dementia</i> , 2020, 16, e043566.	0.8	0
50	Faster rates of tau accumulation in FTP-PET in females relative to males, and a cross-sectional influence on faster cognitive decline: Preliminary findings from HABS and ADNI. <i>Alzheimer's and Dementia</i> , 2020, 16, e043620.	0.8	0
51	Associations of peak width of skeletonized mean diffusivity with cardiovascular disease risk and cognitive decline in clinically normal older adults. <i>Alzheimer's and Dementia</i> , 2020, 16, e043812.	0.8	0
52	Are amyloid and tau synergistic? How to interpret an amyloid/tau interaction on cognitive decline in clinically normal adults. <i>Alzheimer's and Dementia</i> , 2020, 16, e044310.	0.8	0
53	Optimizing the unsupervised assessment of cognition in web-based registries of individuals at risk for Alzheimer's disease: Results from the Healthy Brain Project. <i>Alzheimer's and Dementia</i> , 2020, 16, e044726.	0.8	0
54	Trajectories of decline in cognitively complex everyday activities across the Alzheimer's disease continuum. <i>Alzheimer's and Dementia</i> , 2020, 16, e044787.	0.8	1

#	ARTICLE	IF	CITATIONS
55	Longitudinal hippocampal atrophy is associated with an amyloid-independent entorhinal tauopathy and an amyloid-dependent neocortical tauopathy. <i>Alzheimer's and Dementia</i> , 2020, 16, e045733.	0.8	1
56	Multimodal genome-wide meta-analysis of brain amyloidosis reveals heterogeneity across CSF, PET, and pathological amyloid measures. <i>Alzheimer's and Dementia</i> , 2020, 16, e046009.	0.8	0
57	Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020, 16, e046075.	0.8	0
58	Surface-based amyloid and tau correlates of digital clock drawing performance. <i>Alzheimer's and Dementia</i> , 2020, 16, e046461.	0.8	0
59	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020, 16, e046549.	0.8	0
60	Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020, 16, e047321.	0.8	0
61	Harmonizing the preclinical Alzheimer cognitive composite for multi-cohort studies. <i>Alzheimer's and Dementia</i> , 2020, 16, e047423.	0.8	2
62	Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 138.	6.2	14
63	Examining Cognitive Decline Across Black and White Participants in the Harvard Aging Brain Study. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 1437-1446.	2.6	18
64	Inferior temporal tau is associated with accelerated prospective cortical thinning in clinically normal older adults. <i>NeuroImage</i> , 2020, 220, 116991.	4.2	31
65	Impact of APOE- ϵ 4 carriage on the onset and rates of neocortical A β -amyloid deposition. <i>Neurobiology of Aging</i> , 2020, 95, 46-55.	3.1	32
66	The characterisation of subjective cognitive decline. <i>Lancet Neurology</i> , The, 2020, 19, 271-278.	10.2	627
67	Age-Related Cognitive Decline Is Indicative of Neuropathology. <i>Annals of Neurology</i> , 2020, 87, 813-815.	5.3	10
68	Amyloid-beta burden predicts prospective decline in body mass index in clinically normal adults. <i>Neurobiology of Aging</i> , 2020, 93, 124-130.	3.1	27
69	The impact of amyloid-beta and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019, 85, 181-193.	5.3	171
70	Longitudinal Association of Depression Symptoms With Cognition and Cortical Amyloid Among Community-Dwelling Older Adults. <i>JAMA Network Open</i> , 2019, 2, e198964.	5.9	72
71	Associations of Physical Activity and β -Amyloid With Longitudinal Cognition and Neurodegeneration in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 1203.	9.0	97
72	Dynamic change of cognitive reserve: associations with changes in brain, cognition, and diagnosis. <i>Neurobiology of Aging</i> , 2019, 83, 95-104.	3.1	28

#	ARTICLE	IF	CITATIONS
73	Using subjective cognitive decline to identify high global amyloid in community-based samples: A cross-cohort study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 670-678.	2.4	19
74	Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 542.	9.0	201
75	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease. <i>JAMA Neurology</i> , 2019, 76, 915.	9.0	512
76	Synergism between fornix microstructure and beta amyloid accelerates memory decline in clinically normal older adults. <i>Neurobiology of Aging</i> , 2019, 81, 38-46.	3.1	17
77	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1161-1170.	2.6	5
78	Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2019, 78, 178-185.	3.1	54
79	To What Extent Does Age at Death Account for Sex Differences in Rates of Mortality From Alzheimer Disease?. <i>American Journal of Epidemiology</i> , 2019, 188, 1213-1223.	3.4	30
80	The Healthy Brain Project: An Online Platform for the Recruitment, Assessment, and Monitoring of Middle-Aged Adults at Risk of Developing Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1211-1228.	2.6	23
81	ICP&P&178: SEX DIFFERENCES IN TAU PATHOLOGY ACROSS CORTICAL AND SUBCORTICAL REGIONS OF INTEREST: FINDINGS ACROSS TWO COHORTS. <i>Alzheimer's and Dementia</i> , 2019, 15, P139.	0.8	0
82	F2&P&03&P&01: CLINICAL MEANINGFULNESS OF SHORT-TERM COGNITIVE DECLINE ON THE PRECLINICAL ALZHEIMER'S COGNITIVE COMPOSITE&P&5 (PACC&P&5) IN NORMAL OLDER ADULTS WITH ELEVATED Î&P&2&P&AMYLOID. <i>Alzheimer's and Dementia</i> , 2019, 15, P518.	0.8	0
83	IC&P&P&008: ANATOMICAL STAGING OF BETA&P&AMYLOID ACCUMULATION BASED ON LONGITUDINAL ASSESSMENT OF GLOBALLY PIB NEGATIVE ADULTS. <i>Alzheimer's and Dementia</i> , 2019, 15, P18.	0.8	0
84	O3&P&09&P&01: PROTECTIVE EFFECT OF PHYSICAL ACTIVITY ON LONGITUDINAL COGNITIVE DECLINE AND NEURODEGENERATION IN CLINICALLY NORMAL OLDER ADULTS WITH ELEVATED Î&P&2&P&AMYLOID BURDEN. <i>Alzheimer's and Dementia</i> , 2019, 15, P903.	0.8	0
85	Telomere length associations with cognition depend on Alzheimer's disease biomarkers. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019, 5, 883-890.	3.7	23
86	Subjective cognitive decline and rates of incident Alzheimer's disease and non-Alzheimer's disease dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 465-476.	0.8	232
87	Vascular Risk and Î&P&2&P&AMYLOID Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019, 85, 272-279.	5.3	75
88	Nonlinear Distributional Mapping (NoDiM) for harmonization across amyloid-PET radiotracers. <i>NeuroImage</i> , 2019, 186, 446-454.	4.2	16
89	Global White Matter Diffusion Characteristics Predict Longitudinal Cognitive Change Independently of Amyloid Status in Clinically Normal Older Adults. <i>Cerebral Cortex</i> , 2019, 29, 1251-1262.	2.9	47
90	Cognitive Complaints in Memory Clinic Patients and in Depressive Patients: An Interpretative Phenomenological Analysis. <i>Gerontologist</i> , The, 2019, 59, 290-302.	3.9	3

#	ARTICLE	IF	CITATIONS
91	The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 121-129.	2.4	11
92	Different Cognitive Complaint Profiles in Memory Clinic and Depressive Patients. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 463-475.	1.2	8
93	ICâ€Pâ€041: LONGITUDINAL CHANGE OF FUNCTIONAL CONNECTIVITY IN PRECLINICAL AD: RESULTS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P41.	0.8	1
94	P1â€327: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P417.	0.8	0
95	P3â€370: AN APOEÎµ4 DERIVED STATISTICAL METHOD FOR OPTIMIZING TARGET AND REFERENCE REGIONS FOR AMYLOIDâ€PET IMAGING. <i>Alzheimer's and Dementia</i> , 2018, 14, P1231.	0.8	0
96	O3â€04â€03: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE TO MALES: FINDINGS FROM TWO INDEPENDENT COHORTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1019.	0.8	0
97	P3â€466: THE HEALTHY BRAIN PROJECT: STUDY METHODOLOGY AND BASELINE CHARACTERISTICS OF AN ONLINE STUDY OF 3,400 MIDDLEâ€AGED ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1298.	0.8	0
98	ICâ€Pâ€159: BRAIN RESILIENCE PROTECTS AGAINST COGNITIVE DECLINE ASSOCIATED WITH ELEVATED AMYLOID BURDEN. <i>Alzheimer's and Dementia</i> , 2018, 14, P134.	0.8	0
99	F4â€08â€02: AMYLOID BURDEN AND VASCULAR RISK ARE INDEPENDENTLY ASSOCIATED WITH SUBJECTIVE COGNITIVE DECLINE IN CLINICALLY NORMAL OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1394.	0.8	0
100	O1â€10â€03: SEX AND <i>APOE</i> GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P243.	0.8	0
101	ICâ€Pâ€139: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P116.	0.8	0
102	Amyloidâ€associated increases in longitudinal report of subjective cognitive complaints. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 444-449.	3.7	51
103	Where do white matter alterations dovetail with the cascade model of Alzheimerâ€™s disease?. <i>Brain</i> , 2018, 141, 2830-2833.	7.6	1
104	Sex, amyloid, and <i>APOE</i> Îµ4 and risk of cognitive decline in preclinical Alzheimer's disease: Findings from three wellâ€characterized cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 1193-1203.	0.8	169
105	Interactive Associations of Vascular Risk and Î²2-Amyloid Burden With Cognitive Decline in Clinically Normal Elderly Individuals. <i>JAMA Neurology</i> , 2018, 75, 1124.	9.0	165
106	PET staging of amyloidosis using striatum. <i>Alzheimer's and Dementia</i> , 2018, 14, 1281-1292.	0.8	93
107	Non-Pharmacologic Interventions for Older Adults with Subjective Cognitive Decline: Systematic Review, Meta-Analysis, and Preliminary Recommendations. <i>Neuropsychology Review</i> , 2017, 27, 245-257.	4.9	97
108	Neuroimaging markers associated with maintenance of optimal memory performance in late-life. <i>Neuropsychologia</i> , 2017, 100, 164-170.	1.6	35

#	ARTICLE	IF	CITATIONS
109	Functional network integrity presages cognitive decline in preclinical Alzheimer disease. <i>Neurology</i> , 2017, 89, 29-37.	1.1	106
110	A "Disease Severity Index"™ to identify individuals with Subjective Memory Decline who will progress to mild cognitive impairment or dementia. <i>Scientific Reports</i> , 2017, 7, 44368.	3.3	23
111	Phases of Hyperconnectivity and Hypoconnectivity in the Default Mode and Salience Networks Track with Amyloid and Tau in Clinically Normal Individuals. <i>Journal of Neuroscience</i> , 2017, 37, 4323-4331.	3.6	237
112	The influence of demographic factors on subjective cognitive concerns and beta-amyloid. <i>International Psychogeriatrics</i> , 2017, 29, 645-652.	1.0	17
113	Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global β -Amyloid Burden. <i>JAMA Neurology</i> , 2017, 74, 1455.	9.0	119
114	Subjective cognitive concerns are associated with objective memory performance in Caucasian but not African-American persons. <i>Age and Ageing</i> , 2017, 46, 988-993.	1.6	44
115	[P1"320]: INTERPRETATIVE PHENOMENOLOGICAL ANALYSIS OF COGNITIVE COMPLAINTS REVEALS COMMONALITIES AND DIFFERENCES BETWEEN MEMORY"CLINIC PATIENTS, DEPRESSIVE PATIENTS, AND HEALTHY ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P377.	0.8	0
116	Implementation of subjective cognitive decline criteria in research studies. <i>Alzheimer's and Dementia</i> , 2017, 13, 296-311.	0.8	375
117	[P2"535]: DIFFERENCES IN LONGEVITY AND DEATH CERTIFICATION ACCOUNT FOR SEX DISPARITY IN DEMENTIA MORTALITY RATES. <i>Alzheimer's and Dementia</i> , 2017, 13, P847.	0.8	0
118	[P3"376]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1103.	0.8	1
119	[IC"108]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS. <i>Alzheimer's and Dementia</i> , 2017, 13, P85.	0.8	0
120	[P1"256]: BASELINE CARDIOVASCULAR RISK AND AMYLOID BURDEN SYNERGISTICALLY PREDICT LONGITUDINAL COGNITIVE DECLINE IN CLINICALLY NORMAL ELDERLY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P347.	0.8	0
121	[P2"298]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS. <i>Alzheimer's and Dementia</i> , 2017, 13, P730.	0.8	0
122	[F1"03"02]: SUBJECTIVE COGNITIVE DECLINE, LONGITUDINAL COGNITIVE PERFORMANCE, AND IMAGING BIOMARKERS IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P176.	0.8	0
123	[O1"13"01]: SUBJECTIVE CONCERNS PREFERENTIALLY ASSOCIATE WITH AMYLOID BURDEN AND MEMORY IN CAUCASIANS, BUT WHITE MATTER HYPERINTENSITIES AND EXECUTIVE FUNCTION IN AFRICAN"AMERICANS. <i>Alzheimer's and Dementia</i> , 2017, 13, P225.	0.8	0
124	[O2"10"03]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P577.	0.8	0
125	[O2"11"04]: COGNITIVE RESERVE RELATES TO GREATER FUNCTIONAL CONNECTIVITY AND STRONGER INTERCONNECTIVITY WITHIN AND BETWEEN NODES, INDEPENDENT OF β -AMYLOID: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P582.	0.8	0
126	[P4"500]: SPATIAL PATTERNS OF FLORTAUCIPIR (FTP) SIGNAL IN COGNITIVELY NORMAL ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1530.	0.8	1

#	ARTICLE	IF	CITATIONS
127	Subjective Memory Complaints in APOE ϵ 4 Carriers are Associated with High Amyloid- β Burden. Journal of Alzheimer's Disease, 2016, 49, 1115-1122.	2.6	45
128	P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of β -Amyloid Burden in Preclinical ad. , 2016, 12, P1158-P1159.		0
129	P4-354: Subjective Cognitive Concerns are Associated with Objective Memory Performance in Older Caucasian but not African-American Persons. , 2016, 12, P1173-P1173.		1
130	A Conceptualization of the Utility of Subjective Cognitive Decline in Clinical Trials of Preclinical Alzheimer's Disease. Journal of Molecular Neuroscience, 2016, 60, 354-361.	2.3	37
131	Subjective memory decline predicts greater rates of clinical progression in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2016, 12, 796-804.	0.8	135
132	Assessing Error Awareness as a Mediator of the Relationship between Subjective Concerns and Cognitive Performance in Older Adults. PLoS ONE, 2016, 11, e0166315.	2.5	4
133	Comparing the Performance of the HADS and the GDS-15 in the AIBL Study. International Psychogeriatrics, 2015, 27, 1577-1578.	1.0	3
134	Phenomenological characterization of memory complaints in preclinical and prodromal Alzheimer's disease.. Neuropsychology, 2015, 29, 571-581.	1.3	43
135	Subjective Cognitive Decline from a Phenomenological Perspective: A Review of the Qualitative Literature. Journal of Alzheimer's Disease, 2015, 48, S125-S140.	2.6	42
136	Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. Journal of Alzheimer's Disease, 2015, 48, S63-S86.	2.6	317
137	Self and informant memory concerns align in healthy memory complainers and in early stages of mild cognitive impairment but separate with increasing cognitive impairment. Age and Ageing, 2015, 44, 1012-1019.	1.6	31
138	Autobiographical narratives relate to Alzheimer's disease biomarkers in older adults. International Psychogeriatrics, 2014, 26, 1737-1746.	1.0	9
139	Amyloid- β Related Memory Decline is not Associated with Subjective or Informant Rated Cognitive Impairment in Healthy Adults. Journal of Alzheimer's Disease, 2014, 43, 677-686.	2.6	63
140	Personal Memory Function in Mild Cognitive Impairment and Subjective Memory Complaints: Results from the Australian Imaging, Biomarkers, and Lifestyle (AIBL) Study of Ageing. Journal of Alzheimer's Disease, 2014, 40, 551-561.	2.6	10
141	Factors affecting subjective memory complaints in the AIBL aging study: biomarkers, memory, affect, and age. International Psychogeriatrics, 2013, 25, 1307-1315.	1.0	142
142	Segmentation of the mouse hippocampal formation in magnetic resonance images. NeuroImage, 2011, 58, 732-740.	4.2	88