PrzemysÅ, aw Nowakowski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4961628/publications.pdf

Version: 2024-02-01

1684188 1474206 16 84 5 9 citations h-index g-index papers 17 17 17 97 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Self-expandable metallic stents in the treatment of post-esophagogastrostomy/post-esophagoenterostomy fistula. Ecological Management and Restoration, 2007, 20, 358-360.	0.4	20
2	PRELUDE Prospective Study of the Serranator Device in the Treatment of Atherosclerotic Lesions in the Superficial Femoral and Popliteal Arteries. Journal of Endovascular Therapy, 2019, 26, 18-25.	1.5	18
3	Ankle-Brachial Pressure Index Estimated by Laser Doppler in Patients Suffering from Peripheral Arterial Obstructive Disease. Annals of Vascular Surgery, 2007, 21, 452-457.	0.9	14
4	Clinical Randomized Trial Evaluating Novel, Microcrystalline, and Biocompatible Polymer Paclitaxel-Coated Balloon forÂthe Treatment of Femoropopliteal Occlusive Disease. JACC: Cardiovascular Interventions, 2018, 11, 2436-2438.	2.9	8
5	Microcrystalline paclitaxel-coated balloon for revascularization of femoropopliteal artery disease: Three-year outcomes of the randomized BIOPAC trial. Vascular Medicine, 2021, 26, 401-408.	1.5	6
6	Prospective Study of Serration Angioplasty in the Infrapopliteal Arteries Using the Serranator Device: PRELUDE BTK Study. Journal of Endovascular Therapy, 2022, 29, 586-593.	1.5	5
7	Longâ€term results of cephalad arteries percutanoeus transluminal angioplasty with stent implantation (The CAPTAS registry). Catheterization and Cardiovascular Interventions, 2012, 79, 532-540.	1.7	4
8	Clinical significance of mirror lesions in lower extremity arterial disease. Catheterization and Cardiovascular Interventions, 2020, 95, 300-306.	1.7	3
9	Safety and biocompatibility of a novel self-expanding nitinol carotid stent with hybrid cell design in a porcine model of neointimal hyperplasia. Kardiologia Polska, 2015, 73, 240-245.	0.6	3
10	Five-year outcomes after revascularization of superficial femoral artery occlusion using Ocelot catheter. Postepy W Kardiologii Interwencyjnej, 2019, 15, 472-476.	0.2	2
11	Prospective multicentre study of carotid artery stenting using the MERâ,, $^{\circ}$ Stent â \in " the OCEANUS study â \in " 30-day and one-year follow-up results. Postepy W Kardiologii Interwencyjnej, 2020, 16, 1-9.	0.2	1
12	New treatment possibilities for patients with advanced coronary artery disease and critical limb ischemia $\hat{a} \in \hat{a}$ a feasibility study. Postepy W Kardiologii Interwencyjnej, 2016, 4, 368-371.	0.2	0
13	FJVIS 38. Three-Year Follow-up in BIOPAC Trial—Treating Lesions in Femoropopliteal Segment Using Microcrystalline and Biocompatible Polymer Paclitaxel-Coated Balloon Versus Plain Balloon Angioplasty. Journal of Vascular Surgery, 2019, 70, e203.	1.1	O
14	latrogenic occlusion of bilateral jugular veins, subclavian vein, and superior vena cava after repeated jugular cannulation associated with Arnold-Chiari malformation: Successful endovascular treatment. Journal of Vascular Surgery Cases and Innovative Techniques, 2020, 6, 18-20.	0.6	0
15	OCEANUS (PrOspective multiCentEr Study of cArotid Artery steNting Using mer Stent) Study: 30 Day and Two Year Results. European Journal of Vascular and Endovascular Surgery, 2021, 61, 167-168.	1.5	O
16	Concentrations of selected proteins and homocysteine in patients with atherosclerosis. Kardiologia Polska, 2019, 77, 966-968.	0.6	0