

Blair H. Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4963457/publications.pdf>

Version: 2024-02-01

241
papers

34,192
citations

9786

73
h-index

4774

169
g-index

271
all docs

271
docs citations

271
times ranked

39161
citing authors

#	ARTICLE	IF	CITATIONS
1	Opioid dependence disorder and comorbid chronic pain: comparison of groups based on patient-attributed direction of the causal relationship between the two conditions. <i>British Journal of Pain</i> , 2022, 16, 204946372110263.	1.5	0
2	Validation of the Nepali Version of the Self-reported Leeds Assessment of Neuropathic Symptoms and Signs (S-LANSS) in Adults With Chronic Pain and Predominantly Low-literacy Levels. <i>Journal of Pain</i> , 2022, 23, 424-433.	1.4	2
3	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. <i>Nature Genetics</i> , 2022, 54, 437-449.	21.4	215
4	Pain severity ratings in the 11th revision of the International Classification of Diseases: a versatile tool for rapid assessment. <i>Pain</i> , 2022, 163, 2421-2429.	4.2	2
5	Death from cancer: frequent unscheduled care. <i>BMJ Supportive and Palliative Care</i> , 2022, , bmjspcare-2021-003448.	1.6	5
6	System-level policies on appropriate opioid use, a multi-stakeholder consensus. <i>BMC Health Services Research</i> , 2022, 22, 329.	2.2	9
7	The impact of gabapentinoid and opioid prescribing practices on drug deaths: an epidemiological perspective. <i>Pain Management</i> , 2022, 12, 397-400.	1.5	2
8	Characteristics of non-fatal overdoses and associated risk factors in patients attending a specialist community-based substance misuse service. <i>British Journal of Pain</i> , 2022, 16, 458-466.	1.5	2
9	Classification of painful or painless diabetic peripheral neuropathy and identification of the most powerful predictors using machine learning models in large cross-sectional cohorts. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, .	3.0	13
10	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022, 5, .	4.4	17
11	Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population. <i>Molecular Psychiatry</i> , 2021, 26, 4344-4354.	7.9	10
12	Drugs for chronic pain: we still need them. <i>British Journal of General Practice</i> , 2021, 71, 172-172.	1.4	3
13	Sex-stratified genome-wide association study of multisite chronic pain in UK Biobank. <i>PLoS Genetics</i> , 2021, 17, e1009428.	3.5	37
14	Cohort profile: DOLORisk Dundee: a longitudinal study of chronic neuropathic pain. <i>BMJ Open</i> , 2021, 11, e042887.	1.9	7
15	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021, 53, 840-860.	21.4	341
16	Genetic insights into biological mechanisms governing human ovarian ageing. <i>Nature</i> , 2021, 596, 393-397.	27.8	183
17	Survival following simultaneous liver-lung versus liver alone transplantation: Results of the US national experience. <i>American Journal of Surgery</i> , 2021, 222, 813-818.	1.8	1
18	Classification algorithm for the International Classification of Diseases-11 chronic pain classification: development and results from a preliminary pilot evaluation. <i>Pain</i> , 2021, 162, 2087-2096.	4.2	18

#	ARTICLE	IF	CITATIONS
19	Examination of the clinical factors associated with attendance at emergency departments for chronic pain management and the cost of treatment relative to that of other significant medical conditions. <i>Pain</i> , 2021, 162, 886-894.	4.2	6
20	Sex- and age-specific genetic analysis of chronic back pain. <i>Pain</i> , 2021, 162, 1176-1187.	4.2	21
21	Association of Genetic Variant at Chromosome 12q23.1 With Neuropathic Pain Susceptibility. <i>JAMA Network Open</i> , 2021, 4, e2136560.	5.9	16
22	Association of low-frequency and rare coding variants with information processing speed. <i>Translational Psychiatry</i> , 2021, 11, 613.	4.8	2
23	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	27.8	353
24	Physical activity and exercise for chronic pain in adults: an overview of Cochrane Reviews. <i>The Cochrane Library</i> , 2020, 2020, CD011279.	2.8	438
25	Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. <i>Pharmacogenomics Journal</i> , 2020, 20, 329-341.	2.0	45
26	PALS: peer support for community dwelling older people with chronic low back pain: a feasibility and acceptability study. <i>Physiotherapy</i> , 2020, 106, 154-162.	0.4	9
27	Comparison of psychiatric comorbidity in treatment-seeking, opioid-dependent patients with versus without chronic pain. <i>Addiction</i> , 2020, 115, 249-258.	3.3	15
28	Genetic correlations between pain phenotypes and depression and neuroticism. <i>European Journal of Human Genetics</i> , 2020, 28, 358-366.	2.8	52
29	Translating clinical trials into improved real-world management of pain: convergence of translational, population-based, and primary care research. <i>Pain</i> , 2020, 161, 36-42.	4.2	5
30	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , 2020, 52, 1314-1332.	21.4	91
31	Chronic obstructive pulmonary disease and related phenotypes: polygenic risk scores in population-based and case-control cohorts. <i>Lancet Respiratory Medicine</i> , 2020, 8, 696-708.	10.7	69
32	Impact of sex and age on respiratory support and length of hospital stay among 1792 patients with COVID-19 in Wuhan, China. <i>British Journal of Anaesthesia</i> , 2020, 125, e378-e380.	3.4	14
33	Perioperative management of patients with suspected or confirmed COVID-19: review and recommendations for perioperative management from a retrospective cohort study. <i>British Journal of Anaesthesia</i> , 2020, 125, 895-911.	3.4	18
34	Neuropathic pain in the community: prevalence, impact, and risk factors. <i>Pain</i> , 2020, 161, S127-S137.	4.2	36
35	Factors associated with unscheduled care use by cancer decedents: a systematic review with narrative synthesis. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjpcare-2020-002410.	1.6	7
36	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. <i>PLoS ONE</i> , 2020, 15, e0230815.	2.5	10

#	ARTICLE	IF	CITATIONS
37	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. <i>Nature Communications</i> , 2020, 11, 2542.	12.8	59
38	Trends in gabapentinoid prescribing, co-prescribing of opioids and benzodiazepines, and associated deaths in Scotland. <i>British Journal of Anaesthesia</i> , 2020, 125, 159-167.	3.4	59
39	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504.	21.4	138
40	A genome-wide association study finds genetic variants associated with neck or shoulder pain in UK Biobank. <i>Human Molecular Genetics</i> , 2020, 29, 1396-1404.	2.9	32
41	Variants associated with HHIP expression have sex-differential effects on lung function. <i>Wellcome Open Research</i> , 2020, 5, 111.	1.8	3
42	Variants associated with HHIP expression have sex-differential effects on lung function. <i>Wellcome Open Research</i> , 2020, 5, 111.	1.8	4
43	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019, 10, 4957.	12.8	84
44	Opioid prescribing is rising in many countries. <i>BMJ: British Medical Journal</i> , 2019, 367, l5823.	2.3	12
45	Genome-wide association study of knee pain identifies associations with GDF5 and COL27A1 in UK Biobank. <i>Communications Biology</i> , 2019, 2, 321.	4.4	48
46	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019, 51, 1459-1474.	21.4	251
47	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019, 188, 1033-1054.	3.4	85
48	The IASP classification of chronic pain for ICD-11: chronic neuropathic pain. <i>Pain</i> , 2019, 160, 53-59.	4.2	571
49	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019, 51, 957-972.	21.4	549
50	Chronic pain: a review of its epidemiology and associated factors in population-based studies. <i>British Journal of Anaesthesia</i> , 2019, 123, e273-e283.	3.4	801
51	Implementation of Patient-Reported Outcomes (PROMs) from specialist pain clinics in England and Wales: Experience from a nationwide study. <i>European Journal of Pain</i> , 2019, 23, 1368-1377.	2.8	10
52	The National Pain Audit for specialist pain services in England and Wales 2010-2014. <i>British Journal of Pain</i> , 2019, 13, 185-193.	1.5	16
53	Insulin resistance: Genetic associations with depression and cognition in population based cohorts. <i>Experimental Neurology</i> , 2019, 316, 20-26.	4.1	10
54	A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019, 28, 2615-2633.	2.9	31

#	ARTICLE	IF	CITATIONS
55	New genetic signals for lung function highlight pathways and chronic obstructive pulmonary disease associations across multiple ancestries. <i>Nature Genetics</i> , 2019, 51, 481-493.	21.4	350
56	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019, 51, 452-469.	21.4	89
57	Factors affecting use of unscheduled care for people with advanced cancer: a retrospective cohort study in Scotland. <i>British Journal of General Practice</i> , 2019, 69, e860-e868.	1.4	23
58	The Genetics of Neuropathic Pain from Model Organisms to Clinical Application. <i>Neuron</i> , 2019, 104, 637-653.	8.1	71
59	Reply to Henningsen et al.. <i>Pain</i> , 2019, 160, 1683-1685.	4.2	4
60	The IASP classification of chronic pain for ICD-11: applicability in primary care. <i>Pain</i> , 2019, 160, 83-87.	4.2	56
61	Chronic pain as a symptom or a disease: the IASP Classification of Chronic Pain for the International Classification of Diseases (ICD-11). <i>Pain</i> , 2019, 160, 19-27.	4.2	1,547
62	A Genome-Wide Association Study Finds Genetic Associations with Broadly-Defined Headache in UK Biobank (N = 223,773). <i>EBioMedicine</i> , 2018, 28, 180-186.	6.1	64
63	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018, 50, 559-571.	21.4	356
64	Systematic review and meta-analysis of genetic risk factors for neuropathic pain. <i>Pain</i> , 2018, 159, 825-848.	4.2	60
65	Association of opioid prescribing practices with chronic pain and benzodiazepine co-prescription: a primary care data linkage study. <i>British Journal of Anaesthesia</i> , 2018, 120, 1345-1355.	3.4	56
66	Training peers to support older people with chronic low back pain following physiotherapy discharge: a feasibility study. <i>Physiotherapy</i> , 2018, 104, 239-247.	0.4	9
67	Chronic pain in families: a cross-sectional study of shared social, behavioural, and environmental influences. <i>Pain</i> , 2018, 159, 41-47.	4.2	16
68	Decision Support for Diabetes in Scotland: Implementation and Evaluation of a Clinical Decision Support System. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 381-388.	2.2	10
69	Epidemiology of Chronic Pain. , 2018, , 23-39.		0
70	Neuropathic pain clinical trials: factors associated with decreases in estimated drug efficacy. <i>Pain</i> , 2018, 159, 2339-2346.	4.2	97
71	Genome-wide meta-analysis of 158,000 individuals of European ancestry identifies three loci associated with chronic back pain. <i>PLoS Genetics</i> , 2018, 14, e1007601.	3.5	112
72	Substance misuse in patients who have comorbid chronic pain in a clinical population receiving methadone maintenance therapy for the treatment of opioid dependence. <i>Drug and Alcohol Dependence</i> , 2018, 193, 131-136.	3.2	13

#	ARTICLE	IF	CITATIONS
73	Common and Rare Coding Genetic Variation Underlying the Electrocardiographic PR Interval. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e002037.	3.6	19
74	Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals. <i>Nature Genetics</i> , 2018, 50, 1112-1121.	21.4	1,835
75	Exome-chip meta-analysis identifies novel loci associated with cardiac conduction, including ADAMTS6. <i>Genome Biology</i> , 2018, 19, 87.	8.8	47
76	Functional characterization of recurrent <i>FOXA2</i> mutations seen in endometrial cancers. <i>International Journal of Cancer</i> , 2018, 143, 2955-2961.	5.1	6
77	Cohort Profile: Genetics of Diabetes Audit and Research in Tayside Scotland (GoDARTS). <i>International Journal of Epidemiology</i> , 2018, 47, 380-381j.	1.9	59
78	Multi-ethnic genome-wide association study for atrial fibrillation. <i>Nature Genetics</i> , 2018, 50, 1225-1233.	21.4	552
79	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2018, 3, 4.	1.8	19
80	Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. <i>Wellcome Open Research</i> , 2018, 3, 11.	1.8	15
81	Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. <i>Wellcome Open Research</i> , 2018, 3, 11.	1.8	19
82	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018, 3, 63.	1.8	26
83	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018, 3, 63.	1.8	20
84	eHealth and the use of individually tailored information: A systematic review. <i>Health Informatics Journal</i> , 2017, 23, 218-233.	2.1	18
85	A Combined Pathway and Regional Heritability Analysis Indicates NETRIN1 Pathway Is Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017, 81, 336-346.	1.3	32
86	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017, 81, 325-335.	1.3	175
87	Physical activity and exercise for chronic pain in adults: an overview of Cochrane Reviews. , 2017, 1, CD011279.		449
88	Exploration of haplotype research consortium imputation for genome-wide association studies in 20,032 Generation Scotland participants. <i>Genome Medicine</i> , 2017, 9, 23.	8.2	110
89	Large-scale analyses of common and rare variants identify 12 new loci associated with atrial fibrillation. <i>Nature Genetics</i> , 2017, 49, 946-952.	21.4	279
90	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017, 8, 14977.	12.8	169

#	ARTICLE	IF	CITATIONS
91	Risk factors for neuropathic pain in diabetes mellitus. <i>Pain</i> , 2017, 158, 560-568.	4.2	76
92	Cohort profile: the Scottish Research register SHARE. A register of people interested in research participation linked to NHS data sets. <i>BMJ Open</i> , 2017, 7, e013351.	1.9	51
93	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017, 82, 312-321.	1.3	26
94	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , 2017, 49, 1758-1766.	21.4	470
95	Regional variation in health is predominantly driven by lifestyle rather than genetics. <i>Nature Communications</i> , 2017, 8, 801.	12.8	15
96	Genome-wide meta-analysis associates HLA-DQA1/DRB1 and LPA and lifestyle factors with human longevity. <i>Nature Communications</i> , 2017, 8, 910.	12.8	118
97	Genome-wide haplotype-based association analysis of major depressive disorder in Generation Scotland and UK Biobank. <i>Translational Psychiatry</i> , 2017, 7, 1263.	4.8	23
98	Investigating shared aetiology between type 2 diabetes and major depressive disorder in a population based cohort. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 227-234.	1.7	27
99	Exploring peer-mentoring for community dwelling older adults with chronic low back pain: a qualitative study. <i>Physiotherapy</i> , 2017, 103, 138-145.	0.4	17
100	Haplotype-based association analysis of general cognitive ability in Generation Scotland, the English Longitudinal Study of Ageing, and UK Biobank. <i>Wellcome Open Research</i> , 2017, 2, 61.	1.8	4
101	Genome-wide physical activity interactions in adiposity – A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017, 13, e1006528.	3.5	158
102	Chronic pain, depression and cardiovascular disease linked through a shared genetic predisposition: Analysis of a family-based cohort and twin study. <i>PLoS ONE</i> , 2017, 12, e0170653.	2.5	71
103	An Epidemiological Study of Neuropathic Pain Symptoms in Canadian Adults. <i>Pain Research and Management</i> , 2016, 2016, 1-13.	1.8	44
104	An Empirical Comparison of Joint and Stratified Frameworks for Studying G × E Interactions: Systolic Blood Pressure and Smoking in the CHARGE Gene–Lifestyle Interactions Working Group. <i>Genetic Epidemiology</i> , 2016, 40, 404-415.	1.3	18
105	Neuropathic pain: an updated grading system for research and clinical practice. <i>Pain</i> , 2016, 157, 1599-1606.	4.2	824
106	Pain and the global burden of disease. <i>Pain</i> , 2016, 157, 791-796.	4.2	308
107	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016, 533, 539-542.	27.8	1,204
108	Polygenic risk for alcohol dependence associates with alcohol consumption, cognitive function and social deprivation in a population-based cohort. <i>Addiction Biology</i> , 2016, 21, 469-480.	2.6	27

#	ARTICLE	IF	CITATIONS
109	Shared Genetics and Couple-Associated Environment Are Major Contributors to the Risk of Both Clinical and Self-Declared Depression. <i>EBioMedicine</i> , 2016, 14, 161-167.	6.1	32
110	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13366-13371.	7.1	110
111	Chronic widespread bodily pain is increased among individuals with history of fracture: findings from UK Biobank. <i>Archives of Osteoporosis</i> , 2016, 11, 1.	2.4	26
112	Timing, rates and spectra of human germline mutation. <i>Nature Genetics</i> , 2016, 48, 126-133.	21.4	502
113	Identification and Management of Chronic Pain in Primary Care: a Review. <i>Current Psychiatry Reports</i> , 2016, 18, 22.	4.5	116
114	Exome-wide analysis of rare coding variation identifies novel associations with COPD and airflow limitation in <i>MOCS3</i> , <i>IFIT3</i> and <i>SERPINA12</i> . <i>Thorax</i> , 2016, 71, 501-509.	5.6	22
115	Systems genetics identifies a convergent gene network for cognition and neurodevelopmental disease. <i>Nature Neuroscience</i> , 2016, 19, 223-232.	14.8	131
116	Genetic and Environmental Risk for Chronic Pain and the Contribution of Risk Variants for Major Depressive Disorder: A Family-Based Mixed-Model Analysis. <i>PLoS Medicine</i> , 2016, 13, e1002090.	8.4	60
117	Fine mapping the CETP region reveals a common intronic insertion associated to HDL-C. <i>Npj Aging and Mechanisms of Disease</i> , 2015, 1, 15011.	4.5	8
118	A Genome-wide Association Study Provides Evidence of Sex-specific Involvement of Chr1p35.1 (<i>TJ ETQq0 0 0 rgBT /Overlock 10 Tf 50 3</i>) 1386-1393.	6.1	67
119	Neuropathic pain phenotyping by international consensus (NeuroPPIC) for genetic studies. <i>Pain</i> , 2015, 156, 2337-2353.	4.2	86
120	Sex-Differences in the Metabolic Health of Offspring of Parents with Diabetes: A Record-Linkage Study. <i>PLoS ONE</i> , 2015, 10, e0134883.	2.5	12
121	Epidemiology and Heritability of Major Depressive Disorder, Stratified by Age of Onset, Sex, and Illness Course in Generation Scotland: Scottish Family Health Study (GS:SFHS). <i>PLoS ONE</i> , 2015, 10, e0142197.	2.5	101
122	A classification of chronic pain for ICD-11. <i>Pain</i> , 2015, 156, 1003-1007.	4.2	1,701
123	Copy number variation in the human Y chromosome in the UK population. <i>Human Genetics</i> , 2015, 134, 789-800.	3.8	21
124	My personal diagnostic delay: "Physician, prevent thyself". <i>British Journal of General Practice</i> , 2015, 65, 200-200.	1.4	0
125	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium: Table A1. <i>BMJ Open</i> , 2015, 5, e008808.	1.9	53
126	Effects of education to facilitate knowledge about chronic pain for adults: a systematic review with meta-analysis. <i>Systematic Reviews</i> , 2015, 4, 132.	5.3	88

#	ARTICLE	IF	CITATIONS
127	Mosaic structural variation in children with developmental disorders. <i>Human Molecular Genetics</i> , 2015, 24, 2733-2745.	2.9	54
128	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. <i>Nature Communications</i> , 2015, 6, 5897.	12.8	173
129	Pharmacotherapy for neuropathic pain in adults: a systematic review and meta-analysis. <i>Lancet Neurology</i> , The, 2015, 14, 162-173.	10.2	2,776
130	Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015, 523, 459-462.	27.8	173
131	World Health Organization essential medicines lists. <i>Pain</i> , 2015, 156, 793-797.	4.2	36
132	A study of National Health Service management of chronic osteoarthritis and low back pain. <i>Primary Health Care Research and Development</i> , 2015, 16, 157-166.	1.2	23
133	Pharmacist-led management of chronic pain in primary care: costs and benefits in a pilot randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e006874-e006874.	1.9	26
134	Effect of Smoking on Blood Pressure and Resting Heart Rate. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 832-841.	5.1	105
135	Can large surveys conducted on highly selected populations provide valid information on the epidemiology of common health conditions? An analysis of UK Biobank data on musculoskeletal pain. <i>British Journal of Pain</i> , 2015, 9, 203-212.	1.5	53
136	Association between cognition and gene polymorphisms involved in thrombosis and haemostasis. <i>Age</i> , 2015, 37, 9820.	3.0	3
137	The UK10K project identifies rare variants in health and disease. <i>Nature</i> , 2015, 526, 82-90.	27.8	1,014
138	“œl Try and Smile, I Try and Be Cheery, I Try Not to Be Pushy. I Try to Say “I’m Here for Help”™ but I Leave Feeling“ Worried“: A Qualitative Study of Perceptions of Interactions with Health Professionals by Community-Based Older Adults with Chronic Pain. <i>PLoS ONE</i> , 2014, 9, e105450.	2.5	30
139	Stratification by Smoking Status Reveals an Association of CHRNA5-A3-B4 Genotype with Body Mass Index in Never Smokers. <i>PLoS Genetics</i> , 2014, 10, e1004799.	3.5	45
140	Common genetic variants associated with cognitive performance identified using the proxy-phenotype method. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13790-13794.	7.1	244
141	Neuropathic pain in the general population: A systematic review of epidemiological studies. <i>Pain</i> , 2014, 155, 654-662.	4.2	1,103
142	Genome-wide association analysis identifies six new loci associated with forced vital capacity. <i>Nature Genetics</i> , 2014, 46, 669-677.	21.4	131
143	Estimating the burden of disease in chronic pain with and without neuropathic characteristics: Does the choice between the EQ-5D and SF-6D matter?. <i>Pain</i> , 2014, 155, 1996-2004.	4.2	67
144	Targeted genetic testing for familial hypercholesterolaemia using next generation sequencing: a population-based study. <i>BMC Medical Genetics</i> , 2014, 15, 70.	2.1	47

#	ARTICLE	IF	CITATIONS
145	Molecular genetic contributions to socioeconomic status and intelligence. <i>Intelligence</i> , 2014, 44, 26-32.	3.0	156
146	The Scottish model for chronic pain management services. <i>British Journal of Health Care Management</i> , 2014, 20, 568-577.	0.2	1
147	Managing chronic pain in the non-specialist setting: a new SIGN guideline. <i>British Journal of General Practice</i> , 2014, 64, e462-e464.	1.4	7
148	Pedigree and genotyping quality analyses of over 10,000 DNA samples from the Generation Scotland: Scottish Family Health Study. <i>BMC Medical Genetics</i> , 2013, 14, 38.	2.1	51
149	Chronic pain epidemiology – where do lifestyle factors fit in?. <i>British Journal of Pain</i> , 2013, 7, 209-217.	1.5	137
150	Chronic pain epidemiology and its clinical relevance. <i>British Journal of Anaesthesia</i> , 2013, 111, 13-18.	3.4	458
151	The use of next generation sequencing for detection of mutations in familial hypercholesterolaemia. <i>Atherosclerosis</i> , 2013, 231, e2-e3.	0.8	0
152	Neuropathic pain in the community: More under-treated than refractory?. <i>Pain</i> , 2013, 154, 690-699.	4.2	141
153	Can pragmatic trials help us better understand chronic pain and improve treatment?. <i>Pain</i> , 2013, 154, 643-646.	4.2	45
154	Cardiovascular risk factors associated with the metabolic syndrome are more prevalent in people reporting chronic pain: Results from a cross-sectional general population study. <i>Pain</i> , 2013, 154, 1595-1602.	4.2	61
155	Association of DISC1 variants with age of onset in a population-based sample of recurrent major depression. <i>Molecular Psychiatry</i> , 2013, 18, 745-747.	7.9	14
156	Ask the Experts: Neuropathic pain from a primary care perspective. <i>Pain Management</i> , 2013, 3, 173-176.	1.5	0
157	Pharmacist-led management of chronic pain in primary care: results from a randomised controlled exploratory trial. <i>BMJ Open</i> , 2013, 3, e002361.	1.9	82
158	Cohort Profile: Generation Scotland: Scottish Family Health Study (GS:SFHS). The study, its participants and their potential for genetic research on health and illness. <i>International Journal of Epidemiology</i> , 2013, 42, 689-700.	1.9	353
159	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 427-436.	0.9	112
160	Neuropathic pain: a pathway for care developed by the British Pain Society. <i>British Journal of Anaesthesia</i> , 2013, 111, 73-79.	3.4	33
161	Cost-effectiveness of Self-management Methods for the Treatment of Chronic Pain in an Aging Adult Population. <i>Clinical Journal of Pain</i> , 2013, 29, 366-375.	1.9	41
162	Lessons from Mackenzie that still resonate. <i>British Journal of General Practice</i> , 2013, 63, 158-159.	1.4	0

#	ARTICLE	IF	CITATIONS
163	Commentary: A thesis that still warrants defence and promotion. <i>International Journal of Epidemiology</i> , 2012, 41, 1518-1522.	1.9	7
164	Assessment and management of neuropathic pain in primary care. <i>Pain Management</i> , 2012, 2, 553-559.	1.5	8
165	Substance misuse of gabapentin. <i>British Journal of General Practice</i> , 2012, 62, 406-407.	1.4	63
166	Alzheimer's disease risk factor complement receptor 1 is associated with depression. <i>Neuroscience Letters</i> , 2012, 510, 6-9.	2.1	18
167	Heritability of chronic pain in 2195 extended families. <i>European Journal of Pain</i> , 2012, 16, 1053-1063.	2.8	75
168	“œI feel so stupid because I can’t give a proper answer” “How older adults describe chronic pain: a qualitative study. <i>BMC Geriatrics</i> , 2012, 12, 78.	2.7	26
169	Towards a definition of refractory neuropathic pain for epidemiological research. An international Delphi survey of experts. <i>BMC Neurology</i> , 2012, 12, 29.	1.8	36
170	Genetic variation in Hyperpolarization-activated cyclic nucleotide-gated channels and its relationship with neuroticism, cognition and risk of depression. <i>Frontiers in Genetics</i> , 2012, 3, 116.	2.3	12
171	Epidemiology of Neuropathic Pain and Its Impact on Quality of Life. <i>Current Pain and Headache Reports</i> , 2012, 16, 191-198.	2.9	207
172	Epidemiology of neuropathic pain. <i>Pain Management</i> , 2011, 1, 87-96.	1.5	20
173	Chronic pain in later life: a review of current issues and challenges. <i>Aging Health</i> , 2011, 7, 551-556.	0.3	18
174	NeuPSIG guidelines on neuropathic pain assessment. <i>Pain</i> , 2011, 152, 14-27.	4.2	871
175	Using discrete choice experiments to inform randomised controlled trials: an application to chronic low back pain management in primary care. <i>European Journal of Pain</i> , 2011, 15, 531.e1-10.	2.8	18
176	Effect of Five Genetic Variants Associated with Lung Function on the Risk of Chronic Obstructive Lung Disease, and Their Joint Effects on Lung Function. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 786-795.	5.6	128
177	Management of chronic pain in primary care. <i>Current Opinion in Supportive and Palliative Care</i> , 2011, 5, 137-142.	1.3	45
178	Potential Pain Management Programmes in primary care. A UK-wide questionnaire and Delphi survey of experts. <i>Family Practice</i> , 2011, 28, 41-48.	1.9	25
179	Commentary: This pain is killing me. <i>British Journal of General Practice</i> , 2010, 60, e112-e112.	1.4	2
180	Genetic variation in the beta2-adrenergic receptor but not catecholamine- O -methyltransferase predisposes to chronic pain: Results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2010, 149, 143-151.	4.2	88

#	ARTICLE	IF	CITATIONS
181	Corrigendum to "Genetic variation in the beta2-adrenergic receptor but not catecholamine-O-methyltransferase predisposes to chronic pain: Results from the 1958 British Birth Cohort Study" [Pain 149 (2010) 143-151]. Pain, 2010, 150, 210.	4.2	0
182	Severe chronic pain is associated with increased 10 year mortality. A cohort record linkage study. European Journal of Pain, 2010, 14, 380-386.	2.8	215
183	Is chronic pain associated with subsequent cancer? A cohort record linkage study. European Journal of Pain, 2010, 14, 860-863.	2.8	3
184	Shared genetic aetiology between cognitive ability and cardiovascular disease risk factors: Generation Scotland's Scottish family health study. Intelligence, 2010, 38, 304-313.	3.0	29
185	Bell's palsy: new evidence provides a definitive drug therapy strategy. British Journal of General Practice, 2009, 59, 569-570.	1.4	2
186	Patients' perceptions of self-management of chronic low back pain: evidence for enhancing patient education and support. Physiotherapy, 2009, 95, 43-50.	0.4	70
187	Analysing the SF36 in population-based research. A comparison of methods of statistical approaches using chronic pain as an example. Journal of Evaluation in Clinical Practice, 2009, 15, 328-334.	1.8	38
188	Assessment of Neuropathic Pain in Primary Care. American Journal of Medicine, 2009, 122, S13-S21.	1.5	177
189	A randomised controlled trial of the use of aciclovir and/or prednisolone for the early treatment of Bell's palsy: the BELLS study. Health Technology Assessment, 2009, 13, iii-iv, ix-xi 1-130.	2.8	77
190	Patient-centredness in physiotherapy from the perspective of the chronic low back pain patient. Physiotherapy, 2008, 94, 244-252.	0.4	119
191	Treatment for Bell's palsy. Lancet, The, 2008, 372, 1219-1220.	13.7	8
192	Initial management of infertility: an audit of pre-referral investigations and exploration of couples' views at the interface of primary and secondary care. Human Fertility, 2007, 10, 25-31.	1.7	13
193	Medication and treatment use in primary care patients with chronic pain of predominantly neuropathic origin. Family Practice, 2007, 24, 481-485.	1.9	70
194	Health and Quality of Life Associated With Chronic Pain of Predominantly Neuropathic Origin in the Community. Clinical Journal of Pain, 2007, 23, 143-149.	1.9	254
195	Epidemiology of chronic pain, from the laboratory to the bus stop: time to add understanding of biological mechanisms to the study of risk factors in population-based research?. Pain, 2007, 127, 5-10.	4.2	77
196	Early Treatment with Prednisolone or Acyclovir in Bell's Palsy. New England Journal of Medicine, 2007, 357, 1598-1607.	27.0	619
197	Early Treatment with Prednisolone or Acyclovir in Bell's Palsy. Clinical Otolaryngology, 2007, 32, 460-460.	1.2	12
198	What's in a name? Advances in primary care chronic pain management. British Journal of General Practice, 2007, 57, 92-4.	1.4	2

#	ARTICLE	IF	CITATIONS
199	The Epidemiology of Chronic Pain of Predominantly Neuropathic Origin. Results From a General Population Survey. <i>Journal of Pain</i> , 2006, 7, 281-289.	1.4	826
200	Can pain can be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians. <i>Pain</i> , 2006, 122, 289-294.	4.2	135
201	Generation Scotland: the Scottish Family Health Study; a new resource for researching genes and heritability. <i>BMC Medical Genetics</i> , 2006, 7, 74.	2.1	227
202	Symptom experience and subsequent mortality: results from the West of Scotland Twenty-07 study. <i>BMC Health Services Research</i> , 2006, 6, 158.	2.2	6
203	The use of medication for chronic pain in primary care, and the potential for intervention by a practice-based pharmacist. <i>Family Practice</i> , 2006, 23, 46-52.	1.9	32
204	Primary care epidemiology: its scope and purpose. <i>Family Practice</i> , 2006, 23, 1-7.	1.9	17
205	The nature and impact of headache presenting to a general practitioner: a case-control pilot study. <i>Headache Care</i> , 2006, 3, 31-34.	0.2	0
206	Genetic epidemiology and primary care. <i>British Journal of General Practice</i> , 2006, 56, 214-21.	1.4	7
207	The 'number needed to sample' in primary care research. Comparison of two primary care sampling frames for chronic back pain. <i>Family Practice</i> , 2005, 22, 205-214.	1.9	20
208	Active self-management of chronic pain in the community. <i>Pain</i> , 2005, 113, 249-250.	4.2	13
209	The S-LANSS score for identifying pain of predominantly neuropathic origin: Validation for use in clinical and postal research. <i>Journal of Pain</i> , 2005, 6, 149-158.	1.4	533
210	SAPC: scotching the myths. <i>British Journal of General Practice</i> , 2005, 55, 316.	1.4	0
211	In-hospital prevention of cardiac arrest. <i>Journal of the Royal Naval Medical Service</i> , 2005, 91, 43-4.	0.0	0
212	Is chronic pain a distinct diagnosis in primary care?: Evidence arising from the Royal College of General Practitioners' Oral Contraception study. <i>Family Practice</i> , 2004, 21, 66-74.	1.9	36
213	Factors Related to the Onset and Persistence of Chronic Back Pain in the Community. <i>Spine</i> , 2004, 29, 1032-1040.	2.0	93
214	A validation of the psychological vulnerability scale and its use in chronic pain. <i>The Pain Clinic</i> , 2004, 16, 153-162.	0.1	1
215	Chronic pain and health status: how do those not using healthcare services fare?. <i>British Journal of General Practice</i> , 2004, 54, 614-6.	1.4	5
216	Ethnological Scots. <i>Medical Education</i> , 2003, 37, 1154-1155.	2.1	1

#	ARTICLE	IF	CITATIONS
217	Measuring the severity of chronic pain: a research perspective. <i>Expert Review of Neurotherapeutics</i> , 2003, 3, 581-590.	2.8	10
218	Chronic pain and the use of conventional and alternative therapy. <i>Family Practice</i> , 2003, 20, 147-154.	1.9	82
219	A Randomized Controlled Trial of Spiritual Healing in Restricted Neck Movement. <i>Journal of Alternative and Complementary Medicine</i> , 2003, 9, 467-477.	2.1	12
220	Pain and subsequent mortality and cancer among women in the Royal College of General Practitioners Oral Contraception Study. <i>British Journal of General Practice</i> , 2003, 53, 45-6.	1.4	22
221	Scotland is not England. <i>European Journal of General Practice</i> , 2002, 8, 136-136.	2.0	0
222	Spiritual Healing and the Appliance of Science. <i>Scottish Medical Journal</i> , 2002, 47, 51-52.	1.3	0
223	The course of chronic pain in the community: results of a 4-year follow-up study. <i>Pain</i> , 2002, 99, 299-307.	4.2	301
224	Assessing change in chronic pain severity: the chronic pain grade compared with retrospective perceptions. <i>British Journal of General Practice</i> , 2002, 52, 269-74.	1.4	16
225	The Level of Expressed Need-a measure of help-seeking behaviour for chronic pain in the community. <i>European Journal of Pain</i> , 2001, 5, 257-266.	2.8	21
226	The impact of chronic pain in the community. <i>Family Practice</i> , 2001, 18, 292-299.	1.9	407
227	A randomized controlled trial of direct access for laparoscopic sterilization. <i>Family Practice</i> , 2001, 18, 1-8.	1.9	6
228	Changes in chronic pain severity over time: the Chronic Pain Grade as a valid measure. <i>Pain</i> , 2000, 88, 303-308.	4.2	131
229	Chronic pain in primary care. <i>Family Practice</i> , 1999, 16, 475-482.	1.9	62
230	Relationship between the chronic pain grade and measures of physical, social and psychological well-being. <i>Pain</i> , 1999, 79, 275-279.	4.2	87
231	The epidemiology of chronic pain in the community. <i>Lancet, The</i> , 1999, 354, 1248-1252.	13.7	1,025
232	Over-the-counter emergency contraception: a feasible option. <i>Family Practice</i> , 1998, 15, 38-43.	1.9	12
233	The Chronic Pain Grade questionnaire: validation and reliability in postal research. <i>Pain</i> , 1997, 71, 141-147.	4.2	363
234	Humanizing medicine: a special study module. <i>Medical Education</i> , 1997, 31, 276-280.	2.1	44

#	ARTICLE	IF	CITATIONS
235	Chronic Pain: Time for Epidemiology. Journal of the Royal Society of Medicine, 1996, 89, 181-183.	2.0	17
236	Cholesterol Testing by General Practitioners in Grampian: Patterns and Outcomes. Scottish Medical Journal, 1996, 41, 78-82.	1.3	3
237	Emergency contraception: a survey of women's knowledge and attitudes. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 1109-1116.	2.3	52
238	Old Malady. JAMA - Journal of the American Medical Association, 1995, 274, 1475.	7.4	0
239	Meta-analysis of exome array data identifies six novel genetic loci for lung function. Wellcome Open Research, 0, 3, 4.	1.8	11
240	Meta-analysis of exome array data identifies six novel genetic loci for lung function. Wellcome Open Research, 0, 3, 4.	1.8	1
241	The core minimum dataset for measuring pain outcomes in pain services across Scotland. Developing and testing a brief multi-dimensional questionnaire. British Journal of Pain, 0, , 204946372210929.	1.5	3