
## **Ping-Yee Law**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4964008/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Selective and antagonist-dependent µ-opioid receptor activation by the combination of 2-{[2-(6-chloro-3,4-dihydro-1(2H)-quinolinyl)-2-oxoethyl]sulfanyl}-5-phenyl-4,6-(1H,5H)-pyrimidinedione and naloxone/naltrexone. Bioorganic Chemistry, 2022, 128, 105905.	4.1	1
2	Oxycodone in the Opioid Epidemic: High â€~Liking', â€~Wanting', and Abuse Liability. Cellular and Molec Neurobiology, 2021, 41, 899-926.	ular 3.3	44
3	Receptors   Opioid Receptors. , 2021, , 207-216.		0
4	Kappa opioid receptor controls neural stem cell differentiation via a miR-7a/Pax6 dependent pathway. Stem Cells, 2021, 39, 600-616.	3.2	11
5	Naloxone Facilitates Contextual Learning and Memory in a Receptor-Independent and Tet1-Dependent Manner. Cellular and Molecular Neurobiology, 2021, 41, 1031-1038.	3.3	3
6	Morphine and Naloxone Facilitate Neural Stem Cells Proliferation via a TET1-Dependent and Receptor-Independent Pathway. Cell Reports, 2020, 30, 3625-3631.e6.	6.4	10
7	Naloxone regulates the differentiation of neural stem cells via a receptorâ€independent pathway. FASEB Journal, 2020, 34, 5917-5930.	0.5	10
8	Delta-opioid receptor antagonist naltrindole reduces oxycodone addiction and constipation in mice. European Journal of Pharmacology, 2019, 852, 265-273.	3.5	11
9	Convallatoxin enhance the ligand-induced mu-opioid receptor endocytosis and attenuate morphine antinociceptive tolerance in mice. Scientific Reports, 2019, 9, 2405.	3.3	8
10	M1 muscarinic receptors regulate the phosphorylation of AMPA receptor subunit GluA1viaa signaling pathway linking cAMPâ€₽KA and PI3Kâ€Akt. FASEB Journal, 2019, 33, 6622-6631.	0.5	22
11	The inÂvivo antinociceptive and μ-opioid receptor activating effects of the combination of N-phenyl-2′,4′-dimethyl-4,5′-bi-1,3-thiazol-2-amines and naloxone. European Journal of Medicinal Chemistry, 2019, 167, 312-323.	5.5	6
12	Non-nociceptive roles of opioids in the CNS: opioids' effects on neurogenesis, learning, memory and affect. Nature Reviews Neuroscience, 2019, 20, 5-18.	10.2	44
13	Morphine regulates adult neurogenesis and contextual memory extinction via the PKCε/Prox1 pathway. Neuropharmacology, 2018, 141, 126-138.	4.1	16
14	M1 muscarinic receptor facilitates cognitive function by interplay with AMPA receptor GluAl subunit. FASEB Journal, 2018, 32, 4247-4257.	0.5	22
15	Post-Transcriptional Regulation of the Human Mu-Opioid Receptor (MOR) by Morphine-Induced RNA Binding Proteins hnRNP K and PCBP1. Journal of Cellular Physiology, 2017, 232, 576-584.	4.1	11
16	Epigenetic Activation of <i>μ</i> Opioid Receptor Gene via Increased Expression and Function of Mitogen- and Stress-Activated Protein Kinase 1. Molecular Pharmacology, 2017, 91, 357-372.	2.3	9
17	Spinal or supraspinal phosphorylation deficiency at the MOR C-terminus does not affect morphine tolerance in vivo. Pharmacological Research, 2017, 119, 153-168.	7.1	9
18	1-(2,4-Dibromophenyl)-3,6,6-trimethyl-1,5,6,7-tetrahydro-4 <i>H</i> -indazol-4-one. Anesthesiology, 2017, 126, 952-966.	2.5	5

#	Article	IF	CITATIONS
19	Differential regulation of mouse and human Mu opioid receptor gene depends on the single stranded DNA structure of its promoter and α-complex protein 1. Biomedical Reports, 2017, 6, 532-538.	2.0	3
20	Temporal effect of manipulating NeuroD1 expression with the synthetic small molecule KHS101 on morphine contextual memory. Neuropharmacology, 2017, 126, 58-69.	4.1	11
21	Srcâ€dependent phosphorylation of μâ€opioid receptor at Tyr <sup>336</sup> modulates opiate withdrawal. EMBO Molecular Medicine, 2017, 9, 1521-1536.	6.9	20
22	Phosphorylation of poly(rC) binding protein 1 (PCBP1) contributes to stabilization of mu opioid receptor (MOR) mRNA via interaction with AU-rich element RNA-binding protein 1 (AUF1) and poly A binding protein (PABP). Gene, 2017, 598, 113-130.	2.2	22
23	Discovery, structure-activity relationship studies, and anti-nociceptive effects of N-(1,2,3,4-tetrahydro-1-isoquinolinylmethyl)benzamides as novel opioid receptor agonists. European Journal of Medicinal Chemistry, 2017, 126, 202-217.	5.5	12
24	Effect of Opioid on Adult Hippocampal Neurogenesis. Scientific World Journal, The, 2016, 2016, 1-7.	2.1	37
25	Activation of delta-opioid receptor contributes to the antinociceptive effect of oxycodone in mice. Pharmacological Research, 2016, 111, 867-876.	7.1	26
26	Opioid doses required for pain management in lung cancer patients with different cholesterol levels: negative correlation between opioid doses and cholesterol levels. Lipids in Health and Disease, 2016, 15, 47.	3.0	10
27	Effects of addictive drugs on adult neural stem/progenitor cells. Cellular and Molecular Life Sciences, 2016, 73, 327-348.	5.4	28
28	Naltrexone Facilitates Learning and Delays Extinction by Increasing AMPA Receptor Phosphorylation and Membrane Insertion. Biological Psychiatry, 2016, 79, 906-916.	1.3	26
29	Morphine Modulates Adult Neurogenesis and Contextual Memory by Impeding the Maturation of Neural Progenitors. PLoS ONE, 2016, 11, e0153628.	2.5	20
30	<i>μ</i> â€Opioid Receptor Attenuates A <i>β</i> Oligomersâ€Induced Neurotoxicity Through <scp>mTOR</scp> Signaling. CNS Neuroscience and Therapeutics, 2015, 21, 8-14.	3.9	37
31	Effects of dextromethorphan and oxycodone on treatment of neuropathic pain in mice. Journal of Biomedical Science, 2015, 22, 81.	7.0	24
32	Modulation of <scp>mTOR</scp> Activity by <i>μ</i> â€Opioid Receptor is Dependent upon the Association of Receptor and <scp>FK</scp> 506â€Binding Protein 12. CNS Neuroscience and Therapeutics, 2015, 21, 591-598.	3.9	9
33	Morphine Promotes Astrocyte-Preferential Differentiation of Mouse Hippocampal Progenitor Cells via PKClµ-Dependent ERK Activation and TRBP Phosphorylation. Stem Cells, 2015, 33, 2762-2772.	3.2	25
34	Effect of naltrexone on neuropathic pain in mice locally transfected with the mutant <scp>μ</scp> â€opioid receptor gene in spinal cord. British Journal of Pharmacology, 2015, 172, 630-641.	5.4	10
35	Analysis of Epigenetic Mechanisms Regulating Opioid Receptor Gene Transcription. Methods in Molecular Biology, 2015, 1230, 39-51.	0.9	2
36	Morphine Modulates Mouse Hippocampal Progenitor Cell Lineages by Upregulating miR-181a Level. Stem Cells, 2014, 32, 2961-2972.	3.2	34

#	Article	IF	CITATIONS
37	Morphine drives internal ribosome entry site-mediated hnRNP K translation in neurons through opioid receptor-dependent signaling. Nucleic Acids Research, 2014, 42, 13012-13025.	14.5	18
38	FK506-Binding Protein 12 Modulates <i>μ</i> -Opioid Receptor Phosphorylation and Protein Kinase C <i>ε</i> –Dependent Signaling by Its Direct Interaction with the Receptor. Molecular Pharmacology, 2014, 85, 37-49.	2.3	9
39	Discovery, structure–activity relationship studies, and anti-nociceptive effects of 1-phenyl-3,6,6-trimethyl-1,5,6,7-tetrahydro-4H-indazol-4-one as novel opioid receptor agonists. Bioorganic and Medicinal Chemistry, 2014, 22, 4694-4703.	3.0	12
40	Role of FK506 binding protein 12 in morphine-induced μ-opioid receptor internalization and desensitization. Neuroscience Letters, 2014, 566, 231-235.	2.1	8
41	Loss of Morphine Reward and Dependence in Mice Lacking G Protein–Coupled Receptor Kinase 5. Biological Psychiatry, 2014, 76, 767-774.	1.3	45
42	Neurod1 Modulates Opioid Antinociceptive Tolerance via Two Distinct Mechanisms. Biological Psychiatry, 2014, 76, 775-784.	1.3	17
43	Posttranslation Modification of G Protein-Coupled Receptor in Relationship to Biased Agonism. Methods in Enzymology, 2013, 522, 391-408.	1.0	14
44	Inhibition of c-Jun NH2-terminal kinase stimulates mu opioid receptor expression via p38 MAPK-mediated nuclear NF-κB activation in neuronal and non-neuronal cells. Biochimica Et Biophysica Acta - Molecular Cell Research, 2013, 1833, 1476-1488.	4.1	25
45	A Novel Noncanonical Signaling Pathway for the <i>µ</i> Opioid Receptor. Molecular Pharmacology, 2013, 84, 844-853.	2.3	32
46	Opioid receptors: toward separation of analgesic from undesirable effects. Trends in Biochemical Sciences, 2013, 38, 275-282.	7.5	56
47	MicroRNA 339 downâ€regulates μâ€opioid receptor at the postâ€transcriptional level in response to opioid treatment. FASEB Journal, 2013, 27, 522-535.	0.5	69
48	NeuroD Modulates Opioid Agonist-Selective Regulation of Adult Neurogenesis and Contextual Memory Extinction. Neuropsychopharmacology, 2013, 38, 770-777.	5.4	31
49	Vimentin interacts with the 5′-untranslated region of mouse mu opioid receptor (MOR) and is required for post-transcriptional regulation. RNA Biology, 2013, 10, 256-266.	3.1	8
50	Novel function of the poly(c)-binding protein α-CP2 as a transcriptional activator that binds to single-stranded DNA sequences. International Journal of Molecular Medicine, 2013, 32, 1187-1194.	4.0	5
51	Activation of Protein Kinase C (PKC)α or PKCε as an Approach to Increase Morphine Tolerance in Respiratory Depression and Lethal Overdose. Journal of Pharmacology and Experimental Therapeutics, 2012, 341, 115-125.	2.5	14
52	Differential Modulation of Drug-Induced Structural and Functional Plasticity of Dendritic Spines. Molecular Pharmacology, 2012, 82, 333-343.	2.3	40
53	Cholesterol level influences opioid signaling in cell models and analgesia in mice and humans. Journal of Lipid Research, 2012, 53, 1153-1162.	4.2	32
54	Novel dual-binding function of a poly (C)-binding protein 3, transcriptional factor which binds the double-strand and single-stranded DNA sequence. Gene, 2012, 501, 33-38.	2.2	10

#	Article	IF	CITATIONS
55	MicroRNAs in Opioid Pharmacology. Journal of NeuroImmune Pharmacology, 2012, 7, 808-819.	4.1	36
56	Non-Coding RNAs Regulating Morphine Function: With Emphasis on the In vivo and In vitro Functions of miR-190. Frontiers in Genetics, 2012, 3, 113.	2.3	26
57	Naloxone can act as an analgesic agent without measurable chronic side effects in mice with a mutant muâ€opioid receptor expressed in different sites of pain pathway. Synapse, 2012, 66, 694-704.	1.2	8
58	Palmitoylation and membrane cholesterol stabilize μ-opioid receptor homodimerization and G protein coupling. BMC Cell Biology, 2012, 13, 6.	3.0	92
59	Post-transcriptional regulation of mu-opioid receptor: role of the RNA-binding proteins heterogeneous nuclear ribonucleoprotein H1 and F. Cellular and Molecular Life Sciences, 2012, 69, 599-610.	5.4	18
60	Activation of PKCα or PKCÎμ as an approach to increase morphine tolerance in respiratory depression and lethal overdose. FASEB Journal, 2012, 26, 839.6.	0.5	0
61	Differential gene expression activity among species-specific polypyrimidine/polypurine motifs in mu opioid receptor gene promoters. Gene, 2011, 471, 27-36.	2.2	3
62	The polypyrimidine/polypurine motif in the mouse mu opioid receptor gene promoter is a supercoiling-regulatory element. Gene, 2011, 487, 52-61.	2.2	3
63	p38 Mitogenâ€activated protein kinase and PI3â€kinase are involved in upâ€regulation of mu opioid receptor transcription induced by cycloheximide. Journal of Neurochemistry, 2011, 116, 1077-1087.	3.9	17
64	Neuronâ€glial cell communication in the traumatic stressâ€induced immunomodulation. Synapse, 2011, 65, 433-440.	1.2	8
65	Modulating μ-Opioid Receptor Phosphorylation Switches Agonist-dependent Signaling as Reflected in PKCĨµ Activation and Dendritic Spine Stability. Journal of Biological Chemistry, 2011, 286, 12724-12733.	3.4	39
66	Cholesterol Regulates μ-Opioid Receptor-Induced β-Arrestin 2 Translocation to Membrane Lipid Rafts. Molecular Pharmacology, 2011, 80, 210-218.	2.3	44
67	Opioid Receptor Signal Transduction Mechanisms. , 2011, , 195-238.		17
68	Posttranslational Regulation of G Protein-Coupled Receptors. Neuromethods, 2011, , 133-152.	0.3	0
69	Regulation of the Transcription of G Protein-Coupled Receptor Genes. Neuromethods, 2011, , 49-69.	0.3	0
70	Search for the "ideal analgesic―in pain treatment by engineering the muâ€opioid receptor. IUBMB Life, 2010, 62, 103-111.	3.4	6
71	Agonist-dependent μ-opioid receptor signaling can lead to heterologous desensitization. Cellular Signalling, 2010, 22, 684-696.	3.6	51
72	Agonistâ€selective signaling of G proteinâ€coupled receptor: Mechanisms and implications. IUBMB Life, 2010, 62, 112-119.	3.4	45

#	Article	IF	CITATIONS
73	Antinociceptive effects of morphine and naloxone in mu-opioid receptor knockout mice transfected with the MORS196A gene. Journal of Biomedical Science, 2010, 17, 28.	7.0	14
74	Assembly of a β2-adrenergic receptor—GluR1 signalling complex for localized cAMP signalling. EMBO Journal, 2010, 29, 482-495.	7.8	96
75	Morphine Regulates Dopaminergic Neuron Differentiation via miR-133b. Molecular Pharmacology, 2010, 78, 935-942.	2.3	97
76	μ-Opioid Receptor Agonists Differentially Regulate the Expression of miR-190 and NeuroD. Molecular Pharmacology, 2010, 77, 102-109.	2.3	87
77	Yin Yang 1 Phosphorylation Contributes to the Differential Effects of μ-Opioid Receptor Agonists on MicroRNA-190 Expression. Journal of Biological Chemistry, 2010, 285, 21994-22002.	3.4	72
78	Up-Regulation of the μ-Opioid Receptor Gene Is Mediated through Chromatin Remodeling and Transcriptional Factors in Differentiated Neuronal Cells. Molecular Pharmacology, 2010, 78, 58-68.	2.3	52
79	Morphine Induces AMPA Receptor Internalization in Primary Hippocampal Neurons via Calcineurin-Dependent Dephosphorylation of GluR1 Subunits. Journal of Neuroscience, 2010, 30, 15304-15316.	3.6	48
80	Modulations of NeuroD Activity Contribute to the Differential Effects of Morphine and Fentanyl on Dendritic Spine Stability. Journal of Neuroscience, 2010, 30, 8102-8110.	3.6	78
81	Phosphorylation of Yin Yang 1 mediates fentanylâ€induced decrease in miRâ€190 expression. FASEB Journal, 2010, 24, 855.11.	0.5	0
82	GRIN1 Regulates μ-Opioid Receptor Activities by Tethering the Receptor and G Protein in the Lipid Raft. Journal of Biological Chemistry, 2009, 284, 36521-36534.	3.4	32
83	Long-Term Morphine Treatment Decreases the Association of μ-Opioid Receptor (MOR1) mRNA with Polysomes through miRNA23b. Molecular Pharmacology, 2009, 75, 744-750.	2.3	70
84	Src Phosphorylation of μ-Receptor Is Responsible for the Receptor Switching from an Inhibitory to a Stimulatory Signal. Journal of Biological Chemistry, 2009, 284, 1990-2000.	3.4	49
85	Bidirectional Effects of Fentanyl on Dendritic Spines and AMPA Receptors Depend Upon the Internalization of Mu Opioid Receptors. Neuropsychopharmacology, 2009, 34, 2097-2111.	5.4	18
86	Epigenetic programming of μâ€opioid receptor gene in mouse brain is regulated by MeCP2 and brg1 chromatin remodelling factor. Journal of Cellular and Molecular Medicine, 2009, 13, 3591-3615.	3.6	60
87	uAUG-Mediated Translational Initiations are Responsible for Human Mu Opioid Receptor Gene Expression. Journal of Cellular and Molecular Medicine, 2009, 14, 1113-24.	3.6	11
88	Neurite Outgrowth is Dependent on the Association of c-Src and Lipid Rafts. Neurochemical Research, 2009, 34, 2197-2205.	3.3	13
89	Differential use of an in-frame translation initiation codon regulates human mu opioid receptor (OPRM1). Cellular and Molecular Life Sciences, 2009, 66, 2933-2942.	5.4	22
90	μ-Opioid Receptor Cell Surface Expression Is Regulated by Its Direct Interaction with Ribophorin I. Molecular Pharmacology, 2009, 75, 1307-1316.	2.3	31

#	Article	lF	CITATIONS
91	Poly(C)-binding proteins as transcriptional regulators of gene expression. Biochemical and Biophysical Research Communications, 2009, 380, 431-436.	2.1	117
92	Novel function of neuron-restrictive silencer factor (NRSF) for posttranscriptional regulation. Biochimica Et Biophysica Acta - Molecular Cell Research, 2008, 1783, 1835-1846.	4.1	20
93	Morphine-induced μ-opioid receptor rapid desensitization is independent of receptor phosphorylation and β-arrestins. Cellular Signalling, 2008, 20, 1616-1624.	3.6	49
94	Transcriptional regulation of mouse mu opioid receptor gene in neuronal cells by Poly(ADPâ€ribose) polymeraseâ€1. Journal of Cellular and Molecular Medicine, 2008, 12, 2319-2333.	3.6	16
95	NGF/PI3K signaling-mediated epigenetic regulation of delta opioid receptor gene expression. Biochemical and Biophysical Research Communications, 2008, 368, 755-760.	2.1	28
96	β-Arrestin-Dependent μ-Opioid Receptor-Activated Extracellular Signal-Regulated Kinases (ERKs) Translocate to Nucleus in Contrast to G Protein-Dependent ERK Activation. Molecular Pharmacology, 2008, 73, 178-190.	2.3	145
97	Postâ€ŧranscriptional regulation of mouse μ opioid receptor (MOR1) <i>via</i> its 3′ untranslated region: a role for microRNA23b. FASEB Journal, 2008, 22, 4085-4095.	0.5	50
98	A Proteomics Approach for Identification of Single Strand DNA-binding Proteins Involved in Transcriptional Regulation of Mouse μ Opioid Receptor Gene. Molecular and Cellular Proteomics, 2008, 7, 1517-1529.	3.8	33
99	Agonist-selective signaling is determined by the receptor location within the membrane domains. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 9421-9426.	7.1	80
100	Evidence of Endogenous Mu Opioid Receptor Regulation by Epigenetic Control of the Promoters. Molecular and Cellular Biology, 2007, 27, 4720-4736.	2.3	88
101	Phosphorylation of the δ-Opioid Receptor Regulates Its β-Arrestins Selectivity and Subsequent Receptor Internalization and Adenylyl Cyclase Desensitization. Journal of Biological Chemistry, 2007, 282, 22315-22323.	3.4	49
102	Translational repression of mouse mu opioid receptor expression via leaky scanning. Nucleic Acids Research, 2007, 35, 1501-1513.	14.5	39
103	Novel function of the poly(C)â€binding protein αCP3 as a transcriptional repressor of the mu opioid receptor gene. FASEB Journal, 2007, 21, 3963-3973.	0.5	26
104	Action of NF-κB on the delta opioid receptor gene promoter. Biochemical and Biophysical Research Communications, 2007, 352, 818-822.	2.1	19
105	Distinct effects of individual opioids on the morphology of spines depend upon the internalization of mu opioid receptors. Molecular and Cellular Neurosciences, 2007, 35, 456-469.	2.2	53
106	Agonist-Dependent Postsynaptic Effects of Opioids on Miniature Excitatory Postsynaptic Currents in Cultured Hippocampal Neurons. Journal of Neurophysiology, 2007, 97, 1485-1494.	1.8	21
107	Agonistâ€direct Muâ€opioid Receptor Desensitization. FASEB Journal, 2007, 21, A426.	0.5	0
108	The opioid ligand binding of human μ-opioid receptor is modulated by novel splice variants of the receptor. Biochemical and Biophysical Research Communications, 2006, 343, 1132-1140.	2.1	45

#	Article	IF	CITATIONS
109	Cell-Free Desensitization of Opioid Inhibition of Adenylate Cyclase in Neuroblastoma × Glioma NG108-15 Hybrid Cell Membranes. Journal of Neurochemistry, 2006, 47, 733-737.	3.9	16
110	Nuclear Factor κB Signaling in Opioid Functions and Receptor Gene Expression. Journal of Neurolmmune Pharmacology, 2006, 1, 270-279.	4.1	50
111	Evidence of the neuron-restrictive silencer factor (NRSF) interaction with Sp3 and its synergic repression to the mu opioid receptor (MOR) gene. Nucleic Acids Research, 2006, 34, 6392-6403.	14.5	42
112	Short- and Long-Term Regulation of Adenylyl Cyclase Activity by δ-Opioid Receptor Are Mediated by Gαi2 in Neuroblastoma N2A Cells. Molecular Pharmacology, 2006, 69, 1810-1819.	2.3	25
113	Sustained Activation of Phosphatidylinositol 3-Kinase/Akt/Nuclear Factor κB Signaling Mediates G Protein-coupled Î'-Opioid Receptor Gene Expression. Journal of Biological Chemistry, 2006, 281, 3067-3074.	3.4	37
114	Betaâ€arrestin 1 and betaâ€arrestin 2 differentially direct the phosphorylationâ€dependent and â€independent internalization and desensitization of deltaâ€opioid receptor. FASEB Journal, 2006, 20, A251.	0.5	0
115	Heterotrimeric Gâ€protein serves as scaffold for Muâ€opioid receptor mediated signal transduction in lipid rafts. FASEB Journal, 2006, 20, .	0.5	2
116	Antagonist Efficacy in MORS196L Mutant Is Affected by the Interaction between Transmembrane Domains of the Opioid Receptor. Journal of Pharmacology and Experimental Therapeutics, 2005, 313, 216-226.	2.5	9
117	Poly(C) Binding Protein Family Is a Transcription Factor in μ-Opioid Receptor Gene Expression. Molecular Pharmacology, 2005, 68, 729-736.	2.3	49
118	Transcriptional Regulation of Mouse μ Opioid Receptor Gene: Sp3 Isoforms (M1, M2) Function as Repressors in Neuronal Cells to Regulate the μ Opioid Receptor Gene. Molecular Pharmacology, 2005, 67, 1674-1683.	2.3	43
119	A Major Species of Mouse μ-opioid Receptor mRNA and Its Promoter-Dependent Functional Polyadenylation Signal. Molecular Pharmacology, 2005, 68, 279-285.	2.3	16
120	DNA Methylation-Related Chromatin Modification in the Regulation of Mouse δ-Opioid Receptor Gene. Molecular Pharmacology, 2005, 67, 2032-2039.	2.3	18
121	Heterodimerization of μ- and δ-Opioid Receptors Occurs at the Cell Surface Only and Requires Receptor-G Protein Interactions. Journal of Biological Chemistry, 2005, 280, 11152-11164.	3.4	101
122	Opioid-induced tolerance and dependence in mice is modulated by the distance between pharmacophores in a bivalent ligand series. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 19208-19213.	7.1	278
123	Post-transcriptional regulation of opioid receptors in the nervous system. Frontiers in Bioscience - Landmark, 2004, 9, 1665.	3.0	38
124	Neuron-restrictive Silencer Factor (NRSF) Functions as a Repressor in Neuronal Cells to Regulate the μ Opioid Receptor Gene. Journal of Biological Chemistry, 2004, 279, 46464-46473.	3.4	81
125	Effect of opioid receptor ligands on the μ-S196A knock-in and μ knockout mouse vas deferens. European Journal of Pharmacology, 2003, 478, 207-210.	3.5	3
126	The Intracellular Trafficking of Opioid Receptors Directed by Carboxyl Tail and a Di-leucine Motif in Neuro2A Cells. Journal of Biological Chemistry, 2003, 278, 36848-36858.	3.4	42

#	Article	IF	CITATIONS
127	In vivo activation of a mutant Â-opioid receptor by antagonist: Future direction for opiate pain treatment paradigm that lacks undesirable side effects. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 2117-2121.	7.1	22
128	μ-Opioid Receptor Desensitization. Journal of Biological Chemistry, 2003, 278, 36733-36739.	3.4	73
129	Rescuing the Traffic-Deficient Mutants of Rat μ-Opioid Receptors with Hydrophobic Ligands. Molecular Pharmacology, 2003, 64, 32-41.	2.3	56
130	Phosphorylation of Ser363, Thr370, and Ser375 Residues within the Carboxyl Tail Differentially Regulates μ-Opioid Receptor Internalization. Journal of Biological Chemistry, 2001, 276, 12774-12780.	3.4	114
131	Molecular Mechanisms and Regulation of Opioid Receptor Signaling. Annual Review of Pharmacology and Toxicology, 2000, 40, 389-430.	9.4	588
132	Receptor Density and Recycling Affect the Rate of Agonist-Induced Desensitization of μ-Opioid Receptor. Molecular Pharmacology, 2000, 58, 388-398.	2.3	100
133	Deltorphin II-induced Rapid Desensitization of δ-Opioid Receptor Requires Both Phosphorylation and Internalization of the Receptor. Journal of Biological Chemistry, 2000, 275, 32057-32065.	3.4	66
134	Hierarchical Phosphorylation of δ-Opioid Receptor Regulates Agonist-induced Receptor Desensitization and Internalization. Journal of Biological Chemistry, 2000, 275, 36659-36664.	3.4	81
135	The Absence of a Direct Correlation between the Loss of [d-Ala2,MePhe4,Gly5-ol]Enkephalin Inhibition of Adenylyl Cyclase Activity and Agonist-induced î¼-Opioid Receptor Phosphorylation. Journal of Biological Chemistry, 1999, 274, 9207-9215.	3.4	53
136	Agonist-Specific Regulation of δ-Opioid Receptor Trafficking by G Protein-Coupled Receptor Kinase and β-Arrestin. Journal of Receptor and Signal Transduction Research, 1999, 19, 301-313.	2.5	53
137	NTI4F: a non-peptide fluorescent probe selective for functional delta opioid receptors. Neuroscience Letters, 1998, 249, 83-86.	2.1	30
138	Immunohistochemical evidence of down-regulation of $\hat{l}$ ¼-opioid receptor after chronic PL-017 in rats. European Journal of Pharmacology, 1998, 344, 137-142.	3.5	19
139	Identification of Serine 356 and Serine 363 as the Amino Acids Involved in Etorphine-induced Down-regulation of the μ-Opioid Receptor. Journal of Biological Chemistry, 1998, 273, 34488-34495.	3.4	38
140	Distinct Differences Between Morphine―and [ <scp>d</scp> â€Ala <sup>2</sup> , <i>N</i> â€MePhe <sup>4</sup> ,Glyâ€ol <sup>5</sup> ]â€Enkephalin―μâ€ Receptor Complexes Demonstrated by Cyclic AMPâ€Dependent Protein Kinase Phosphorylation. Journal of Neurochemistry, 1998, 71, 231-239.	Opioid	58
141	Mobilization of Ca+ from Intracellular Stores in transfected Neuro2a cells by activation of multiple opioid receptor subtypes. Biochemical Pharmacology, 1997, 54, 809-818.	4.4	44
142	μ-Opioid receptor regulates CFTR coexpressed in Xenopus oocytes in a cAMP independent manner. Molecular Brain Research, 1997, 44, 55-65.	2.3	8
143	The μ-Opioid Receptor Down-Regulates Differently from the δ-Opioid Receptor: Requirement of a High Affinity Receptor/G Protein Complex Formation. Molecular Pharmacology, 1997, 52, 105-113.	2.3	67
144	The region in the μ opioid receptor conferring selectivity for sufentanil over the δ receptor is different from that over the κ receptor. FEBS Letters, 1996, 384, 198-202.	2.8	22

#	Article	IF	CITATIONS
145	Irreversible Binding of cis-(+)-3-Methylfentanyl Isothiocyanate to the δOpioid Receptor and Determination of Its Binding Domain. Journal of Biological Chemistry, 1996, 271, 1430-1434.	3.4	25
146	Neuroblastoma Neuro2A cells stably expressing a cloned μ-opioid receptor: a specific cellular model to study acute and chronic effects of morphine. Molecular Brain Research, 1995, 30, 269-278.	2.3	55
147	Expression of the μâ€Opioid Receptor in CHO Cells: Ability of μâ€Opioid Ligands to Promote αâ€Azidoanilido[ <sup>32</sup> P]GTP Labeling of Multiple G Protein α Subunits. Journal of Neurochemistry, 1995, 64, 2534-2543.	3.9	90
148	Chronic opioid treatment may uncouple opioid receptors and G-proteins: evidence from radiation inactivation analysis. European Journal of Pharmacology, 1993, 246, 233-238.	2.6	19
149	The interaction of the mu-opioid receptor and G protein is altered after chronic morphine treatment in rats. Naunyn-Schmiedeberg's Archives of Pharmacology, 1993, 348, 504-8.	3.0	22
150	Modification of opioid receptor activity by acid phosphatase in neuroblastoma X glioma NG108-15 hybrid cells. Biochemical and Biophysical Research Communications, 1988, 152, 1369-1375.	2.1	6
151	Role of Opioid Receptors in Narcotic Tolerance/ Dependence. , 1988, , 441-485.		17
152	Involvement of Both Inhibitory and Stimulatory Guanine Nucleotide Binding Proteins in the Expression of Chronic Opiate Regulation of Adenylate Cyclase Activity in NG108-15 Cells. Journal of Neurochemistry, 1985, 45, 1585-1589.	3.9	38
153	Neuroblastoma X glioma NG108-15 hybrid cells cultured in a serum-free chemically defined medium: effects on acute and chronic opiate regulation of adenylate cyclase activity. Brain Research, 1985, 360, 370-373.	2.2	4
154	Effects of cycloheximide and tunicamycin on opiate receptor activities in neuroblastoma X glioma NG108-15 hybrid cells. Biochemical Pharmacology, 1985, 34, 9-17.	4.4	20
155	Opioid receptor delta. The AFCS-nature Molecule Pages, 0, , .	0.2	0