

Predimed Investigators

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/4966865/publications.pdf>

Version: 2024-02-01

256
papers

26,617
citations

9756

73
h-index

6630

156
g-index

277
all docs

277
docs citations

277
times ranked

25985
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Arginine catabolism metabolites and atrial fibrillation or heart failure risk: two case-control studies within the PREDIMED trial. <i>American Journal of Clinical Nutrition</i> , 2022, , . | 2.2 | 2 |
| 2 | Association between ankle-brachial index and cognitive function in participants in the PREDIMED-Plus study: cross-sectional assessment. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 846-853. | 0.4 | 2 |
| 3 | Leisure time physical activity is associated with improved HDL functionality in high cardiovascular risk individuals: a cohort study. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 1392-1401. | 0.8 | 10 |
| 4 | Low serum iron levels and risk of cardiovascular disease in high risk elderly population: Nested caseâ€“control study in the PREvenciÃ³n con Dieta MEDiterrÃ¡nea (PREDIMED) trial. <i>Clinical Nutrition</i> , 2021, 40, 496-504. | 2.3 | 10 |
| 5 | Choline Metabolism and Risk of Atrial Fibrillation and Heart Failure in the PREDIMED Study. <i>Clinical Chemistry</i> , 2021, 67, 288-297. | 1.5 | 31 |
| 6 | Plasma Metabolomic Profiles of Glycemic Index, Glycemic Load, and Carbohydrate Quality Index in the PREDIMED Study. <i>Journal of Nutrition</i> , 2021, 151, 50-58. | 1.3 | 10 |
| 7 | Targeting body composition in an older population: do changes in movement behaviours matter? Longitudinal analyses in the PREDIMED-Plus trial. <i>BMC Medicine</i> , 2021, 19, 3. | 2.3 | 14 |
| 8 | Mediterranean diet and antihypertensive drug use: a randomized controlled trial. <i>Journal of Hypertension</i> , 2021, 39, 1230-1237. | 0.3 | 3 |
| 9 | Effect of an Intensive Weight-Loss Lifestyle Intervention on Kidney Function: A Randomized Controlled Trial. <i>American Journal of Nephrology</i> , 2021, 52, 45-58. | 1.4 | 12 |
| 10 | Mediterranean Diet Maintained Platelet Count within a Healthy Range and Decreased Thrombocytopenia-Related Mortality Risk: A Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 559. | 1.7 | 3 |
| 11 | Milk and Dairy Products Intake Is Related to Cognitive Impairment at Baseline in Predimed Plus Trial. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2000728. | 1.5 | 8 |
| 12 | Mediterranean Diet and Physical Activity Decrease the Initiation of Cardiovascular Drug Use in High Cardiovascular Risk Individuals: A Cohort Study. <i>Antioxidants</i> , 2021, 10, 397. | 2.2 | 1 |
| 13 | CUN-BAE Index as a Screening Tool to Identify Increased Metabolic Risk in Apparently Healthy Normal-Weight Adults and Those with Obesity. <i>Journal of Nutrition</i> , 2021, 151, 2215-2225. | 1.3 | 3 |
| 14 | Energy Balance and Risk of Mortality in Spanish Older Adults. <i>Nutrients</i> , 2021, 13, 1545. | 1.7 | 3 |
| 15 | Dietary vitamin D intake and colorectal cancer risk: a longitudinal approach within the PREDIMED study. <i>European Journal of Nutrition</i> , 2021, 60, 4367-4378. | 1.8 | 5 |
| 16 | Contribution of ultra-processed foods in visceral fat deposition and other adiposity indicators: Prospective analysis nested in the PREDIMED-Plus trial. <i>Clinical Nutrition</i> , 2021, 40, 4290-4300. | 2.3 | 47 |
| 17 | Mediterranean Diet and White Blood Cell Countâ€“A Randomized Controlled Trial. <i>Foods</i> , 2021, 10, 1268. | 1.9 | 5 |
| 18 | Metabolomics of the tryptophanâ€“kynurenine degradation pathway and risk of atrial fibrillation and heart failure: potential modification effect of Mediterranean diet. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1646-1654. | 2.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Urinary Tartaric Acid, a Biomarker of Wine Intake, Correlates with Lower Total and LDL Cholesterol. <i>Nutrients</i> , 2021, 13, 2883. | 1.7 | 9 |
| 20 | Use of human PBMC to analyse the impact of obesity on lipid metabolism and metabolic status: a proof-of-concept pilot study. <i>Scientific Reports</i> , 2021, 11, 18329. | 1.6 | 10 |
| 21 | Simple sugar intake and cancer incidence, cancer mortality and all-cause mortality: A cohort study from the PREDIMED trial. <i>Clinical Nutrition</i> , 2021, 40, 5269-5277. | 2.3 | 14 |
| 22 | Plasma acylcarnitines and risk of incident heart failure and atrial fibrillation: the Prevenci3n con dieta mediterr3nea study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, , . | 0.4 | 2 |
| 23 | Effect of changes in adherence to Mediterranean diet on nutrient density after 1-year of follow-up: results from the PREDIMED-Plus Study. <i>European Journal of Nutrition</i> , 2020, 59, 2395-2409. | 1.8 | 11 |
| 24 | Impact of Life's Simple 7 on the incidence of major cardiovascular events in high-risk Spanish adults in the PREDIMED study cohort. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 205-211. | 0.4 | 9 |
| 25 | Carbohydrate quality changes and concurrent changes in cardiovascular risk factors: a longitudinal analysis in the PREDIMED-Plus randomized trial. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 291-306. | 2.2 | 50 |
| 26 | Mediterranean Diet and Atherothrombosis Biomarkers: A Randomized Controlled Trial. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e2000350. | 1.5 | 14 |
| 27 | A counterpoint paper: Comments on the electrocardiographic part of the 2018 Fourth Universal Definition of Myocardial Infarction endorsed by the International Society of Electrocardiology and the International Society for Holter and Noninvasive Electrocardiology. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12786. | 0.5 | 5 |
| 28 | Remnant Cholesterol, Not LDL Cholesterol, Is Associated With Incident Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2712-2724. | 1.2 | 240 |
| 29 | High Plasma Glutamate and a Low Glutamine-to-Glutamate Ratio Are Associated with Increased Risk of Heart Failure but Not Atrial Fibrillation in the Prevenci3n con Dieta Mediterr3nea (PREDIMED) Study. <i>Journal of Nutrition</i> , 2020, 150, 2882-2889. | 1.3 | 14 |
| 30 | Mediterranean Diet Decreases the Initiation of Use of Vitamin K Epoxide Reductase Inhibitors and Their Associated Cardiovascular Risk: A Randomized Controlled Trial. <i>Nutrients</i> , 2020, 12, 3895. | 1.7 | 5 |
| 31 | Plasma Metabolomics Profiles are Associated with the Amount and Source of Protein Intake: A Metabolomics Approach within the PREDIMED Study. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e2000178. | 1.5 | 17 |
| 32 | Dysfunctional High-Density Lipoproteins Are Associated With a Greater Incidence of Acute Coronary Syndrome in a Population at High Cardiovascular Risk. <i>Circulation</i> , 2020, 141, 444-453. | 1.6 | 54 |
| 33 | Association between the 2018 WCRF/AICR and the Low-Risk Lifestyle Scores with Colorectal Cancer Risk in the Predimed Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1215. | 1.0 | 19 |
| 34 | A counterpoint paper: Comments on the electrocardiographic part of the 2018 Fourth Universal Definition of Myocardial Infarction. <i>Journal of Electrocardiology</i> , 2020, 60, 142-147. | 0.4 | 12 |
| 35 | Impacto de Life's Simple 7 en la incidencia de eventos cardiovasculares mayores en adultos espa3oles con alto riesgo de la cohorte del estudio PREDIMED. <i>Revista Espanola De Cardiologia</i> , 2020, 73, 205-211. | 0.6 | 25 |
| 36 | Effect of a Lifestyle Intervention Program With Energy-Restricted Mediterranean Diet and Exercise on Weight Loss and Cardiovascular Risk Factors: One-Year Results of the PREDIMED-Plus Trial. <i>Diabetes Care</i> , 2019, 42, 777-788. | 4.3 | 239 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Dietary inflammatory index and all-cause mortality in large cohorts: The SUN and PREDIMED studies. <i>Clinical Nutrition</i> , 2019, 38, 1221-1231. | 2.3 | 87 |
| 38 | Body adiposity indicators and cardiometabolic risk: Cross-sectional analysis in participants from the PREDIMED-Plus trial. <i>Clinical Nutrition</i> , 2019, 38, 1883-1891. | 2.3 | 34 |
| 39 | High plasma glutamate and low glutamine-to-glutamate ratio are associated with type 2 diabetes: Case-cohort study within the PREDIMED trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 1040-1049. | 1.1 | 58 |
| 40 | Plasma Metabolites Associated with Frequent Red Wine Consumption: A Metabolomics Approach within the PREDIMED Study. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900140. | 1.5 | 20 |
| 41 | Association of Adherence to The Mediterranean Diet with Urinary Factors Favoring Renal Lithiasis: Cross-Sectional Study of Overweight Individuals with Metabolic Syndrome. <i>Nutrients</i> , 2019, 11, 1708. | 1.7 | 6 |
| 42 | Role of HDL function and LDL atherogenicity on cardiovascular risk: A comprehensive examination. <i>PLoS ONE</i> , 2019, 14, e0218533. | 1.1 | 34 |
| 43 | Total and Subtypes of Dietary Fat Intake and Its Association with Components of the Metabolic Syndrome in a Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019, 11, 1493. | 1.7 | 41 |
| 44 | Interatrial blocks prevalence and risk factors for human immunodeficiency virus-infected persons. <i>PLoS ONE</i> , 2019, 14, e0223777. | 1.1 | 2 |
| 45 | Effect of a Nutritional and Behavioral Intervention on Energy-Reduced Mediterranean Diet Adherence Among Patients With Metabolic Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1486. | 3.8 | 100 |
| 46 | Increased Consumption of Virgin Olive Oil, Nuts, Legumes, Whole Grains, and Fish Promotes HDL Functions in Humans. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1800847. | 1.5 | 23 |
| 47 | Lifestyle factors and visceral adipose tissue: Results from the PREDIMED-PLUS study. <i>PLoS ONE</i> , 2019, 14, e0210726. | 1.1 | 14 |
| 48 | Association of lifestyle factors and inflammation with sarcopenic obesity: data from the PREDIMED-Plus trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019, 10, 974-984. | 2.9 | 40 |
| 49 | Effects of a Mediterranean Eating Plan on the Need for Glucose-Lowering Medications in Participants With Type 2 Diabetes: A Subgroup Analysis of the PREDIMED Trial. <i>Diabetes Care</i> , 2019, 42, 1390-1397. | 4.3 | 34 |
| 50 | Plasma Metabolites Associated with Coffee Consumption: A Metabolomic Approach within the PREDIMED Study. <i>Nutrients</i> , 2019, 11, 1032. | 1.7 | 16 |
| 51 | Effect of a high-fat Mediterranean diet on bodyweight and waist circumference: a prespecified secondary outcomes analysis of the PREDIMED randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, e6-e17. | 5.5 | 90 |
| 52 | Plasma metabolites predict both insulin resistance and incident type 2 diabetes: a metabolomics approach within the Prevenci3n con Dieta Mediterr1nea (PREDIMED) study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 626-634. | 2.2 | 30 |
| 53 | Isotemporal substitution of inactive time with physical activity and time in bed: cross-sectional associations with cardiometabolic health in the PREDIMED-Plus study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 137. | 2.0 | 21 |
| 54 | Longitudinal association of changes in diet with changes in body weight and waist circumference in subjects at high cardiovascular risk: the PREDIMED trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 139. | 2.0 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | MetProc: Separating Measurement Artifacts from True Metabolites in an Untargeted Metabolomics Experiment. <i>Journal of Proteome Research</i> , 2019, 18, 1446-1450. | 1.8 | 7 |
| 56 | Cohort Profile: Design and methods of the PREDIMED-Plus randomized trial. <i>International Journal of Epidemiology</i> , 2019, 48, 387-388o. | 0.9 | 179 |
| 57 | Plasma Acylcarnitines and Risk of Type 2 Diabetes in a Mediterranean Population at High Cardiovascular Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1508-1519. | 1.8 | 60 |
| 58 | Upsloping ST depression: Is it acute ischemia?. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12607. | 0.5 | 7 |
| 59 | Dairy products intake and the risk of incident cataracts surgery in an elderly Mediterranean population: results from the PREDIMED study. <i>European Journal of Nutrition</i> , 2019, 58, 619-627. | 1.8 | 7 |
| 60 | Legume consumption and risk of all-cause, cardiovascular, and cancer mortality in the PREDIMED study. <i>Clinical Nutrition</i> , 2019, 38, 348-356. | 2.3 | 74 |
| 61 | Multiple approaches to associations of physical activity and adherence to the Mediterranean diet with all-cause mortality in older adults: the PREvenciÃ³n con Dieta MEDiterrÃ¡nea study. <i>European Journal of Nutrition</i> , 2019, 58, 1569-1578. | 1.8 | 16 |
| 62 | Dairy product consumption and risk of colorectal cancer in an older mediterranean population at high cardiovascular risk. <i>International Journal of Cancer</i> , 2018, 143, 1356-1366. | 2.3 | 25 |
| 63 | Letter by Jin-shan and Xue-bin Regarding Article, "Acute Coronary Syndrome: What Is the Affected Artery? Where Is the Occlusion Located? And How Important Is the Myocardial Mass Involved?". <i>Circulation</i> , 2018, 137, 1652-1652. | 1.6 | 0 |
| 64 | Response by Fiol-Sala and BayÃ©s de Luna to Letter Regarding Article, "Acute Coronary Syndrome: What Is the Affected Artery? Where Is the Occlusion Located? And How Important Is the Myocardial Mass Involved?". <i>Circulation</i> , 2018, 137, 1653-1653. | 1.6 | 0 |
| 65 | Plasma lipidome patterns associated with cardiovascular risk in the PREDIMED trial: A case-cohort study. <i>International Journal of Cardiology</i> , 2018, 253, 126-132. | 0.8 | 52 |
| 66 | Effects of the Ser326Cys Polymorphism in the DNA Repair OGG1 Gene on Cancer, Cardiovascular, and All-Cause Mortality in the PREDIMED Study: Modulation by Diet. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 589-605. | 0.4 | 20 |
| 67 | Association of physical activity with body mass index, waist circumference and incidence of obesity in older adults. <i>European Journal of Public Health</i> , 2018, 28, 944-950. | 0.1 | 55 |
| 68 | Legume consumption is inversely associated with type 2 diabetes incidence in adults: A prospective assessment from the PREDIMED study. <i>Clinical Nutrition</i> , 2018, 37, 906-913. | 2.3 | 108 |
| 69 | Plasma trimethylamine-N-oxide and related metabolites are associated with type 2 diabetes risk in the PrevenciÃ³n con Dieta MediterrÃ¡nea (PREDIMED) trial. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 163-173. | 2.2 | 37 |
| 70 | Lipid metabolic networks, Mediterranean diet and cardiovascular disease in the PREDIMED trial. <i>International Journal of Epidemiology</i> , 2018, 47, 1830-1845. | 0.9 | 19 |
| 71 | Quality of Dietary Fat Intake and Body Weight and Obesity in a Mediterranean Population: Secondary Analyses within the PREDIMED Trial. <i>Nutrients</i> , 2018, 10, 2011. | 1.7 | 51 |
| 72 | Letter by RodrÃ­guez et al Regarding Article, "Cardiac Arrest With ST-Segment Elevation in V1 and V2: Differential Diagnosis". <i>Circulation</i> , 2018, 138, 2071-2072. | 1.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Association between Access to Public Open Spaces and Physical Activity in a Mediterranean Population at High Cardiovascular Risk. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1285. | 1.2 | 12 |
| 74 | Easy clinical-ECG criteria to suspect total occlusion of left main in acute coronary syndrome. <i>Journal of Thoracic Disease</i> , 2018, 10, 3897-3898. | 0.6 | 1 |
| 75 | Risk of peripheral artery disease according to a healthy lifestyle score: The PREDIMED study. <i>Atherosclerosis</i> , 2018, 275, 133-140. | 0.4 | 21 |
| 76 | Primary Prevention of Cardiovascular Disease with a Mediterranean Diet Supplemented with Extra-Virgin Olive Oil or Nuts. <i>New England Journal of Medicine</i> , 2018, 378, e34. | 13.9 | 2,065 |
| 77 | Egg consumption and cardiovascular disease according to diabetic status: The PREDIMED study. <i>Clinical Nutrition</i> , 2017, 36, 1015-1021. | 2.3 | 40 |
| 78 | Mediterranean diet and risk of heart failure: results from the PREDIMED randomized controlled trial. <i>European Journal of Heart Failure</i> , 2017, 19, 1179-1185. | 2.9 | 71 |
| 79 | Total and subtypes of dietary fat intake and risk of type 2 diabetes mellitus in the Prevenci3n con Dieta Mediterr3nea (PREDIMED) study. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 723-735. | 2.2 | 86 |
| 80 | Mercury exposure and risk of cardiovascular disease: a nested case-control study in the PREDIMED (PREvention with MEDiterranean Diet) study. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 9. | 0.7 | 28 |
| 81 | Plasma Ceramides, Mediterranean Diet, and Incident Cardiovascular Disease in the PREDIMED Trial (Prevenci3n con Dieta Mediterr3nea). <i>Circulation</i> , 2017, 135, 2028-2040. | 1.6 | 227 |
| 82 | Dietary energy density and body weight changes after 3 years in the PREDIMED study. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 865-872. | 1.3 | 14 |
| 83 | Mediterranean Diet Improves High-Density Lipoprotein Function in High-Cardiovascular-Risk Individuals. <i>Circulation</i> , 2017, 135, 633-643. | 1.6 | 171 |
| 84 | Association of Dietary Vitamin K₁ Intake With the Incidence of Cataract Surgery in an Adult Mediterranean Population. <i>JAMA Ophthalmology</i> , 2017, 135, 657. | 1.4 | 7 |
| 85 | Protective effect of homovanillyl alcohol on cardiovascular disease and total mortality: virgin olive oil, wine, and catechol-methylathion. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 1297-1304. | 2.2 | 37 |
| 86 | The PREDIMED trial, Mediterranean diet and health outcomes: How strong is the evidence?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 624-632. | 1.1 | 90 |
| 87 | The Mediterranean Diet decreases LDL atherogenicity in high cardiovascular risk individuals: a randomized controlled trial. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1601015. | 1.5 | 56 |
| 88 | Associations between Both Lignan and Yogurt Consumption and Cardiovascular Risk Parameters in an Elderly Population: Observations from a Cross-Sectional Approach in the PREDIMED Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017, 117, 609-622.e1. | 0.4 | 10 |
| 89 | Plasma Metabolites From Choline Pathway and Risk of Cardiovascular Disease in the PREDIMED (Prevention With Mediterranean Diet) Study. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 95 |
| 90 | Potato Consumption Does Not Increase Blood Pressure or Incident Hypertension in 2 Cohorts of Spanish Adults. <i>Journal of Nutrition</i> , 2017, 147, 2272-2281. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Acute Coronary Syndrome. <i>Circulation</i> , 2017, 136, 691-693. | 1.6 | 5 |
| 92 | Plasma lipidomic profiles and cardiovascular events in a randomized intervention trial with the Mediterranean diet. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 973-983. | 2.2 | 79 |
| 93 | The Effect of a Mediterranean Diet on the Incidence of Cataract Surgery. <i>Nutrients</i> , 2017, 9, 453. | 1.7 | 20 |
| 94 | Chromium Exposure and Risk of Cardiovascular Disease in High Cardiovascular Risk Subjectsâ€”Nested Case-Control Study in the Prevention With Mediterranean Diet (PREDIMED) Study â€”. <i>Circulation Journal</i> , 2017, 81, 1183-1190. | 0.7 | 12 |
| 95 | Intake of Total Polyphenols and Some Classes of Polyphenols Is Inversely Associated with Diabetes in Elderly People at High Cardiovascular Disease Risk. <i>Journal of Nutrition</i> , 2016, 146, 767-777. | 1.3 | 108 |
| 96 | Polymorphism of the Transcription Factor 7-Like 2 Gene (TCF7L2) Interacts with Obesity on Type-2 Diabetes in the PREDIMED Study Emphasizing the Heterogeneity of Genetic Variants in Type-2 Diabetes Risk Prediction: Time for Obesity-Specific Genetic Risk Scores. <i>Nutrients</i> , 2016, 8, 793. | 1.7 | 38 |
| 97 | Frequent Consumption of Sugar- and Artificially Sweetened Beverages and Natural and Bottled Fruit Juices Is Associated with an Increased Risk of Metabolic Syndrome in a Mediterranean Population at High Cardiovascular Disease Risk. <i>Journal of Nutrition</i> , 2016, 146, 1528-1536. | 1.3 | 60 |
| 98 | Replacing red meat and processed red meat for white meat, fish, legumes or eggs is associated with lower risk of incidence of metabolic syndrome. <i>Clinical Nutrition</i> , 2016, 35, 1442-1449. | 2.3 | 53 |
| 99 | Plasma acylcarnitines and risk of cardiovascular disease; effect of Mediterranean diet interventions. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1408-1416. | 2.2 | 124 |
| 100 | AnÃ¡lisis comparativo de 2 registros de infarto agudo de miocardio tras una dÃ©cada de cambios. Estudio IBERICA (1996-1998) y CÃ¡digo Infarto-Illes Balears (2008-2010). <i>Medicina Intensiva</i> , 2016, 40, 541-549. | 0.4 | 6 |
| 101 | Metabolites of Glutamate Metabolism Are Associated With Incident Cardiovascular Events in the PREDIMED PREvenciÃ³n con Dieta MEDiterrÃ¡nea (PREDIMED) Trial. <i>Journal of the American Heart Association</i> , 2016, 5, . | 1.6 | 73 |
| 102 | Dietary Marine Î‰-3 Fatty Acids and Incident Sight-Threatening Retinopathy in Middle-Aged and Older Individuals With Type 2 Diabetes. <i>JAMA Ophthalmology</i> , 2016, 134, 1142. | 1.4 | 92 |
| 103 | Predictors of short- and long-term adherence with a Mediterranean-type diet intervention: the PREDIMED randomized trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 67. | 2.0 | 52 |
| 104 | Where Is the Culprit Lesion?. <i>Circulation</i> , 2016, 134, 1507-1509. | 1.6 | 11 |
| 105 | Associations of the MCM6-rs3754686 proxy for milk intake in Mediterranean and American populations with cardiovascular biomarkers, disease and mortality: Mendelian randomization. <i>Scientific Reports</i> , 2016, 6, 33188. | 1.6 | 18 |
| 106 | CLOCK gene variation is associated with incidence of type-2 diabetes and cardiovascular diseases in type-2 diabetic subjects: dietary modulation in the PREDIMED randomized trial. <i>Cardiovascular Diabetology</i> , 2016, 15, 4. | 2.7 | 99 |
| 107 | Electrocardiographic Diagnosis of Right Ventricular Infarction by Proximal Occlusion of a Very Dominant Right Coronary Artery. <i>American Journal of Medicine</i> , 2016, 129, e41-e42. | 0.6 | 1 |
| 108 | Dietary total antioxidant capacity and mortality in the PREDIMED study. <i>European Journal of Nutrition</i> , 2016, 55, 227-236. | 1.8 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Dairy product consumption and risk of type 2 diabetes in an elderly Spanish Mediterranean population at high cardiovascular risk. <i>European Journal of Nutrition</i> , 2016, 55, 349-360. | 1.8 | 122 |
| 110 | Nutritional adequacy according to carbohydrates and fat quality. <i>European Journal of Nutrition</i> , 2016, 55, 93-106. | 1.8 | 49 |
| 111 | Dietary ω -3 Linolenic Acid, Marine ω -3 Fatty Acids, and Mortality in a Population With High Fish Consumption: Findings From the PREvención con Dieta MEDiterránea (PREDIMED) Study. <i>Journal of the American Heart Association</i> , 2016, 5, . | 1.6 | 60 |
| 112 | Yogurt consumption and abdominal obesity reversion in the PREDIMED study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 468-475. | 1.1 | 34 |
| 113 | Plasma Branched-Chain Amino Acids and Incident Cardiovascular Disease in the PREDIMED Trial. <i>Clinical Chemistry</i> , 2016, 62, 582-592. | 1.5 | 203 |
| 114 | A troublesome artifact. <i>Journal of Electrocardiology</i> , 2016, 49, 103. | 0.4 | 0 |
| 115 | High dietary protein intake is associated with an increased body weight and total death risk. <i>Clinical Nutrition</i> , 2016, 35, 496-506. | 2.3 | 64 |
| 116 | Moderate red wine consumption is associated with a lower prevalence of the metabolic syndrome in the PREDIMED population. <i>British Journal of Nutrition</i> , 2015, 113, S121-S130. | 1.2 | 65 |
| 117 | Dietary Glycemic Index and Glycemic Load Are Positively Associated with Risk of Developing Metabolic Syndrome in Middle-Aged and Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1991-2000. | 1.3 | 46 |
| 118 | Dietary Inflammatory Index and Incidence of Cardiovascular Disease in the PREDIMED Study. <i>Nutrients</i> , 2015, 7, 4124-4138. | 1.7 | 182 |
| 119 | Differing prognostic value of pulse pressure in patients with heart failure with reduced or preserved ejection fraction: results from the MAGGIC individual patient meta-analysis. <i>European Heart Journal</i> , 2015, 36, 1106-1114. | 1.0 | 53 |
| 120 | Does the Mediterranean diet counteract the adverse effects of abdominal adiposity?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 569-574. | 1.1 | 27 |
| 121 | Idiopathic calcified apical aneurysm of the left ventricle in an asymptomatic adult. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1261-1262. | 0.7 | 0 |
| 122 | Response to Letter Regarding Article, "Extravirgin Olive Oil Consumption Reduces Risk of Atrial Fibrillation: The PREDIMED (Prevención con Dieta Mediterránea) Trial". <i>Circulation</i> , 2015, 132, e140-2. | 1.6 | 1 |
| 123 | The "De Winter Pattern" Can Progress to ST-segment Elevation Acute Coronary Syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015, 68, 1042-1043. | 0.4 | 13 |
| 124 | Dietary inflammatory index and anthropometric measures of obesity in a population sample at high cardiovascular risk from the PREDIMED (PREvención con Dieta MEDiterránea) trial. <i>British Journal of Nutrition</i> , 2015, 113, 984-995. | 1.2 | 209 |
| 125 | Benefits of the Mediterranean Diet: Insights From the PREDIMED Study. <i>Progress in Cardiovascular Diseases</i> , 2015, 58, 50-60. | 1.6 | 538 |
| 126 | Mediterranean Diet, Retinopathy, Nephropathy, and Microvascular Diabetes Complications: A Post Hoc Analysis of a Randomized Trial. <i>Diabetes Care</i> , 2015, 38, 2134-2141. | 4.3 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Empirically-derived food patterns and the risk of total mortality and cardiovascular events in the PREDIMED study. <i>Clinical Nutrition</i> , 2015, 34, 859-867. | 2.3 | 38 |
| 128 | Consumption of Yogurt, Low-Fat Milk, and Other Low-Fat Dairy Products Is Associated with Lower Risk of Metabolic Syndrome Incidence in an Elderly Mediterranean Population. <i>Journal of Nutrition</i> , 2015, 145, 2308-2316. | 1.3 | 127 |
| 129 | It Is Important to Distinguish Between Ischemia-induced ST Elevation and That Caused by Early Repolarization. <i>American Journal of Medicine</i> , 2015, 128, e33-e34. | 0.6 | 0 |
| 130 | Dietary fat intake and risk of cardiovascular disease and all-cause mortality in a population at high risk of cardiovascular disease. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1563-1573. | 2.2 | 219 |
| 131 | Systematic Review of the Electrocardiographic Changes in the Takotsubo Syndrome. , 2015, 20, 1-6. | | 27 |
| 132 | Obesity Indexes and Total Mortality among Elderly Subjects at High Cardiovascular Risk: The PREDIMED Study. <i>PLoS ONE</i> , 2014, 9, e103246. | 1.1 | 27 |
| 133 | A High Dietary Glycemic Index Increases Total Mortality in a Mediterranean Population at High Cardiovascular Risk. <i>PLoS ONE</i> , 2014, 9, e107968. | 1.1 | 13 |
| 134 | Impact of psychosocial factors on cardiovascular morbimortality: a prospective cohort study. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 135. | 0.7 | 13 |
| 135 | The obesity paradox in heart failure patients with preserved versus reduced ejection fraction: a meta-analysis of individual patient data. <i>International Journal of Obesity</i> , 2014, 38, 1110-1114. | 1.6 | 155 |
| 136 | Amino Acid Change in the Carbohydrate Response Element Binding Protein Is Associated With Lower Triglycerides and Myocardial Infarction Incidence Depending on Level of Adherence to the Mediterranean Diet in the PREDIMED Trial. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 49-58. | 5.1 | 35 |
| 137 | ECG Diagnosis and Classification of Acute Coronary Syndromes. <i>Annals of Noninvasive Electrocardiology</i> , 2014, 19, 4-14. | 0.5 | 54 |
| 138 | Fiber intake and all-cause mortality in the Prevención con Dieta Mediterránea (PREDIMED) study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1498-1507. | 2.2 | 78 |
| 139 | Mediterranean diets and metabolic syndrome status in the PREDIMED randomized trial. <i>Cmaj</i> , 2014, 186, E649-E657. | 0.9 | 235 |
| 140 | Consensus Documents on Current Topics in ECG Interpretation. , 2014, 19, 411-411. | | 0 |
| 141 | Effect of a Mediterranean Diet Intervention on Dietary Glycemic Load and Dietary Glycemic Index: The PREDIMED Study. <i>Journal of Nutrition and Metabolism</i> , 2014, 2014, 1-10. | 0.7 | 46 |
| 142 | Novel association of the obesity risk-allele near Fas Apoptotic Inhibitory Molecule 2 (FAIM2) gene with heart rate and study of its effects on myocardial infarction in diabetic participants of the PREDIMED trial. <i>Cardiovascular Diabetology</i> , 2014, 13, 5. | 2.7 | 10 |
| 143 | Type 2 Brugada pattern is suggestive but not diagnostic of the syndrome. <i>American Journal of Emergency Medicine</i> , 2014, 32, 97-98. | 0.7 | 1 |
| 144 | White fish reduces cardiovascular risk factors in patients with metabolic syndrome: The WISH-CARE study, a multicenter randomized clinical trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 328-335. | 1.1 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Inverse association between habitual polyphenol intake and incidence of cardiovascular events in the PREDIMED study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 639-647. | 1.1 | 265 |
| 146 | Effect of the Mediterranean diet on heart failure biomarkers: a randomized sample from the <sc>PREDIMED</sc> trial. <i>European Journal of Heart Failure</i> , 2014, 16, 543-550. | 2.9 | 121 |
| 147 | Dietary Intake of Vitamin K Is Inversely Associated with Mortality Risk. <i>Journal of Nutrition</i> , 2014, 144, 743-750. | 1.3 | 65 |
| 148 | MicroRNA-410 regulated lipoprotein lipase variant rs13702 is associated with stroke incidence and modulated by diet in the randomized controlled PREDIMED trial. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 719-731. | 2.2 | 37 |
| 149 | Negative T Wave in Ischemic Heart Disease: A Consensus Article. <i>Annals of Noninvasive Electrocardiology</i> , 2014, 19, 426-441. | 0.5 | 32 |
| 150 | Blood pressure values and depression in hypertensive individuals at high cardiovascular risk. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 109. | 0.7 | 9 |
| 151 | Polyphenol intake and mortality risk: a re-analysis of the PREDIMED trial. <i>BMC Medicine</i> , 2014, 12, 77. | 2.3 | 159 |
| 152 | Olive oil intake and risk of cardiovascular disease and mortality in the PREDIMED Study. <i>BMC Medicine</i> , 2014, 12, 78. | 2.3 | 267 |
| 153 | Prinzmetal Angina: ECG Changes and Clinical Considerations: A Consensus Paper. <i>Annals of Noninvasive Electrocardiology</i> , 2014, 19, 442-453. | 0.5 | 28 |
| 154 | The Role of the ECG in Diagnosis, Risk Estimation, and Catheterization Laboratory Activation in Patients with Acute Coronary Syndromes: A Consensus Document. <i>Annals of Noninvasive Electrocardiology</i> , 2014, 19, 412-425. | 0.5 | 36 |
| 155 | Extravirgin Olive Oil Consumption Reduces Risk of Atrial Fibrillation. <i>Circulation</i> , 2014, 130, 18-26. | 1.6 | 194 |
| 156 | Dietary Magnesium Intake Is Inversely Associated with Mortality in Adults at High Cardiovascular Disease Risk. <i>Journal of Nutrition</i> , 2014, 144, 55-60. | 1.3 | 52 |
| 157 | A provegetarian food pattern and reduction in total mortality in the Prevenci3n con Dieta Mediterr3nea (PREDIMED) study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 320S-328S. | 2.2 | 207 |
| 158 | Brugada electrocardiographic pattern: Reality or fiction?. <i>Journal of Electrocardiology</i> , 2014, 47, 362-363. | 0.4 | 5 |
| 159 | Sex-based Differences in Clinical Features, Management, and 28-day and 7-year Prognosis of First Acute Myocardial Infarction. RESCATE II Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 28-35. | 0.4 | 7 |
| 160 | Mediterranean diet and heart rate: The PREDIMED randomised trial. <i>International Journal of Cardiology</i> , 2014, 171, 299-301. | 0.8 | 17 |
| 161 | The Effects of the Mediterranean Diet on Biomarkers of Vascular Wall Inflammation and Plaque Vulnerability in Subjects with High Risk for Cardiovascular Disease. A Randomized Trial. <i>PLoS ONE</i> , 2014, 9, e100084. | 1.1 | 182 |
| 162 | Oxidative Stress Is Associated with an Increased Antioxidant Defense in Elderly Subjects: A Multilevel Approach. <i>PLoS ONE</i> , 2014, 9, e105881. | 1.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Frequency of nut consumption and mortality risk in the PREDIMED nutrition intervention trial. BMC Medicine, 2013, 11, 164. | 2.3 | 135 |
| 164 | Mediterranean Diet Reduces the Adverse Effect of the <i>TCF7L2</i>-rs7903146 Polymorphism on Cardiovascular Risk Factors and Stroke Incidence. Diabetes Care, 2013, 36, 3803-3811. | 4.3 | 125 |
| 165 | Socioeconomic Status and Health Inequalities for Cardiovascular Prevention Among Elderly Spaniards. Revista Espanola De Cardiologia (English Ed), 2013, 66, 803-811. | 0.4 | 8 |
| 166 | Effect of the Mediterranean diet on blood pressure in the PREDIMED trial: results from a randomized controlled trial. BMC Medicine, 2013, 11, 207. | 2.3 | 227 |
| 167 | Doseâ€‘response association of physical activity with acute myocardial infarction: Do amount and intensity matter?. Preventive Medicine, 2013, 57, 567-572. | 1.6 | 14 |
| 168 | Known and missing left ventricular ejection fraction and survival in patients with heart failure: a MAGGIC metaâ€‘analysis report. European Journal of Heart Failure, 2013, 15, 1220-1227. | 2.9 | 28 |
| 169 | Dietary intake and major food sources of polyphenols in a Spanish population at high cardiovascular risk: The PREDIMED study. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 953-959. | 1.1 | 219 |
| 170 | Syncope and polymorphic ventricular tachycardia in the setting of a febrile illness. Journal of Electrocardiology, 2013, 46, 666-669. | 0.4 | 4 |
| 171 | Author's Response. Journal of Electrocardiology, 2013, 46, 71. | 0.4 | 0 |
| 172 | Primary Prevention of Cardiovascular Disease with a Mediterranean Diet. New England Journal of Medicine, 2013, 368, 1279-1290. | 13.9 | 3,677 |
| 173 | Mediterranean diet and non enzymatic antioxidant capacity in the PREDIMED study: Evidence for a mechanism of antioxidant tuning. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 1167-1174. | 1.1 | 90 |
| 174 | Changes in bread consumption and 4-year changes in adiposity in Spanish subjects at high cardiovascular risk. British Journal of Nutrition, 2013, 110, 337-346. | 1.2 | 36 |
| 175 | Alcohol intake, wine consumption and the development of depression: the PREDIMED study. BMC Medicine, 2013, 11, 192. | 2.3 | 85 |
| 176 | Cross-Sectional Assessment of Nut Consumption and Obesity, Metabolic Syndrome and Other Cardiometabolic Risk Factors: The PREDIMED Study. PLoS ONE, 2013, 8, e57367. | 1.1 | 102 |
| 177 | Lifestyles and Risk Factors Associated with Adherence to the Mediterranean Diet: A Baseline Assessment of the PREDIMED Trial. PLoS ONE, 2013, 8, e60166. | 1.1 | 77 |
| 178 | Association between Serum Ferritin and Osteocalcin as a Potential Mechanism Explaining the Iron-Induced Insulin Resistance. PLoS ONE, 2013, 8, e76433. | 1.1 | 17 |
| 179 | Renal Dysfunction in Patients With Heart Failure With Preserved Versus Reduced Ejection Fraction. Circulation: Heart Failure, 2012, 5, 309-314. | 1.6 | 152 |
| 180 | A 14-Item Mediterranean Diet Assessment Tool and Obesity Indexes among High-Risk Subjects: The PREDIMED Trial. PLoS ONE, 2012, 7, e43134. | 1.1 | 704 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | The survival of patients with heart failure with preserved or reduced left ventricular ejection fraction: an individual patient data meta-analysis. <i>European Heart Journal</i> , 2012, 33, 1750-1757. | 1.0 | 652 |
| 182 | Relationship of serum sodium concentration to mortality in a wide spectrum of heart failure patients with preserved and with reduced ejection fraction: an individual patient data meta-analysis. <i>European Journal of Heart Failure</i> , 2012, 14, 1139-1146. | 2.9 | 100 |
| 183 | New Evidence, New Controversies: a Critical Review of the European Society of Cardiology 2010 Clinical Practice Guidelines on Atrial Fibrillation. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 7-13. | 0.4 | 1 |
| 184 | Gender and survival in patients with heart failure: interactions with diabetes and aetiology. Results from the MAGGIC individual patient meta-analysis. <i>European Journal of Heart Failure</i> , 2012, 14, 473-479. | 2.9 | 167 |
| 185 | Associations of the FTO rs9939609 and the MC4R rs17782313 polymorphisms with type 2 diabetes are modulated by diet, being higher when adherence to the Mediterranean diet pattern is low. <i>Cardiovascular Diabetology</i> , 2012, 11, 137. | 2.7 | 129 |
| 186 | Automated discrimination of proximal right coronary artery occlusion from middle-to-distal right coronary artery occlusion and left circumflex occlusion in ST-elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2012, 45, 343-349. | 0.4 | 5 |
| 187 | Electrocardiographic changes of ST-elevation myocardial infarction in patients with complete occlusion of the left main trunk without collateral circulation: Differential diagnosis and clinical considerations. <i>Journal of Electrocardiology</i> , 2012, 45, 487-490. | 0.4 | 50 |
| 188 | Common pitfalls in the interpretation of electrocardiograms from patients with acute coronary syndromes with narrow QRS: a consensus report. <i>Journal of Electrocardiology</i> , 2012, 45, 463-475. | 0.4 | 54 |
| 189 | Waist-to-Height Ratio and Cardiovascular Risk Factors in Elderly Individuals at High Cardiovascular Risk. <i>PLoS ONE</i> , 2012, 7, e43275. | 1.1 | 64 |
| 190 | Cohort Profile: Design and methods of the PREDIMED study. <i>International Journal of Epidemiology</i> , 2012, 41, 377-385. | 0.9 | 477 |
| 191 | Statistical and Biological Gene-Lifestyle Interactions of MC4R and FTO with Diet and Physical Activity on Obesity: New Effects on Alcohol Consumption. <i>PLoS ONE</i> , 2012, 7, e52344. | 1.1 | 63 |
| 192 | Left ventricular ballooning syndrome due to vasospasm of the middle portion of the left anterior descending coronary artery. <i>Cardiology Journal</i> , 2012, 19, 314-316. | 0.5 | 14 |
| 193 | Optimizing electrocardiographic interpretation in acute ST-elevation myocardial infarction may be very beneficial. <i>American Heart Journal</i> , 2011, 162, e1-e2. | 1.2 | 15 |
| 194 | Total polyphenol excretion and blood pressure in subjects at high cardiovascular risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 323-331. | 1.1 | 68 |
| 195 | Mid-Term Survival of Patients Undergoing Major Cardiac Surgery. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 463-469. | 0.4 | 1 |
| 196 | Effect of a traditional Mediterranean diet on apolipoproteins B, A-I, and their ratio: A randomized, controlled trial. <i>Atherosclerosis</i> , 2011, 218, 174-180. | 0.4 | 71 |
| 197 | Association between a healthy lifestyle and general obesity and abdominal obesity in an elderly population at high cardiovascular risk. <i>Preventive Medicine</i> , 2011, 53, 155-161. | 1.6 | 46 |
| 198 | Long-Term Prognosis of First Myocardial Infarction According to the Electrocardiographic Pattern (ST Elevation Myocardial Infarction, Non-ST Elevation Myocardial Infarction and Non-Classified) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62</i> 1061-1067. | 0.7 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | A Short Screener Is Valid for Assessing Mediterranean Diet Adherence among Older Spanish Men and Women. <i>Journal of Nutrition</i> , 2011, 141, 1140-1145. | 1.3 | 973 |
| 200 | Primary angioplasty vs. fibrinolysis in very old patients with acute myocardial infarction: TRIANA (TRatamiento del Infarto Agudo de miocardio eN Ancianos) randomized trial and pooled analysis with previous studies. <i>European Heart Journal</i> , 2011, 32, 51-60. | 1.0 | 146 |
| 201 | Predictors of adherence to a Mediterranean-type diet in the PREDIMED trial. <i>European Journal of Nutrition</i> , 2010, 49, 91-99. | 1.8 | 41 |
| 202 | Effects of Mediterranean diets with low and high proportions of phytate-rich foods on the urinary phytate excretion. <i>European Journal of Nutrition</i> , 2010, 49, 321-326. | 1.8 | 37 |
| 203 | Electrocardiographic classification of acute coronary syndromes: a review by a committee of the International Society for Holter and Non-Invasive Electrocardiology. <i>Journal of Electrocardiology</i> , 2010, 43, 91-103. | 0.4 | 100 |
| 204 | Adjunctive Transcutaneous Ultrasound With Thrombolysis. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 352-359. | 1.1 | 20 |
| 205 | Gene-environment interactions of CETP gene variation in a high cardiovascular risk Mediterranean population. <i>Journal of Lipid Research</i> , 2010, 51, 2798-2807. | 2.0 | 22 |
| 206 | Culprit artery in evolving inferior wall acute myocardial infarction: RCA vs LCx. <i>Europace</i> , 2010, 12, 758-758. | 0.7 | 2 |
| 207 | Electrocardiographic Differential Diagnosis Between Takotsubo Syndrome and Distal Occlusion of LAD Is Not Easy. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1610-1611. | 1.2 | 13 |
| 208 | Letter to the Editor Re: Krishnaswamy. <i>American Heart Journal</i> , 2010, 160, e5. | 1.2 | 0 |
| 209 | Foramen oval permeable y ventilaci3n mec4nica. <i>Revista Espanola De Cardiologia</i> , 2010, 63, 877-878. | 0.6 | 6 |
| 210 | Alcohol consumption is associated with high concentrations of urinary hydroxytyrosol. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 1329-1335. | 2.2 | 47 |
| 211 | Polymorphisms Cyclooxygenase-2 -765G>C and Interleukin-6 -174G>C Are Associated with Serum Inflammation Markers in a High Cardiovascular Risk Population and Do Not Modify the Response to a Mediterranean Diet Supplemented with Virgin Olive Oil or Nuts. <i>Journal of Nutrition</i> , 2009, 139, 128-134. | 1.3 | 36 |
| 212 | Differentiating ST Elevation Myocardial Infarction and Nonischemic Causes of ST Elevation by Analyzing the Presenting Electrocardiogram. <i>American Journal of Cardiology</i> , 2009, 103, 301-306. | 0.7 | 49 |
| 213 | Risk Stratification of Mortality in Patients With Heart Failure and Left Ventricular Ejection Fraction >35%. <i>American Journal of Cardiology</i> , 2009, 103, 1003-1010. | 0.7 | 53 |
| 214 | A New Electrocardiographic Algorithm to Locate the Occlusion in Left Anterior Descending Coronary Artery. <i>Clinical Cardiology</i> , 2009, 32, E1-6. | 0.7 | 32 |
| 215 | Electrocardiographic Diagnosis of Left Main Coronary Artery Occlusion. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 105-106. | 0.4 | 1 |
| 216 | Effects of dietary fibre intake on risk factors for cardiovascular disease in subjects at high risk. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 582-588. | 2.0 | 138 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | The MUSIC Risk score: a simple method for predicting mortality in ambulatory patients with chronic heart failure. <i>European Heart Journal</i> , 2009, 30, 1088-1096. | 1.0 | 194 |
| 218 | Hypertensive Status and Lipoprotein Oxidation in an Elderly Population at High Cardiovascular Risk. <i>American Journal of Hypertension</i> , 2009, 22, 68-73. | 1.0 | 18 |
| 219 | Diagnóstico electrocardiográfico de la obstrucción del tronco común izquierdo. <i>Revista Espanola De Cardiologia</i> , 2009, 62, 105-106. | 0.6 | 1 |
| 220 | Low-fat dairy products and blood pressure: follow-up of 2290 older persons at high cardiovascular risk participating in the PREDIMED study. <i>British Journal of Nutrition</i> , 2009, 101, 59-67. | 1.2 | 85 |
| 221 | Prognostic Value of QT/RR Slope in Predicting Mortality in Patients with Congestive Heart Failure. <i>Journal of Cardiovascular Electrophysiology</i> , 2008, 19, 1066-1072. | 0.8 | 39 |
| 222 | Gender Related Differences in Paraoxonase 1 Response to High-fat Diet-induced Oxidative Stress. <i>Obesity</i> , 2008, 16, 2232-2238. | 1.5 | 33 |
| 223 | Components of the mediterranean-type food pattern and serum inflammatory markers among patients at high risk for cardiovascular disease. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 651-659. | 1.3 | 249 |
| 224 | A Large Randomized Individual and Group Intervention Conducted by Registered Dietitians Increased Adherence to Mediterranean-Type Diets: The PREDIMED Study. <i>Journal of the American Dietetic Association</i> , 2008, 108, 1134-1144. | 1.3 | 172 |
| 225 | New electrocardiographic diagnostic criteria for the pathologic R waves in leads V1 and V2 of anatomically lateral myocardial infarction. <i>Journal of Electrocardiology</i> , 2008, 41, 413-418. | 0.4 | 29 |
| 226 | Association Between Paraoxonase-1 and Paraoxonase-2 Polymorphisms and the Risk of Acute Myocardial Infarction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 269-275. | 0.4 | 5 |
| 227 | Association of Blood Pressure and Its Evolving Changes With the Survival of Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2008, 14, 561-568. | 0.7 | 16 |
| 228 | Heart rate turbulence predicts all-cause mortality and sudden death in congestive heart failure patients. <i>Heart Rhythm</i> , 2008, 5, 1095-1102. | 0.3 | 98 |
| 229 | Adherence to a Mediterranean-type diet and reduced prevalence of clustered cardiovascular risk factors in a cohort of 3204 high-risk patients. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 589-593. | 3.1 | 126 |
| 230 | Relationship of Alcoholic Beverage Consumption to Food Habits in a Mediterranean Population. <i>American Journal of Health Promotion</i> , 2008, 23, 27-30. | 0.9 | 12 |
| 231 | Effect of a Mediterranean Diet Supplemented With Nuts on Metabolic Syndrome Status. <i>Archives of Internal Medicine</i> , 2008, 168, 2449. | 4.3 | 396 |
| 232 | Left atrial enlargement and NT-proBNP as predictors of sudden cardiac death in patients with heart failure. <i>European Journal of Heart Failure</i> , 2007, 9, 802-807. | 2.9 | 42 |
| 233 | Smoking and myocardial infarction case-fatality: hospital and population approach. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 561-567. | 3.1 | 21 |
| 234 | Effect of preoperative mild renal dysfunction on mortality and morbidity following valve cardiac surgery. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2007, 6, 748-752. | 0.5 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | Effect of a Traditional Mediterranean Diet on Lipoprotein Oxidation. Archives of Internal Medicine, 2007, 167, 1195. | 4.3 | 365 |
| 236 | Phytate (Myo-inositol hexakisphosphate) inhibits cardiovascular calcifications in rats. Frontiers in Bioscience - Landmark, 2006, 11, 136. | 3.0 | 58 |
| 237 | Effects of a Mediterranean-Style Diet on Cardiovascular Risk Factors. Annals of Internal Medicine, 2006, 145, 1. | 2.0 | 1,430 |
| 238 | Concordance of Electrocardiographic Patterns and Healed Myocardial Infarction Location Detected by Cardiovascular Magnetic Resonance. American Journal of Cardiology, 2006, 97, 443-451. | 0.7 | 77 |
| 239 | A New Terminology for Left Ventricular Walls and Location of Myocardial Infarcts That Present Q Wave Based on the Standard of Cardiac Magnetic Resonance Imaging. Circulation, 2006, 114, 1755-1760. | 1.6 | 166 |
| 240 | Analysis With the Propensity Score of the Association Between Likelihood of Treatment and Event of Interest in Observational Studies. An Example With Myocardial Reperfusion. Revista Espanola De Cardiologia (English Ed), 2005, 58, 126-136. | 0.4 | 6 |
| 241 | Addition of Clopidogrel to Aspirin and Fibrinolytic Therapy for Myocardial Infarction with ST-Segment Elevation. New England Journal of Medicine, 2005, 352, 1179-1189. | 13.9 | 1,739 |
| 242 | Evolving Myocardial Infarction with ST Elevation: Ups and Downs of ST in Different Leads Identifies the Culprit Artery and Location of the Occlusion. Annals of Noninvasive Electrocardiology, 2004, 9, 180-186. | 0.5 | 18 |
| 243 | New Criteria Based on ST Changes in 12-Lead Surface ECG to Detect Proximal versus Distal Right Coronary Artery Occlusion in a Case of Acute Inferoposterior Myocardial Infarction. Annals of Noninvasive Electrocardiology, 2004, 9, 383-388. | 0.5 | 23 |
| 244 | Value of electrocardiographic algorithm based on ups and downs of ST in assessment of a culprit artery in evolving inferior wall acute myocardial infarction. American Journal of Cardiology, 2004, 94, 709-714. | 0.7 | 87 |
| 245 | Splenic haemorrhage in a newborn as the first manifestation of wandering spleen syndrome. Journal of Pediatric Surgery, 2004, 39, 240-242. | 0.8 | 19 |
| 246 | Regional Variability in Population Acute Myocardial Infarction Cumulative Incidence and Mortality Rates in Spain 1997 and 1998. European Journal of Epidemiology, 2003, 19, 831-839. | 2.5 | 74 |
| 247 | Spontaneous coronary artery dissection causing acute coronary syndrome: an early diagnosis implies a good prognosis. American Journal of Emergency Medicine, 2003, 21, 549-551. | 0.7 | 37 |
| 248 | Sustained ventricular tachycardia as a marker of inadequate myocardial perfusion during the acute phase of myocardial infarction. Clinical Cardiology, 2002, 25, 328-334. | 0.7 | 12 |
| 249 | Subarachnoid hemorrhage and acute myocardial infarction. Intensive Care Medicine, 2000, 26, 1160-1161. | 3.9 | 2 |
| 250 | Electrocardiographic and Clinical Precursors of Ventricular Fibrillation: Chain of Events. Journal of Cardiovascular Electrophysiology, 1995, 6, 410-417. | 0.8 | 17 |
| 251 | QT dispersion and ventricular fibrillation in acute myocardial infarction. Lancet, The, 1995, 346, 1424-1425. | 6.3 | 34 |
| 252 | Ventricular fibrillation markers on admission to the hospital for acute myocardial infarction. American Journal of Cardiology, 1993, 71, 117-119. | 0.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Wedge pulmonary angiography to determine the accuracy of pulmonary wedge pressure. Critical Care Medicine, 1984, 12, 653-655. | 0.4 | 3 |
| 254 | Pulmonary Artery-Bronchial Fistula Is Not a Complication of Bedside Pulmonary Arteriography. Chest, 1981, 80, 334-335. | 0.4 | 0 |
| 255 | Pulmonary Artery-Bronchial FĀstula. Chest, 1980, 78, 355. | 0.4 | 4 |
| 256 | The Palma Echo Platform: Rationale and Design of an Echocardiography Core Lab. Frontiers in Cardiovascular Medicine, 0, 9, . | 1.1 | 7 |